NASA SP-7063 (05)




# NASA SCIENTIFIC AND TECHNICAL PUBLICATIONS

AD-A235 956



A CATALOG OF SPECIAL PUBLICATIONS, REFERENCE PUBLICATIONS, CONFERENCE PUBLICATIONS, AND TECHNICAL PAPERS 1987–1990



# NASA SCIENTIFIC AND TECHNICAL PUBLICATIONS

A CATALOG OF SPECIAL PUBLICATIONS, REFERENCE PUBLICATIONS, CONFERENCE PUBLICATIONS, AND TECHNICAL PAPERS 1987–1990



91.5-15.001



# **PREFACE**

The pursuit of human knowledge through scientific research and technical endeavor has vastly expanded understanding of our world and the universe we live in. The contributions of NASA through scientific and technical research and development affect not only our understanding and use of aeronautics and space but also touch our daily lives. Geologists, oceanographers, meteorologists, archaeologists, aircraft engineers, aerospace decision makers, land-use planners, historians, and rescue teams all make use of the results of NASA's research. The findings of this research and development are published in NASA's scientific and technical report series as a part of NASA's mandate to disseminate the results of the agency's far-reaching work.

This catalog provides a cumulative list of NASA publications from four report series entered into the NASA Scientific and Technical Information Database during the accession years 1987 through 1990. For previous lists, see *Records of Achievement: NASA Special Publications*, NASA SP-470 (accession number N83-33792), *NASA Scientific and Technical Publications: A Catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1977-1986*, NASA SP-7063(01) (accession number N87-30218). Supplements 02, 03, and 04 of this catalog list NASA publications announced in 1987, 1988, and 1989, respectively.

Two semimonthly abstract journals cover all aspects of aeronautics and space research, NASA and non-NASA, nationally and worldwide. STAR (Scientific and Technical Aerospace Reports), focuses on scientific and technical reports, and IAA (International Aerospace Abstracts), covers the open literature. These are available by subscription from, respectively, the U.S. Government Printing Office and the American Institute of Aeronautics and Astronautics, Inc., (see page vi).

This catalog includes publicly available reports from four NASA report series: Special Publications (SPs), Reference Publications (RPs), Conference Publications (CPs), and Technical Papers (TPs). The scope of each series is defined as follows:

Special Publications are often concerned with subjects of substantial public interest. They report scientific and technical information derived from NASA programs for audiences of diverse technical backgrounds.

Reference Publications contain compilations of scientific and technical data of continuing reference value.

Conference Publications record the proceedings of scientific and technical symposia and other professional meetings sponsored or cosponsored by NASA.

Technical Papers present the results of significant research conducted by NASA scientists and engineers.


Presented here are citations for reports from each of these series. An explanation of the elements in a typical citation follows. Accession numbers (N numbers) at the end of a citation are separate citations to articles within the report. Please use *STAR* to locate these citations.

Also note that some bibliographies in the NASA SP-7000 series are issued periodically. This catalog lists only the last accessioned report in each bibliography series. The periodicity of each bibliography is as follows:

NASA SP-7011	Aerospace Medicine and Biology: A Continuing Bibliography with Indexes	Monthly plus annual cumulative index
NASA SP-7037	Aeronautical Engineering: A Continuing Bibliography with Indexes	Monthly plus annual cumulative index
NASA SP-7039	NASA Patent Abstracts Bibliography: A Continuing Bibliography Section 1: Abstracts: Section 2: Indexes	Semiannual


NASA SP-7046	Technology for Large Space Systems: A Bibliography with Indexes	Semiannual
NASA SP-7056	Space Station Systems: A Bibliography with Indexes	Semiannual
NASA SP-7500	Management: A Bibliography for NASA Managers	Annual

Please note that the reports cited in this catalog are available for purchase from the U.S. Government Printing Office for a limited time after publication, depending on public demand, and from the National Technical Information Service (NTIS) with no time limit. They are also available at any Federal Regional Depository Library. Additional availability information follows, including current NTIS price schedules, which are keyed to the price code in the citation.






# TYPICAL CITATION AND ABSTRACT



# TYPICAL CITATION AND SUBJECT TERMS



# **SOURCES OF NASA PUBLICATIONS**

The source from which a publication is available to the public is given in each citation. Addresses for these organizations are given below.

# **U.S. Government Printing Office**

Superintendent of Documents U.S. Government Printing Office Washington, DC 20402

(202) 783-3238 Price and order information

Publications are available from GPO in hardcopy for a limited time after publication and initial distribution. The price and order number are given following the availability line.

# **National Technical Information Service**

National Technical Information Service 5285 Port Royal Rd. Springfield, VA 22161

(703) 487-4780 Information or document accession number

(703) 487-4650 Sales desk, price information

(703) 487-4630 Subscription information for subscription bibliographies (in the SP-7000 series)

Prices for hardcopy and microfiche are indicated by a price code preceded by the letters HC or MF in the citation. Current values for the price codes are given in the NTIS Price Schedules. Publications available on microfiche are identified by a # symbol following the accession number. Note: The # symbol is used without regard to the source or quality of the microfiche.

# **Public Collections of NASA Documents**

Federal Depository Library Program: In order to provide the general public with greater access to U.S. Government publications, Congress established the Federal Depository Library Program under the Government Printing Office (GPO), with 51 regional depositories responsible for permanent retention of material, inter-library loan, and reference services. At least one copy of nearly every NASA publication, either in printed or microfiche format, is received and retained by the 51 regional depositories. A list of the regional GPO libraries, arranged alphabetically by state, follows. These libraries are *not* sales outlets. A local library can contact a Regional Depository to help locate specific reports, or direct contact may be made by an individual.

Other Domestic: NASA publications are also available to the public for reference purposes at the library maintained by the American Institute of Aeronautics and Astronautics, Technical Information Service, 555 West 57th Street, 12th Floor, New York, NY 10019, (212) 247-6500.

European: An extensive collection of NASA publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England for public access. European requesters may purchase facsimile copy or microfiche of NASA documents, those identified by both the symbols # and \*, from ESA, Information Retrieval Service, European Space Agency, 8-10 rue Mario-Nikis, 75738 Paris CEDEX 15, France.

# **NASA Scientific and Technical Information Facility**

NASA publications are available to NASA personnel, NASA contractors, other government agencies and their contractors, and universities through local technical libraries. The NASA Scientific and Technical Information Facility makes these publications available to registered users, but not to the general public.

For registration information contact:

NASA STI Facility
P.O. Box 8757
BWI Airport, MD 21240
(301) 621-0153 Registration information

# **NTIS PRICE SCHEDULES**

(Effective January 1, 1991)

# Schedule A STANDARD PRICE DOCUMENTS AND MICROFICHE\*\*

PRICE CODE	NORTH AMERICAN PRICE	FOREIGN PRICE
A01	\$ 8.00	\$ 16.00
A02	11,00	22.00
A03	15.00	30.00
A04-A05	17.00	34.00
A06-A09	23.00	46.00
A10-A13	31.00	62.00
A14-A17	39.00	78.00
A18-A21	45.00	90.00
A22-A25	53.00	106.00
A99	•	•
NO1	60.00	120.00
N02	59.00	118.00
N03	20.00	40.00

# Schedule E EXCEPTION PRICE DOCUMENTS AND MICROFICHE\*\*

PRICE CODE	NORTH AMERICAN PRICE	FOREIGN PRICE
E01	\$10.00	\$ 20.00
E02	12.00	24.00
E03	14.00	28.00
E04	16.50	33.00
E05	18.50	37.00
E06	21.50	43.00
E07	24.00	48.00
E08	27.00	54.00
E09	29.50	59.00
E10	32.50	65.00
E11	35.00	70.00
E12	38.50	77.00
E13	41.00	82.00
E14	45.00	90.00
E15	48.50	97.00
E16	53.00	106.00
E17	57.50	115.00
E18	62.00	124.00
E19	69.00	138.00
E20	80.00	160.00
E99	•	*

<sup>\*</sup> Contact NTIS for price quote.

# **IMPORTANT NOTICE**

NTIS Shipping and Handling Charges
U.S., Canada, Mexico — ADD \$3.00 per TOTAL ORDER
All Other Countries — ADD \$4.00 per TOTAL ORDER

Exceptions — Does NOT apply to:

ORDERS REQUESTING NTIS RUSH HANDLING ORDERS FOR SUBSCRIPTION OR STANDING ORDER PRODUCTS ONLY

NOTE: Each additional delivery address on an order requires a separate shipping and handling charge.

<sup>\*\*</sup> Effective January 1, 1991, the microfiche copy of any new document entering the NTIS collection will be priced the same as the paper copy of the document.

# FEDERAL REGIONAL DEPOSITORY LIBRARIES

# ALABAMA **AUBURN UNIV. AT MONTGOMERY** LIBRARY

**Documents Department** Montgomery, AL 36193 (205) 279-9110 ext.253

# UNIV. OF ALABAMA LIBRARY

Reference Department/Documents Tuscaloosa, AL 35486 (205) 348-6046

### **ARIZONA**

DEPT. OF LIBRARY, ARCHIVES, **AND PUBLIC RECORDS** 

Third Floor State Capitol 1700 West Washington Phoenix, AZ 85007 (602) 255-4121

# **ARKANSAS**

# ARKANSAS STATE LIBRARY

**Documents Service Section** One Capitol Mall Little Rock, AR 72201 (501) 371-2090

# **CALIFORNIA**

**CALIFORNIA STATE LIBRARY** 

Govt. Publications Section 914 Capitol Mall Sacramento, CA 95814 (916) 322-4572

# **COLORADO UNIV. OF COLORADO**

Norlin Library
Government Publications Division Campus Box 184 Boulder, CO 80309 (303) 492-8834

### **DENVER PUBLIC LIBRARY**

Govt. Pub. Department 1357 Broadway Denver, CO 80203 (303) 571-2346

# CONNECTICUT

# **CONNECTICUT STATE LIBRARY**

231 Capitol Avenue Hartford, CT 06106 (203) 566-4971

# **FLORIDA**

# UNIV. OF FLORIDA LIBRARIES

**Documents Department** Library West Gainesville, FL 32611 (904) 392-0367

### **GEORGIA**

# UNIV. OF GEORGIA LIBRARIES

Government Documents Dept Athens, GA 30602 (404) 542-8949

# HAWAII

# UNIV. OF HAWAII

Hamilton Library Government Documents Collection 2550 The Mall Honolulu, HI 96822 (808) 948-8230

# **IDAHO**

# UNIV. OF IDAHO LIBRARY

Documents Section Moscow, ID 83843 (208) 885-6344

# ILLINOIS

# ILLINOIS STATE LIBRARY

Federal Documents Centennial Building Springfield, IL 62756 (217) 782-5012

# INDIANA

# INDIANA STATE LIBRARY

Serials Section 140 North Senate Avenue Indianapolis, IN 46204 (317) 232-3686

### UNIV. OF IOWA LIBRARIES

Government Publications Dept. Iowa City, IA 52242 (319) 335-5926

### KANSAS

# UNIVERSITY OF KANSAS

Spencer Research Library **Government Documents** Lawrence, KS 66045 (913) 864-4662

# KENTUCKY

### UNIV. OF KENTUCKY LIBRARIES

Government Publications/Maps Dept. Lexington, KY 40506 (606) 257-8400

# **LOUISIANA**

# LOUISIANA STATE UNIVERSITY

Middleton Library Government Documents Dept. Baton Rouge, LA 70803 (504) 388-2570

### LOUISIANA TECHNICAL UNIV.

Prescott Memorial Library Government Documents Dept. Ruston, LA 71272 (318) 257-4962

# MAINE

### UNIVERSITY OF MAINE

Raymond H. Fogler Library Govt. Documents & Microforms Dept. Orono, ME 04469 (207) 581-1680

# MARYLAND

# UNIVERSITY OF MARYLAND

McKeldin Library Documents/Maps Room College Park, MD 20742 (301) 454-3034

# MASSACHUSETTS **BOSTON PUBLIC LIBRARY**

Government Documents Dept. 666 Boylston Street Boston, MA 02117 (617) 536-5400 ext.226

# **MICHIGAN**

# **DETROIT PUBLIC LIBRARY**

5201 Woodward Avenue Detroit, MI 48202 (313) 833-1409

# LIBRARY OF MICHIGAN

Government Documents PO Box 30007 735 E. Michigan Avenue Lansing, MI 48909 (517) 373-1593

# **MINNESOTA**

# UNIVERSITY OF MINNESOTA

Wilson Library
Government Publications 309 Nineteenth Avenue South Minneapolis, MN 55455 (612) 373-7813

# MISSISSIPPI

# UNIV. OF MISSISSIPPI LIB.

Government Documents Dept 106 Old Gym Bldg University MS 38677 (601) 232-5857

# **MISSOURI**

# University of Missouri at

Columbia Library Government Documents

Columbia, MO 65201 (314) 882-6733

# **MONTANA**

# UNIV. OF MONTANA

Mansfield Library **Documents Division** Missoula, MT 59812 (406) 243-6700

# **NEBRASKA**

# UNIVERSITY OF NEBRASKA -LINCOLN

Love Memorial Library Documents Department Lincoln, NE 68588 (402) 472-2562

# **NEVADA**

# UNIV. OF NEVADA-RENO LIB.

Govt. Pub. Department Reno, NV 89557 (702) 784-6579

### **NEW JERSEY NEWARK PUBLIC LIBRARY**

U.S. Documents Division 5 Washington Street P.O. Box 630

Newark, NJ 07101 (201) 733-7812

# **NEW MEXICO**

# UNIVERSITY OF NEW MEXICO

General Library Government Publications/Maps Dept. Albuquerque, NM 87131 (505) 277-5441

# NEW MEXICO STATE LIBRARY

325 Don Baspar Avenue Santa Fe, NM 87501 (505) 827-3826

# **NEW YORK**

# **NEW YORK STATE LIBRARY**

Documents Sect. Cultural Educ. Ctr. Empire State Plaza Albany NY 12230 (518) 474-5563

# **NORTH CAROLINA**

### UNIVERSITY OF NORTH CAROLINA AT CHAPEL HILL

Davis Library 080A BA/SS Department Documents Chapel Hill, NC 27514 (919) 962-1151

# NORTH DAKOTA **NORTH DAKOTA STATE**

# UNIVERSITY LIBRARY

Government Documents Dept. Fargo, ND 58105 (701) 237-8352

In cooperation with Univ. of North Dakota, Chester Fritz Library Grand Forks

# ОНЮ

# STATE LIBRARY OF OHIO

Documents Section 65 South Front Street Columbus, OH 43266 (614) 644-7051

### **OKLAHOMA** OKLAHOMA DEPT. OF LIBRARIES

Government Documents 200 NE 18th Street Oklahoma City, OK 73105 (405) 521-2502, ext 252

# OKLAHOMA STATE UNIV. LIB.

Documents Department Stillwater, OK 74078 (405) 624-0489

# **OREGON**

# PORTLAND STATE UNIV.

Millar Library 934 SW Harrison - P.O. Box 1151 Portland, OR 97207 (503) 229-3673

### **PENNSYLVANIA**

# STATE LIBRARY OF PENN.

Government Publications Section Box 1601 Walnut St. & Commonwealth Ave. Harrisburg, PA 17105 (717) 787-3752

# SOUTH CAROLINA CLEMSON UNIV. COOPER LIB.

**Documents Department** Clemson, SC 29634 (803) 656-5174 In cooperation with Univ. of South Carolina, Thomas Cooper Library. Columbia

# **TEXAS**

# TEXAS STATE LIBRARY

Public Services Department P.O. Box 12927 - 1201 Brazos Austin, TX 78711 (512) 463-5455

### **TEXAS TECH. UNIV. LIBRARY**

Documents Department Lubbock, TX 79409 (806) 742-2268

### UTAH

# UTAH STATE UNIVERSITY

Merrill Library & Learning Resources Center, UMC-30 Documents Department Logan, UT 84322 (801) 750-2682

### **VIRGINIA**

# UNIVERSITY OF VIRGINIA

Alderman Library Government Documents Charlottesville, VA 22903 (804) 924-3133

# WASHINGTON

# **WASHINGTON STATE LIBRARY**

Document Section Olympia, WA 98504 (206) 753-4027

# **WEST VIRGINIA**

# WEST VIRGINIA UNIV. LIB.

Government Documents Section PO. Box 6069 Morgantown, WV 26506 (304) 293-3640

# WISCONSIN

# ST. HIST SOC. OF WISCONSIN LIB.

Government Pub. Section 816 State Street Madison, WI 53706 (608) 262-2781 In cooperation with Univ. of Wisconsin-Madison, Memorial Library

# MII WAUKEE PUBLIC LIBRARY

Documents Division 814 West Wisconsin Avenue Milwaukee, WI 53233 (414) 278-3065

# WYOMING

# WYOMING STATE LIBRARY

Supreme Court & Library Bldg Cheyenne, WY 82002 (307) 777-5919

# NASA Scientific and Technical Publications 1987-1990

# **TABLE OF CONTENTS**

AERONAUTICS	For related	information see	also Astronautics.
-------------	-------------	-----------------	--------------------

01 AERONAUTICS (GENERAL)
02 AERODYNAMICS
03 AIR TRANSPORTATION AND SAFETY
04 AIRCRAFT COMMUNICATIONS AND NAVIGATION 13 Includes digital and voice communication with aircraft; air navigation systems (satellite and ground based); and air traffic control. For related information see also 17 Space Communications, Spacecraft Communications, Command and Tracking and 32 Communications and Radar.
05 AIRCRAFT DESIGN, TESTING AND PERFORMANCE
06 AIRCRAFT INSTRUMENTATION
07 AIRCRAFT PROPULSION AND POWER
08 AIRCRAFT STABILITY AND CONTROL 19 Includes aircraft handling qualities; piloting; flight controls; and autopilots. For related information see also 05 Aircraft Design, Testing and Performance.
09 RESEARCH AND SUPPORT FACILITIES (AIR)
ASTRONAUTICS For related information see also Aeronautics.
12 ASTRONAUTICS (GENERAL)  For extraterrestrial exploration see 91 Lunar and Planetary Exploration.  22
13 ASTRODYNAMICS
14 GROUND SUPPORT SYSTEMS AND FACILITIES (SPACE) 23 Includes launch complexes, research and production facilities; ground support equipment, e.g., mobile transporters; and simulators. For related information see also 09 Research and Support Facilities (Air).
15 LAUNCH VEHICLES AND SPACE VEHICLES
16 SPACE TRANSPORTATION 24 Includes passenger and cargo space transportation, e.g., shuttle operations; and space rescue techniques. For related information see also 03 Air Transportation and Safety and 18 Spacecraft Design, Testing and Performance. For space suits see 54 Man/System Technology and Life Support.
17 SPACE COMMUNICATIONS, SPACECRAFT COMMUNICATIONS, COMMAND AND TRACKING . N.A.

N.A. - no abstracts were assigned to this category for this issue.

Includes telemetry; space communications networks; astronavigation and guidance; and radio blackout. For related information see also 04 Aircraft Communications and Navigation and 32 Communications and Radar.

18 SPACECRAFT DESIGN, TESTING AND PERFORMANCE 24 Includes satellites: space platforms; space stations; spacecraft systems and components such as thermal and environmental controls; and attitude controls. For life support systems see 54 Man System Technology and Life Support. For related information see also 05 Aircraft Design. Testing and Performance. 39 Structural Mechanics, and 16 Space Transportation.
19 SPACECRAFT INSTRUMENTATION
20 SPACECRAFT PROPULSION AND POWER
CHEMISTRY AND MATERIALS
23 CHEMISTRY AND MATERIALS (GENERAL)
24 COMPOSITE MATERIALS
25 INORGANIC AND PHYSICAL CHEMISTRY
26 METALLIC MATERIALS  Includes physical, chemical, and mechanical properties of metals, e.g., corrosion; and metallurgy.
27 NONMETALLIC MATERIALS
28 PROPELLANTS AND FUELS
29 MATERIALS PROCESSING
ENGINEERING For related information see also Physics.
31 ENGINEERING (GENERAL)
32 COMMUNICATIONS AND RADAR
33 ELECTRONICS AND ELECTRICAL ENGINEERING
34 FLUID MECHANICS AND HEAT TRANSFER
35 INSTRUMENTATION AND PHOTOGRAPHY 39 Includes remote sensors; measuring instruments and gauges; detectors; cameras and photographic supplies; and holography. For aerial photography see 43 Earth Resources and Remote Sensing. For related information see also 06 Aircraft Instrumentation and 19 Spacecraft Instrumentation.
36 LASERS AND MASERS Includes parametric amplifiers. For related information see also 76 Solid-State Physics.

37 MECHANICAL ENGINEERING	11
Includes auxiliary systems (nonpower); machine elements and processes; and mechanical equipment.	
38 QUALITY ASSURANCE AND RELIABILITY	12
39 STRUCTURAL MECHANICS	<b>ļ</b> 2
Includes structural element design and weight analysis; fatigue; and thermal stress. For applications see (Aircraft Decign, Testing and Performance and 18 Spacecraft Design, Testing and Performance.	
GEOSCIENCES For related information see also Space Sciences.	
42 GEOSCIENCES (GENERAL)	17
43 EARTH RESOURCES AND REMOTE SENSING	
44 ENERGY PRODUCTION AND CONVERSION	50
Includes specific energy conversion systems, e.g., fuel cells; global sources of energy; geophysical conversion and windpower. For related information see also 07 Aircraft Propulsion and Power, 20 Spacecraft Propulsion and Power, and 28 Propellants and Fuels.	n;
45 ENVIRONMENT POLLUTION	51
46 GEOPHYSICS	
Includes aeronomy; upper and lower atmosphere studies; ionospheric and magnetospheric physics; ar geomagnetism. For space radiation see <i>93 Space Radiation</i> .	
47 METEOROLOGY AND CLIMATOLOGY	<b>i</b> 5
48 OCEANOGRAPHY Solution 15 Includes biological, dynamic, and physical oceanography; and marine resources. For related information sealso 43 Earth Resources and Remote Sensing.	
LIFE SCIENCES	
51 LIFE SCIENCES (GENERAL)	:8
52 AEROSPACE MEDICINE	:0
Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals	
53 BEHAVIORAL SCIENCES	
54 MAN/SYSTEM TECHNOLOGY AND LIFE SUPPORT	
55 SPACE BIOLOGY	<b>31</b>
MATHEMATICAL AND COMPUTER SCIENCES	
59 MATHEMATICAL AND COMPUTER SCIENCES (GENERAL)	51
60 COMPUTER OPERATIONS AND HARDWARE	
Includes hardware for computer graphics, firmware, and data processing. For components see 33 Electronic and Electrical Engineering.	
61 COMPUTER PROGRAMMING AND SOFTWARE	2
Includes computer programs, routines, algorithms, and specific applications, e.g., CAD/CAM.	
62 COMPUTER SYSTEMS	<b>;</b> 4
DECEMBER CONTRIBUTED DESCRIPTION AND SORGED ADDRESSED FOR THE CONTRIBUTE CONTRIBUTE	

63 CYBERNETICS
64 NUMERICAL ANALYSIS
65 STATISTICS AND PROBABILITY
66 SYSTEMS ANALYSIS
67 THEORETICAL MATHEMATICS
PHYSICS For related information see also Engineering.
70 PHYSICS (GENERAL)
71 ACOUSTICS 66 Includes sound generation, transmission, and attenuation. For noise pollution see 45 Environment Pollution.
72 ATOMIC AND MOLECULAR PHYSICS
73 NUCLEAR AND HIGH-ENERGY PHYSICS 68 Includes elementary and nuclear particles; and reactor theory. For space radiation see 93 Space Radiation.
74 OPTICS 68 Includes light phenomena and optical devices. For lasers see 36 Lasers and Masers.
75 PLASMA PHYSICS 68 Includes magnetohydrodynamics and plasma fusion. For ionospheric plasmas see 46 Geophysics. For space plasmas see 90 Astrophysics.
76 SOLID-STATE PHYSICS 69 Includes superconductivity. For related information see also 33 Electronics and Electrical Engineering and 36 Lasers and Masers.
77 THERMODYNAMICS AND STATISTICAL PHYSICS
SOCIAL SCIENCES
80 SOCIAL SCIENCES (GENERAL)
81 ADMINISTRATION AND MANAGEMENT
82 DOCUMENTATION AND INFORMATION SCIENCE
83 ECONOMICS AND COST ANALYSIS
84 LAW, POLITICAL SCIENCE AND SPACE POLICY
85 LABAN TECHNOLOGY AND TRANSPORTATION 72 Includes applications of space technology to urban problems; technology transfer; technology assessment; and surface and mass transportation. For related information see 03 Air Transportation and Safety. 16 Space Transportation, and 44 Energy Production and Conversion.

SPACE SCIENCES For related information see also <i>Geosciences</i> .	
88 SPACE SCIENCES (GENERAL)	. 72
89 ASTRONOMY	. 73
90 ASTROPHYSICS	
91 LUNAR AND PLANETARY EXPLORATION	
92 SOLAR PHYSICS	. <b>79</b> tion.
93 SPACE RADIATION	. <b>79</b> see
GENERAL	
Includes aeronautical, astronautical, and space science related histories, biographies, and pertinent reptoo broad for categorization; histories or broad overviews of NASA programs.	orts
99 GENERAL	. 80
SUBJECT INDEX	<b>A-1</b>
PERSONAL AUTHOR INDEX	B-1
REPORT NUMBER INDEX	C-1

# 01

# **AERONAUTICS (GENERAL)**

N87-18520°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

JOINT UNIVERSITY PROGRAM FOR AIR TRANSPORTATION RESEARCH, 1983

FREDERICK R. MORRELL, comp. Mar. 1987 80 p Conference held in Atlantic City, N.J., 16 Dec. 1983; sponsored by NASA and FAA

(NASA-CP-2451; L-16254; NAS 1.55:2451) Avail: NTIS HC A05/MF A01 CSCL 01B

AIR NAVIGATION, AIR TRANSPORTATION, AIRCRAFT GUIDANCE, AVIONICS, CONFERENCES, FLIGHT CONTROL

N87-22604\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

JOINT UNIVERSITY PROGRAM FOR AIR TRANSPORTATION RESEARCH, 1984

FREDERICK R. MORRELL, comp. May 1987 165 p Meeting held in Hampton, Va., 18 Jan. 1985

(NASA-CP-2452; L-16255; NAS 1.55:2452) Avail: NTIS HC A08/MF A01 CSCL 01B

AIR TRANSPORTATION, AIRCRAFT CONTROL, AIRCRAFT GUIDANCE, AVIONICS, CONTROL THEORY, SURFACE NAVIGATION

N87-25267\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

WIND SHEAR/TURBULENCE INPUTS TO FLIGHT SIMULATION AND SYSTEMS CERTIFICATION

ROLAND L. BOWLES, ed. and WALTER FROST, ed. (FWG Associates, Inc., Tullahoma, Tenn.) Jul. 1987 272 p Workshop held in Hampton, Va., 30 May - 1 Jun. 1984 (NASA-CP-2474; L-16329; NAS 1.55:2474) Avail: NTIS HC

A12/MF A02 CSCL 01B
AIRCRAFT PERFORMANCE, AVIONICS, FLIGHT SAFETY,

FLIGHT SIMULATION, PILOT PERFORMANCE, WIND SHEAR

N87-27596\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

JOINT UNIVERSITY PROGRAM FOR AIR TRANSPORTATION RESEARCH, 1985

FREDERICK R. MORRELL, comp. Jul. 1987 100 p Conference held in Atlantic City, N.J., 30 Jan. 1986

(NAS 1.55:2453; NASA-CP-2453) Avail: NTIS HC A05/MF A01 CSCL 01B

AIR TRAFFIC CONTROL, AIR TRANSPORTATION, CONFERENCES, FAULT TOLERANCE, FLIGHT CONTROL, GLOBAL POSITIONING SYSTEM, INERTIAL NAVIGATION

N87-27613\* National Aeronautics and Space Administration, Washington, DC.

AERONAUTICAL ENGINEERING: A CONTINUING BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 217)

Sep. 1987 134 p

(NASA-SP-7037(217); NAS 1.21:7037(217)) Avail: NTIS HC A07 CSCL 01B

This bibliography lists 450 reports, articles, and other documents introduced into the NASA scientific and technical information system in August, 1987.

Author

N88-14926\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

LANGLEY SYMPOSIUM ON AERODYNAMICS, VOLUME 1
SHARON H. STACK, comp. Dec. 1986 592 p Symposium held in Hampton, Va., 23-25 Apr. 1985
(NASA-CP-2397; L-16031; NAS 1.55:2397) Avail: NTIS HC

(NASA-CP-2397; L-16031; NAS 1.55:2397) Avail: NTIS HC A25/MF A04 CSCL 01B

AERODYNAMIC CONFIGURATIONS, AIRCRAFT DESIGN, AIRCRAFT MANEUVERS, COMPUTATIONAL FLUID DYNAMICS, CONFERENCES

N88-16625\*# National Aeronautics and Space Administration, Washington, DC.

NASA/ARMY ROTORCRAFT TECHNOLOGY. VOLUME 1: AERODYNAMICS, AND DYNAMICS AND AEROELASTICITY Feb. 1988 537 p Conference held at Moffett Field, Calif., 17-19 Mar. 1987

(NASA-CP-2495-VOL-1; NAS 1.55:2495-VOL-1) Avail: NTIS HC A23/MF A03 CSCL 01B

AEROELASTICITY, COMPUTATIONAL FLUID DYNAMICS, CONFERENCES, FLIGHT CONTROL, HELICOPTERS, ROTOR AERODYNAMICS

N88-16632\*# National Aeronautics and Space Administration, Washington, DC.

NASA/ĀRMY ROTORCRAFT TECHNOLOGY. VOLUME 2: MATERIALS AND STRUCTURES, PROPULSION AND DRIVE SYSTEMS, FLIGHT DYNAMICS AND CONTROL, AND ACOUSTICS

Feb. 1988 587 p Conference held at Moffett Field, Calif., 17-19 Mar. 1987

AEROACOUSTICS, AIRCRAFT DESIGN, CONFERENCES, CONTROLLABILITY, ENGINE DESIGN, FRACTURE MECHANICS, HELICOPTERS. ROTOR AERODYNAMICS

N88-16650\*# National Aeronautics and Space Administration, Washington, DC.

NASA/ÄRMY ROTORCRAFT TECHNOLOGY. VOLUME 3: SYSTEMS INTEGRATION, RESEARCH AIRCRAFT, AND INDUSTRY

Feb. 1988 387 p Conference held at Moffett Field, Calif., 17-19 Mar. 1987

(NASA-CP-2495-VOL-3; NAS 1.55:2495-VOL-3) Avail: NTIS HC A17/MF A03 CSCL 01B

AIRCRAFT DESIGN, FLIGHT TESTS, HELICOPTER PERFORMANCE, ROTARY WING AIRCRAFT, SYSTEMS INTEGRATION

# 01 AERONAUTICS (GENERAL)

N88-19407"# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

GENERAL EQUILIBRIUM CHARACTERISTICS OF A **DUAL-LIFT HELICOPTER SYSTEM** 

L. S. CICOLANI and G. KANNING Jul. 1986 86 p. (NASA-TP-2615; A-86114; NAS 1.60:2615) Avail: NTIS HC A05/MF A01 CSCL 01B

CARGO AIRCRAFT, EQUILIBRIUM. **HEAVY** LIFT HELICOPTERS, SUSPENDING (HANGING), TETHERING

National Aeronautics and Space Administration. N88-23715\*# Langley Research Center, Hampton, VA. JOINT UNIVERSITY PROGRAM FOR AIR TRANSPORTATION RESEARCH, 1986

FREDERICK R. MORRELL, comp. Apr. 1988 115 p Meeting held in Hampton, Va., 8-9 Jan. 1987; sponsored by NASA, Langley Research Cetner, Hampton, Va. and FAA, Washington, D.C. Sponsored by NASA, Washington

(NASA-CP-2502; L-16406; NAS 1,55:2502) Avail: NTIS HC A06/MF A01 CSCL 01B

AERODYNAMICS. AIRCRAFT CONTROL. **AIRCRAFT** GUIDANCE, AVIONICS, SURFACE NAVIGATION

N88-27148\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

INTEGRATED TECHNOLOGY ROTOR METHODOLOGY **ASSESSMENT WORKSHOP** 

MICHAEL J. MCNULTY, ed. and WILLIAM G. BOUSMAN, ed. Jun. 1988 381 p Workshop held in Moffett Field, Calif., 21-22 Jun. 1983, sponsored by NASA, Ames Research Center and the Army Prepared in cooperation with Army Aviation Systems Command, Moffett Field, Calif. Sponsored by NASA, Washington, D.C. (NASA-CP-10007; A-86381; NAS 1.55:10007; USAAVSCOM-CP-88-A-001; AD-A200007) Avail: NTIS HC A17/MF A03 CSCL 01/2

AERODYNAMIC STABILITY, AEROELASTICITY, CON-FERENCES, MATHEMATICAL MODELS, ROTOR AERODY-NAMICS, ROTOR BODY INTERACTIONS

N88-27163\* National Aeronautics and Space Administration, Washington, DC.

**AERONAUTICAL ENGINEERING: A CONTINUING BIBLIOGRAPHY WITH INDEXES** 

Aug. 1988 126 p

(NASA-SP-7037(229); NAS 1.21:7037(229)) Avail: NTIS HC A07 CSCL 01B

This bibliography lists 455 reports, articles, and other documents introduced into the NASA scientific and technical information system in July, 1988.

N89-19230°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

JOINT UNIVERSITY PROGRAM FOR AIR TRANSPORTATION RESEARCH, 1987

FREDERICK R. MORRELL, comp. Apr. 1989 118 p Presented at a conference held in Atlantic City, NJ, 14-15 Jan. 1988 (NASA-CP-3028; L-16547; NAS 1.55:3028) Avail: NTIS HC A06/MF A01 CSCL 01B

AVIONICS, COMPUTER TECHNIQUES, CONTROL THEORY, GUIDANCE (MOTION), SURFACE NAVIGATION

National Aeronautics and Space Administration. N89-22568\*# Langley Research Center, Hampton, VA. **EVALUATION OF THE RIDE QUALITY OF A LIGHT TWIN** 

ENGINE AIRPLANE USING A RIDE QUALITY METER ERIC C. STEWART Jun. 1989 27 p

(NASA-TP-2913; L-16524; NAS 1.60:2913) Avail: NTIS HC A03/MF A01 CSCL 01B

AIRCRAFT COMPARTMENTS, AIRCRAFT NOISE, NOISE TOLERANCE, SOUND TRANSMISSION, VIBRATION

N89-29304\* National Aeronautics and Space Administration, Washington, DC.

**AERONAUTICAL ENGINEERING: A CONTINUING BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 242)** 

(NASA-SP-7037(242); NAS 1.21:7037(242)) Avail: NTIS HC A07; NTIS standing order as PB89-914100, \$10.50 domestic, \$21.00 foreign CSCL 01A

This bibliography lists 466 reports, articles, and other documents introduced into the NASA scientific and technical information system in July, 1989. Subject coverage includes: design, construction and testing of aircraft and aircraft engines; aircraft components, equipment and systems; ground support systems; and theoretical and applied aspects of aerodynamics and general fluid dynamics.

N90-20921\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

JOINT UNIVERSITY PROGRAM FOR AIR TRANSPORTATION

RESEARCH, 1988-1989 FREDERICK R. MORRELL, comp. Mar. 1990 202 p Research program held during 1988-1989; sponsored by NASA, Langley Research Center and FAA

(NASA-CP-3063; L-16740; NAS 1.55:3063) Avail: NTIS HC A10/MF A02 CSCL 01C

NAVIGATION, AIR AIR TRAFFIC CONTROL, TRANSPORTATION, AIRCRAFT CONTROL, AVIONICS. CONFERENCES, CONTROL SYSTEMS DESIGN, CONTROL THEORY, PSYCHOLOGY, UNIVERSITIES, WARNING SYSTEMS, WIND SHEAR

N90-20942\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

LASER-VELOCIMETER-MEASURED FLOW FIELD AROUND AN ADVANCED, SWEPT, EIGHT-BLADE PROPELLER AT MACH

HARVEY E. NEUMAN, JOHN A. SERAFINI, DANIEL Y. WHIPPLE, and BRIAN T. HOWARD May 1985 100 p (NASA-TP-2462; E-2429; NAS 1.60:2462) Avail: Issuing Activity CSCL 01B

FLOW DISTRIBUTION, LASER DOPPLER VELOCIMETERS, PROPELLERS, WIND TUNNEL TESTS

N90-27648\* National Aeronautics and Space Administration, Washington, DC.

**AERONAUTICAL ENGINEERING: A CONTINUING BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 255)** 

Aug. 1990 153 p

(NASA-SP-7037(255); NAS 1.21:7037(255)) Avail: NTIS HC A08; NTIS standing order as PB90-914100, \$11.50 domestic, \$23.00 foreign CSCL 01A

This bibliography lists 529 reports, articles, and other documents introduced into the NASA scientific and technical information system in June 1990. Subject coverage includes: design, construction and testing of aircraft and aircraft engines; aircraft components, equipment and systems; ground support systems; and theoretical and applied aspects of aerodynamics and general fluid dynamics.

# 02

# **AERODYNAMICS**

Includes aerodynamics of bodies, combinations, wings, rotors, and control surfaces; and internal flow in ducts and turbomachinery.

N77-85474\* National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Center, Edwards, CA. SUPERCRITICAL WING TECHNOLOGY: A REPORT ON

FLIGHT EVALUATIONS

1972 133 p

(NASA-SP-301; C72-71337)

N87-10039\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.
WIND-TUNNEL INVESTIGATION OF THE FLIGHT
CHARACTERISTICS OF A CANARD GENERAL-AVIATION
AIRPI ANE CONFIGURATION

D. R. SATRAN Oct. 1986 60 p

(NASA-TP-2623; L-15929; NAS 1.60:2623) Avail: NTIS HC A04/MF A01 CSCL 01A

CANARD CONFIGURATIONS, FLIGHT CHARACTERISTICS, GENERAL AVIATION AIRCRAFT, WIND TUNNEL TESTS

N87-10042\*# National Aeronautics and Space Administration.
Langley Research Center, Hampton, VA.
SUPERSONIC, NONLINEAR, ATTACHED-FLOW WING DESIGN

FOR HIGH LIFT WITH EXPERIMENTAL VALIDATION

J. L. PITTMAN, D. S. MILLER, and W. H. MASON (Grumman
Aerospace Corp., Bethpage, N.Y.) Aug. 1984 221 p

Aerospace Corp., Bethpage, N.Y.) Aug. 1984 221 p (NASA-TP-2336; L-15787; NAS 1.60:2336) Avail: NTIS HC A10/MF A02 CSCL 01A

CAMBERED WINGS, REATTACHED FLOW, SUPERCRITICAL FLOW, SUPERSONIC AIRFOILS, SUPERSONIC FLOW

N87-10838\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EFFECTS OF TAIL SPAN AND EMPENNAGE ARRANGEMENT ON DRAG OF A TYPICAL SINGLE-ENGINE FIGHTER AFT END J. R. BURLEY, II and B. L. BERRIER Sep. 1984 136 p (NASA-TP-2352; L-15742; NAS 1.60:2352) Avail: NTIS HC A07/MF A01 CSCL 01A

AERODYNAMIC DRAG, AIRCRAFT CONFIGURATIONS, SKIN FRICTION, TAIL ASSEMBLIES, TRANSONIC SPEED

N87-10839°# National Aeronautics and Space Administration.
Langley Research Center, Hampton, VA.
STATIC INTERNAL PERFORMANCE OF
SINGLE-EXPANSION-RAMP NOZZLES WITH
THRUST-VECTORING CAPABILITY UP TO 60 DEG
B. L. BERRIER and L. D. LEAVITT Oct. 1984 144 p

B. L. BERRIER and L. D. LEAVITT Oct. 1984 144 p (NASA-TP-2364; L-15766; NAS 1.60:2364) Avail: NTIS HC A07/MF A01 CSCL 01A

AXISYMMETRIC BODIES, NOZZLE FLOW, THRUST VECTOR CONTROL

N87-10841\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

TRANSONIC FLOW ANALYSIS FOR ROTORS. PART 2: THREE-DIMENSIONAL, UNSTEADY, FULL-POTENTIAL CALCULATION

I. C. CHANG Jan. 1985 27 p

(NASA-TP-2375-PT-2; A-9682; NAS 1.60:2375-PT-2) Avail: NTIS HC A03/MF A01 CSCL 01A

AERODYNAMIC STABILITY, HELICOPTER PERFORMANCE, ROTORS, TIP VANES, TRANSONIC FLOW

N87-10843\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

PILOTED SIMULATION STUDY OF THE EFFECTS OF AN AUTOMATED TRIM SYSTEM ON FLIGHT CHARACTERISTICS OF A LIGHT TWIN-ENGINE AIRPLANE WITH ONE ENGINE INOPERATIVE

E. C. STEWART, P. W. BROWN, and K. R. YENNI Nov. 1986

(NASA-TP-2633; L-16147; NAS 1.60:2633) Avail: NTIS HC A03/MF A01 CSCL 01A

AERODYNAMIC BALANCE, AUTOMATIC FLIGHT CONTROL, ENGINE FAILURE, LIGHT AIRCRAFT

N87-11702\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

FORWARD-SWEPT WING CONFIGURATION DESIGNED FOR HIGH MANEUVERABILITY BY USE OF A TRANSONIC COMPUTATIONAL METHOD

M. J. MANN and C. E. MERCER Nov. 1986 185 p (NASA-TP-2628; L-16120; NAS 1.60:2628) Avail: NTIS HC A09/MF A01 CSCL 01A

AERODYNAMIC CONFIGURATIONS, HIGHLY MANEU-VERABLE AIRCRAFT, SWEPT FORWARD WINGS, TRAN-SONIC SPEED

N87-12541\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EFFECT OF PORT CORNER GEOMETRY ON THE INTERNAL PERFORMANCE OF A ROTATING-VANE-TYPE THRUST REVERSER

B. L. BERRIER and F. J. CAPONE Dec. 1986 51 p (NASA-TP-2624; L-16135; NAS 1.60:2624) Avail: NTIS HC A04/MF A01 CSCL 01A

CORNER FLOW, NOZZLE GEOMETRY, PORTS (OPENINGS), ROTATING BODIES, THRUST REVERSAL, VANES, WIND TUNNEL TESTS

N87-14284\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

PROPAGATION OF SOUND WAVES IN TUBES OF NONCIRCULAR CROSS SECTION

W. B. RICHARDS (Oberlin Coll., Ohio) Aug. 1986 33 p (NASA-TP-2601; E-2690; NAS 1.60:2601) Avail: NTIS HC A03/MF A01 CSCL 01A

ELLIPTICAL CYLINDERS, PIPES (TUBES), SOUND WAVES, WAVE PROPAGATION

N87-15174°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

APPLICABILITY OF LINEARIZED-THEORY ATTACHED-FLOW METHODS TO DESIGN AND ANALYSIS OF FLAP SYSTEMS AT LOW SPEEDS FOR THIN SWEPT WINGS WITH SHARP LEADING EDGES

HARRY W. CARLSON and CHRISTINE M. DARDEN Jan. 1987 54 p

(NASA-TP-2653; L-16151; NAS 1.60:2653) Avail: NTIS HC A04/MF A01 CSCL 01A

DESIGN ANALYSIS, FLAPS (CONTROL SURFACES), LINEARITY, LOW SPEED, SHARP LEADING EDGES, SWEPT WINGS, THIN WINGS, VORTEX FLAPS

N87-15183\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EFFICIENT SOLUTIONS TO THE EULER EQUATIONS FOR SUPERSONIC FLOW WITH EMBEDDED SUBSONIC REGIONS ROBERT W. WALTERS and DOUGLAS L. DWOYER Jan. 1987

(NASA-TP-2523; L-15975; NAS 1.60:2523) Avail: NTIS HC A03/MF A01 CSCL 01A

EMBEDDING, EULER EQUATIONS OF MOTION, PROBLEM SOLVING, SUBSONIC FLOW, SUPERSONIC FLOW

N87-15184\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SUBSONIC MANEUVER CAPABILITY OF A SUPERSONIC CRUISE FIGHTER WING CONCEPT

GREGORY D. RIEBE and CHARLES H. FOX, JR. Jan. 1987 74 p

(NASA-TP-2642; L-16097; NAS 1.60:2642) Avail: NTIS HC A04/MF A01 CSCL 01A

**MACHINERY** 

FIGHTER AIRCRAFT, MANEUVERS, SUBSONIC SPEED, SUPERSONIC CRUISE AIRCRAFT RESEARCH, WINGS

N87-17665\*# National Aeronautics and Space Administration.
Lewis Research Center, Cleveland, OH.
PRELIMINARY DESIGN OF TURBOPUMPS AND RELATED

# 02 AERODYNAMICS

GEORGE F. WISLICENUS Oct. 1986 397 p (NAS3-13475) (NASA-RP-1170; E-7389; NAS 1.61:1170) Avail: NTIS HC A17/MF A03 CSCL 01A

Pumps used in large liquid-fuel rocket engines are examined. The term preliminary design denotes the initial, creative phases of design, where the general shape and characteristics of the machine are determined. This compendium is intended to provide the design engineer responsible for these initial phases with a physical understanding and background knowledge of the numerous special fields involved in the design process. Primary attention is directed to the pumping part of the turbopump and hence is concerned with essentially incompressible fluids. However, compressible flow principles are developed. As much as possible, the simplicity and reliability of incompressible flow considerations are retained by treating the mechanics of compressible fluids as a departure from the theory of incompressible fluids. Five areas are discussed: a survey of the field of turbomachinery in dimensionless form; the theoretical principles of the hydrodynamic design of turbomachinery; the hydrodynamic and gas dynamic design of axial flow turbomachinery; the hydrodynamic and gas dynamic design of radial and mixed flow turbomachinery; and some mechanical design considerations of turbomachinery. Theoretical considerations are presented with a relatively elementary mathematical treatment.

N87-17668\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

WIND-TUNNEL INVESTIGATION AT SUPERSONIC SPEEDS OF A REMOTE-CONTROLLED CANARD MISSILE WITH A FREE-ROLLING-TAIL BRAKE TORQUE SYSTEM

A. B. BLAIR, JR. Mar. 1985 38 p

(NASA-TP-2401; L-15882; NAS 1.60:2401) Avail: NTIS HC A03/MF A01 CSCL 01A

BRAKING, CANARD CONFIGURATIONS, FINS, MISSILE CONFIGURATIONS, REMOTE CONTROL, ROLLING MOMENTS, SUPERSONIC SPEED, TAIL ASSEMBLIES, TORQUE, WIND **TUNNEL TESTS** 

N87-17669\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

COMBINED AERODYNAMIC AND STRUCTURAL DYNAMIC PROBLEM EMULATING ROUTINES (CASPER): THEORY AND IMPLEMENTATION

WILLIAM H. JONES Feb. 1985 75 p

(NASA-TP-2418, E-2278; NAS 1.60:2418) Avail: NTIS HC

A04/MF A01 CSCL 01A

AERODYNAMIC COEFFICIENTS, COMPUTATIONAL FLUID COMPUTERIZED SIMULATION. DYNAMICS. STRUCTURAL ANALYSIS

N87-18537\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

HELICOPTER BLADE-VORTEX INTERACTION LOCATIONS: SCALE-MODEL ACOUSTICS AND FREE-WAKE ANALYSIS RESULTS

DANNY R. HOAD Apr. 1987 106 p

(DA PROJ. 1L1-62209-AH-76-A)

(NASA-TP-2658; L-16214; AVSCOM-TM-87-B-1; NAS 1.60;2658; AD-A179379) Avail: NTIS HC A06/MF A01 CSCL 01/1

ACOUSTICS, BLADE-VORTEX INTERACTION, FREE FLOW. HELICOPTERS, ROTORS, VORTICES, WAKES

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

NUMERICAL SIMULATION OF CHANNEL FLOW TRANSITION. RESOLUTION REQUIREMENTS AND STRUCTURE OF THE HAIRPIN VORTEX

STEVEN E. KRIST (Joint Inst. for Advancement of Flight Sciences, Hampton, Va.) and THOMAS A. ZANG Apr. 1987 71 p (NASA-TP-2667; L-16204; NAS 1.60:2667) Avail: NTIS HC A04/MF A01 CSCL 01A

BOUNDARY LAYER STABILITY, BOUNDARY LAYER TRANSITION, BOUNDARY VALUE PROBLEMS, CHANNEL FLOW. COMPUTATIONAL FLUID DYNAMICS, SPECTRAL METHODS

N87-20233\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

INVESTIGATION OF LEADING-EDGE FLAP PERFORMANCE ON DELTA AND DOUBLE-DELTA WINGS AT SUPERSONIC

PETER F. COVELL, RICHARD M. WOOD, and DAVID S. MILLER Apr. 1987 125 p

(NASA-TP-2656; L-16143; NAS 1.60:2656) Avail: NTIS HC A06/MF A01 CSCL 01A

DELTA WINGS, EXPERIMENT DESIGN, LEADING EDGE FLAPS, SUPERSONIC SPEED

N87-20238\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

LEWIS INVERSE DESIGN CODE (LINDES): USERS MANUAL JOSE M. SANZ Mar. 1987 67 p

(NASA-TP-2676; E-3221; NAS 1.60:2676) Avail: NTIS HC

A04/MF A01 CSCL 01A
AIRFOILS, CODING, DESIGN ANALYSIS, HODOGRAPHS, INVERSIONS, TURBINE BLADES, USER MANUALS (COMPUTER PROGRAMS)

N87-20966\*# National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Center, Edwards, CA. IN-FLIGHT SURFACE OIL-FLOW PHOTOGRAPHS WITH COMPARISONS TO PRESSURE DISTRIBUTION AND **BOUNDARY-LAYER DATA** 

ROBERT R. MEYER, JR. and LISA A. JENNETT Apr. 1985 27 p Original contains color illustrations (NASA-TP-2395; H-1184; NAS 1.60:2395) Avail: NTIS HC

A03/MF A01 CSCL 01A BOUNDARY LAYER FLOW, FLOW VISUALIZATION, IN-FLIGHT MONITORING, OILS, PHOTOGRAPHY, PRESSURE DISTRIBUTION

N87-21855\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

WIND-TUNNEL FREE-FLIGHT INVESTIGATION OF A 0.15-SCALE MODEL OF THE F-106B AIRPLANE WITH **VORTEX FLAPS** 

LONG P. YIP May 1987 46 p

(NASA-TP-2700; L-16202; NAS 1.60:2700) Avail: NTIS HC A03/MF A01 CSCL 01A

F-106 AIRCRAFT, FREE FLIGHT, VORTEX FLAPS, WIND TUNNEL MODELS, WIND TUNNEL TESTS

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

NEW METHODS AND RESULTS FOR QUANTIFICATION OF LIGHTNING-AIRCRAFT ELECTRODYNAMICS

FELIX L. PITTS, LARRY D. LEE, RODNEY A. PERALA, and TERENCE H. RUDOLPH (Electro Magnetic Applications, Inc., Lakewood, Colo.) Jun. 1987 67 p

(NASA-TP-2737; L-16281; NAS 1.60:2737) Avail: NTIS HC A04/MF A01 CSCL 01A

ELECTRODYNAMICS, F-106 AIRCRAFT, FLIGHT TESTS, LIGHTNING. RESEARCH AIRCRAFT

N87-21873\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EFFECTS OF AFTERBODY BOATTAIL DESIGN AND EMPENNAGE ARRANGEMENT ON AEROPROPULSIVE CHARACTERISTICS OF A TWIN-ENGINE FIGHTER MODEL AT TRANSONIC SPEEDS

LINDA S. BANGERT, LAURENCE D. LEAVITT, and DAVID E. REUBUSH Jun. 1987 134 p (NASA-TP-2704; L-16227; NAS 1.60:2704) Avail: NTIS HC

A07/MF A01 CSCL 01A

AFTERBODIES, AXISYMMETRIC FLOW, BOATTAILS, DRAG,

FIGHTER AIRCRAFT, NOZZLES, PROPULSIVE EFFICIENCY, TAIL ASSEMBLIES

N87-22626\*# National Aeronautics and Space Administration. Landlev Research Center, Hampton, VA. **EXPERIMENTAL CAVITY PRESSURE DISTRIBUTIONS AT** 

SUPERSONIC SPEEDS

ROBERT L. STALLINGS, JR. and FLOYD J. WILCOX, JR. Jun. 1987 79 p

(NASA-TP-2683; L-16215; NAS 1.60:2683) Avail: NTIS HC A05/MF A01 CSCL 01A

CAVITIES. FLUID FLOW, PRESSURE DISTRIBUTION. SUPERSONIC SPEED

N87-23586°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

ON MINIMIZING THE NUMBER OF CALCULATIONS IN **DESIGN-BY-ANALYSIS CODES** 

RAYMOND L. BARGER and ANUTOSH MOITRA Jun. 1987 16 p

(NASA-TP-2706; L-16226; NAS 1.60:2706) Avail: NTIS HC A03/MF A01 CSCL 01A

AERODYNAMIC CONFIGURATIONS. APPROXIMATION. DESIGN ANALYSIS, NUMERICAL ANALYSIS, PRESSURE DISTRIBUTION

N87-23592\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

MACH 6 EXPERIMENTAL AND THEORETICAL STABILITY AND PERFORMANCE OF A CRUCIFORM MISSILE AT ANGLES OF ATTACK UP TO 65 DEGREES

EDWARD R. HARTMAN (Arnold Engineering Development Center, Arnold Air Force Station, Tenn.) and PATRICK J. JOHNSTON Jul. 1987 41 p

(NASA-TP-2733; L-16287; NAS 1.60:2733) Avail: NTIS HC A03/MF A01 CSCL 01A

ANGLE OF ATTACK, CRUCIFORM WINGS, EXPERIMEN-TATION, HYPERSONIC SPEED, MACH NUMBER, MISSILES

N87-23593\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EFFECT OF A TRADE BETWEEN BOATTAIL ANGLE AND WEDGE SIZE ON THE PERFORMANCE OF A NONAXISYMMETRIC WEDGE NOZZLE

GEORGE T. CARSON, JR., E. ANN BARE, and JAMES R. BURLEY, II Jul. 1987 67 p

(NASA-TP-2717; L-16248; NAS 1.60:2717) Avail: NTIS HC A04/MF A01 CSCL 01A

AXISYMMETRIC BODIES, BOATTAILS, NOZZLE GEOMETRY, PERFORMANCE TESTS, TRADEOFFS, WEDGES

N87-23597\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

STUDY OF LEE-SIDE FLOWS OVER CONICALLY CAMBERED **DELTA WINGS AT SUPERSONIC SPEEDS, PART 1** 

RICHARD M. WOOD and CAROLYN B. WATSON Jul. 1987 212 p

(NASA-TP-2660-PT-1; L-16192; NAS 1.60:2660-PT-1) Avail: NTIS HC A10/MF A02 CSCL 01A

CONICAL CAMBER, DELTA WINGS, FLOW DISTRIBUTION, LEE WAVES, STRUCTURAL DESIGN, SUPERSONIC FLOW. **VORTICES** 

N87-24410\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

PROCEEDINGS OF THE 1985 NASA AMES RESEARCH **CENTER'S GROUND-EFFECTS WORKSHOP** 

KERRY MITCHELL, ed. Feb. 1987 448 p Workshop held at Moffett Field, Calif., 20-21 Aug. 1985

(NASA-CP-2462; A-86391; NAS 1.55:2462) Avail: NTIS HC A19/MF A03 CSCL 01A

**GROUND FFFECT** (AERODYNAMICS), INGESTION (ENGINES), POWERED LIFT AIRCRAFT, V/STOL AIRCRAFT, VERTICAL LANDING

N87-24432\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

STATIC INTERNAL PERFORMANCE OF A TWO-DIMENSIONAL CONVERGENT-DIVERGENT NOZZLE WITH THRUST **VECTORING** 

E. ANN BARE and DAVID E. REUBUSH Jul. 1987 115 p. (NASA-TP-2721; L-16240; NAS 1.60:2721) Avail: NTIS HC A06/MF A01 CSCL 01A

CONVERGENT-DIVERGENT NOZZLES, STATIC TESTS. THRUST VECTOR CONTROL, TWO DIMENSIONAL FLOW

N87-24433\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

MULTIAXIS CONTROL POWER FROM THRUST VECTORING FOR A SUPERSONIC FIGHTER AIRCRAFT MODEL AT MACH 0.20 TO 2.47

FRANCIS J. CAPONE and E. ANN BARE Jul. 1987 264 p (NASA-TP-2712; L-16213; NAS 1.60:2712) Avail: NTIS HC A12/MF A02 CSCL 01A

FIGHTER AIRCRAFT, MACH NUMBER, SUPERSONIC CRUISE AIRCRAFT RESEARCH, THRUST VECTOR CONTROL

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

STUDY OF LEE-SIDE FLOWS OVER CONICALLY CAMBERED DELTA WINGS AT SUPERSONIC SPEEDS, PART 2

RICHARD M. WOOD and CAROLYN B. WATSON Jul. 1987 404 p

(NASA-TP-2660-PT-2; L-16192; NAS 1.60;2660-PT-2) Avail:

NTIS HC A18/MF A03 CSCL 01A
CONICAL CAMBER, DELTA WINGS, FLOW DISTRIBUTION, FLOW VISUALIZATION, SUPERSONIC FLOW, WING LOADING

N87-25998\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

SUPERCOMPUTING IN AEROSPACE

PAUL KUTLER and HELEN YEE Mar. 1987 299 p Symposium held at Moffett Field, Calif., 10-12 Mar. 1987 (NASA-CP-2454; A-87082; NAS 1.55:2454) Avail: NTIS HC

A13/MF A02 CSCL 01A

COMPUTATIONAL ASTROPHYSICS, COMPUTATIONAL COMPUTATIONAL CHEMISTRY. FLUID DYNAMICS, COMPUTATIONAL GRIDS, COMPUTERIZED SIMULATION. INTERACTIONAL CONFERENCES. AERODYNAMICS, NAVIER-STOKES EQUATION, SUPERCOMPUTERS

National Aeronautics and Space Administration. N87-26031\*# Langley Research Center, Hampton, VA.

EFFECT OF REYNOLDS NUMBER VARIATION ON **AERODYNAMICS OF A HYDROGEN-FUELED TRANSPORT CONCEPT AT MACH 6** 

JIM A. PENLAND and DON C. MARCUM, JR. Aug. 1987 28 p. (NASA-TP-2728; L-16286; NAS 1.60:2728) Avail: NTIS HC A03/MF A01 CSCL 01A

AERODYNAMIC CONFIGURATIONS, HYDROGEN FUELS, HYPERSONIC AIRCRAFT, MACH NUMBER, REYNOLDS NUMBER, TRANSPORT AIRCRAFT

N87-26032\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

STEADY AND UNSTEADY AERODYNAMIC FORCES FROM THE SOUSSA SURFACE-PANEL METHOD FOR A FIGHTER WING WITH TIP MISSILE AND COMPARISON WITH EXPERIMENT AND PANAIR

HERBERT J. CUNNINGHAM Aug. 1987 29 p (NASA-TP-2736; L-16262; NAS 1.60:2736) Avail: NTIS HC A03/MF A01 CSCL 01A

AERODYNAMIC FORCES, FIGHTER AIRCRAFT, PANEL METHOD (FLUID DYNAMICS), UNSTEADY AERODYNAMICS, UNSTEADY FLOW, WINGS

N87-26874\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SUBSONIC LONGITUDINAL AND LATERAL-DIRECTIONAL CHARACTERISTICS OF A FORWARD-SWEPT-WING FIGHTER CONFIGURATION AT ANGLES OF ATTACK UP TO 47 DEG MICHAEL J. MANN, JARRETT K. HUFFMAN, and CHARLES H. FOX, JR. Sep. 1987 103 p

(NASA-TP-2727; L-16206; NAS 1.60:2727) Avail: NTIS HC A06/MF A01 CSCL 01A

AERODYNAMIC CONFIGURATIONS, ANGLE OF ATTACK, FIGHTER AIRCRAFT, LATERAL CONTROL, LATERAL STABILITY, SUBSONIC AIRCRAFT, SWEPT FORWARD WINGS

N87-26883\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

AN EXPERIMENTAL INVESTIGATION OF AN ADVANCED TURBOPROP INSTALLATION ON A SWEPT WING AT SUBSONIC AND TRANSONIC SPEEDS

JOHN R. CARLSON and ODIS C. PENDERGRAFT, JR. Sep. 1987 242 p

(NASA-TP-2729; L-16043; NAS 1.60:2729) Avail: NTIS HC A11/MF A02 CSCL 01A

AERODYNAMICS, ENGINE AIRFRAME INTEGRATION, SUBSONIC SPEED, SWEPT WINGS, TRANSONIC SPEED, TURBOPROP ENGINES

N87-27622\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

CALCULATION OF VISCOUS EFFECTS ON TRANSONIC FLOW FOR OSCILLATING AIRFOILS AND COMPARISONS WITH EXPERIMENT

JAMES T. HOWLETT and SAMUEL R. BLAND Sep. 1987 77 p

(NASA-TP-2731; L-16289; NAS 1.60:2731) Avail: NTIS HC A05/MF A01 CSCL 01A

AIRFOILS, COMPARISON, INVISCID FLOW, OSCILLATIONS, TRANSONIC FLOW, VISCOUS FLOW

N87-27626\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

DRAG MEASUREMENTS OF BLUNT STORES TANGENTIALLY MOUNTED ON A FLAT PLATE AT SUPERSONIC SPEEDS

FLOYD J. WILCOX, JR. Sep. 1987 68 p (NASA-TP-2742; L-16284; NAS 1.60:2742) Avail: NTIS HC A04/MF A01 CSCL 01A

AERODYNAMIC DRAG, BLUNT BODIES, EXTERNAL STORES, FLAT PLATES, MOUNTING, SUPERSONIC SPEED, TANGENTS

N87-27643\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

PRESSURE MEASUREMENTS ON A THICK CAMBERED AND TWISTED 58 DEG DELTA WING AT HIGH SUBSONIC SPEEDS JULIO CHU and JOHN E. LAMAR Sep. 1987 233 p (NASA-TP-2713; L-16224; NAS 1.60:2713) Avail: NTIS HC A11/MF A02 CSCL 01A

CAMBER, DELTA WINGS, PRESSURE MEASUREMENT, SUBSONIC SPEED, THICKNESS, TWISTED WINGS

N87-29432\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

AUTOMATED REDUCTION OF DATA FROM IMAGES AND HOLOGRAMS

G. LEE, ed., JAMES D. TROLINGER, ed. (Spectron Development Labs., Inc., Costa Mesa, Calif.), and Y. H. YU, ed. May 1987 614 p. Workshop held at Moffett Field, Calif., 10-11 Jan. 1985 (NASA-CP-2477; A-87135; NAS 1.55:2477) Avail: NTIS HC A99/MF A04 CSCL 01A

COMBUSTIBLE FLOW, DIGITAL TECHNIQUES. HOLO-GRAPHIC INTERFEROMETRY, IMAGE ANALYSIS, PARTICLE SIZE DISTRIBUTION

N87-29462°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

LOW-SPEED AERODYNAMIC CHARACTERISTICS OF A TWIN-ENGINE GENERAL AVIATION CONFIGURATION WITH AFT-FUSELAGE-MOUNTED PUSHER PROPELLERS

DANA MORRIS DUNHAM, GARL L. GENTRY, JR., GREGORY S. MANUEL, ZACHARY T. APPLIN, and P. FRANK QUINTO Oct. 1987 116 p

(NASA-TP-2763; L-16331; NAS 1.60:2763) Avail: NTIS HC A06/MF A01 CSCL 01A

AERODYNAMIC CHARACTERISTICS, GENERAL AVIATION AIRCRAFT, LOW SPEED, PROPELLERS, PROPULSION SYSTEM CONFIGURATIONS, PYLON MOUNTING, TURBOPROP ENGINES

N88-10009\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

WIND-TUNNEL INVESTIGATION OF A FULL-SCALE GENERAL AVIATION AIRPLANE EQUIPPED WITH AN ADVANCED NATURAL LAMINAR FLOW WING

DANIEL G. MURRI and FRANK L. JORDAN, JR. Nov. 1987 136 p

(NASA-TP-2772; L-16283; NAS 1.60:2772) Avail: NTIS HC A07/MF A01 CSCL 01A

GENERAL AVIATION AIRCRAFT, LAMINAR FLOW AIRFOILS, WIND TUNNEL TESTS. WINGS

N88-10765\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

COMPARISON OF WIND TUNNEL AND FLIGHT TEST AFTERBODY AND NOZZLE PRESSURES FOR A TWIN-JET FIGHTER AIRCRAFT AT TRANSONIC SPEEDS

JACK NUGENT and ODIS C. PENDERGRAFT, JR. Mar. 1987 125 p

AFTERBODIES, FIGHTER AIRCRAFT, FLIGHT TESTS, NOZZLE THRUST COEFFICIENTS, TRANSONIC SPEED, WIND TUNNEL MODELS, WIND TUNNEL TESTS

N88-10771\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EFFECT OF EMPENNAGE ARRANGEMENT ON SINGLE-ENGINE NOZZLE/AFTERBODY STATIC PRESSURES AT TRANSONIC SPEEDS

WILLIAM P. HENDERSON and JAMES R. BURLEY, II Nov. 1987 230 p

(NASA-TP-2753; L-16223; NAS 1.60:2753) Avail: NTIS HC A11/MF A02 CSCL 01A

AFTERBODIES, AXISYMMETRIC FLOW, JET AIRCRAFT, JET ENGINES, NOZZLES, STATIC PRESSURE, TAIL ASSEMBLIES, TRANSONIC SPEED

N88-12454\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

PLANFORM EFFECTS ON THE SUPERSONIC AERODYNAMICS OF MULTIBODY CONFIGURATIONS NAOMI MCMILLIN and RICHARD M. WOOD 1987 138 n (NASA-TP-2762; L-16312; NAS 1.60:2762) Avail: NTIS HC A07/MF A01 CSCL 01A

AERODYNAMIC CHARACTERISTICS, AERODYNAMIC DRAG, AIRCRAFT CONFIGURATIONS, FINENESS RATIO, PLANFORMS, SUPERSONICS, ZERO LIFT

N88-12455\* National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EFFECTS OF THE INSTALLATION AND OPERATION OF JET-EXHAUST YAW VANES ON THE LONGITUDINAL AND LATERAL-DIRECTIONAL CHARACTERISTICS OF THE F-14 AIRPLANE

DAVID E. REUBUSH and BOBBY L. BERRIER Dec. 1987 121 p

(NASA-TP-2769; L-16302; NAS 1.60:2769) Avail: NTIS HC A06/MF A01 CSCL 01A

**AERODYNAMIC** STABILITY, **AIRCRAFT** CONTROL, DIRECTIONAL STABILITY, F-14 AIRCRAFT, JET VANES, LATERAL STABILITY, LONGITUDINAL STABILITY, THRUST **VECTOR CONTROL, WIND TUNNEL STABILITY TESTS** 

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA. A SIMPLIFIED APPROACH TO AXISYMMETRIC **DUAL-REFLECTOR ANTENNA DESIGN** 

RAYMOND L. BARGER Mar. 1988 14 p

(NASA-TP-2797; L-16392; NAS 1.60:2797) Avail: NTIS HC A03/MF A01 CSCL 20N

ANTENNA DESIGN, ANTENNA RADIATION PATTERNS, REFLECTOR ANTENNAS, REFLECTORS, STIMULATED **EMISSION** 

N88-17586\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

# PROCEEDINGS OF THE CIRCULATION-CONTROL WORKSHOP, 1986

JACK N. NIELSEN, comp. May 1987 591 p Workshop held at Moffett Field, Calif., 19-21 Feb. 1986 Original contains color

(NASA-CP-2432; A-86314; NAS 1.55:2432) Avail: NTIS HC A25/MF A04 CSCL 01A

AIRCRAFT CONTROL, CIRCULATION CONTROL AIRFOILS, CIRCULATION CONTROL ROTORS, COANDA EFFECT, X WING **ROTORS** 

N88-17614\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

# A TRANSONIC-SMALL-DISTURBANCE WING DESIGN **METHODOLOGY**

PAMELA S. PHILLIPS, EDGAR G. WAGGONER, and RICHARD L. CAMPBELL Mar. 1988 32 p

(NASA-TP-2806; L-16393; NAS 1.60:2806) Avail: NTIS HC A03/MF A01 CSCL 01A

CODING, COMPUTER PROGRAMS, DESIGN ANALYSIS, SMALL PERTURBATION FLOW, TRANSONIC FLOW, WINGS

N88-17615°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SUPERSONIC AERODYNAMICS OF DELTA WINGS

RICHARD M. WOOD Mar. 1988 106 p (NASA-TP-2771; L-16212; NAS 1.60:2771) Avail: NTIS HC

A06/MF A01 CSCL 01A

AERODYNAMICS, DELTA WINGS, INVISCID FLOW, SUPERSONIC AIRFOILS, SUPERSONIC SPEED

N88-18552\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

A PERFORMANCE INDEX APPROACH TO AERODYNAMIC DESIGN WITH THE USE OF ANALYSIS CODES ONLY RAYMOND L. BARGER and ANUTOSH MOITRA (High Technology

Corp., Hampton, Va.) Mar. 1988 21 p

(NASA-TP-2805; L-16379; NAS 1.60:2805) Avail: NTIS HC A03/MF A01 CSCL 01A

AERODYNAMIC CONFIGURATIONS, CODING, COMPUTER PROGRAMS, DESIGN ANALYSIS, INDEXES (DOCUMENTATION), PERFORMANCE TESTS

N88-18567\*# National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Center, Edwards, CA. EFFECTS OF WINGLETS ON A FIRST-GENERATION JET TRANSPORT WING. 7: SIDESLIP EFFECTS ON WINGLET LOADS AND SELECTED WING LOADS AT SUBSONIC SPEEDS FOR A FULL-SPAN MODEL

ROBERT R. MEYER, JR. and PETER F. COVELL Sep. 1986

(NASA-TP-2619; H-1193; NAS 1.60:2619) Avail: NTIS HC A04/MF A01 CSCL 01A

SIDESLIP, SUBSONIC SPEED, WIND TUNNEL MODELS, WINGLETS

N88-19412\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

TRAJECTORY CHARACTERISTICS AND HEATING OF HYPERVELOCITY PROJECTILES HAVING LARGE BALLISTIC COEFFICIENTS

MICHAEL F. TAUBER Aug. 1986 21 p

(NASA-TP-2614; A-86187; NAS 1.60:2614) Avail: NTIS HC A03/MF A01 CSCL 01A

AERODYNAMIC HEATING, BALLISTIC TRAJECTORIES, HYPERVELOCITY PROJECTILES, TRAJECTORY ANALYSIS

N88-19416\* National Aeronautics and Space Administration, Washington, DC.

AERONAUTICAL ENGINEERING: A CUMULATIVE INDEX TO A CONTINUING BIBLIOGRAPHY

Jan. 1988 499 p

(NASA-SP-7037(222); NAS 1.21:7037(222)) Avail: NTIS HC 

This bibliography is a cumulative index to the abstracts contained in NASA SP-7037(210) through NASA SP-7037(221) of Aeronautical Engineering: A Continuing Bibliography. NASA SP-7037 and its supplements have been compiled through the cooperative efforts of the American Institute of Aeronautics and Astronautics (AIAA) and the National Aeronautics and Space Administration (NASA). This cumulative index includes subject, personal author, corporate source, foreign technology, contract number, report number, and accession number indexes.

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

AERODYNAMIC CHARACTERISTICS OF WINGS DESIGNED WITH A COMBINED-THEORY METHOD TO CRUISE AT A MACH NUMBER OF 4.5

ROBERT J. MACK Apr. 1988 60 p Sponsored by NASA, Washington

(NASA-TP-2799; L-16333; NAS 1.60:2799) Avail: NTIS HC A04/MF A01 CSCL 01A

AERODYNAMIC CHARACTERISTICS, AIRCRAFT DESIGN, CAMBERED WINGS, DESIGN ANALYSIS, HYPERSONIC SPEED, SUPERSONIC SPEED

N88-20257\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

AN EXPERIMENTAL INVESTIGATION OF THE FLAP-LAG-TORSION AEROELASTIC STABILITY OF A SMALL-SCALE HINGELESS HELICOPTER ROTOR IN HOVER

DAVID L. SHARPE Jan. 1986 86 p Prepared in cooperation with Army Aviation Research and Development Command, Moffett Field, Calif.

(NASA-TP-2546; REPT-85142; NAS 1.60:2546;

AVSCOM-TR-85-A-9) Avail: NTIS HC A05/MF A01 CSCL 01A AEROELASTICITY, FLAPS (CONTROL SURFACES). SURFACES), HELICOPTERS, HOVERING, RIGID ROTORS, STABILITY, TORSION

N88-20264\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

A REVIEW OF TECHNOLOGIES APPLICABLE TO LOW-SPEED FLIGHT OF HIGH-PERFORMANCE AIRCRAFT INVESTIGATED IN THE LANGLEY 14- X 22-FOOT SUBSONIC TUNNEL JOHN W. PAULSON, JR., P. FRANK QUINTO, DANIEL W. BANKS,

GUY T. KEMMERLY, and GREGORY M. GATLIN May 1988 94 p

(NASA-TP-2796; L-16364; NAS 1.60:2796) Avail: NTIS HC A05/MF A01 CSCL 01A

AERODYNAMIC CONFIGURATIONS, FLIGHT TESTS, LOW SPEED, RESEARCH FACILITIES, SHORT TAKEOFF AIRCRAFT, TECHNOLOGY ASSESSMENT, V/STOL AIRCRAFT, WIND **TUNNEL TESTS** 

N88-20280°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

STATIC PERFORMANCE OF AN AXISYMMETRIC NOZZLE WITH POST-EXIT VANES FOR MULTIAXIS THRUST VECTORING

BOBBY L. BERRIER and MARY L. MASON May 1988 54 p (NASA-TP-2800; L-16371; NAS 1.60:2800) Avail: NTIS HC A04/MF A01 CSCL 01A

BODIES, CONVERGENT-DIVERGENT AXISYMMETRIC NOZZLES, STATIC TESTS, THRUST VECTOR CONTROL, VANES

N88-21117\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

THE NASA LANGLEY LAMINAR-FLOW-CONTROL (LFC) EXPERIMENT ON A SWEPT, SUPERCRITICAL AIRFOIL: **DESIGN OVERVIEW** 

CHARLES D. HARRIS, WILLIAM D. HARVEY, and CUYLER W. BROOKS, JR. May 1988 128 p (NASA-TP-2809; L-16324; NAS 1.60:2809) Avail: NTIS HC A07/MF A01 CSCL 01A

BOUNDARY LAYER CONTROL, LAMINAR BOUNDARY LAYER, LAMINAR FLOW, SUPERCRITICAL AIRFOILS, SWEPT WINGS

N88-21118\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

STATIC PERFORMANCE OF NONAXISYMMETRIC NOZZLES WITH YAW THRUST-VECTORING VANES

MARY L. MASON and BOBBY L. BERRIER May 1988 79 p (NASA-TP-2813; L-16389; NAS 1.60:2813) Avail: NTIS HC A05/MF A01 CSCL 01A

**CONVERGENT-DIVERGENT** CONVERGENT NOZZLES. NOZZLES, STATIC TESTS, STATIC THRUST, THRUST VECTOR CONTROL

N88-23735\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

NUMERICAL SIMULATION OF SCRAMJET INLET FLOW **FIELDS** 

AJAY KUMAR May 1986 29 p

(NASA-TP-2517; L-16000; NAS 1.60:2517) Avail: NTIS HC A03/MF A01 CSCL 01A

APPLICATIONS PROGRAMS (COMPUTERS), COMPUTA-TIONAL FLUID DYNAMICS, INLET FLOW, NAVIER-STOKES EQUATION, SUPERSONIC COMBUSTION RAMJET ENGINES, THREE DIMENSIONAL FLOW, TURBULENT FLOW

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

LAMINAR FLOW AIRCRAFT CERTIFICATION

LOUIS J. WILLIAMS, comp. May 1986 325 p Workshop held in Wichita, Kans., 15-16 Apr. 1985; sponsored by NASA, AlAA, SAE and FAA Sponsored by NASA, Washington (NASA-CP-2413; L-16111; NAS 1.55:2413) Avail: NTIS HC

A14/MF A02 CSCL 01A AIRCRAFT DESIGN, AIRCRAFT DESIGN, CERTIFICATION, CONFERENCES, LAMINAR FLOW, LAMINAR FLOW AIRFOILS

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

AEROPROPULSIVE CHARACTERISTICS OF ISOLATED COMBINED TURBOJET/RAMJET NOZZLES AT MACH NUMBERS FROM 0 TO 1.20

GEORGE T. CARSON, JR. and MILTON LAMB Jun. 1988 174 p

(NASA-TP-2814; L-16390; NAS 1.60:2814) Avail: NTIS HC A08/MF A01 CSCL 01A

NOZZLE EFFICIENCY. NOZZLE MACH NUMBER, GEOMETRY, RAMJET ENGINES, ROCKET NOZZLES, TURBINE **ENGINES** 

N88-23760\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SENSITIVITY OF F-106B LEADING-EDGE-VORTEX IMAGES TO FLIGHT AND VAPOR-SCREEN PARAMETERS

JOHN E. LAMAR and THOMAS D. JOHNSON, JR. (Planning Research Corp., Hampton, Va.) Jun. 1988 80 p contains color illustrations

(NASA-TP-2818; L-16395; NAS 1.60:2818) Avail: NTIS HC A05/MF A01 CSCL 01A

F-106 AIRCRAFT, IMAGE PROCESSING, LEADING EDGES, SCREEN EFFECT, TRANSONIC FLIGHT, VAPORS, VORTICES, **WINGS** 

National Aeronautics and Space Administration. N88-28895\*# Langley Research Center, Hampton, VA.

STEADY AND UNSTEADY TRANSONIC PRESSURE MEASUREMENTS ON A CLIPPED DELTA WING FOR PITCHING AND CONTROL-SURFACE OSCILLATIONS

ROBERT W. HESS, F. W. CAZIER, JR., and ELEANOR C. WYNNE Washington, D.C. Oct. 1986 118 p MF as supplement

(NASA-TP-2594; L-16082; NAS 1.60:2594) Avail: NTIS HC A06/MF A01 CSCL 01A

CONTROL SURFACES, DELTA WINGS, LONGITUDINAL CONTROL, OSCILLATIONS, PRESSURE MEASUREMENT. STEADY STATE, WIND TUNNEL TESTS

N88-29752\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

AERODYNAMICS IN GROUND EFFECT AND PREDICTED LANDING GROUND ROLL OF A FIGHTER CONFIGURATION WITH A SECONDARY-NOZZLE THRUST REVERSER

DANIEL W. BANKS Oct. 1988 131 p (NASA-TP-2834; L-16435; NAS 1.60;2834) Avail: NTIS HC A07/MF A01 CSCL 01A

CASCADE FLOW, GROUND EFFECT (AERODYNAMICS), NOZZLE FLOW, ROLL, SHORT TAKEOFF AIRCRAFT, THRUST REVERSAL

N89-10020\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

WEAK-WAVE ANALYSIS OF SHOCK INTERACTION WITH A SLIPSTREAM

RAYMOND L. BARGER Nov. 1988 20 p

(NASA-TP-2848; L-16469; NAS 1.60:2848) Avail: NTIS HC A03/MF A01 CSCL 01A

COUNTERFLOW, SHOCK WAVE INTERACTION. SLIPSTREAMS

National Aeronautics and Space Administration. N89-10024\*# Langley Research Center, Hampton, VA.

VALIDATION OF A PAIR OF COMPUTER CODES FOR ESTIMATION AND OPTIMIZATION OF SUBSONIC AERODYNAMIC PERFORMANCE OF SIMPLE HINGED-FLAP SYSTEMS FOR THIN SWEPT WINGS

HARRY W. CARLSON (PRC Systems Services Co., Hampton, Va.) and CHRISTINE M. DARDEN Washington Nov. 1988 118 p (NASA-TP-2828; L-16428; NAS 1.60:2828) Avail: NTIS HC A06/MF A01 CSCL 01A

AERODYNAMICS, COMPUTER PROGRAMS, FLAPPING HINGES, OPTIMIZATION, SUBSONIC FLOW, SWEPT WINGS

N89-10844\*# National Aeronautics and Space Administration.

Lewis Research Center, Cleveland, OH.

THREE COMPONENT LASER ANEMOMETER MEASUREMENTS IN AN ANNULAR CASCADE OF CORE TURBINE VANES WITH CONTOURED END WALL

LOUIS J. GOLDMAN and RICHARD G. SEASHOLTZ Nov. 1988 44 p

(NASA-TP-2846; E-4183; NAS 1.60:2846) Avail: NTIS HC A03/MF A01 CSCL 20D

ANNULAR FLOW, CASCADE FLOW, FABRY-PEROT

INTERFEROMETERS, FLOW MEASUREMENT, LASER ANEMOMETERS, STATOR BLADES, VELOCITY MEASUREMENT

N89-10849\*# National Aeronautics and Space Administration.
Ames Research Center, Moffett Field, CA.
THE 1987 GROUND VORTEX WORKSHOP
RICHARD J. MARGASON, ed. Feb. 1988 216 p Workshop
held at Moffett Field, Calif., 22-23 Apr. 1987
(NASA-CP-10008; A-88008; NAS 1.55:10008) Avail: NTIS HC
A10/MF A02 CSCL 01A

CONFERENCES, EXHAUST GASES, GROUND EFFECT (AERODYNAMICS), SHORT TAKEOFF AIRCRAFT, VATOL AIRCRAFT, VERTICAL TAKEOFF AIRCRAFT, VORTICES

N89-12543\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

A SPECTRAL COLLOCATION SOLUTION TO THE COMPRESSIBLE STABILITY EIGENVALUE PROBLEM

MICHELE G. MACARAEG, CRAIG L. STREETT, and M. YOUSUFF HUSSAINI Washington, D.C. Dec. 1988 42 p (NASA-TP-2858; L-16470; NAS 1.60:2858) Avail: NTIS HC A03/MF A01 CSCL 01A

BOUNDARY LAYER FLOW, COMPRESSIBLE FLOW, COMPUTATIONAL GRIDS, FLOW DISTRIBUTION, FLOW STABILITY, SHEAR FLOW

N89-14213\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

THRUST-REVERSER FLOW INVESTIGATION ON A TWIN-ENGINE TRANSPORT

GREGORY M. GATLIN and P. FRANK QUINTO Washington, DC Dec. 1988 156 p

(NASA-TP-2856; L-16426; NAS 1.60:2856) Avail: NTIS HC

A08/MF A01 CSCL 01A
ENGINE TESTS, FREE FLOW, GROUND EFFECT
(AERODYNAMICS), REVERSED FLOW, THRUST REVERSAL,
TRANSPORT AIRCRAFT

N89-15888\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

INTEGRATION EFFECTS OF PYLON GEOMETRY ON A HIGH-WING TRANSPORT AIRPLANE

JOHN R. CARLSON and MILTON LAMB Washington, DC Feb. 1989 78 p

(NASA-TP-2877; L-16489; NAS 1.60:2877) Avail: NTIS HC A05/MF A01 CSCL 01A

INSTALLING, NACELLES, PYLONS, TRANSPORT AIRCRAFT, WINGS

N89-17568\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

NASA SC(2)-0714 AIRFOIL DATA CORRECTED FOR SIDEWALL BOUNDARY-LAYER EFFECTS IN THE LANGLEY 0.3-METER TRANSONIC CRYOGENIC TUNNEL

RENALDO V. JENKINS Washington, DC Mar. 1989 58 p (NASA-TP-2890; L-16385; NAS 1.60:2890) Avail: NTIS HC A04/MF A01 CSCL 01A

BOUNDARY LAYERS, CRYOGENIC WIND TUNNELS, SUPERCRITICAL AIRFOILS, WIND TUNNEL WALLS

N89-17579\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

TIP AERODYNAMICS AND ACOUSTICS TEST: A REPORT AND DATA SURVEY

JEFFREY L. CROSS and MICHAEL E. WATTS Dec. 1988 463 p

(NASA-RP-1179; A-87128; NAS 1.61:1179) Avail: NTIS HC A20/MF A03 CSCL 01A

In a continuing effort to understand helicopter rotor tip aerodynamics and acoustics, a flight test was conducted by NASA Ames Research Center. The test was performed using the NASA White Cobra and a set of highly instrumented blades. All aspects of the flight test instrumentation and test procedures are explained. Additionally, complete data sets for selected test points are presented and analyzed. Sequese of the high volume of data acquired, only selected data points are presented. However, access to the entire data set is available to the researcher on request.

Author

N89-19232\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

DRAG MEASUREMENTS ON A LAMINAR-FLOW BODY OF REVOLUTION IN THE 13-INCH MAGNETIC SUSPENSION AND BALANCE SYSTEM

DAVID A. DRESS 1989 37 p

(NASA-TP-2895; L-16483; NAS 1.60:2895) Avail: NTIS HC A03/MF A01 CSCL 01A

AERODYNAMIC BALANCE, BODIES OF REVOLUTION, DRAG MEASUREMENT, LAMINAR FLOW, MAGNETIC SUSPENSION

N89-19234\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

TRANSONIC UNSTEADY AERODYNAMICS AND AEROELASTICITY 1987, PART 1

SAMUEL R. BLAND, comp. Washington, DC Feb. 1989 261 p Symposium held in Hampton, VA, 20-22 May 1987 (NASA-CP-3022-PT-1; L-16532-PT-1; NAS 1.55:3022-PT-1) Avail: NTIS HC A12/MF A02 CSCL 01A

AEROELASTICITY, AIRCRAFT CONFIGURATIONS, COMPUTATIONAL FLUID DYNAMICS, FLUTTER ANALYSIS, TRANSONIC FLOW, UNSTEADY AERODYNAMICS

N89-19247\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

TRANSONIC UNSTEADY AERODYNAMICS AND AEROELASTICITY 1987, PART 2

SAMUEL R. BLAND, comp. Washington, DC Feb. 1989 379 p Symposium held in Hampton, VA, 20-22 May 1987 (NASA-CP-3022-PT-2; L-16532-PT-2; NAS 1.55:3022-PT-2) Avail: NTIS HC A17/MF A03 CSCL 01A

AEROELASTICITY, AIRCRAFT STABILITY, FLOW DISTRIBUTION, TRANSONIC FLOW, UNSTEADY AERODYNAMICS, VISCOUS FLOW

N89-20925\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

TRANSONIC SYMPOSIUM: THEORY, APPLICATION, AND EXPERIMENT, VOLUME 1, PART 1

JEROME T. FOUGHNER, JR., comp. Mar. 1989 416 p Symposium held in Hampton, VA, 19-21 Apr. 1988; sponsored by NASA, Washington Original contains color illustrations (NASA-CP-3020-VOL-1-PT-1; L-16501-VOL-1-PT-1; NAS 1.55:3020-VOL-1-PT-1) Avail: NTIS HC A18/MF A03 CSCL 01A

AIRCRAFT DESIGN, COMPUTATIONAL FLUID DYNAMICS, CONFERENCES, FLIGHT TESTS, GRID GENERATION (MATHEMATICS), WIND TUNNEL TESTS

N89-20942\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

TRĂNSONIC SYMPOSIUM: THEORY, APPLICATION, AND EXPERIMENT, VOLUME 1, PART 2

JEROME T. FOUGHNER, JR., comp. Mar. 1989 511 p Symposium held in Hampton, VA, 19-21 Apr.1988; sponsored by NASA, Washington Original contains color illustrations (NASA-CP-3020-VOL-1-PT-2; L-16501-VOL-1-PT-2; NAS 1.55:3020-VOL-1-PT-2) Avail: NTIS HC A22/MF A03 CSCL 01A

COMPUTATIONAL FLUID DYNAMICS, COMPUTERIZED SIMULATION, GRID GENERATION (MATHEMATICS), INTERACTIONAL AERODYNAMICS, TRANSONIC FLOW, WIND TUNNEL TESTS

N89-23415\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA. STATUS OF SONIC BOOM METHODOLOGY AND UNDERSTANDING

# 02 AERODYNAMICS

CHRISTINE M. DARDEN, CLEMANS A. POWELL, WALLACE D. HAYES, ALBERT R. GEORGE, and ALLAN D. PIERCE (Pennsylvania State Univ., University Park.) Washington Jun. 1989 32 p Presented at the Sonic Boom Workshop, Hampton, VA, Jan. 1988

(NÁSA-CP-3027; L-16567; NAS 1.55:3027) Avail: NTIS HC A03/MF A01 CSCL 01A

NOISE PREDICTION (AIRCRAFT), SONIC BOOMS, SUPERSONIC FLIGHT

N89-24264\*# National Aeronautics and Space Administration.
Langley Research Center, Hampton, VA.

EFFECT OF ADVANCED ROTORCRAFT AIRFOIL SECTIONS ON THE HOVER PERFORMANCE OF A SMALL-SCALE ROTOR MODEL

SUSAN L. ALTHOFF (Army Aviation Systems Command, Hampton, VA.) Sep. 1988 35 p

(DA PROJ. 1L1-61102-AH-45-A)

(NASA-TP-2832; L-16407; NAS 1.60:2832;

AVSCOM-TP-88-B-001) Avail: NTIS HC A03/MF A01 CSCL 01A

AIRFOIL PROFILES, FLIGHT TESTS, HOVERING, ROTARY WINGS, ROTORCRAFT AIRCRAFT

N89-25117\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EFFECT OF MILLING MACHINE ROUGHNESS AND WING DIHEDRAL ON THE SUPERSONIC AERODYNAMIC CHARACTERISTICS OF A HIGHLY SWEPT WING CHRISTINE M. DARDEN Washington Aug. 1989 88 p (NASA-TP-2918; L-16546; NAS 1.60:2918) Avail: NTIS HC A05/MF A01 CSCL 01A

DIHEDRAL ANGLE, LIFT DRAG RATIO, MILLING (MACHINING), SUPERSONIC SPEED, SURFACE ROUGHNESS EFFECTS, SWEPT WINGS

N89-25118°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

INTERACTIONS OF TOLLMIEN-SCHLICHTING WAVES AND DEAN VORTICES. COMPARISON OF DIRECT NUMERICAL SIMULATION AND A WEAKLY NONLINEAR THEORY

BART A. SINGER (High Technology Corp., Hampton, VA.) and THOMAS A. ZANG Washington Aug. 1989 21 p (NASA-TP-2919; L-16559; NAS 1.60:2919) Avail: NTIS HC A03/MF A01 CSCL 01A

CHANNEL FLOW, COMPUTERIZED SIMULATION, NONLINEAR SYSTEMS, TOLLMIEN-SCHLICHTING WAVES, VORTICES. WAVE INTERACTION

N89-25951°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

STEADY-STATE AND TRANSITIONAL AERODYNAMIC CHARACTERISTICS OF A WING IN SIMULATED HEAVY RAIN BRYAN A. CAMPBELL and GAUDY M. BEZOS Washington Aug. 1989 95 p

(NASA-TP-2932; L-16576; NAS 1.60:2932) Avail: NTIS HC A05/MF A01 CSCL 01A

AERODYNAMIC CHARACTERISTICS, AERODYNAMIC STALLING, AIRFOILS, RAIN, STEADY STATE, TRANSIENT RESPONSE, WINGS

N89-26811°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

A PROCEDURE FOR COMPUTING SURFACE WAVE TRAJECTORIES ON AN INHOMOGENEOUS SURFACE RAYMOND L. BARGER Washington Aug. 1989 14 p (NASA-TP-2929; L-16558; NAS 1.60:2929) Avail: NTIS HC

AERODYNAMIC CHARACTERISTICS, COMPUTATIONAL FLUID DYNAMICS, HYDRODYNAMICS, INHOMOGENEITY, MATHEMATICAL MODELS, SURFACE WAVES

N89-27634\*# National Aeronautics and Space Administration.
Langley Research Center, Hampton, VA.
STATIC INTERNAL PERFORMANCE OF A
NONAXISYMMETRIC VANED THRUST REVERSER WITH

FLOW SPLAY CAPABILITY
LINDA S. BANGERT and LAURENCE D. LEAVITT Washington
Sep. 1989 89 p

(NASA-TP-2933; L-16552; NAS 1.60:2933) Avail: NTIS HC A05/MF A01 CSCL 01A

DEFLECTORS, FLOW DEFLECTION, STATIC TESTS, THRUST REVERSAL, THRUST VECTOR CONTROL, WIND TUNNEL TESTS

N90-10829\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

MEASUREMENTS OF PRESSURES ON THE TAIL AND AFT FUSELAGE OF AN AIRPLANE MODEL DURING ROTARY MOTIONS AT SPIN ATTITUDES

JAMES S. BOWMAN, JR., RANDY S. HULTBERG, and COLIN A. MARTIN (Aeronautical Research Labs., Melbourne, Australia ) Washington Nov. 1989 85 p

(NASA-TP-2939; L-16570; NAS 1.60:2939) Avail: NTIS HC A05/MF A01 CSCL 01A

AIRCRAFT MODELS, FUSELAGES, PRESSURE MEASUREMENT, SPIN TESTS, TAIL ASSEMBLIES

N90-10830°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

LOW-SPEED, HIGH-LIFT AERODYNAMIC CHARACTERISTICS OF SLENDER, HYPERSONIC ACCELERATOR-TYPE CONFIGURATIONS

GREGORY M. GATLIN Washington Nov. 1989 46 p (NASA-TP-2945; L-16537; NAS 1.60:2945) Avail: NTIS HC A03/MF A01 CSCL 01A

AERODYNAMIC CHARACTERISTICS, AEROSPACE PLANES, AIRCRAFT DESIGN, BODY-WING CONFIGURATIONS, HYPERSONIC FLOW, LIFT

N90-12503\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

RESEARCH IN NATURAL LAMINAR FLOW AND LAMINAR-FLOW CONTROL, PART 1

JERRY N. HEFNER, comp. and FRANCES E. SABO, comp. Dec. 1987 322 p Symposium held in Hampton, VA, 16-19 Mar. 1987

BOUNDARY LAYER CONTROL, BOUNDARY LAYER TRANSITION, CONFERENCES, FLOW STABILITY, LAMINAR BOUNDARY LAYER, LAMINAR FLOW, LAMINAR FLOW AIRFOILS

N90-12519\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

RESEARCH IN NATURAL LAMINAR FLOW AND LAMINAR-FLOW CONTROL, PART 2

JERRY N. HEFNER, comp. and FRANCES E. SABO, comp. Dec. 1987 328 p Symposium held in Hampton, VA, 16-19 Mar. 1987

AIRCRAFT DESIGN, BOUNDARY LAYER CONTROL, BOUNDARY LAYER TRANSITION, COMPUTATIONAL FLUID DYNAMICS, CONFERENCES, LAMINAR BOUNDARY LAYER, LAMINAR FLOW, LAMINAR FLOW AIRFOILS, WIND TUNNEL TESTS

N90-12539°# National Aeronautics and Space Administration.
Langley Research Center, Hampton, VA.

RESEARCH IN NATURAL LAMINAR FLOW AND LAMINAR-FLOW CONTROL, PART 3

JERRY N. HEFNER, comp. and FRANCES E. SABO, comp. Dec. 1987 399 p Symposium held in Hampton, VA, 16-19 Mar.

A03/MF A01 CSCL 01A

1987

(NASA-CP-2487-PT-3; L-16350-PT-3; NAS 1.55:2487-PT-3)

Avail: NTIS HC A17/MF A03 CSCL 01A

AIRCRAFT DESIGN, BOUNDARY LAYER CONTROL, BOUNDARY LAYER STABILITY, BOUNDARY LAYER TRANSITION, CONFERENCES, LAMINAR FLOW, LAMINAR FLOW AIRFOILS

N90-14185°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

MEASURED AND PREDICTED AERODYNAMIC COEFFICIENTS AND SHOCK SHAPES FOR AEROASSIST FLIGHT EXPERIMENT (AFE) CONFIGURATION

WILLIAM L. WELLS 1989 52 p (NASA-TP-2956; L-16644; NAS 1.60:2956) Avail: NTIS HC A04/MF A01 CSCL 01A

AEROASSIST, AERODYNAMIC CHARACTERISTICS, AERODYNAMIC COEFFICIENTS. AERODYNAMIC CONFIGURATIONS, BLUNT BODIES, HYPERSONIC FLOW, HYPERSONIC VEHICLES, NORMAL SHOCK WAVES, WIND TUNNEL TESTS

N90-14187\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

VALIDATION OF A COMPUTER CODE FOR ANALYSIS OF SUBSONIC AERODYNAMIC PERFORMANCE OF WINGS WITH FLAPS IN COMBINATION WITH A CANARD OR HORIZONTAL TAIL AND AN APPLICATION TO OPTIMIZATION

HARRY W. CARLSON (PRC Systems Services Co., Hampton, VA.), CHRISTINE M. DARDEN, and MICHAEL J. MANN Jan. 1990 125 p

(NASA-TP-2961; L-16611; NAS 1.60:2961) Avail: NTIS HC A06/MF A01 CSCL 01A

CANARD CONFIGURATIONS, COMPUTER PROGRAMS, FLAPS (CONTROL SURFACES), HORIZONTAL TAIL SURFACES, PROGRAM VERIFICATION (COMPUTERS)

N90-15882\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

ROTOR INDUCED-INFLOW-RATIO MEASUREMENTS AND CAMPAD CALCULATIONS

DANNY R. HOAD Washington Jan. 1990 28 p Original contains color illustrations

(DA PROJ. 1L1-62211-A-47-AA)

(NASA-TP-2946; L-16594; NAS 1.60:2946;

AVSCOM-TM-89-B-010; AD-A219296) Avail: NTIS HC A03/MF A01 CSCL 01/1

BLADE TIPS, BLADE-VORTEX INTERACTION, COMPUTER PROGRAMS, FLOW MEASUREMENT, HELICOPTER WAKES, INLET FLOW, MATHEMATICAL MODELS

N90-16710°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

NASA SUPERCRITICAL AIRFOILS: A MATRIX OF FAMILY-RELATED AIRFOILS

CHARLES D. HARRIS Washington Mar. 1990 73 p (NASA-TP-2969; L-16625; NAS 1.60:2969) Avail: NTIS HC A04/MF A01 CSCL 01A

AERODYNAMIC CHARACTERISTICS, AIRCRAFT DESIGN, SUPERCRITICAL AIRFOILS

N90-19193\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

STATIC INVESTIGATION OF A TWO-DIMENSIONAL CONVERGENT-DIVERGENT EXHAUST NOZZLE WITH MULTIAXIS THRUST-VECTORING CAPABILITY

JOHN G. TAYLOR Washington Apr. 1990 104 p (NASA-TP-2973; L-16632; NAS 1.60:2973) Avail: NTIS HC A06/MF A01 CSCL 01A

CONVERGENT-DIVERGENT NOZZLES, EXHAUST NOZZLES, NOZZLE DESIGN, NOZZLE EFFICIENCY, STATIC TESTS, THRUST VECTOR CONTROL

N90-19200\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

INTERNAL PERFORMANCE OF TWO NOZZLES UTILIZING GIMBAL CONCEPTS FOR THRUST VECTORING

BOBBY L. BERRIER and JOHN G. TAYLOR Washington Apr. 1990 128 p

(NASA-TP-2991; L-16722; NAS 1.60:2991) Avail: NTIS HC A07/MF A01 CSCL 01A

CONVERGENT-DIVERGENT NOZZLES, GIMBALS, NOZZLE EFFICIENCY, NOZZLE GEOMETRY, THRUST VECTOR CONTROL

N90-20046\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA. EXPERIMENTAL AND THEORETICAL AERODYNAMIC

CHARACTERISTICS OF A HIGH-LIFT SEMISPAN WING MODEL

ZACHARY T. APPLIN and GARL L. GENTRY, JR. Washington May 1990 111 p

(NASA-TP-2990; L-16441; NAS 1.60:2990) Avail: NTIS HC A06/MF A01 CSCL 01A

AERODYNAMIC CHARACTERISTICS, AERODYNAMIC CONFIGURATIONS, AIRFOIL PROFILES, BOUNDARY LAYER CONTROL, COMPUTER PROGRAMS, LAMINAR BOUNDARY LAYER, PANEL METHOD (FLUID DYNAMICS), SEMISPAN MODELS

N90-20946\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

DISCRETE-VORTEX MODEL FOR THE SYMMETRIC-VORTEX FLOW ON CONES

THOMAS G. GAINER Washington May 1990 29 p (NASA-TP-2989; L-16586; NAS 1.60:2989) Avail: NTIS HC A03/MF A01 CSCL 01A

CONICAL BODIES, FLOW DISTRIBUTION, MATHEMATICAL MODELS, POTENTIAL FLOW, VORTICES

N90-22531°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

DYNAMIC GROUND-EFFECT MEASUREMENTS ON THE F-15 STOL AND MANEUVER TECHNOLOGY DEMONSTRATOR (S/MTD) CONFIGURATION

GUY T. KEMMERLY Washington Jun. 1990 31 p (NASA-TP-3000; L-16555; NAS 1.60:3000) Avail: NTIS HC A03/MF A01 CSCL 01A

AERODYNAMIC CHARACTERISTICS. AIRCRAFT CONFIGURATIONS, AIRCRAFT LANDING, F-15 AIRCRAFT, GROUND EFFECT (AERODYNAMICS), GROUND TESTS, SHORT TAKEOFF AIRCRAFT

N90-24239\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

AERODYNAMIC CHARACTERISTICS OF TWO ROTORCRAFT AIRFOILS DESIGNED FOR APPLICATION TO THE INBOARD REGION OF A MAIN ROTOR BLADE

KEVIN W. NOONAN (Army Aerostructures Directorate, Hampton. VA.) Washington Jul. 1990 89 p (DA PROJ. 1L1-62211-A-47-AA)

(NASA-TP-3009; L-16737; NAS 1.60:3009;

AVSCOM-TR-90-B-005) Avail: NTIS HC A05/MF A01 CSCL

AERODYNAMIC CHARACTERISTICS, AERODYNAMIC COEFFICIENTS, ROTARY WINGS, ROTORCRAFT AIRCRAFT

N90-25938\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EFFECT OF TAIL SIZE REDUCTIONS ON LONGITUDINAL AERODYNAMIC CHARACTERISTICS OF A THREE SURFACE F-15 MODEL WITH NONAXISYMMETRIC NOZZLES

MARK C. FRASSINELLI (Air Force Wright Aeronautical Labs., Wright-Patterson AFB, OH.) and GEORGE T. CARSON, JR. Washington Aug. 1990 59 p

# 02 AERODYNAMICS

(NASA-TP-3036; L-16800; NAS 1.60:3036) Avail: NTIS HC A04/MF A01 CSCL 01A

**AERODYNAMIC** CHARACTERISTICS. CANARD CONFIGURATIONS, F-15 AIRCRAFT, NOZZLE FLOW, NOZZLE GEOMETRY, TAIL ASSEMBLIES, TRANSONIC WIND TUNNELS

N90-27649\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

THE LANGLEY 14- BY 22-FOOT SUBSONIC TUNNEL: DESCRIPTION, FLOW CHARACTERISTICS, AND GUIDE FOR

GARL L. GENTRY, JR., P. FRANK QUINTO, GREGORY M. GATLIN, and ZACHARY T. APPLIN Washington Sep. 1990

(NASA-TP-3008; L-16731; NAS 1.60:3008) Avail: NTIS HC A04/MF A01 CSCL 01A

DATA ACQUISITION, FLOW CHARACTERISTICS, GROUND EFFECT (AERODYNAMICS), SUBSONIC WIND TUNNELS, USER REQUIREMENTS, WIND TUNNEL APPARATUS

N90-28503\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

THE EFFECTS OF STRUCTURAL FLAP-LAG AND PITCH-LAG COUPLING ON SOFT INPLANE HINGELESS ROTOR STABILITY IN HOVER

WILLIAM G. BOUSMAN Washington May 1990 65 n Sponsored by Army Aviation Systems Command, Saint Louis, MO Prepared in cooperation with Army Aviation Systems Command, Moffett Field, CA

(NASA-TP-3002; A-89093; NAS 1.60:3002;

AVSCOM-TR-89-A-002; AD-A226087) Avail; NTIS HC A04/MF A01 CSCL 01/1

COUPLING. HOVERING. HOVERING MATHEMATICAL MODELS, RIGID ROTORS, ROTARY WINGS

03

# AIR TRANSPORTATION AND SAFETY

Includes passenger and cargo air transport operations; and aircraft accidents.

N87-10054\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

DOPPLER RADAR DETECTION OF WIND SHEAR

V. E. DELNORE, Comp. (PRC Kentron, Inc., Hampton, Va.) and V. A. MCCLELLAN (Research Triangle Inst., Research Triangle Park, N.C.) Sep. 1985 118 p. Presented at a Meeting, Hampton, Va., 24-25 Sep., 1985; sponsored in part by FAA

(NASA-CP-2435; NAS 1.55:2435; FAA/PM-86/31) Avail: NTIS HC A06/MF A01 CSCL 01C

**AVIATION** AIRCRAFT HAZARDS. METEOROLOGY. CONFERENCES. DOPPLER RADAR, **MICROBURSTS** (METEOROLOGY), RADAR MEASUREMENT, WIND SHEAR

N87-22634\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

**COCKPIT RESOURCE MANAGEMENT TRAINING** 

HARRY W. ORLADY, ed. (Orlady Associates, Inc., Los Gatos, Calif.) and H. CLAYTON FOUSHEE, ed. May 1987 Workshop held in San Francisco, Calif., 6-8 May 1986; sponsored by NASA. Ames Research Center and Air Force Military Airlift (NASA-CP-2455; A-87038; NAS 1.55:2455) Avail: NTIS HC A14/MF A02 CSCL 01C

FLIGHT CREWS, FLIGHT SIMULATION, FLIGHT TRAINING, GROUP DYNAMICS, PERSONNEL MANAGEMENT

N87-29469\*# National Aeronautics and Space Administration. Langlev Research Center, Hampton, VA.

JET TRANSPORT FLIGHT OPERATIONS USING COCKPIT DISPLAY OF TRAFFIC INFORMATION DURING INSTRUMENT METEOROLOGICAL CONDITIONS: SIMULATION EVALUATION DAVID H. WILLIAMS and DOUGLAS C. WELLS May 1986

(NASA-TP-2567; L-16091; NAS 1.60:2567) Avail: NTIS HC A03/MF A01 CSCL 01C

AIR TRAFFIC CONTROL, COCKPIT SIMULATORS, DISPLAY DEVICES, INSTRUMENT APPROACH, JET AIRCRAFT, TRANSPORT AIRCRAFT. VIDEO COMMUNICATION. WORKLOADS (PSYCHOPHYSIOLOGY)

N88-14970\*# National Aeronautics and Space Administration. Langlev Research Center, Hampton, VA.

WIND SHEAR DETECTION. FORWARD-LOOKING SENSOR TECHNOLOGY

E. M. BRACALENTE, comp. and V. E. DELNORE, comp. (PRC Kentron, Inc., Hampton, Va.) Oct. 1987 282 p Presented at the 1st Industry Review, Hampton, Va., 24-25 Feb. 1987 (NASA-CP-10004; NAS 1.55:10004; DOT/FAA/PS-87/2) Avail: NTIS HC A13/MF A02 CSCL 01C

AEROSPACE INDUSTRY, CONFERENCES. DOPPLER RADAR, FLIR DETECTORS, REMOTE SENSING, WIND SHEAR

National Aeronautics and Space Administration. N88-17616\*# Langley Research Center, Hampton, VA.

AIRBORNE WIND SHEAR DETECTION AND WARNING SYSTEMS: FIRST COMBINED MANUFACTURERS' AND TECHNOLOGISTS' CONFERENCE

AMOS A. SPADY, JR., comp., ROLAND L. BOWLES, comp., and SCHLICKENMAIER, comp. HERBERT (Federal Aviation Administration, Washington, D.C.) Jan. 1988 558 p Conference held in Hampton, Va., 22-23 Oct. 1987

(NASA-CP-10006; NAS 1.55:10006; DOT/FAA/PS-88/7) Avail: NTIS HC A24/MF A03 CSCL 01C

CONTROL AIRBORNE EQUIPMENT. AIRCRAFT CONFERENCES, DOPPLER DETECTION, RADAR, INFORMATION TRANSFER, OPTICAL RADAR. WARNING SYSTEMS, WIND SHEAR

N88-21144\*# National Aeronautics and Space Administration. Wallops Flight Center, Wallops Island, VA. INVESTIGATION OF THE MISFUELING OF RECIPROCATING

PISTON AIRCRAFT ENGINES

J. HOLLAND SCOTT, JR. Mar. 1988 82 p

(NASA-TP-2803; NAS 1.60:2803) Avail: NTIS HC A05/MF A01 CSCL 01C

AIRCRAFT ENGINES, ERRORS, GENERAL AVIATION AIRCRAFT, PISTON ENGINES, REFUELING

N88-26344\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

INFLUENCE OF WIND SHEAR ON THE AERODYNAMIC CHARACTERISTICS OF AIRPLANES

DAN D. VICROY Aug. 1988 62 p S Washington, D.C. and DOT, Washington, D.C. Sponsored by NASA, (NASA-TP-2827; L-16439; NAS 1.60:2827; DOT/FAA/PS-88/15)

Avail: NTIS HC A04/MF A01 CSCL 01C

AERODYNAMIC CHARACTERISTICS, AIRCRAFT CONTROL, MICROBURSTS (METEOROLOGY), SHEAR FLOW, WIND SHEAR.

04

# AIRCRAFT COMMUNICATIONS AND NAVIGATION

Includes digital and voice communication with aircraft; air navigation systems (satellite and ground based); and air traffic control.

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

A SIMULATOR INVESTIGATION OF THE USE OF DIGITAL DATA LINK FOR PILOT/ATC COMMUNICATIONS IN A SINGLE PILOT OPERATION

DAVID A. HINTON and GARY W. LOHR (Embry-Riddle Aeronautical Univ., Daytona Beach, Fla.) Jun. 1988 41 p (NASA-TP-2837; L-16457; NAS 1.60:2837) Avail: NTIS HC A03/MF A01 CSCL 17B

DATA TRANSMISSION, DIGITAL DATA, PERFORMANCE, RADIO COMMUNICATION, SIMULATION, VOICE COMMUNICATION

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

# A PILOTED SIMULATION STUDY OF DATA LINK ATC **MESSAGE EXCHANGE**

MARVIN C. WALLER and GARY W. LOHR (Embry-Riddle Aeronautical Univ., Daytona Beach, Fl..) Washington, DC Feb. 1989 38 p

(NASA-TP-2859; L-16450; NAS 1.60:2859) Avail: NTIS HC A03/MF A01 CSCL 17B

AIR TRAFFIC CONTROL, DATA LINKS, FLIGHT SIMULATION, MESSAGE PROCESSING

N89-15901\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SIMULATION EVALUATION OF TIMER, A TIME-BASED, TERMINAL AIR TRAFFIC, FLOW-MANAGEMENT CONCEPT LEONARD CREDEUR and WILLIAM R. CAPRON (PRC Kentron, Inc., Hampton, VA.) Washington, DC Feb. 1989 69 p (NASA-TP-2870; L-16386; NAS 1.60:2870) Avail: NTIS HC A04/MF A01 CSCL 17G

TRAFFIC CONTROL, AUTOMATIC CONTROL. EVALUATION. MANAGEMENT PLANNING, SCHEDULING. SIMULATION, TERMINAL FACILITIES

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

**DELIVERY PERFORMANCE OF CONVENTIONAL AIRCRAFT** BY TERMINAL-AREA, TIME-BASED AIR TRAFFIC CONTROL: A REAL-TIME SIMULATION EVALUATION

LEONARD CREDEUR, JACOB A. HOUCK, WILLIAM R. CAPRON, and GARY W. LOHR (Embry-Riddle Aeronautical Univ., Daytona Beach, FL.) Washington Apr. 1990 66 p (NASA-TP-2978; L-16615; NAS 1.60:2978) Avail: NTIS HC

A04/MF A01 CSCL 17G

AIR TRAFFIC CONTROL, AIR TRAFFIC CONTROLLERS (PERSONNEL), COMPUTERIZED SIMULATION, FLIGHT CREWS, PILOT PERFORMANCE, REAL TIME OPERATION

05

# AIRCRAFT DESIGN. TESTING AND **PERFORMANCE**

Includes aircraft simulation technology.

N87-11717\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

RECENT EXPERIENCES IN MULTIDISCIPLINARY ANALYSIS AND OPTIMIZATION, PART 1

J. SOBIESKI, comp. 1984 517 p Symposium held in Hampton, Va., 24-26 Apr. 1984

(NASA-CP-2327-PT-1; NAS 1.55:2327-PT-1) Avail: NTIS HC A22/MF A03 CSCL 01C

AIRCRAFT DESIGN. COMPUTER AIDED DESIGN CONFERENCES, DESIGN ANALYSIS, OPTIMIZATION. STRUCTURAL DESIGN

N87-11750\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

RECENT EXPERIENCES IN MULTIDISCIPLINARY ANALYSIS AND OPTIMIZATION, PART 2

J. SOBIESKI, comp. 1984 509 p Symposium held in Hampton, Va., 24-26 Apr. 1984

(NASA-CP-2327-PT-2; L-15830; NAS 1.55:2327-PT-2) Avail: NTIS HC A22/MF A03 CSCL 01C

DESIGN. COMPUTER AIRCRAFT DESIGN. AIDED HELICOPTERS, OPTIMIZATION

N87-15959\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

LARGE-SCALE STATIC INVESTIGATION OF CIRCULATION-CONTROL-WING CONCEPTS APPLIED TO **UPPER SURFACE-BLOWING AIRCRAFT** 

M. D. SHOVLIN, R. J. ENGLAR (Naval Ship Research and Development Center, Bethesda, Md.), J. C. EPPEL, and J. H. NICHOLS, JR. Jan. 1987 65 p

(NASA-TP-2684; NAS 1.60:2684) Avail: NTIS HC A04/MF A01 CSCL 01C

CIRCULATION CONTROL AIRFOILS, GROUND TESTS, LIFT AUGMENTATION, SHORT TAKEOFF AIRCRAFT, STATIC TESTS, THRUST CONTROL, TURBOFAN ENGINES, UPPER SURFACE BLOWING

N87-16815\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

FLIGHT INVESTIGATION OF THE EFFECT OF TAIL CONFIGURATION ON STALL, SPIN, AND RECOVERY CHARACTERISTICS OF A LOW-WING GENERAL AVIATION RESEARCH AIRPLANE

H. PAUL STOUGH, III, JAMES M. PATTON, JR., and STEVEN M. SLIWA Feb. 1987 125 p

(NASA-TP-2644; L-16194; NAS 1.60:2644) Avail: NTIS HC A06/MF A01 CSCL 01C

**AERODYNAMIC** CONFIGURATIONS, **AERODYNAMIC** STALLING, AIRCRAFT SPIN, GENERAL AVIATION AIRCRAFT, RESEARCH AIRCRAFT, TAIL ASSEMBLIES

N87-17690\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EXPLOITING SYMMETRIES IN THE MODELING AND **ANALYSIS OF TIRES** 

AHMED K. NOOR (Joint Inst. for Advancement of Flight Sciences, Hampton, Va.), CARL M. ANDERSEN (College of William and Mary, Hampton, Va.), and JOHN A. TANNER Mar. 1987 63 p (NCC1-40)

(NASA-TP-2649; L-16185; NAS 1.60:2649) Avail: NTIS HC A04/MF A01 CSCL 01C

FINITE ELEMENT METHOD, MATHEMATICAL MODELS, SYMMETRY, TIRES

N87-17693\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EFFECTS OF EMPENNAGE SURFACE LOCATION ON AERODYNAMIC CHARACTERISTICS OF A TWIN-ENGINE AFTERBODY MODEL WITH NONAXISYMMETRIC NOZZLES FRANCIS J. CAPONE and GEORGE T. CARSON, JR. Feb. 1985 79 p

(NASA-TP-2392; L-15825; NAS 1.60:2392) Avail: NTIS HC A05/MF A01 CSCL 01C

AERODYNAMIC CHARACTERISTICS, AERODYNAMIC DRAG, AFTERBODIES, AXISYMMETRIC BODIES, FIGHTER AIRCRAFT, NOZZLE GEOMETRY, TAIL ASSEMBLIES, TAIL SURFACES

N87-20990\*# National Aeronautics and Space Administration.
Armes Research Center, Moffett Field, CA.
SUMMARY OF STUDIES TO REDUCE WING-MOUNTED

PROPFAN INSTALLATION DRAG ON AN M = 0.8
TRANSPORT

RONALD C. SMITH, ALAN D. LEVIN, and RICHARD D. WOOD May 1987 29 p

(NASA-TP-2678; A-86242; NAS 1.60:2678) Avail: NTIS HC A03/MF A01 CSCL 01C

DRAG REDUCTION, HIGH SPEED, PROP-FAN TECHNOLOGY, TRANSPORT AIRCRAFT, WIND TUNNEL TESTS

N87-23614\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

FLIGHT INVESTIGATION OF THE EFFECTS OF AN OUTBOARD WING-LEADING-EDGE MODIFICATION ON STALL/SPIN CHARACTERISTICS OF A LOW-WING, SINGLE-ENGINE, T-TAIL LIGHT AIRPLANE

H. PAUL STOUGH, III, DANIEL J. DICARLO, and JAMES M. PATTON, JR. Jul. 1987 117 p

(NASA-TP-2691; L-16243; NAS 1.60:2691) Avail: NTIS HC A06/MF A01 CSCL 01A

AERODYNAMIC STALLING, FLIGHT TESTS, INVESTIGATION, LEADING EDGES, REVISIONS, SPIN, WINGS

N87-24458\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

MEASUREMENTS OF FLOW RATE AND TRAJECTORY OF AIRCRAFT TIRE-GENERATED WATER SPRAY

ROBERT H. DAUGHERTY and SANDY M. STUBBS Jul. 1987 118 p

(NASA-TP-2718; L-16195; NAS 1.60:2718) Avail: NTIS HC A06/MF A01 CSCL 01C

AIRCRAFT TIRES, ENGINE INLETS, FLOW VELOCITY, INGESTION (ENGINES), SPLASHING, SPRAYING

N87-26041\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EVALUATION OF INSTALLED PERFORMANCE OF A WING-TIP-MOUNTED PUSHER TURBOPROP ON A SEMISPAN WING

JAMES C. PATTERSON, JR. and GLYNN R. BARTLETT Aug. 1987 30 p

(NASA-TP-2739; L-16252; NAS 1.60:2739) Avail: NTIS HC A03/MF A01 CSCL 01C

INSTALLING, PROPELLERS, SEMISPAN MODELS, TURBOFAN ENGINES, TURBOPROP ENGINES, WING TIP VORTICES

N87-29497\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

QUALITATIVE EVALUATION OF A FLUSH AIR DATA SYSTEM AT TRANSONIC SPEEDS AND HIGH ANGLES OF ATTACK TERRY J. LARSON, STEPHEN A. WHITMORE, L. J. EHERNBERGER, J. BLAIR JOHNSON, and PAUL M. SIEMERS, III Washington NASA Apr. 1987 64 p

AIR DATA SYSTEMS, ANGLE OF ATTACK, FLOW

DISTRIBUTION, ORIFICE FLOW, PITOT TUBES, STAGNATION PRESSURE, TRANSONIC SPEED

N87-29499\*# National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Center, Edwards, CA. APPLICATION OF PARAMETER ESTIMATION TO AIRCRAFT

STABILITY AND CONTROL: THE OUTPUT-ERROR APPROACH
RICHARD E. MAINE and KENNETH W. ILIFF Jun. 1986
175 p Submitted for publication

(NASA-RP-1168; H-1299; NAS 1.61:1168) Avail: NTIS HC A08/MF A01 CSCL 01C

The practical application of parameter estimation methodology to the problem of estimating aircraft stability and control derivatives from flight test data is examined. The primary purpose of the document is to present a comprehensive and unified picture of the entire parameter estimation process and its integration into a flight test program. The document concentrates on the output-error method to provide a focus for detailed examination and to allow us to give specific examples of situations that have arisen. The document first derives the aircraft equations of motion in a form suitable for application to estimation of stability and control derivatives. It then discusses the issues that arise in adapting the equations to the limitations of analysis programs, using a specific program for an example. The roles and issues relating to mass distribution data, preflight predictions, maneuver design, flight scheduling, instrumentation sensors, data acquisition systems, and data processing are then addressed. Finally, the document discusses evaluation and the use of the analysis results.

N88-12480°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EFFECT OF MOTION CUES DURING COMPLEX CURVED APPROACH AND LANDING TASKS: A PILOTED SIMULATION STUDY

CHARLES H. SCANLON (Arkansas State Univ., State University.)
Dec. 1987 28 p

(NCC1-107)

(NASA-TP-2773; L-16351; NAS 1.60:2773) Avail: NTIS HC A03/MF A01 CSCL 01C

APPROACH, CUES, LANDING, MICROWAVE LANDING SYSTEMS, MOTION, PILOT PERFORMANCE, TRACKING (POSITION), WORKLOADS (PSYCHOPHYSIOLOGY)

N86-18583\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

CORNERING CHARACTERISTICS OF THE MAIN-GEAR TIRE OF THE SPACE SHUTTLE ORBITER

ROBERT H. DAUGHERTY, SANDY M. STUBBS, and MARTHA P. ROBINSON Mar. 1988 29 p

AERODYNAMIC LOADS, COEFFICIENTS, LANDING GEAR, SPACE SHUTTLES, TIRES, YAWING MOMENTS

N88-19467\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

A PERSPECTIVE ON 15 YEARS OF PROOF-OF-CONCEPT AIRCRAFT DEVELOPMENT AND FLIGHT RESEARCH AT AMES-MOFFETT BY THE ROTORCRAFT AND POWERED-LIFT FLIGHT PROJECTS DIVISION, 1970-1985

DAVID D. FEW Aug. 1987 55 p

A proof-of-concept (POC) aircraft is defined and the concept of interest described for each of the six aircraft developed by the Ames-Moffet Rotorcraft and Powered-Lift Flight Projects Division from 1970 through 1985; namely, the OV-10, the C-8A Augmentor Wing, the Quiet Short-Haul Research Aircraft (QSRA), the XV-15 Tilt Rotor Research Aircraft (TRRA), the Rotor Systems Research Aircraft (RSRA)-compound, and the yet-to-fly RSRA/X-Wing Aircraft. The program/project chronology and most noteworthy features of the concepts are reviewed. The paper discusses the significance of each concept and the project demonstrating it; it

# 05 AIRCRAFT DESIGN, TESTING AND PERFORMANCE

briefly looks at what concepts are on the horizon as potential POC research aircraft and emphasizes that no significant advanced concept in aviation technology has ever been accepted by civilian or military users without first completing a demonstration through flight testing.

Author

N88-21153\*# National Aeronautics and Space Administration.
Hugh L. Dryden Flight Research Center, Edwards, CA.
DEVELOPMENT AND FLIGHT TEST OF AN EXPERIMENTAL
MANEUVER AUTOPILOT FOR A HIGHLY MANEUVERABLE
AIRCRAFT

EUGENE L. DUKE, FRANK P. JONES, and RALPH B. RONCOLI Sep. 1986 61 p

AUTOMATIC CONTROL. AUTOMATIC PILOTS, FLIGHT TESTS, HIGHLY MANEUVERABLE AIRCRAFT

N88-21157\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

STATIC MECHANICAL PROPERTIES OF 30 X 11.5 - 14.5, TYPE 8 AIRCRAFT TIRES OF BIAS-PLY AND RADIAL-BELTED DESIGN

PAMELA A. DAVIS and MERCEDES C. LOPEZ May 1988 24 p

(NASA-TP-2810; L-16374; NAS 1.60:2810) Avail: NTIS HC A03/MF A01 CSCL 01C

AIRCRAFT TIRES, MECHANICAL PROPERTIES, STATIC TESTS

N88-22031\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SHAPE SENSITIVITY ANALYSIS OF WING STATIC AEROELASTIC CHARACTERISTICS

JEAN-FRANCOIS M. BARTHELEMY and FRED D. BERGEN (Virginia Polytechnic Inst. and State Univ., Blacksburg.) May 1988 30 p

(NASA-TP-2808; L-16418; NAS 1.60:2808) Avail: NTIS HC A03/MF A01 CSCL 01C

AEROELASTICITY, DYNAMIC RESPONSE, SENSITIVITY, WING LOADING, WING PROFILES

N88-24623\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

NONLINEAR PROGRAMMING EXTENSIONS TO RATIONAL FUNCTION APPROXIMATION METHODS FOR UNSTEADY AERODYNAMIC FORCES

SHERWOOD H. TIFFANY and WILLIAM M. ADAMS, JR. Jul. 1988 55 p Previously announced in IAA as A87-33694 Sponsored by NASA, Washington

AERODYNAMIC FORCES, AERODYNAMICS, APPROXI-MATION, EQUATIONS OF MOTION, FLEXIBLE BODIES, NON-LINEAR PROGRAMMING, OPTIMIZATION

N89-23448\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

HOT-JET SIMULATION IN CRYOGENIC WIND TUNNELS KEISUKE ASAI (National Aerospace Lab., Tokyo, Japan ) Washington Jul. 1989 49 p

(NASA-ŘP-1220; L-16564; NÁS 1.61:1220) Avail: NTIS HC A03/MF A01 CSCL 01C

In order to evaluate hot jet simulation capability in cryogenic wind tunnel testing, simple theoretical calculations were performed. The similarity parameters, isentropic flow properties, and normal shock relations were calculated for a variety of jet simulation techniques. The results were compared with those estimated for a full scale flight condition. It was shown that the cryogenic wind tunnel testing provides an opportunity for the most accurate hot jet simulation technique. By using a compressed nitrogen gas at ambient or moderately elevated temperatures as a jet gas, most all of the relevant similarity parameters including the jet temperature

and velocity ratios and the Reynolds numbers, can be set to the full scale flight values. The only exception is the ratio of specific heats for jet flow. In an attempt to match the ratio of specific heats for the turbojet flow, gases other than pure nitrogen were considered. It was found that a nitrogen/methane mixture at moderately elevated temperature behaves like the real combustion gas. Using this mixture as a jet gas, complete simulation of the full scale turbojet exhaust becomes possible in cryogenic wind tunnels.

N89-25146\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

RECENT ADVANCES IN MULTIDISCIPLINARY ANALYSIS AND OPTIMIZATION, PART 1

JEAN-FRANCOIS M. BARTHELEMY, ed. Washington Apr. 1989 527 p Symposium held in Hampton, VA, 28-30 Sep. 1988; sponsored by NASA, Langley Research Center, NASA, LeResear Center, and Wright Research Development Center (NASA-CP-3031-PT-1; L-16568-PT-1; NAS 1.55:3031-PT-1) Avail: NTIS HC A23/MF A03 CSCL 01C

AIRCRAFT DESIGN, COMPUTATIONAL FLUID DYNAMICS, COMPUTER AIDED DESIGN, CONFERENCES, EXPERT SYSTEMS, OPTIMIZATION, STRUCTURAL ENGINEERING

N89-25173\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

RECENT ADVANCES IN MULTIDISCIPLINARY ANALYSIS AND OPTIMIZATION, PART 2

JEAN-FRANCOIS M. BARTHELEMY, ed. Washington Apr. 1989 501 p Symposium held in Hampton, VA, 28-30 Sep. 1988; sponsored by NASA, Langley Research Center, NASA, Lewis Research Center, and Wright Research Development Center (NASA-CP-3031-PT-2; L-16568-PT-2; NAS 1.55:3031-PT-2) Avail: NTIS HC A22/MF A03 CSCL 01C

AIRCRAFT DESIGN, ARTIFICIAL INTELLIGENCE, COMPUTER AIDED DESIGN, CONFERENCES, DESIGN ANALYSIS, OPTIMIZATION, STRUCTURAL ANALYSIS, STRUCTURAL DESIGN

N89-25201\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

RECENT ADVANCES IN MULTIDISCIPLINARY ANALYSIS AND OPTIMIZATION, PART 3

JEAN-FRANCOIS M. BARTHELEMY, ed. Washington Apr. 1989 513 p Symposium held in Hampton, VA, 28-30 Sep. 1988; sponsored by NASA, Langley Research Center, NASA, Lewis Research Center, and Wright Research Development Center (NASA-CP-3031-PT-3; L-16568-PT-3; NAS 1.55:3031-PT-3) Avail: NTIS HC A22/MF A03 CSCL 01C

AIRCRAFT DESIGN, COMPUTER AIDED DESIGN, COMPUTERIZED SIMULATION, CONFERENCES, CONTROL THEORY, DESIGN ANALYSIS, FLEXIBLE SPACECRAFT, LARGE SPACE STRUCTURES, OPTIMIZATION, SPACECRAFT DESIGN, STRUCTURAL DESIGN, STRUCTURAL ENGINEERING, SYSTEMS ENGINEERING

N89-26844\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

# METHOD FOR EXPERIMENTAL DETERMINATION OF FLUTTER SPEED BY PARAMETER IDENTIFICATION

E. NISSIM (Technion - Israel Inst. of Tech., Haifa.) and GLENN B. GILYARD Washington Jun. 1989 44 p Previously announced in IAA as A89-30801

(NASA-TP-2923; H-1510; NAS 1.60:2923) Avail: NTIS HC A03/MF A01 CSCL 01C

AEROELASTICITY, DYNAMIC PRESSURE, FLIGHT TESTS, FLUTTER, PARAMETER IDENTIFICATION

N90-12589\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

POWERED-LIFT AIRCRAFT TECHNOLOGY

W. H. DECKERT and J. A. FRANKLIN 1989 36 p Original

# 05 AIRCRAFT DESIGN, TESTING AND PERFORMANCE

contains color illustrations

(NASA-SP-501; NAS 1.21:501; LC-89-39482) Avail: SOD HC 

Powered lift aircraft have the ability to vary the magnitude and direction of the force produced by the propulsion system so as to control the overall lift and streamwise force components of the aircraft, with the objective of enabling the aircraft to operate from minimum sized terminal sites. Power lift technology has contributed to the development of the jet lift Harrier and to the forth coming operational V-22 Tilt Rotor and the C-17 military transport. This technology will soon be expanded to include supersonic fighters with short takeoff and vertical landing capability, and will continue to be used for the development of short- and vertical-takeoff and landing transport. An overview of this field of aeronautical technology is provided for several types of powered lift aircraft. It focuses on the description of various powered lift concepts and their operational capability. Aspects of aerodynamics and flight controls pertinent to powered lift are also discussed.

N90-14220\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

GLOBAL STRATOSPHERIC CHANGE: REQUIREMENTS FOR A **VERY-HIGH-ALTITUDE AIRCRAFT FOR ATMOSPHERIC** RESEARCH

1989 41 p Workshop held in Truckee, CA, 15-16 Jul. 1989 (NASA-CP-10041; A-89243; NAS 1.55:10041) Avail: NTIS HC A03/MF A01 CSCL 01C

ATMOSPHERIC CHEMISTRY, FLIGHT CHARACTERISTICS, TEOROLOGICAL FLIGHT, REMOTE SENSING, METEOROLOGICAL SENSING. STRATOSPHERE, U-2 AIRCRAFT

N90-15100\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

THE EFFECTIVENESS OF VANE-AILERON EXCITATION IN THE EXPERIMENTAL DETERMINATION OF FLUTTER SPEED BY PARAMETER IDENTIFICATION

ELI NISSIM (Technion - Israel Inst. of Tech., Haifa.) Jan. 1990 23 p

(NASA-TP-2971; H-1516; NAS 1.60:2971) Avail: NTIS HC A03/MF A01 CSCL 01C

EXCITATION, FLUTTER, PARAMETER IDENTIFICATION, **VANES** 

N90-15902\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

**EVALUATION OF TWO TRANSPORT AIRCRAFT AND** SEVERAL GROUND TEST VEHICLE FRICTION **MEASUREMENTS OBTAINED FOR VARIOUS RUNWAY** SURFACE TYPES AND CONDITIONS. A SUMMARY OF TEST **RESULTS FROM JOINT FAA/NASA RUNWAY FRICTION PROGRAM** 

THOMAS J. YAGER, WILLIAM A. VOGLER (PRC Kentron, Inc., Washington Hampton, VA.), and PAUL BALDASARE 1990 301 p

(NASA-TP-2917; L-16536; NAS 1.60:2917) Avail: NTIS HC A14/MF A02 CSCL 01C

AIRCRAFT TIRES, ASPHALT, CONCRETES, FRICTION MEASUREMENT, GROUND TESTS, RUNWAY CONDITIONS, TRANSPORT AIRCRAFT

N90-17627\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SIMULATED-AIRLINE-SERVICE FLIGHT TESTS OF LAMINAR-FLOW CONTROL WITH PERFORATED-SURFACE SUCTION SYSTEM

DAL V. MADDALON and ALBERT L. BRASLOW (Analytical Services and Materials, Inc., Hampton, VA.) Washington 1990 40 p

(NASA-TP-2966; L-16589; NAS 1.60:2966) Avail: NTIS HC A03/MF A01 CSCL 01C

BOUNDARY LAYER CONTROL, C-140 AIRCRAFT, LAMINAR FLOW, LEADING EDGES, PERFORATION, SUCTION

N90-18385\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

FUSELAGE DESIGN FOR A SPECIFIED MACH-SLICED AREA DISTRIBUTION

RAYMOND L. BARGER and MARY S. ADAMS Washington Feb. 1990 88 p

(NASA-TP-2975; L-16651; NAS 1.60:2975) Avail: NTIS HC A05/MF A01 CSCL 01C AIRCRAFT CONFIG

CONFIGURATIONS, **AIRCRAFT** DESIGN. FUSELAGES, MACH NUMBER, NOISE REDUCTION

N90-25134\*# National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Facility, Edwards, CA.

**EVALUATION OF VARIOUS THRUST CALCULATION** TECHNIQUES ON AN F404 ENGINE

RONALD J. RAY Apr. 1990 31 p

(NASA-TP-3001; H-1505; NAS 1.60:3001) Avail: NTIS HC A03/MF A01 CSCL 21E

CALIBRATING, **ENGINE** TESTS, **FLIGHT** TESTS. PERFORMANCE PREDICTION, REAL TIME OPERATION, **THRUST** 

N90-26823\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

**EVALUATION OF ENERGY ABSORPTION OF NEW CONCEPTS** OF AIRCRAFT COMPOSITE SUBFLOOR INTERSECTIONS

LISA E. JONES (PRC Kentron, Inc., Hampton, VA.) and HUEY D. CARDEN Washington Nov. 1989 33 p (NASA-TP-2951; L-16628; NAS 1.60:2951) Avail: NTIS HC

A03/MF A01 CSCL 01C

AIRCRAFT CONSTRUCTION MATERIALS, CRASHWORTH-INESS, FLOORS, LAMINATES, STRUCTURAL ANALYSIS, STRUCTURAL FAILURE, SUBSTRUCTURES

# 06

# AIRCRAFT INSTRUMENTATION

Includes cockpit and cabin display devices; and flight instruments.

N87-10864\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

GROUND-BASED TIME-GUIDANCE ALGORITHM FOR CONTROL OF AIRPLANES IN A TIME-METERED AIR TRAFFIC CONTROL ENVIRONMENT: A PILOTED SIMULATION STUDY

C. E. KNOX and N. IMBERT (Office National d'Etudes et de Recherches Aerospatiales, Toulouse, France) Nov. 1986 36 p (NASA-TP-2616; L-16116; NAS 1.60:2616) Avail: NTIS HC A03/MF A01 CSCL 01D

AIR TRAFFIC CONTROL, ENERGY CONSERVATION, FLIGHT MANAGEMENT SYSTEMS, FLIGHT SIMULATION, CONSUMPTION, PILOTS (PERSONNEL), TIMING DEVICES

N87-13438\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

DEVELOPMENT AND EVALUATION OF AN AIRPLANE **ELECTRONIC DISPLAY FORMAT ALIGNED WITH THE INERTIAL VELOCITY VECTOR** 

G. G. STEINMETZ Dec. 1986 23 p

(NASA-TP-2648; L-16168; NAS 1.60:2648) Avail: NTIS HC A03/MF A01 CSCL 01D

ALIGNMENT, DIRECTIONAL CONTROL, DISPLAY DEVICES, ELECTRONIC EQUIPMENT, FLIGHT TESTS. NAVIGATION, PERFORMANCE TESTS, VELOCITY

N87-19393\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

A SIMULATION EVALUATION OF A PILOT INTERFACE WITH AN AUTOMATIC TERMINAL APPROACH SYSTEM

### 07 AIRCRAFT PROPULSION AND POWER

DAVID A. HINTON Apr. 1987 21 p (NASA-TP-2669; L-16222; NAS 1.60:2669) Avail: NTIS HC A03/MF A01 CSCL 17G

APPROACH CONTROL, AUTOMATIC CONTROL, AUTOMATIC PILOTS, GENERAL AVIATION AIRCRAFT, MAN MACHINE **SYSTEMS** 

N87-29533\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

# **ANALOG SIGNAL CONDITIONING FOR FLIGHT-TEST** INSTRUMENTATION

DONALD W. VEATCH and RODNEY K. BOGUE Washington Jan. 1986 173 p Presented at the AGARD Flight Mechanics Panel, Flight-test Techniques Working Group, AGARDograph 160, Flight-Test Instrumentation Series Previously announced as N86-29816

(NASA-RP-1159; H-1191; NAS 1.61:1159) Avail: NTIS HC A08/MF A01 CSCL 01D

The application of analog signal conditioning to flight-tests data acquisition systems is discussed. Emphasis is placed on practical applications of signal conditioning for the most common flight-test data-acquisition systems. A limited amount of theoretical discussion is included to assist the reader in a more complete understanding of the subject matter. Nonspecific signal conditioning, such as amplification, filtering, and multiplexing, is discussed. Signal conditioning for various specific transducers and data terminal devices is also discussed to illustrate signal conditioning that is unique to particular types of transducers. The purpose is to delineate for the reader the various signal-conditioning technique options, together with tradeoff considerations, for commonly encountered flight-test situations. Author

N88-12487\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

# **EFFECTS OF COMBINING VERTICAL AND HORIZONTAL**

INFORMATION INTO A PRIMARY FLIGHT DISPLAY
TERENCE S. ABBOTT, MARK NATAUPSKY, and GEORGE G. STEINMETZ Dec. 1987 21 p

(NASA-TP-2783; L-16366; NAS 1.60:2783) Avail: NTIS HC A03/MF A01 CSCL 01D

COCKPITS, CONSOLIDATION, DISPLAY DEVICES. **HORIZONTAL** ORIENTATION, POSITION INDICATORS. **VERTICAL ORIENTATION** 

National Aeronautics and Space Administration. N89-16820\*# Langley Research Center, Hampton, VA.

PILOTED-SIMULATION EVALUATION OF ESCAPE GUIDANCE FOR MICROBURST WIND SHEAR ENCOUNTERS M.S. Thesis -George Washington Univ.

DAVID A. HINTON Washington, DC Mar. 1989 57 p Sponsored in part by FAA, Washington, DC

(NASA-TP-2886; L-16498; NAS 1.60;2886; DOT/FAA/DS-89/06) Avail: NTIS HC A04/MF A01 CSCL 01D FLIGHT HAZARDS, FLIGHT SIMULATION, MICROBURSTS

(METEOROLOGY), PILOT PERFORMANCE, WIND SHEAR

N90-13384\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

FLIGHT DECK AUTOMATION: PROMISES AND REALITIES SUSAN D. NORMAN, ed. and HARRY W. ORLADY, ed. (Orlady

Associates, Inc., Los Gatos, CA.) Sep. 1989 200 p Proceedings of a NASA/FAA/Industry Workshop, Carmel Valley, CA, 1-4 Aug. 1988

(NASA-CP-10036; A-89196; NAS 1.55:10036) Avail: NTIS HC A09/MF A02 CSCL 01D

AIR TRAFFIC CONTROL, TRANSPORTATION, AIR AUTOMATIC CONTROL, COCKPITS, CONFERENCES. MAN-COMPUTER INTERFACE

N90-18393\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

A SIMULATION EVALUATION OF THE ENGINE MONITORING AND CONTROL SYSTEM DISPLAY

TERENCE S. ABBOTT Washington Feb. 1990 39 p Original contains color illustrations

(NASA-TP-2960; L-16637; NAS 1.60:2960) Avail: NTIS HC A03/MF A01; 6 functional color pages CSCL 01D

AIRCRAFT INSTRUMENTS, DISPLAY DEVICES, ENGINE MONITORING INSTRUMENTS, FLIGHT INSTRUMENTS

N90-21004\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

STEREOPSIS CUEING EFFECTS ON HOVER-IN-TURBULENCE PERFORMANCE IN A SIMULATED ROTORCRAFT

RUSSELL V. PARRISH and STEVEN P. WILLIAMS (Army Aviation Systems Command, Hampton, VA.) Washington May 1990 62 p

(DA PROJ. 1L1-61102-AH-45)

(NASA-TP-2980; L-16652; NAS 1.60:2980;

AVSCOM-TR-90-B-002; AD-A224484) Avail: NTIS HC A04/MF A01 CSCL 01/4

CUES, DISPLAY DEVICES, FLIGHT SIMULATION, HOVERING, PILOT PERFORMANCE, ROTARY WING AIRCRAFT. **TURBULENCE** 

N90-25980\*# National Aeronautics and Space Administration, Washington, DC

SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM. VOLUME 1: EXECUTIVE SUMMARY

Aug. 1990 Symposium held in Williamsburg, VA, 7-9 24 p Nov. 1989

(NASA-CP-3081-VOL-1; NAS 1.55:3081-VOL-1) Avail: NTIS HC A03/MF A01 CSCL 01D

AVIONICS, CONFERENCES, SPACE TRANSPORTATION

# 07

# **AIRCRAFT PROPULSION AND POWER**

Includes prime propulsion systems and systems components, e.g., gas turbine engines and compressors; and onboard auxiliary power plants for aircraft.

N87-17699\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

DESIGN OF 9.271-PRESSURE-RATIO 5-STAGE CORE **COMPRESSOR AND OVERALL PERFORMANCE FOR FIRST 3** 

RONALD J. STEINKE May 1986 35 p

(NASA-TP-2597; E-2589; NAS 1.60:2597) Avail: NTIS HC A03/MF A01 CSCL 21E

COMPRESSORS, DESIGN ANALYSIS, FLOW DISTRIBUTION, PERFORMANCE TESTS, ROTOR BLADES (TURBOMACHINERY)

N87-20267\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

NASA-CHINESE AERONAUTICAL ESTABLISHMENT (CAE) SYMPOSIUM

1986 230 p Symposium held in Cleveland, Ohio, 23-27 Sep. 1985

(NASA-CP-2433; E-3033; NAS 1.55:2433) Avail: NTIS HC A11/MF A02 CSCL 21E

COMBUSTION, FLUID DYNAMICS, THERMODYNAMICS

N87-24481°# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

LOW-COST FM OSCILLATOR FOR CAPACITANCE TYPE OF BLADE TIP CLEARANCE MEASUREMENT SYSTEM JOHN P. BARRANGER Jul. 1987 16 p

(NASA-TP-2746; E-3455; NAS 1.60:2746) Avail: NTIS HC A03/MF A01 CSCL 21E

# **07 AIRCRAFT PROPULSION AND POWER**

BLADE TIPS, ERROR ANALYSIS, FREQUENCY MODULATION, NONDESTRUCTIVE TESTS, OSCILLATORS, ROTOR BLADES (TURBOMACHINERY)

N88-15785\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

# AEROPROPULSION '87. SESSION 2: AEROPROPULSION STRUCTURES RESEARCH

Nov. 1987 52 p Conference held in Cleveland, Ohio, 17-19 Nov. 1987 Submitted for publication (NASA-CP-10003-SESS-2; E-3798-SESS-2; NAS

1.55:10003-SESS-2) Avail: NTIS HC A04/MF A01 CSCL 21E CONTROL SYSTEMS DESIGN, DESIGN ANALYSIS, PROPULSION SYSTEM CONFIGURATIONS, STRUCTURAL ANALYSIS

N88-15790°# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

# AEROPROPULSION '87. SESSION 3: INTERNAL FLUID MECHANICS RESEARCH

Nov. 1987 75 p Conference held in Cleveland, Ohio, 17-19 Nov. 1987 Submitted for publication

(NASA-CP-10003-SESS-3; E-3798-SESS-3; NAS

1.55:10003-SESS-3) Avail: NTIS HC A04/MF A01 CSCL 21E CHEMICAL REACTIONS, DUCTS, FLUID MECHANICS, INLET FLOW, NOZZLES, PREDICTION ANALYSIS TECHNIQUES, PROPULSION, TURBOMACHINERY

N88-15794\*# National Aeronautics and Space Administration.
Lewis Research Center, Cleveland, OH.
AEROPROPULSION '87. SESSION 4: INSTRUMENTATION AND

# AEROPROPULSION '87. SESSION 4: INSTRUMENTATION AND CONTROLS RESEARCH

Nov. 1987 77 p Conference held in Cleveland, Ohio, 17-19 Nov. 1987 Submitted for publication

(NASA-CP-10003-SESS-4; E-3798-SESS-4; NAS

1.55:10003-SESS-4) Avail: NTIS HC A05/MF A01 CSCL 21E CONFERENCES, CONTROL SYSTEMS DESIGN, FIBER OPTICS, FLUID MECHANICS, MEASURING INSTRUMENTS, PROPULSION

N88-15800\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

# AEROPROPULSION '87. SESSION 5: SUBSONIC PROPULSION TECHNOLOGY

Nov. 1987 153 p Conference held in Cleveland, Ohio, 17-19 Nov. 1987 Submitted for publication

(NASA-CP-10003-SESS-5; E-3798-SESS-5; NAS

1.55:10003-SESS-5) Avail: NTIS HC A08/MF A01 CSCL 21E CONFERENCES, ENGINE DESIGN, FLUID MECHANICS, PROP-FAN TECHNOLOGY, PROPULSION

N88-15807\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

# AEROPROPULSION '87. SESSION 6: HIGH-SPEED PROPULSION TECHNOLOGY

Nov. 1987 119 p Conference held in Cleveland, Ohio, 17-19 Nov. 1987 Submitted for publication

(NASA-CP-10003-SESS-6; E-3798-SESS-6; NAS

1.55:10003-SESS-6) Avail: NTIS HC A06/MF A01 CSCL 21E CONFERENCES, FLUID MECHANICS, HYPERSONIC AIRCRAFT, PROPULSION SYSTEM CONFIGURATIONS, SUPERSONIC AIRCRAFT, SUPERSONIC COMBUSTION RAMJET ENGINES, TRANSPORT AIRCRAFT

N88-16697\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

# AEROPROPULSION '87. SESSION 1: AEROPROPULSION MATERIALS RESEARCH

Nov. 1987 121 p Conference held in Cleveland, Ohio, 17-19 Nov. 1987 Submitted for publication

(NASA-CP-10003-SESS-1; E-3798-SESS-1; NAS

1.55:10003-SESS-1) Avail: NTIS HC A06/MF A01 CSCL 21E CERAMICS, CREEP PROPERTIES, ENGINE DESIGN, ENGINE

PARTS, FATIGUE (MATERIALS), METAL MATRIX COMPOSITES, POLYMER MATRIX COMPOSITES

N89-12565\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

# ADVANCED TURBOPROP PROJECT

ROY D. HAGER and DEBORAH VRABEL (Sverdrup Technology, Inc., Cleveland, Ohio.) 1988 130 p Original contains color illustrations

(NASA-SP-495; NAS 1.21:495; LC88-1690) Avail: NTIS HC A07/MF A01 CSCL 21E

At the direction of Congress, a task force headed by NASA was organized in 1975 to identify potential fuel saving concepts for aviation. The result was the Aircraft Energy Efficiency (ACEE) Program implemented in 1976. An important part of the program was the development of advanced turboprop technology for Mach 0.65 to 0.85 applications having the potential fuel saving of 30 to 50 percent relative to existing turbofan engines. A historical perspective is presented of the development and the accomplishments that brought the turboprop to successful flight tests in 1986 and 1987.

# N90-21037\*# Sverdrup Technology, Inc., Cleveland, OH. EXHAUST NOZZLES FOR PROPULSION SYSTEMS WITH EMPHASIS ON SUPERSONIC CRUISE AIRCRAFT LEONARD E. STITT May 1990 107 p

(NAS3-25266)

(NASA-RP-1235; E-4789; NAS 1.61:1235) Avail: NTIS HC A06/MF A01 CSCL 21E

This compendium summarizes the contributions of the NASA-Lewis and its contractors to supersonic exhaust nozzle research from 1963 to 1985. Two major research and technology efforts sponsored this nozzle research work; the U.S. Supersonic Transport (SST) Program and the follow-on Supersonic Cruise Research (SCR) Program. They account for two generations of nozzle technology: the first from 1963 to 1971, and the second from 1971 to 1985. First, the equations used to calculate nozzle thrust are introduced. Then the general types of nozzles are presented, followed by a discussion of those types proposed for supersonic aircraft. Next, the first-generation nozzles designed specifically for the Boeing SST and the second-generation nozzles designed under the SCR program are separately reviewed and then compared. A chapter on throttle-dependent afterbody drag is included, since drag has a major effect on the off-design performance of supersonic nozzles. A chapter on the performance of supersonic dash nozzles follows, since these nozzles have similar design problems, Finally, the nozzle test facilities used at NASA-Lewis during this nozzle research effort are identified and discussed. These facilities include static test stands, a transonic wind tunnel, and a flying testbed aircraft. A concluding section points to the future: a third generation of nozzles designed for a new era of high speed civil transports to produce even greater advances in performance, to meet new noise rules, and to ensure the continuity of over two decades of NASA research.

N90-23403\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

# EXPERIMENTAL EVALUATION OF A TUNED ELECTROMAGNETIC DAMPER FOR VIBRATION CONTROL OF CRYOGENIC TURBOPUMP ROTORS

ELISEO DIRUSSO and GERALD V. BROWN Washington Jun.

1990 17 p (NASA-TP-3005; E-5012; NAS 1.60:3005) Avail: NTIS HC A03/MF A01 CSCL 21E

CRYOGENIC TEMPERATURE, ELECTROMAGNETISM, ROCKET ENGINES, ROTOR SPEED, ROTORS, SHAFTS (MACHINE ELEMENTS), TURBINE PUMPS, VIBRATION DAMPING

N90-27722\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

COMPUTER CODE FOR PREDICTING COOLANT FLOW AND HEAT TRANSFER IN TURBOMACHINERY

# **08 AIRCRAFT STABILITY AND CONTROL**

PETER L. MEITNER Washington Sep. 1990 41 p Prepared in cooperation with Army Aviation Systems Command, Cleveland, OH

(DA PROJ. 1L1-61102-AH-45)

(NASA-TP-2985; E-5186; NAS 1.60:2985; AVSCOM-TR-89-C-008)

Avail: NTIS HC A03/MF A01 CSCL 21E

COMPUTER PROGRAMS, ENGINE COOLANTS, FLOW DISTRIBUTION, HEAT TRANSFER, TURBOMACHINERY

# 08

# AIRCRAFT STABILITY AND CONTROL

Includes aircraft handling qualities; piloting; flight controls; and autopilots.

N87-10103\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

IN-FLIGHT TOTAL FORCES, MOMENTS AND STATIC **AEROELASTIC CHARACTERISTICS OF AN OBLIQUE-WING RESEARCH AIRPLANE** 

R. E. CURRY and A. G. SIM Oct. 1984 30 p (NASA-TP-2224; H-1181; NAS 1.60:2224) Avail: NTIS HC A03/MF A01 CSCL 01C

AEROELASTIC RESEARCH WINGS, AIRCRAFT DESIGN, FLIGHT TESTS, OBLIQUE WINGS, RESEARCH AIRCRAFT, STRUCTURAL DESIGN, WIND TUNNEL TESTS

N87-10870\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

INTERFERENCE EFFECTS OF THRUST REVERSING ON HORIZONTAL TAIL EFFECTIVENESS OF TWIN-ENGINE FIGHTER AIRCRAFT AT MACH NUMBERS FROM 0.15 TO 0.90 F. J. CAPONE and M. L. MASON Oct. 1984 104 p (NASA-TP-2350; L-15811; NAS 1.60:2350) Avail: NTIS HC

A06/MF A01 CSCL 01C AERODYNAMIC INTERFERENCE, FIGHTER AIRCRAFT, TAIL ASSEMBLIES, THRUST REVERSAL, WIND TUNNEL TESTS

N87-10871\*# National Aeronautics and Space Administration.

Ames Research Center, Moffett Field, CA. FLIGHT-DETERMINED AERODYNAMIC DERIVATIVES OF THE **AD-1 OBLIQUE-WING RESEARCH AIRPLANE** 

A. G. SIM and R. E. CURRY Oct. 1984 40 p (NASA-TP-2222; H-1179; NAS 1.60:2222) Avail: NTIS HC

A03/MF A01 CSCL 01C **AERODYNAMIC** COEFFICIENTS. **OBLIQUE** 

WINGS. RESEARCH AIRCRAFT, VARIABLE SWEEP WINGS

N87-16849\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

PILOTED SIMULATOR STUDY OF ALLOWABLE TIME DELAYS IN LARGE-AIRPLANE RESPONSE

WILLIAM D. GRANTHAM, PAUL M. SMITH (PRC Kentron, Inc., Hampton, Va.), LEE H. PERSON, JR., ROBERT T. MEYER (Lockheed-Georgia Co., Marietta), and STEPHEN A. TINGAS Feb. 1987 69 p

(NASA-TP-2652; L-16149; NAS 1.60:2652) Avail: NTIS HC A04/MF A01 CSCL 01C

CONTROL SYSTEMS DESIGN, FLIGHT CHARACTERISTICS, FLIGHT SIMULATORS, LOW SPEED, TIME LAG, TRANSPORT **AIRCRAFT** 

National Aeronautics and Space Administration. Arnes Research Center, Moffett Field, CA.

FLIGHT CHARACTERISTICS OF THE AD-1 OBLIQUE-WING RESEARCH AIRCRAFT

ALEX G. SIM and ROBERT E. CURRY Mar. 1985 29 p (NASA-TP-2223; H-1180; NAS 1.60:2223) Avail: NTIS HC A03/MF A01 CSCL 01C

AERODYNAMIC CONFIGURATIONS, FLIGHT CHARAC-TERISTICS, LOW SPEED, OBLIQUE WINGS, RESEARCH AIR-CRAFT

N87-25331\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

ADVANCED DETECTION, ISOLATION AND ACCOMMODATION OF SENSOR FAILURES: REAL-TIME EVALUATION WALTER C. MERRILL, JOHN C. DELAAT, and WILLIAM M. BRUTON Jul. 1987 30 p

(NASA-TP-2740; E-3479; NAS 1.60:2740) Avail: US Patent and Trademark Office CSCL 01C

ENGINE CONTROL, ENGINE FAILURE, FAULT TOLERANCE, REDUNDANCY ENCODING, REMOTE SENSORS, TURBINE **ENGINES** 

N87-26922\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA

PILOTED-SIMULATION STUDY OF EFFECTS OF VORTEX FLAPS ON LOW-SPEED HANDLING QUALITIES OF A **DELTA-WING AIRPLANE** 

A03/MF A01 CSCL 01C

JAY M. BRANDON, PHILIP W. BROWN, and ALFRED J. WUNSCHEL Sep. 1987 38 p (NASA-TP-2747; L-16307; NAS 1.60:2747) Avail: NTIS HC

CONTROLLABILITY, DELTA WINGS, FLIGHT SIMULATION, LOW SPEED, PILOTS (PERSONNEL), VORTEX FLAPS

N88-14987\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

HANDLING QUALITIES OF A WIDE-BODY TRANSPORT AIRPLANE UTILIZING PITCH ACTIVE CONTROL SYSTEMS (PACS) FOR RELAXED STATIC STABILITY APPLICATION WILLIAM D. GRANTHAM, LEE H. PERSON, JR., PHILIP W. BROWN, LAWRENCE E. BECKER, GEORGE E. HUNT, J. J. RISING, W. J. DAVIS, C. S. WILLEY, W. A. WEAVER, and R. COKELEY Dec. 1985 109 p

(NASA-TP-2482; L-15928; NAS 1.60:2482) Avail: NTIS HC A06/MF A01 CSCL 01C

ACTIVE CONTROL, FLIGHT CHARACTERISTICS, FLIGHT SIMULATION, PITCH (INCLINATION), STATIC STABILITY, TRANSPORT AIRCRAFT

N88-19475\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

**ROTORCRAFT FLIGHT-PROPULSION CONTROL** INTEGRATION: AN ECLECTIC DESIGN CONCEPT

JAMES R. MIHALOEW, MARK G. BALLIN, and D. C. G. RUTTLEDGE (Sikorsky Aircraft, Stratford, Conn.) 34 p

(NASA-TP-2815; E-3812; NAS 1.60:2815) Avail: NTIS HC A03/MF A01 CSCL 01C

AIRCRAFT CONTROL, DESIGN ANALYSIS, INTEGRATORS, PROPULSIVE EFFICIENCY, ROTARY WING AIRCRAFT

N89-12569\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SINGULAR PERTURBATIONS AND TIME SCALES IN THE **DESIGN OF DIGITAL FLIGHT CONTROL SYSTEMS** 

DESINENI S. NAIDU (Old Dominion Univ., Norfolk, Va.) and DOUGLAS B. PRICE Washington, D.C. Dec. 1988 30 p (NASA-TP-2844; L-16440; NAS 1.60:2844) Avail: NTIS HC A03/MF A01 CSCL 01C

DIGITAL SYSTEMS, FLIGHT CONTROL, OPTIMAL CONTROL, PERTURBATION THEORY

National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Center, Edwards, CA DERIVATION AND DEFINITION OF A LINEAR AIRCRAFT MODEL

EUGENE L. DUKE, ROBERT F. ANTONIEWICZ, and KEITH D. KRAMBEER Aug. 1988 106 p (NASA-RP-1207; H-1391; NAS 1.61:1207) Avail: NTIS HC A06/MF A01 CSCL 01C

# **08 AIRCRAFT STABILITY AND CONTROL**

A linear aircraft model for a rigid aircraft of constant mass flying over a flat, nonrotating earth is derived and defined. The derivation makes no assumptions of reference trajectory or vehicle symmetry. The linear system equations are derived and evaluated along a general trajectory and include both aircraft dynamics and observation variables.

N89-15929\*# National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Facility, Edwards, CA. FLIGHT CONTROL SYSTEMS DEVELOPMENT AND FLIGHT TEST EXPERIENCE WITH THE HIMAT RESEARCH VEHICLES ROBERT W. KEMPEL and MICHAEL R. EARLS

(NASA-TP-2822; H-1428; NAS 1.60:2822) Avail: NTIS HC A05/MF A01 CSCL 01C

DIGITAL SYSTEMS, FLIGHT CONTROL, FLIGHT TESTS, HIGHLY MANEUVERABLE AIRCRAFT, REMOTELY PILOTED VEHICLES, RESEARCH AIRCRAFT, SCALE MODELS

N89-15930\*# National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Facility, Edwards, CA. A PILOTED EVALUATION OF AN OBLIQUE-WING RESEARCH AIRCRAFT MOTION SIMULATION WITH DECOUPLING **CONTROL LAWS** 

ROBERT W. KEMPEL, WALTER E. MCNEILL, GLENN B. GILYARD, and TRINDEL A. MAINE Nov. 1988 52 p (NASA-TP-2874; H-1430; NAS 1.60:2874) Avail: NTIS HC A04/MF A01 CSCL 01C

DECOUPLING, EVALUATION, FLIGHT SIMULATION, FLIGHT TESTS, OBLIQUE WINGS, PILOT PERFORMANCE

N89-16845\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA. MODAL CONTROL OF AN OBLIQUE WING AIRCRAFT JAMES D. PHILLIPS Jan. 1989 49 p

(NASA-TP-2898; A-88250; NAS 1.60:2898) Avail: NTIS HC A03/MF A01 CSCL 01C

FLIGHT CONTROL, MODAL RESPONSE, OBLIQUE WINGS, RESEARCH AIRCRAFT

N89-19309\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

INTEGRATED TOOLS FOR CONTROL-SYSTEM ANALYSIS AARON J. OSTROFF, MELISSA S. PROFFITT, and DAVID R. CLARK (Planning Research Corp., Hampton, VA.) Washington NASA Mar. 1989 61 p

(NASA-TP-2885; L-16482; NAS 1.60:2885) Avail: NTIS HC A04/MF A01 CSCL 01C

ACTUATORS, COMPUTER PROGRAMS, CONTROL SYSTEMS DESIGN, CONTROLLERS, LINEAR SYSTEMS, SOFTWARE TOOLS, SYSTEMS ANALYSIS

N89-23468\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

A CLOSED-FORM TRIM SOLUTION YIELDING MINIMUM TRIM DRAG FOR AIRPLANES WITH MULTIPLE LONGITUDINAL-CONTROL EFFECTORS

KENNETH H. GOODRICH, STEVEN M. SLIWA, and FREDERICK J. LALLMAN Washington May 1989 30 p

(NASA-TP-2907; L-16484; NAS 1.60:2907) Avail: NTIS HC A03/MF A01 CSCL 01C

**AERODYNAMIC** BALANCE. **AIRCRAFT** COMPUTATION, LIFT DEVICES, OPTIMIZATION, REDUNDANCY, THRUST VECTOR CONTROL

National Aeronautics and Space Administration. N89-23469\*# Langley Research Center, Hampton, VA.

SIMULATOR EVALUATION OF A DISPLAY FOR A TAKEOFF PERFORMANCE MONITORING SYSTEM

DAVID B. MIDDLETON, RAGHAVACHARI SRIVATSAN, and LEE H. PERSON, JR. Washington May 1989 29 p (NASA-TP-2908; L-16510; NAS 1.60:2908) Avail: NTIS HC A03/MF A01 CSCL 01C

ABORTED MISSIONS, DISPLAY DEVICES, MONITORS, RATINGS, SIMULATORS, TAKEOFF

N89-24327\*# National Aeronautics and Space Administration. Flight Research Center, Edwards, CA.

DEVELOPMENT AND FLIGHT TEST EXPERIENCES WITH A FLIGHT-CRUCIAL DIGITAL CONTROL SYSTEM

DALE A. MACKALL Washington Nov. 1988 116 p (NASA-TP-2857; H-1344; NAS 1.60:2857) Avail: NTIS HC A06/MF A01 CSCL 01C

AIRCRAFT PERFORMANCE, CONTROL SYSTEMS DESIGN, DIGITAL SYSTEMS, F-16 AIRCRAFT, FLIGHT CONTROL, SYSTEMS INTEGRATION

N90-10074\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

ANALYSIS OF FLIGHT DATA FROM A HIGH-INCIDENCE RESEARCH MODEL BY SYSTEM IDENTIFICATION METHODS JAMES G. BATTERSON and VLADISLAV KLEIN (Joint Inst. for Advancement of Flight Sciences, Hampton, VA.) Washington Nov. 1989 50 p

(NASA-TP-2940; L-16571; NAS 1.60:2940) Avail: NTIS HC A03/MF A01 CSCL 01C

AERODYNAMIC CONFIGURATIONS, AERODYNAMIC STABILITY, ANGLE OF ATTACK, DYNAMIC CONTROL, FLIGHT CHARACTERISTICS, STABILITY DERIVATIVES

N90-11757\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA. COMPARISON OF FLYING QUALITIES DERIVED FROM

IN-FLIGHT AND GROUND-BASED SIMULATORS FOR A JET-TRANSPORT AIRPLANE FOR THE APPROACH AND **LANDING PILOT TASKS** 

WILLIAM D. GRANTHAM Washington Dec. 1989 32 p. (NASA-TP-2962; L-16609; NAS 1.60:2962) Avail: NTIS HC A03/MF A01 CSCL 01C

FLIGHT CHARACTERISTICS, FLIGHT CONTROL, FLIGHT SIMULATION, JET AIRCRAFT, TRANSPORT AIRCRAFT

National Aeronautics and Space Administration. N90-15112\*# Lewis Research Center, Cleveland, OH.

ADVANCED DETECTION, ISOLATION, AND ACCOMMODATION OF SENSOR FAILURES IN TURBOFAN ENGINES: REAL-TIME MICROCOMPUTER IMPLEMENTATION JOHN C. DELAAT and WALTER C. MERRILL Washington Feb. 1990 28 p

(NASA-TP-2925; E-4391; NAS 1.60:2925) Avail: NTIS HC A03/MF A01 CSCL 01C

ALGORITHMS. DIGITAL ELECTRONICS, ELECTRONIC CONTROL, ENGINE TESTS, FEEDBACK CONTROL, TURBOFAN **ENGINES** 

N90-17639\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

LONGITUDINAL STABILITY AND CONTROL CHARACTERISTICS OF THE QUIET SHORT-HAUL RESEARCH AIRCRAFT (QSRA)

JACK D. STEPHENSON and GORDON H. HARDY Washington Dec. 1989 43 p (NASA-TP-2965; A-89133; NAS 1.60:2965) Avail: NTIS HC

A03/MF A01 CSCL 01C

AIRCRAFT PERFORMANCE, FLIGHT CHARACTERISTICS, FLIGHT TESTS, LONGITUDINAL CONTROL, LONGITUDINAL STABILITY, RESEARCH AIRCRAFT, SHORT HAUL AIRCRAFT

National Aeronautics and Space Administration. N90-19239\*# Langley Research Center, Hampton, VA.

LOW-SPEED WIND-TUNNEL INVESTIGATION OF THE FLIGHT DYNAMIC CHARACTERISTICS OF AN ADVANCED TURBOPROP BUSINESS/COMMUTER AIRCRAFT CONFIGURATION

PAUL L. COE, JR., STEVEN G. TURNER, and D. BRUCE OWENS Washington Apr. 1990 50 p

(NASA-TP-2982; L-16664; NAS 1.60:2982) Avail: NTIS HC A03/MF A01 CSCL 01C

AERODYNAMIC CHARACTERISTICS, COMMUTER AIRCRAFT, DYNAMIC CHARACTERISTICS, FLIGHT CHARACTERISTICS, FLIGHT TESTS, TURBOPROP AIRCRAFT, WIND TUNNEL TESTS

# 09

# **RESEARCH AND SUPPORT FACILITIES (AIR)**

Includes airports, hangars and runways; aircraft repair and overhaul facilities; wind tunnels; shock tubes; and aircraft engine test stands.

**N87-10876\***# National Aeronautics and Space Administration, Washington, DC.

**AERONAUTICAL FACILITIES ASSESSMENT** 

F. E. PENARANDA, comp. Nov. 1985 204 p (NASA-RP-1146; NAS 1.61:1146) Avail: NTIS HC A10/MF A02 CSCL 14B

A survey of the free world's aeronautical facilities was undertaken and an evaluation made on where the relative strengths and weaknesses exist. Special emphasis is given to NASA's own capabilities and needs. The types of facilities surveyed are: Wind Tunnels; Airbreathing Propulsion Facilities; and Flight Simulators

**\utho** 

N87-17717\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

EXPERIMENTAL EVALUATION OF WALL MACH NUMBER DISTRIBUTIONS OF THE OCTAGONAL TEST SECTION PROPOSED FOR NASA LEWIS RESEARCH CENTER'S ALTITUDE WIND TUNNEL

DOUGLAS E. HARRINGTON, RICHARD R. BURLEY, and ROBERT R. CORBAN Nov. 1986 35 p

FLOW VELOCITY, MACH NUMBER, WIND TUNNEL APPARATUS, WIND TUNNEL WALLS

N87-18576\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

EXPERIMENTAL EVALUATION OF TWO TURNING VANE DESIGNS FOR FAN DRIVE CORNER OF 0.1-SCALE MODEL OF NASA LEWIS RESEARCH CENTER'S PROPOSED ALTITUDE WIND TUNNEL

DONALD R. BOLDMAN, ROYCE D. MOORE, and RICKEY J. SHYNE Mar. 1987 148 p  $\,$ 

(NASA-TP-2646; E-3175; NAS 1.60:2646) Avail: NTIS HC A07/MF A01 CSCL 14B

CORNER FLOW, VANES, WIND TUNNEL APPARATUS, WIND TUNNEL DRIVES

N87-20295\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

DETAILED FLOW SURVEYS OF TURNING VANES DESIGNED FOR A 0.1-SCALE MODEL OF NASA LEWIS RESEARCH CENTER'S PROPOSED ALTITUDE WIND TUNNEL

ROYCE D. MOORE, RICKEY J. SHYNE, DONALD R. BOLDMAN, and THOMAS F. GELDER Apr. 1987 151 p
(NASA-TR-2680: E-3294: NAS 1 60:2680). Avail: NTIS HC

ALTITUDE SIMULATION, FLOW DISTRIBUTION, GUIDE VANES, WIND TUNNEL APPARATUS, WIND TUNNEL DRIVES

N87-22694\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

EXPERIMENTAL EVALUATION OF BLOCKAGE RATIO AND PLENUM EVACUATION SYSTEM FLOW EFFECTS ON PRESSURE DISTRIBUTION FOR BODIES OF REVOLUTION IN 0.1 SCALE MODEL TEST SECTION OF NASA LEWIS RESEARCH CENTER'S PROPOSED ALTITUDE WIND TUNNEL RICHARD R. BURLEY and DOUGLAS E. HARRINGTON Apr. 1987 26 p

(NASA-TP-2702; E-3267; NAS 1.60:2702) Avail: NTIS HC A03/MF A01 CSCL 14B

EVACUATING (VACUUM), EVALUATION, PLENUM CHAMBERS, WIND TUNNEL MODELS, WIND TUNNEL TESTS

N87-23662\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

EXPERIMENTAL EVALUATION OF HONEYCOMB/SCREEN CONFIGURATIONS AND SHORT CONTRACTION SECTION FOR NASA LEWIS RESEARCH CENTER'S ALTITUDE WIND TUNNEL

RICHARD R. BURLEY and DOUGLAS E. HARRINGTON May 1987 30 p

(NASA-TP-2692; E-3142; NAS 1.60:2692) Avail: NTIS HC A03/MF A01 CSCL 14B

HONEYCOMB STRUCTURES, PRESSURE DISTRIBUTION, SCREENS, TURBULENCE EFFECTS, TURBULENT FLOW, WIND TUNNEL CALIBRATION

N87-28570\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EVOLUTION, CALIBRATION, AND OPERATIONAL CHARACTERISTICS OF THE TWO-DIMENSIONAL TEST SECTION OF THE LANGLEY 0.3-METER TRANSONIC CRYOGENIC TUNNEL

CHARLES L. LADSON and EDWARD J. RAY Sep. 1987

(NASA-TP-2749; L-16190; NAS 1.60:2749) Avail: NTIS HC A08/MF A01 CSCL 14B

CRYOGENIC WIND TUNNELS, EVOLUTION (DEVELOPMENT), HISTORIES, TRANSONIC WIND TUNNELS, TWO DIMENSIONAL FLOW

N87-29544\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

LANGLEY AIRCRAFT LANDING DYNAMICS FACILITY
PAMELA A. DAVIS, SANDY M. STUBBS, and JOHN A. TANNER
Oct. 1987 35 p

(NASA-RP-1189; L-16293; NAS 1.61:1189) Avail: NTIS HC A03/MF A01 CSCL 14B

The Langley Research Center has recently upgraded the Landing Loads Track (LLT) to improve the capability of low-cost testing of conventional and advanced landing gear systems. The unique feature of the Langley Aircraft Landing Dynamics Facility (ALDF) is the ability to test aircraft landing gear systems on actual runway surfaces at operational ground speeds and loading conditions. A historical overview of the original LLT is given, followed by a detailed description of the new ALDF systems and operational capabilities.

N88-17686\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

EXPERIMENTAL EVALUATION OF TURNING VANE DESIGNS FOR HIGH-SPEED AND COUPLED FAN-DRIVE CORNERS OF 0.1-SCALE MODEL OF NASA LEWIS RESEARCH CENTER'S PROPOSED ALTITUDE WIND TUNNEL

THOMAS F. GELDER, ROYCE D. MOORE, RICKEY J. SHYNE, and DONALD R. BOLDMAN May 1987 54 p Microfiche available as supplement

ALTITUDE SIMULATION, CORNER FLOW, COUPLING, GUIDE VANES, HIGH SPEED, WIND TUNNEL APPARATUS, WIND TUNNEL DRIVES

N88-28075\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

FINITE-RATE WATER CONDENSATION IN **COMBUSTION-HEATED WIND TUNNELS** 

WAYNE D. ERICKSON, GERALD H. MALL, and RAMADAS K. PRABHU (PRC Systems Services Co., Hampton, Va.) Sep. 1988

(NASA-TP-2833; L-16443; NAS 1.60:2833) Avail: NTIS HC A05/MF A01 CSCL 148

COMBUSTION PRODUCTS, COMBUSTION WIND TUNNELS, CONDENSING, HIGH TEMPERATURE ENVIRONMENTS, NUCLEATION, WATER

N90-17647\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

CAST-10-2/DOA 2 AIRFOIL STUDIES WORKSHOP RESULTS EDWARD J. RAY, comp. and ACQUILLA S. HILL, comp. Washington Nov. 1989 259 p Workshop held in Hampton, VA, 23-27 Sep. 1988

(NASA-CP-3052; L-16633; NAS 1.55:3052) Avail: NTIS HC A12/MF A02 CSCL 14B

**AERODYNAMIC AERODYNAMIC** CHARACTERISTICS, PROFILES, INTERFERENCE, **AIRFOIL** AIRFOILS, CONFERENCES, FLOW DISTRIBUTION, REYNOLDS NUMBER, WIND TUNNEL TESTS

National Aeronautics and Space Administration. N90-19242\*# Lewis Research Center, Cleveland, OH.

**COMPARISON BETWEEN DESIGN AND INSTALLED ACOUSTIC CHARACTERISTICS OF NASA LEWIS 9- BY** 15-FOOT LOW-SPEED WIND TUNNEL ACOUSTIC

MILO D. DAHL and RICHARD P. WOODWARD Washington Apr. 1990 28 p Presented at the 115th Meeting of the Acoustical Society of America, Seattle, WA, 16-20 May 1988 (NASA-TP-2996; E-4981; NAS 1.60:2996) Avail: NTIS HC A03/MF A01 CSCL 14B

ACOUSTIC ATTENUATION, ACOUSTIC MEASUREMENT, AIRCRAFT NOISE, LOW SPEED WIND TUNNELS, PANELS, PERFORATED PLATES

# 12

# **ASTRONAUTICS (GENERAL)**

N78-76855\* National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

FLIGHT MECHANICS/ESTIMATION THEORY SYMPOSIUM A. FUCHS 1975 265 p refs Symp. held at Greenbelt, Md., 29-30 1975

(NASA-CP-2002) Avail: Goddard Space Flight Center, Code

CONFERENCES, **FLIGHT** MECHANICS, ORB!T CALCULATION, ORBITAL POSITION ESTIMATION

N87-20302\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

THE 1986 GET AWAY SPECIAL EXPERIMENTER'S SYMPOSIUM

LAWRENCE R. THOMAS, ed. and FRANCES L. MOSIER, ed. Feb. 1987 236 p Symposium held in Greenbelt, Md., 7-8 Oct.

(NASA-CP-2438; NAS 1.55:2438) Avail: NTIS HC A11/MF A02 CSCL 22A

CONFERENCES, **GET AWAY SPECIALS** (STS), RELATIONS, SPACE SHUTTLE GOVERNMENT/INDUSTRY PAYLOADS, UNIVERSITIES

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

**TECHNOLOGY FOR LARGE SPACE SYSTEMS: A BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 17)** 

Oct. 1987 140 p (NASA-SP-7046(17); NAS 1.21:7046(17)) Avail: NTIS HC A07 CSCL 22B

This bibliography lists 512 reports, articles, and other documents introduced into the NASA scientific and technical information system between January 1, 1987 and June 30, 1987. Its purpose is to provide helpful information to the researcher, manager, and designer in technology development and mission design according to system, interactive analysis and design, structural and thermal analysis and design, structural concepts and control systems, electronics, advanced materials, assembly concepts, propulsion, and solar power satellite systems.

National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

# THE 1987 GET AWAY SPECIAL EXPERIMENTER'S SYMPOSIUM

NEAL BARTHELME, ed. and FRANCES L. MOSIER, ed. (RMS Technologies, Inc., Landover, Md.) Feb. 1988 169 p Symposium held in Greenbelt, Md., 27-28 Oct. 1987 (NASA-CP-2500; REPT-88B0049; NAS 1.55:2500) Avail: NTIS

HC A08/MF A01 CSCL 22A

GET AWAY SPECIALS (STS), MISSION PLANNING, PROJECT PLANNING, SPACE SHUTTLE MISSIONS, SPACE STATIONS

N88-27214\* National Aeronautics and Space Administration, Washington, DC.

TECHNOLOGY FOR LARGE SPACE SYSTEMS: A **BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 18)** Jun. 1988 162 p

(NASA-SP-7046(18); NAS 1.21:7046(18)) Avail: NTIS HC A08 CSCL 22B

This bibliography lists 569 reports, articles, and other documents introduced into the NASA scientific and technical information system between July 1,1987 and December 31, 1987. Its purpose is to provide helpful information to the researcher, manager, and designer in technology development and mission design according to system, interactive analysis and design, structural and thermal analysis and design, structural concepts and control systems, electronics, advanced materials, assembly concepts, propulsion, and solar power satellite systems.

N89-10902\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

# THE 1988 GET AWAY SPECIAL EXPERIMENTER'S SYMPOSIUM

LAWRENCE R. THOMAS, ed. and FRANCES L. MOSIER, ed. (RMS Technologies, Inc., Landover, Md.) Sep. 1988 127 p Symposium held in Cocoa Beach, Fla., 27-30 Sep. 1988 Sponsored by NASA, Washington

(NASA-CP-3008; REPT-88-158; NAS 1.55:3008) Avail: NTIS HC A07/MF A01 CSCL 22A

CONFERENCES, GET AWAY SPECIALS (STS), SPACE SHUTTLE PAYLOADS, SPACEBORNE EXPERIMENTS

N89-11760\*# National Aeronautics and Space Administration. Washington, DC.

TECHNOLOGY FOR FUTURE NASA MISSIONS: CIVIL SPACE TECHNOLOGY INITIATIVE (CSTI) AND PATHFINDER

Sep. 1988 550 p Conference held in Washington, D.C., 12-13 Sep. 1988; sponsored in part by NASA and AIAA (NASA-CP-3016; NAS 1.55:3016) Avail: NTIS HC A23/MF A03

CSCL 22A

AEROASSIST, CONFERENCES, NASA PROGRAMS, ORBIT SPACEBORNE EXPERIMENTS. TRANSFER VEHICLES, SPACECRAFT CONSTRUCTION MATERIALS, SPACECRAFT **SPACECRAFT** INSTRUMENTS. **POWER** SUPPLIES. SPACECRAFT PROPULSION

13

#### **ASTRODYNAMICS**

Includes powered and free-flight trajectories; and orbital and launching dynamics.

N88-15820\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.
A STUDY TO EVALUATE STS HEADS-UP ASCENT
TRAJECTORY PERFORMANCE EMPLOYING A
MINIMUM-HAMILTONIAN OPTIMIZATION STRATEGY
SUJIT SINHA Feb. 1988 56 p
(NASA-TP-2793; M-580; NAS 1.60:2793) Avail: NTIS HC
A04/MF A01 CSCL 22A

ASCENT TRAJECTORIES, EVALUATION, HAMILTONIAN FUNCTIONS, OPTIMIZATION, SPACE TRANSPORTATION SYSTEM

N89-15934\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.
FLIGHT MECHANICS/ESTIMATION THEORY SYMPOSIUM
1998

THOMAS STENGLE, ed. Washington, DC Sep. 1988 611 p Symposium held in Greenbelt, MD, 10-11 May 1988 (NASA-CP-3011; REPT-88B0224; NAS 1.55:3011) Avail: NTIS HC A99/MF A04 CSCL 22A

ESTIMATES, FLIGHT MECHANICS, ORBITAL MECHANICS, SPACECRAFT PERFORMANCE

N90-13413\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.
FLIGHT MECHANICS/ESTIMATION THEORY SYMPOSIUM,
1989

THOMAS STENGLE, ed. Washington Oct. 1989 466 p Symposium held in Greenbelt, MD, 23-24 May 1989 (NASA-CP-3050; REPT-89B00261; NAS 1.55:3050) Avail: NTIS HC A20/MF A03 CSCL 22A

CONFERENCES, FLIGHT MECHANICS, ORBITAL MECHANICS, SATELLITE ATTITUDE CONTROL

N90-13444\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.
A TRANSIENT RESPONSE METHOD FOR LINEAR COUPLED SUBSTRUCTURES

J. R. ADMIRE and J. A. BRUNTY Dec. 1989 26 p (NASA-TP-2926; NAS 1.60:2926) Avail: NTIS HC A03/MF A01 CSCL 22A

DISCRETE FUNCTIONS, LINEAR SYSTEMS, LOADS (FORCES), MATHEMATICAL MODELS, NUMERICAL INTEGRATION, TRANSIENT RESPONSE

N90-26028\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.
FORBIDDEN TANGENTIAL ORBIT TRANSFERS BETWEEN
INTERSECTING KEPLERIAN ORBITS
ROWLAND E. BURNS Jul. 1990 53 p

(NASA-TP-3031; NAS 1.60:3031) Avail: NTIS HC A04/MF A01 CSCL 22A

KEPLER LAWS, PLANAR STRUCTURES, TRANSFER ORBITS, TWO BODY PROBLEM

14

# GROUND SUPPORT SYSTEMS AND FACILITIES (SPACE)

Includes launch complexes, research and production facilities; ground support equipment, e.g., mobile transporters; and simulators.

N89-28545\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

DIGITALLY MODULATED BIT ERROR RATE MEASUREMENT SYSTEM FOR MICROWAVE COMPONENT EVALUATION

MARY JO W. SHALKHAUSER and JAMES M. BUDINGER Washington Jul. 1989 20 p

(NASA-TP-2912; E-4456; NAS 1.60:2912) Avail: NTIS HC

A03/MF A01 CSCL 148

BIT ERROR RATE, COMMUNICATION SATELLITES, DATA TRANSMISSION, DIGITAL DATA, MICROWAVE EQUIPMENT, MODULATION, TIME DIVISION MULTIPLE ACCESS

15

#### LAUNCH VEHICLES AND SPACE VEHICLES

Includes boosters; operating problems of launch/space vehicle systems; and reusable vehicles.

N87-12581\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.
SOLAR ARRAY FLIGHT DYNAMIC EXPERIMENT
R. W. SCHOCK Washington May 1986 27 p
(NASA-TP-2598; NAS 1.60:2598) Avail: NTIS HC A03/MF A01
CSCL 10A

LARGE SPACE STRUCTURES, LASER APPLICATIONS, SOLAR ARRAYS, SPACE SHUTTLE PAYLOADS, TRACKING (POSITION)

N87-18588\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.
SYSTEM STUDY OF THE CARBON DIOXIDE

OBSERVATIONAL PLATFORM SYSTEM (CO-OPS): PROJECT OVERVIEW

J. BRISCOE STEPHENS and WILBUR E. THOMPSON Mar. 1987 35 p (NASA-TP-2696; NAS 1.60:2696) Avail: NTIS HC A03/MF A01

CSCL 22B
ATMOSPHERIC COMPOSITION, CARBON DIOXIDE, REMOTE SENSING, SPACE PLATFORMS

N87-22702\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.
STRUCTURAL DYNAMICS AND CONTROL INTERACTION OF

FLEXIBLE STRUCTURES
ROBERT S. RYAN, ed. and HAROLD N. SCOFIELD, ed. Ap

ROBERT S. RYAN, ed. and HAROLD N. SCOFIELD, ed. Apr. 1987 680 p Workshop held in Huntsville, ALa., 22-24 Apr. 1986

(NASA-CP-2467-PT-1; M-554-PT-1; NAS 1.55:2467-PT-1) Avail: NTIS HC A99/MF A04 CSCL 22B

CONTROL SYSTEMS DESIGN, DYNAMIC STRUCTURAL ANALYSIS, FLEXIBLE BODIES, LARGE SPACE STRUCTURES, SPACECRAFT CONTROL

N87-22729\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.
STRUCTURAL DYNAMICS AND CONTROL INTERACTION OF
FLEXIBLE STRUCTURES
ROBERT S. RYAN, ed. and HAROLD N. SCOFIELD, ed. Apr.

# 15 LAUNCH VEHICLES AND SPACE VEHICLES

1987 729 p Workshop held in Huntsville, Ala., 22-24 Apr. 1086

(NASA-CP-2467-PT-2; M-554-PT-2; NAS 1.55:2467-PT-2) Avail: NTIS HC A99/MF A04 CSCL 22B

CONFERENCES. DESIGN ANALYSIS. **DYNAMIC** ANALYSIS, FLEXIBLE BODIES, STRUCTURAL **JOINTS** SPACE STRUCTURES, (JUNCTIONS), LARGE **SPACE STATIONS** 

N88-14112\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

HYDROBURST TEST OF A CARBON-CARBON INVOLUTE **EXIT CONE** 

ROY M. SULLIVAN Jan. 1986 33 p

(NASA-TP-2556; NAS 1.60:2556) Avail: NTIS HC A03/MF A01 CSCL 20H

BURST TESTS, CARBON-CARBON COMPOSITES, CONES, EXHAUST NOZZLES, HYDRODYNAMICS

N89-18504\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

PRACTICES IN ADEQUATE STRUCTURAL DESIGN

ROBERT S. RYAN Jan. 1989 98 p

(NASA-TP-2893; NAS 1.60:2893) Avail: NTIS HC A05/MF A01 CSCL 22B

FLIGHT SAFETY, MANAGEMENT METHODS, PROJECT MANAGEMENT, REQUIREMENTS, SPACE SHUTTLES, STRESS ANALYSIS, STRUCTURAL DESIGN

N90-14256\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

PAYLOAD CREW UTILIZATION FOR SPACELAB MISSIONS K. Y. IBRAHIM and J. D. WEILER Jan. 1990 55 p (NASA-TP-2976; NAS 1.60:2976) Avail: NTIS HC A04/MF A01 CSCL 22A

CREW PROCEDURES (INFLIGHT), PAYLOAD INTEGRATION. SCHEDULING, SPACECREWS, TASK COMPLEXITY

N90-19249\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EARTH SCIENCE GEOSTATIONARY PLATFORM **TECHNOLOGY** 

ROBERT L. WRIGHT, ed. and THOMAS G. CAMPBELL, ed. Washington Jul. 1989 386 p Workshop held in Hampton, VA, 21-22 Sep. 1988

(NASA-CP-3040: L-16612: NAS 1.55:3040) Avail: NTIS HC A17/MF A03 CSCL 22B

ANTENNA DESIGN, CONFERENCES, ELECTROMAGNETISM, LARGE SPACE STRUCTURES, METROLOGY, MICROWAVE SENSORS, REMOTE SENSING, SYNCHRONOUS PLATFORMS

#### 16

# **SPACE TRANSPORTATION**

includes passenger and cargo space transportation, e.g., shuttle operations; and space rescue techniques.

N87-12585\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

DEVELOPMENT TESTING OF LARGE VOLUME WATER SPRAYS FOR WARM FOG DISPERSAL

V. W. KELLER, B. J. ANDERSON, R. A. BURNS, G. G. LALA (New York State Univ., Albany), M. B. MEYER, and K. V. BEARD (Illinois Univ., Urbana-Champaign) Washington

(NASA-TP-2607; NAS 1.60:2607) Avail: NTIS HC A06/MF A01 CSCL 14B

COALESCING, FOG DISPERSAL, SPACE SHUTTLES, SPACECRAFT LAUNCHING, SPRAY NOZZLES, WATER

National Aeronautics and Space Administration. N88-12520\*# Lewis Research Center, Cleveland, OH.

SPACECRAFT FIRE SAFETY

JANICE M. MARGLE, ed. (Pennsylvania State Univ., Abington.) Workshop held in Cleveland, Ohio, 20-21 Aug. 1987 134 p

(NASA-CP-2476; E-3464; NAS 1.55:2476) Avail: NTIS HC A07/MF A01 CSCL 22B

ATMOSPHERIC COMPOSITION, COMBUSTION PHYSICS, CONFERENCES, FIRE EXTINGUISHERS, FIRES, FLAMMABILITY, INERT ATMOSPHERE, SPACE STATIONS, SPACECRAFT ENVIRONMENTS

National Aeronautics and Space Administration, N90-25160\*# Washington, DC.

SPACE SHUTTLE AVIONICS SYSTEM

JOHN F. HANAWAY (Intermetrics, Inc., Houston, TX.) and ROBERT W. MOOREHEAD 1989 75 p Original contains color illustrations

(NAS9-17826)

(NASA-SP-504; S-579; NAS 1.21:504; LC-89-600316) Avail: NTIS HC A04/MF A01; also available SOD HC \$8.50 as 

The Space Shuttle avionics system, which was conceived in the early 1970's and became operational in the 1980's represents a significant advancement of avionics system technology in the areas of systems and redundacy management, digital data base technology, flight software, flight control integration, digital fly-by-wire technology, crew display interface, and operational concepts. The origins and the evolution of the system are traced; the requirements, the constraints, and other factors which led to the final configuration are outlined, and the functional operation of the system is described. An overall system block diagram is included.

N90-26036\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

THE EFFECT OF INTERPLANETARY TRAJECTORY OPTIONS ON A MANNED MARS AEROBRAKE CONFIGURATION ROBERT D. BRAUN, RICHARD W. POWELL, and LIN C. HARTUNG 'Vashington Aug. 1000 79 p (NASA-TP-3019; L-16661; NAS 1.60:3019) Avail: NTIS HC

A05/MF A01 CSCL 22B

AEROBRAKING, ATMOSPHERIC ENTRY SIMULATION, INTERPLANETARY NAVIGATION, INTERPLANETARY TRA-JECTORIES, MANNED MARS MISSIONS, PROPULSION SYSTEM PERFORMANCE, TRAJECTORY OPTIMIZATION

# 18

# SPACECRAFT DESIGN, TESTING AND **PERFORMANCE**

Includes satellites; space platforms; space stations; spacecraft systems and components such as thermal and environmental controls; and attitude controls.

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

NASA/DOD CONTROL/STRUCTURES INTERACTION TECHNOLOGY, 1986

ROBERT L. WRIGHT, comp. Nov. 1986 549 p Conference held in Norfolk, Va., 18-21 Nov. 1986; sponsored by NASA Langley Research Center and AFWAL

(NASA-CP-2447-PT-1; L-16242-PT-1; NAS 1.55:2447-PT-1)

Avail: NTIS HC A23/MF A04 CSCL 22B

ANTENNAS, CONFERENCES, FLEXIBLE SPACECRAFT, LARGE SPACE STRUCTURES, SPACE STATIONS, SPACECRAFT CONTROL, SPACECRAFT DESIGN, SYSTEMS ENGINEERING, TRUSSES, VIBRATION DAMPING

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

NASA/DOD CONTROL/STRUCTURES INTERACTION TECHNOLOGY, 1986

ROBERT L. WRIGHT, comp. Jun. 1987 314 p Conference held in Norfolk, Va., 18-21 Nov. 1986

(NASA-CP-2447-PT-2; L-16242-PT-2; NAS 1.55:2447-PT-2)

Avail: NTIS HC A14/MF A02 CSCL 22B
CONTROL STABILITY, CONTROL SYSTEMS DESIGN,
INTERACTIVE CONTROL, SPACE STATIONS, SPACECRAFT
CONTROL, VIBRATION DAMPING

N87-26073\* National Aeronautics and Space Administration. Washington, DC.

SPACE STATION SYSTEMS: A BIBLIOGRAPHY WITH **INDEXES (SUPPLEMENT 4)** 

May 1987 220 p

(NASA-SP-7056(04); NAS 1.21:7056(04)) Avail: NTIS HC A10 CSCL 22B

This bibliography lists 832 reports, articles, and other documents introduced into the NASA scientific and technical information system between July 1, 1986 and December 31, 1986. Its purpose is to provide helpful information to the researcher, manager, and designer in technology development and mission design according to system, interactive analysis and design, structural and thermal analysis and design, structural concepts and control systems. electronics, advanced materials, assembly concepts, propulsion, and solar power satellite systems. The coverage includes documents that define major systems and subsystems, servicing and support requirements, procedures and operations, and missions for the current and future space station.

N88-10084\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

**SPACECRAFT 2000** 

Jul. 1986 236 p Workshop held in Cleveland, Ohio, 29-31 Jul. 1986

(NASA-CP-2473; E-3358; NAS 1.55:2473) Avail: NTIS HC A11/MF A02 CSCL 22B

CONFERENCES, **SPACE** STATIONS, **SPACECRAFT** ELECTRONIC EQUIPMENT. SPACECRAFT PROPULSION. SPACECRAFT TRACKING, SYSTEMS ANALYSIS, TELEMETRY

N88-10829\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

FOURTEENTH SPACE SIMULATION CONFERENCE: TESTING FOR A PERMANENT PRESENCE IN SPACE

JOSEPH L. STECHER, III, ed. 1986 435 p Conference held in Baltimore, Md., 3-6 Nov. 1986; sponsored by NASA, Inst. of Environmental Sciences, AIAA, and the American Society for Testing and Materials

(NASA-CP-2446; REPT-86B0561; NAS 1.55:2446) Avail: NTIS HC A19/MF A03 CSCL 22B

CLEANING, CONFERENCES. SIMULATION. **SPACE** STATIONS. **SPACECRAFT SPACE** SHUTTLES, CONTAMINATION. SPACECRAFT ENVIRONMENTS, TEST FACILITIES, THERMAL ENVIRONMENTS

National Aeronautics and Space Administration. N88-10870\*# Langley Research Center, Hampton, VA.

SPACE CONSTRUCTION

JANE A. HAGAMAN, ed. Oct. 1987 308 p Conference held in Hampton, Va., 6-7 Aug. 1986

(NASA-CP-2490; L-16378; NAS 1.55:2490) Avail: NTIS HC A14/MF A02 CSCL 22B

**EXTRAVEHICULAR** ACTIVITY. CONFERENCES. MANAGEMENT PLANNING, MISSION PLANNING, SPACE SHUTTLE PAYLOADS. SPACE STATIONS. SPACE TRANSPORTATION SYSTEM

N88-13382\* National Aeronautics and Space Administration, Washington, DC

#### SPACE STATION SYSTEMS: A BIBLIOGRAPHY WITH **INDEXES**

Nov. 1987 245 p

(NASA-SP-7056(05); NAS 1.21:7056(05)) Avail: NTIS HC A11 CSCL 22B

This bibliography lists 967 reports, articles, and other documents introduced into the NASA scientific and technical information system between January 1, 1987 and June 30, 1987. Its purpose is to provide helpful information to the researcher, manager, and designer in technology development and mission design according to system, interactive analysis and design, structural and thermal analysis and design, structural concepts and control systems, electronics, advanced materials, assembly concepts, propulsion, and solar power satellite systems. The coverage includes documents that define major systems and subsystems, servicing and support requirements, procedures and operations, and missions for the current and future space station.

N88-14115\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

### CONTINUUM MODELING OF LARGE LATTICE STRUCTURES: STATUS AND PROJECTIONS

AHMED K. NOOR and MARTIN M. MIKULAS, JR. Feb. 1988

(NASA-TP-2767; L-16360; NAS 1.60:2767) Avail: NTIS HC A05/MF A01 CSCL 22B

CONTINUUM MODELING. LATTICES. **STRUCTURAL** ANALYSIS, TRUSSES

N89-12580\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

LIGHTWEIGHT STRUCTURAL DESIGN OF A BOLTED CASE JOINT FOR THE SPACE SHUTTLE SOLID ROCKET MOTOR JOHN T. DORSEY, PETER A. STEIN (Coast Guard, Yorktown, Va.), and HAROLD G. BUSH Washington, D.C. Nov. 1988 24 p

(NASA-TP-2851; L-16496; NAS 1.60:2851) Avail: NTIS HC A03/MF A01 CSCL 22B

BOLTED JOINTS, ROCKET ENGINE CASES, SPACE SHUTTLE MAIN ENGINE, STRUCTURAL ANALYSIS

N89-12582\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

#### FIFTEENTH SPACE SIMULATION CONFERENCE: SUPPORT THE HIGHWAY TO SPACE THROUGH TESTING

JOSEPH STECHER, ed. 1988 492 p Conference held in Williamsburg, Va., 31 Oct. - 3 Nov. 1988; sponsored by NASA, Inst. of Environmental Sciences, AIAA, and the American Society for Testing and Materials

(NASA-CP-3015; REPT-88B0253; NAS 1.55:3015) Avail: NTIS HC A21/MF A03 CSCL 22B

COMMUNICATION SATELLITES, CONFERENCES, HEAT TRANSFER, RADIATION DAMAGE, SOLAR SIMULATORS, SPACE ENVIRONMENT SIMULATION, SPACE SIMULATORS, SPACE STATIONS, SPACECRAFT CONTAMINATION, THERMAL CONTROL COATINGS

N89-18522\* National Aeronautics and Space Administration, Washington, DC.

#### SPACE STATION SYSTEMS: A BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 7)

Dec. 1988 289 p

(NASA-SP-7056(07); NAS 1.21:7056(07)) Avail: NTIS HC A13 CSCL 22B

This bibliography lists 1.158 reports, articles, and other documents introduced into the NASA scientific and technical information system between January 1, 1988 and June 30, 1988. Its purpose is to provide helpful information to researchers. designers and managers engaged in Space Station technology development and mission design. Coverage includes documents that define major systems and subsystems related to structures

# 18 SPACECRAFT DESIGN, TESTING AND PERFORMANCE

and dynamic control, electronics and power supplies, propulsion, and payload integration. In addition, orbital construction methods. servicing and support requirements, procedures and operations, and missions for the current and future Space Station are included.

N89-26037\* National Aeronautics and Space Administration. Washington, DC.

TECHNOLOGY FOR LARGE SPACE SYSTEMS: A **BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 20)** 

Jun. 1989 183 p

(NASA-SP-7046(20); NAS 1.21:7046(20)) Avail: NTIS HC A09 CSCL 22B

This bibliography lists 694 reports, articles, and other documents introduced into the NASA Scientific and Technical Information System between July, 1988 and December, 1988. Its purpose is to provide helpful information to the researcher or manager engaged in the development of technologies related to large space systems. Subject areas include mission and program definition, design techniques, structural and thermal analysis, structural dynamics and control systems, electronics, advanced materials, assembly concepts, and propulsion.

N90-21062\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

### NASA/DOD CONTROLS-STRUCTURES INTERACTION **TECHNOLOGY 1989**

JERRY R. NEWSOM, comp. Washington Aug. 1989 543 p Conference held in San Diego, CA, 29 Jan. - 2 Feb. 1989; sponsored by NASA Langley Research Center, Hampton, VA and Wright Research Development Center, Wright-Patterson AFB, OH (NASA-CP-3041; L-16602; NAS 1.55:3041) Avail: NTIS HC A23/MF A03 CSCL 22B

CONFERENCES, CONTROL SYSTEMS DESIGN, FLEXIBLE BODIES, GROUND TESTS, LARGE SPACE STRUCTURES. MATHEMATICAL MODELS, STRUCTURAL DESIGN, SYSTEMS **ENGINEERING** 

N90-25171\* National Aeronautics and Space Administration. Washington, DC.

SPACE STATION SYSTEMS: A BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 10)

Jun. 1990 352 p (NASA-SP-7056(10); NAS 1.21:7056(10)) Avail: NTIS HC A16 CSCL 22B

This bibliography lists 1,422 reports, articles, and other documents introduced into the NASA scientific and technical information system between July 1, 1989 and December 31, 1989. Its purpose is to provide helpful information to researchers, designers and managers engaged in Space Station technology development and mission design. Coverage includes documents that define major systems and subsystems related to structures and dynamic control, electronics and power supplies, propulsion. and payload integration. In addition, orbital construction methods, servicing and support requirements, procedures and operations, and missions for the current and future Space Station are included.

N90-26056\* National Aeronautics and Space Administration. Washington, DC.

TECHNOLOGY FOR LARGE SPACE SYSTEMS: A **BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 22)** 

Jul. 1990 274 p

(NASA-SP-7046(22); NAS 1.21:7046(22)) Avail: NTIS HC A12 CSCL 22B

This bibliography lists 1077 reports, articles, and other documents introduced into the NASA Scientific and Technical Information System between July 1, 1989 and December 31, 1989. Its purpose is to provide helpful information to the researcher or manager engaged in the development of technologies related to large space systems. Subject areas include mission and program definition, design techniques, structural and thermal analysis,

structural dynamics and control systems, electronics, advanced materials, assembly concepts, and propulsion.

N90-27738\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

THERMAL-DISTORTION ANALYSIS OF AN ANTENNA STRONGBACK FOR GEOSTATIONARY HIGH-FREQUENCY MICROWAVE APPLICATIONS

JEFFREY T. FARMER, DEBORAH M. WAHLS, and ROBERT L. WRIGHT Washington Sep. 1990 22 p (NASA-TP-3016; L-16739; NAS 1.60:3016) Avail: NTIS HC

A03/MF A01 CSCL 22A

GEOSYNCHRONOUS ANTENNA DESIGN. ORRITS MICROWAVE ANTENNAS. MICROWAVE SOUNDING, STRUCTURAL ANALYSIS. **SYNCHRONOUS** PLATFORMS. THERMAL ENVIRONMENTS

# 20

# SPACECRAFT PROPULSION AND POWER

Includes main propulsion systems and components, e.g., rocket engines; and spacecraft auxiliary power sources.

N87-20380\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

SOLAR ARRAY FLIGHT EXPERIMENT/DYNAMIC **AUGMENTATION EXPERIMENT** 

LEIGHTON E. YOUNG and HOMER C. PACK, JR. 72 p

(NASA-TP-2690; NAS 1.60:2690) Avail: NTIS HC A04/MF A01 CSCL 10A

LARGE SPACE STRUCTURES, SOLAR ARRAYS, SOLAR DYNAMIC POWER SYSTEMS, SPACE STRUCTURES, SPACE SHUTTLE PAYLOADS

N87-20381\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

EXPERIMENTAL THRUST PERFORMANCE OF A HIGH-AREA-RATIO ROCKET NOZZLE

ALBERT J. PAVLI, KENNETH J. KACYNSKI, and TAMARA A. SMITH Apr. 1987 16 p Presented at the 23rd JANNAF Combustion Meeting, Hampton, Va., 20-24 Oct. 1986 (NASA-TP-2720; E-3236-1; NAS 1.60:2720) Avail: NTIS HC A03/MF A01 CSCL 21H

AREA, NOZZLE GEOMETRY, ROCKET NOZZLES, ROCKET THRUST

N87-22766\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

STRUCTURAL INTEGRITY AND DURABILITY OF REUSABLE SPACE PROPULSION SYSTEMS

205 p Conference held in Cleveland, Ohio, 12-13 May

(NASA-CP-2471; E-3512; NAS 1.55:2471) Avail: NTIS HC A10/MF A02 CSCL 21H

AEROTHERMODYNAMICS, CONFERENCES, DURABILITY, DYNAMIC STRUCTURAL ANALYSIS, FATIGUE (MATERIALS), FRACTURE MECHANICS, SPACE SHUTTLE MAIN ENGINE, SPACECRAFT PROPULSION, STRUCTURAL RELIABILITY

N87-25423\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

COMPARISON OF THEORETICAL AND EXPERIMENTAL THRUST PERFORMANCE OF A 1030:1 AREA RATIO ROCKET NOZZLE AT A CHAMBER PRESSURE OF 2413 KN/M2 (350

TAMARA A. SMITH, ALBERT J. PAVLI, and KENNETH J. KACYNSKI 1987 25 p Presented at the 23rd Joint Propulsion Conference, San Diego, Calif., 29 Jun. - 2 Jul. 1987; sponsored

# 23 CHEMISTRY AND MATERIALS (GENERAL)

by AIAA, SAE, ASME and ASEE (NASA-TP-2725; E-3523; NAS 1.60:2725; AIAA-87-2069) Avail: NTIS HC A03/MF A01 CSCL 21H

ENGINE TESTS, PREDICTIONS, ROCKET NOZZLES, ROCKET THRUST

N87-25424\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

EXPERIMENTAL EVALUATION OF HEAT TRANSFER ON A 1030:1 AREA RATIO ROCKET NOZZLE

KENNETH J. KACYNSKI, ALBERT J. PAVLI, and TAMARA A. SMITH Aug. 1987 28 p Presented at the 23rd Joint Propulsion Conference, San Diego, Calif., 29 Jun. - 2 Jul. 1987; sponsored by AIAA, SAE, ASME and ASEE

(NASA-TP-2726; E-3558; NAS 1.60:2726; AIAA-87-2070) Avail: NTIS HC A03/MF A01 CSCL 21H

EXHAUST NOZZLES, HEAT FLUX, HEAT TRANSFER, NOZZLE FLOW, ROCKET NOZZLES, WALL TEMPERATURE

N87-25425\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

ANALYSIS OF QUASI-HYBRID SOLID ROCKET BOOSTER CONCEPTS FOR ADVANCED EARTH-TO-ORBIT VEHICLES

ROBERT L. ZURAWSKI and DOUGLAS C. RAPP (Sverdrup Technology, Inc., Cleveland, Ohio.) Aug. 1987 32 p Presented at the 23rd Joint Propulsion Conference, San Diego, Calif. 29 Jun. - 2 Jul. 1987; sponsored by AIAA, SAE, ASME and ASEE (NASA-TP-2751; E-3554; NAS 1.60:2751; AIAA-87-2082) Avail: NTIS HC A03/MF A01 CSCL 21H

FEASIBILITY ANALYSIS, HYBRID PROPELLANT ROCKET ENGINES, SPACE SHUTTLE BOOSTERS

N88-12538\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

COMPATABILITY OF DISPERSION-STRENGTHENED PLATINUM WITH RESISTOJET PROPELLANTS

MARGARET V. WHALEN and MICHAEL V. NATHAL Oct. 1987 29 p

(NASA-TP-2765; E-3738; NAS 1.60:2765) Avail: NTIS HC A03/MF A01 CSCL 21H

COMPATIBILITY, DISPERSING, PLATINUM, PRECIPITATION HARDENING, RESISTOJET ENGINES, ROCKET PROPELLANTS

N89-12626\*# National Aeronautics and Space Administration.

Marshall Space Flight Center, Huntsville, AL.

ADVANCED EARTH-TO-ORBIT PROPULSION TECHNOLOGY 1986, VOLUME 2

R. J. RICHMOND, ed. and S. T. WU, ed. (Alabama Univ., Huntsville.) Oct. 1986 775 p Conference held in Huntsville, Ala., 13-15 May 1986

BEARINGS, BOOSTER ROCKET ENGINES, CONFERENCES, FRACTURE MECHANICS, FUEL COMBUSTION, HYDROGEN EMBRITTLEMENT, HYDROGEN OXYGEN ENGINES, METAL FATIGUE, PROPULSION SYSTEM CONFIGURATIONS, ROCKET ENGINE DESIGN, SPACE SHUTTLE MAIN ENGINE, SPACECRAFT PROPULSION

N89-15979\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

HIGH-PRESSURE CALORIMETER CHAMBER TESTS FOR LIQUID OXYGEN/KEROSENE (LOX/RP-1) ROCKET COMBUSTION

PHILIP A. MASTERS, ELIZABETH S. ARMSTRONG, and HAROLD G. PRICE Dec. 1988 18 p

(NASA-TP-2862; E-2645; NAS 1.60:2862) Avail: NTIS HC A03/MF A01 CSCL 21H

CALORIMETERS, COMBUSTION CHAMBERS, HIGH PRESSURE, KEROSENE, LIQUID OXYGEN, OXYGEN-HYDRO-CARBON ROCKET ENGINES, RP-1 ROCKET PROPELLANTS

N90-10140\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SECOND BEAMED SPACE-POWER WORKSHOP

RUSSELL J. DEYOUNG, ed. Washington Jul. 1989 439 p Workshop held in Hampton, VA, 28 Feb. - 2 Mar. 1989 (NASA-CP-3037; L-16590; NAS 1.55:3037) Avail: NTIS HC A19/MF A03 CSCL 10B

CONFERENCES, ENERGY CONVERSION, LASER POWER BEAMING, LASER PROPULSION, LUNAR BASES, MICROWAVE POWER BEAMING, SATELLITE POWER TRANSMISSION, SOLAR POWER SATELLITES, SPACECRAFT POWER SUPPLIES, SPACECRAFT PROPULSION

N90-21795\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

FREE-SPACE POWER TRANSMISSION

Washington Nov. 1989 189 p Workshop held in Cleveland, OH, 29-30 Mar. 1988

(NASA-CP-10016; E-4161; NAS 1.55:10016) Avail: NTIS HC A09/MF A02 CSCL 10B

CONFERENCES, CYCLOTRON RESONANCE DEVICES, FREE ELECTRON LASERS, INFLATABLE STRUCTURES, POWER TRANSMISSION, SOLAR-PUMPED LASERS

N90-28611\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

ADVANCED EARTH-TO-ORBIT PROPULSION TECHNOLOGY 1988, VOLUME 1

ROBERT J. RICHMOND, ed. and S. T. WU, ed. (Alabama Univ., Huntsville.) Washington Sep. 1988 775 p Conference held in Huntsville, AL, 10-12 May 1988

CONFERENCES, LIQUID PROPELLANT ROCKET ENGINES, LIQUID ROCKET PROPELLANTS, OXYGEN-HYDROCARBON ROCKET ENGINES, PROPULSION SYSTEM PERFORMANCE, TRANSFER ORBITS

23

# **CHEMISTRY AND MATERIALS (GENERAL)**

N87-18611\*# National Aeronau(ics and Space Administration. Langley Research Center, Hampton, VA.

SPECTROSCOPIC COMPARISON OF EFFECTS OF ELECTRON RADIATION ON MECHANICAL PROPERTIES OF TWO POLYIMIDES

EDWARD R. LONG, JR. and SHEILA ANN T. LONG Apr. 1987

(NASA-TP-2663; L-16200; NAS 1.60:2663) Avail: NTIS HC A03/MF A01 CSCL 11C

DURABILITY, ELECTRON RADIATION, KAPTON (TRADEMARK), RADIATION DAMAGE, TENSILE PROPERTIES

N88-12543\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

SURFACE CATALYTIC DEGRADATION STUDY OF TWO LINEAR PERFLUOROPOLYALKYLETHERS AT 345 C

WILFREDO MORALES Nov. 1987 12 p (NASA-TP-2774; E-3395; NAS 1.60:2774) Avail: NTIS HC A03/MF A01 CSCL 07A

ALKYL COMPOUNDS, CATALYSIS, DEGRADATION, ETHERS, PERFLUORO COMPOUNDS, SURFACE REACTIONS

N89-23528\*# National Aeronautics and Space Administration.
Langley Research Center, Hampton, VA.
NASA/SDIO SPACE ENVIRONMENTAL EFFECTS ON
MATERIALS WORKSHOP, PART 1

# 23 CHEMISTRY AND MATERIALS (GENERAL)

LOUIS A. TEICHMAN, comp. and BLAND A. STEIN, comp. Washington May 1989 356 p Workshop held in Hampton, VA, 28 Jun. - 1 Jul. 1988 (NASA-CP-3035-PT-1; L-16575-PT-1; NAS 1.55:3035-PT-1)

Avail: NTIS HC A16/MF A02 CSCL 11G

CONFERENCES, EARTH ORBITAL ENVIRONMENTS. MICROMETEOROIDS, OXYGEN ATOMS, RADIATION EFFECTS, SPACE DEBRIS, SPACECRAFT CHARGING, SPACECRAFT CONTAMINATION

N89-23547\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA. NASA/SDIO SPACE ENVIRONMENTAL EFFECTS ON **MATERIALS WORKSHOP, PART 2** 

LOUIS A. TEICHMAN, comp. and BLAND A. STEIN, comp. Washington May 1989 253 p Workshop held in Hampton, VA, 28 Jun. - 1 Jul. 1988 (NASA-CP-3035-PT-2; L-16575-PT-2; NAS 1.55:3035-PT-2)

Avail: NTIS HC A12/MF A02 CSCL 11G EXTRATERRESTRIAL ENVIRONMENTS, MICROMETE-OROIDS, OXYGEN ATOMS, RADIATION EFFECTS, THERMAL RADIATION

N90-24350\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

**NATIONAL EDUCATORS' WORKSHOP: UPDATE 1989** STANDARD EXPERIMENTS IN ENGINEERING MATERIALS SCIENCE AND TECHNOLOGY

JAMES E. GARDNER, comp. and JAMES A. JACOBS, comp. (Norfolk State Univ., VA.) Washington May 1990 182 p Workshop held in Hampton, VA, 17-19 Oct. 1989 (NAG1-976)

(NASA-CP-3074; L-16785; NAS 1.55:3074) Avail: NTIS HC A09/MF A02 CSCL 07A

COMPUTER ASSISTED INSTRUCTION, CONFERENCES, DECISION MAKING, EDUCATION, ELECTROCHEMISTRY, EXPERIMENT DESIGN, FIBER COMPOSITES, MANUFACTUR-ING, NASA PROGRAMS, PLASTICS, PROCESS CONTROL (INDUSTRY), RESEARCH AND DEVELOPMENT, TECHNOL-**OGIES, THÉRMAL CONDUCTIVITY** 

N90-26075\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

PROCEEDINGS OF THE LDEF MATERIALS DATA ANALYSIS WORKSHOP

BLAND A. STEIN, comp. and PHILIP R. YOUNG, comp. 289 p Workshop held at Cocoa Beach, FL, 13-14 Feb. 1990

(NASA-CP-10046; NAS 1.55:10046) Avail: NTIS HC A13/MF A02 CSCL 07A

CONFERENCES, DATA BASES, ENVIRONMENT EFFECTS. LIFE (DURABILITY), LONG DURATION EXPOSURE FACILITY. SPACEBORNE EXPERIMENTS, SPACECRAFT CONSTRUCTION **MATERIALS** 

### 24

# **COMPOSITE MATERIALS**

Includes physical, chemical, and mechanical properties of laminates and other composite materials.

N87-10184°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA. EFFECTS OF THERMAL CYCLING ON GRAPHIE-FIBER-REINFORCED 6061 ALUMINUM G. A. DRIES (PRC Kentron, Inc., Hampton, Va.) and S. S. TOMPKINS Oct. 1986 29 p (NASA-TP-2612; L-16139; NAS 1.60:2612) Avail: NTIS HC A03/MF A01 CSCL 11D

ALUMINUM GRAPHITE COMPOSITES, CARBON FIBERS, METAL MATRIX COMPOSITES, REINFORCING FIBERS, SPACECRAFT STRUCTURES, THERMAL CYCLING TESTS

N87-25435\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

PRELIMINARY STRUCTURAL DESIGN OF COMPOSITE MAIN ROTOR BLADES FOR MINIMUM WEIGHT

MARK W. NIXON Jul. 1987 28 p Prepared in cooperation with Army Aviation Research and Development Command, Hampton, Va.

(DA PROJ. 1L1-62209-AH-76)

(NASA-TP-2730; L-16310; NAS 1.60:2730; AVSCOM-TM-87-B-6; AD-A180364) Avail: NTIS HC A03/MF A01 CSCL 11/4 BLADES, COMPOSITE MATERIALS, DYNAMIC STRUCTURAL

ANALYSIS, HELICOPTERS, ROTORS, WEIGHT REDUCTION

N87-29612\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

THE ACEE PROGRAM AND BASIC COMPOSITES RESEARCH AT LANGLEY RESEARCH CENTER (1975 TO 1986): SUMMARY AND BIBLIOGRAPHY

MARVIN B. DOW Oct. 1987 147 p

(NASA-RP-1177; L-16290; NAS 1.61:1177) Avail: NTIS HC A07/MF A01 CSCL 11D

Composites research conducted at the Langley Research Center during the period from 1975 to 1986 is described, and an annotated bibliography of over 600 documents (with their abstracts) is presented. The research includes Langley basic technology and the composite primary structures element of the NASA Aircraft Energy Efficiency (ACEE) Program. The basic technology documents cited in the bibliography are grouped according to the research activity such as design and analysis, fatigue and fracture, and damage tolerance. The ACEE documents cover development of composite structures for transport aircraft.

N88-10117\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD. **OUTGASSING DATA FOR SELECTING SPACECRAFT** 

MATERIALS

WILLIAM A. CAMPBELL, JR. and RICHARD S. MARRIOTT Aug. 1987 323 p Revised

(NASA-RP-1124; REPT-87B0347; NAS 1.61:1124) Avail: NTIS HC A14/MF A02 CSCL 11D

Outgassing data, derived from tests at 398 K (125 C) for 24 hours in vacuum as per ASTM E 595-77, have been compiled for numerous materials for spacecraft use. The data presented are the total mass loss (TML) and the collected volatile condensable materials (CVCM). The various materials are listed by likely usage and alphabetically. Author

N88-25480°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

PROPERTIES OF TWO COMPOSITE MATERIALS MADE OF TOUGHENED EPOXY RESIN AND HIGH-STRAIN GRAPHITE FIBER

MARVIN B. DOW and DONALD L. SMITH (PRC Kentron, Inc., Hampton, Va.) Jul. 1988 44 p (NASA-TP-2826; L-16425; NAS 1.60:2826) Avail: NTIS HC

A03/MF A01 CSCL 11D

COMPRESSIVE STRENGTH, **EPOXY** RESINS. GRAPHITE-EPOXY COMPOSITES, REINFORCING FIBERS

N88-70029\* National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EFFECTS OF CONTINUOUS AND CYCLIC THERMAL **EXPOSURES ON BORON- AND BORSIC-REINFORCED 6061 ALUMINUM COMPOSITES** 

GEORGE C. OLSEN and STEPHEN S. TOMPKINS Nov. 1977 48 p

(NASA-TP-1063; L-11722; NAS 1.60:1063) Avail: NTIS ALUMINUM, BORON, BORSIC (TRADENAME), COMPOSITE

# 25 INORGANIC AND PHYSICAL CHEMISTRY

MATERIALS, CYCLIC LOADS, METAL MATRIX COMPOSITES, THERMAL CYCLING TESTS

N89-19385\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

THE EFFECTS OF SIMULATED SPACE ENVIRONMENTAL PARAMETERS ON SIX COMMERCIALLY AVAILABLE COMPOSITE MATERIALS

JOAN G. FUNK and GEORGE F. SYKES, JR. Apr. 1989 34 p (NASA-TP-2906; L-16549; NAS 1.60:2906) Avail: NTIS HC A03/MF A01 CSCL 11D

COMPOSITE MATERIALS, EARTH ORBITAL ENVIRONMENTS, FIBER COMPOSITES, RADIATION EFFECTS, SPACE ENVIRONMENT SIMULATION

N89-27796\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

TUNGSTEN FIBER REINFORCED COPPER MATRIX COMPOSITES: A REVIEW

DAVID L. MCDANELS Sep. 1989 24 p

(NASA-TP-2924; E-4318; NAS 1.60:2924) Avail: NTIS HC A03/MF A01 CSCL 11D

COPPER, FIBER COMPOSITES, METAL MATRIX COMPOSITES, STRESS-STRAIN RELATIONSHIPS, TUNGSTEN

N90-10179\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

THE INTERLAMINAR FRACTURE TOUGHNESS OF WOVEN GRAPHITE/EPOXY COMPOSITES

JOAN G. FUNK and JERRY W. DEATON Washington Nov. 1989 28 p

(NASA-TP-2950; L-16629; NAS 1.60:2950) Avail: NTIS HC A03/MF A01 CSCL 11D

FABRICS, FRACTURE STRENGTH, GRAPHITE-EPOXY COMPOSITES, WEAVING

N90-16007\*# National Aeronautics and Space Administration.

Marshall Space Flight Center, Huntsville, AL.

INSTRUMENTED IMPACT AND RESIDUAL TENSILE STRENGTH TESTING OF EIGHT-PLY CARBON EOPOXY SPECIMENS

A. T. NETTLES Jan. 1990 43 p (NASA-TP-2981; NAS 1.60:2981) Avail: NTIS HC A03/MF A01 CSCL 11D

CARBON FIBERS, EPOXY MATRIX COMPOSITES, IMPACT STRENGTH, IMPACT TESTS

N90-19302\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

HEAT TREATMENT STUDY OF THE SIC/TI-15-3 COMPOSITE SYSTEM Final Report

BRADLEY A. LERCH, TIMOTHY P. GABB, and REBECCA A. MACKAY Washington Jan. 1990 31 p

(NASA-TP-2970; E-4985; NAS 1.60:2970) Avail: NTIS HC A03/MF A01 CSCL 11D

AGING (METALLURGY), FIBER COMPOSITES, OXIDATION, SILICON CARBIDES, TENSILE STRENGTH, TITANATES

N90-25198\*# National Aeronautics and Space Administration.

Marshall Space Flight Center, Huntsville, AL.

LOW VELOCITY INSTRUMENTED IMPACT TESTING OF FOUR

LOW VELOCITY INSTRUMENTED IMPACT TESTING OF FOUR NEW DAMAGE TOLERANT CARBON/EPOXY COMPOSITE SYSTEMS

D. G. LANCE and A. T. NETTLES Jul. 1990 39 p (NASA-TP-3029; NAS 1.60:3029) Avail: NTIS HC A03/MF A01 CSCI 11D

CARBON FIBERS, DAMAGE ASSESSMENT, EPOXY MATRIX COMPOSITES, IMPACT DAMAGE, IMPACT TESTS, LOW SPEED

N90-26077\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.
BUCKLING AND POSTBUCKLING BEHAVIOR OF SQUARE COMPRESSION-LOADED GRAPHITE-EPOXY PLATES WITH CIRCULAR CUTOUTS

MICHAEL P. NEMETH Washington Aug. 1990 33 p Presented at the 8th DOD/NASA/FAA Conference on Fibrous Composites in Structural Design, Norfolk, VA, 28-30 1989 (NASA-TP-3007; L-16777; NAS 1.60:3007) Avail: NTIS HC A03/MF A01 CSCL 11D

BENDING, BUCKLING, COMPRESSION LOADS, GRAPHITE-EPOXY COMPOSITES, METAL PLATES, OPENINGS, ORTHOTROPIC PLATES

**N90-27788\*#** National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

A PROTECTION AND DETECTION SURFACE (PADS) FOR DAMAGE TOLERANCE

MARK J. SHUART, CHUNCHU B. PRASAD, and SHERRILL B. BIGGERS (Lockheed Aeronautical Systems Co., Burbank, CA.) Washington Sep. 1990 21 p (NASA-TP-3011; L-16775; NAS 1.60:3011) Avail: NTIS HC

A03/MF A01 CSCL 11D

AIRCRAFT STRUCTURES, COMPOSITE STRUCTURES, FAILURE, IMPACT DAMAGE, PROTECTION, TOLERANCES (MECHANICS)

N90-27792\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

AMSAHTS 1990: ADVANCES IN MATERIALS SCIENCE AND APPLICATIONS OF HIGH TEMPERATURE SUPERCONDUCTORS

YURY FLOM, ed. Washington Apr. 1990 137 p Conference held in Greenbelt, MD, 2-6 Apr. 1990 (NASA-CP-10043; REPT-90B00018; NAS 1.55:10043) Avail:

NTIS HC A07/MF A02 CSCL 11D CONFERENCES, HIGH TEMPERATURE SUPERCONDUCTORS, REACTION KINETICS, SURFACE RACTIONS, TECHNOLOGY UTILIZATION, THERMODYNAMIC PROPERTIES

N90-27876°# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

AN EXAMINATION OF IMPACT DAMAGE IN GLASS-PHENOLIC AND ALUMINUM HONEYCOMB CORE COMPOSITE PANELS

A. T. NETTLES, D. G. LANCE, and A. J. HODGE Aug. 1990 25 p

(NASA-TP-3042; NAS 1.60:3042) Avail: NTIS HC A03/MF A01 CSCL 11D

ALUMINUM, GLASS FIBER REINFORCED PLASTICS, GRAPHITE-EPOXY COMPOSITES, HONEYCOMB CORES, IMPACT DAMAGE, PHENOLIC RESINS, SANDWICH STRUCTURES

#### 25

# INORGANIC AND PHYSICAL CHEMISTRY

Includes chemical analysis, e.g., chromatography; combustion theory; electrochemistry; and photochemistry.

N87-18629\*# National Aeronautics and Space Administration.
Langley Research Center, Hampton, VA.
ELECTRON STIMIL ATER DESCRIPTION OF ATOMIC OXYGEN

ELECTRON STIMULATED DESORPTION OF ATOMIC OXYGEN FROM SILVER

R. A. OUTLAW, W. K. PEREGOY, GAR B. HOFLUND (Florida Univ., Gainesville), and GREGORY R. CORALLO Apr. 1987 25 p

(NASA-TP-2668; L-16225; NAS 1.60:2668) Avail: NTIS HC A03/MF A01 CSCL 07D

ATOMIC BEAMS, DESORPTION, ELECTRON EMISSION, OXYGEN, SILVER, STIMULATED EMISSION

N88-15846\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

AN ANALYTICAL STUDY OF THE HYDROGEN-AIR REACTION MECHANISM WITH APPLICATION TO SCRAMJET COMBUSTION

CASIMIR J. JACHIMOWSKI Feb. 1988 18 p (NASA-TP-2791; L-16372; NAS 1.60:2791) Avail: NTIS HC A03/MF A01 CSCL 07D

CHEMICAL REACTIONS, COMBUSTION, HYDROGEN OXYGEN ENGINES, REACTION KINETICS, SUPERSONIC COMBUSTION RAMJET ENGINES

N88-16830°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.
A RAPID METHOD FOR THE COMPUTATION OF
EQUILIBRIUM CHEMICAL COMPOSITION OF AIR TO 15000 K
RAMADAS K. PRABHU (Planning Research Corp., Hampton, Va.)
and WAYNE D. ERICKSON Mar. 1988 31 p
(NASA-TP-2792; L-16375; NAS 1.60:2792) Avail: NTIS HC
A03/MF A01 CSCL 07D

AIR, ATMOSPHERIC COMPOSITION, CHEMICAL COMPOSITION, CHEMICAL EQUILIBRIUM, COMPUTATION, HIGH TEMPERATURE

#### 26

# **METALLIC MATERIALS**

Includes physical, chemical, and mechanical properties of metals, e.g., corrosion; and metallurgy.

N87-16902\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

CONVENTIONALLY CAST AND FORGED COPPER ALLOY FOR HIGH-HEAT-FLUX THRUST CHAMBERS

JOHN M. KAZAROFF and GEORGE A. REPAS Feb. 1987

COMBUSTION CHAMBERS, COPPER ALLOYS, HEAT FLUX, HIGH TEMPERATURE, LININGS, SPACE SHUTTLE MAIN ENGINE

N87-18644\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EFFECT OF LID (REGISTERED) PROCESSING ON THE MICROSTRUCTURE AND MECHANICAL PROPERTIES OF TI-BAL-4V AND TI-BAL-2SN-4ZR-2MO TITANIUM FOIL-GAUGE MATERIALS

LINDA B. BALCKBURN Apr. 1987 27 p (NASA-TP-2677; L-16098; NAS 1.60:2677) Avail: NTIS HC A03/MF A01 CSCL 11F

BONDING, DIFFUSION, INTERFACES, LIQUIDS, MECHANICAL PROPERTIES, MICROSTRUCTURE, PROTECTIVE COATINGS, TITANIUM ALLOYS

N87-20407\*# National Aeronautics and Space Administration.
Langley Research Center, Hampton, VA.
MATERIAL CHARACTERIZATION OF SUPERPLASTICALLY
FORMED TITANIUM (TI-6AL-2SN-4ZR-2MO) SHEET
WILLIAM A. OSSA (PRC Kentron, Inc., Hampton, Va.) and DICK
M. ROYSTER 1987 38 p
(NASA-TP-2674; L-16115; NAS 1.60:2674) Avail: NTIS HC
A03/MF A01 CSCL 11F
AEROSPACE INDUSTRY, SUPERPLASTICITY, TENSILE

N87-21076\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

THE CORROSION MECHANISMS FOR PRIMER COATED 2219-T87 ALUMINUM

MERLIN D. DANFORD and WARD W. KNOCKEMUS (Huntingdon Coll., Montgomery, Ala.) Apr. 1987 25 p (NASA-TP-2715; M-559; NAS 1.60:2715) Avail: NTIS HC

A03/MF A01 CSCL 11F
ALUMINUM ALLOYS, CORROSION RESISTANCE, PRIMERS
(COATINGS), PROTECTIVE COATINGS

N87-25463\*# National Aeronautics and Space Administration.

Marshall Space Flight Center, Huntsville, AL.

HYDROGEN TRAPPING AND THE INTERACTION OF HYDROGEN WITH METALS

MERLIN D. DANFORD Jul. 1987 36 p

(NASA-TP-2744; NAS 1.60:2744) Avail: NTIS HC A03/MF A01 CSCL 11F

CRYSTAL LATTICES, GAS-METAL INTERACTIONS, HYDROGEN, TRAPPING

N87-27024\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

PERMEATION OF OXYGEN THROUGH HIGH PURITY, LARGE GRAIN SILVER

R. A. OUTLAW, W. K. PEREGOY, and GAR B. HOFLUND (Florida Univ., Gainesville.) Sep. 1987 19 p (NASA-TP-2755; L-16305; NAS 1.60:2755) Avail: NTIS HC A03/MF A01 CSCL 11F

GRAIN BOUNDARIES, OXYGEN, PERMEATING, PURITY, SILVER

N89-10996\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH. INDENTATION PLASTICITY AND FRACTURE IN SILICON

GEORGE C. RYBICKI and P. PIROUZ (Case Western Reserve Univ., Cleveland, Ohio.) Nov. 1988 30 p (NASA-TP-2863; E-4184; NAS 1.60:2863) Avail: NTIS HC

A03/MF A01 CSCL 11B
CRYSTAL DISLOCATIONS, DOPED CRYSTALS, FRACTURE
STRENGTH, HARDNESS, PLASTIC PROPERTIES, SILICON,
SINGLE CRYSTALS, TRANSITION TEMPERATURE

N89-17650\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

SECONDARY ELECTRON EMISSION CHARACTERISTICS OF UNTREATED AND ION-TEXTURED TITANIUM

ARTHUR N. CURREN, KENNETH A. JENSEN, and GARY A. BLACKFORD (Case Western Reserve Univ., Cleveland, OH.) Mar. 1989 16 p

(NASA-TP-2902; E-4495; NAS 1.60:2902) Avail: NTIS HC A03/MF A01 CSCL 11F

ELECTRON EMISSION, ION PLATING, MACHINING, SECONDARY EMISSION, SURFACE FINISHING, TITANIUM

N89-19406\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.
AN ELECTROCHEMICAL STUDY OF CORROSION

PROTECTION BY PRIMER-TOPCOAT SYSTEMS ON 4130
STEEL WITH AC IMPEDANCE AND DC METHODS
M. J. MENDREK, R. H. HIGGINS, and M. D. DANFORD

M. J. MENDREK, R. H. HIGGINS, and M. D. DANFORD May 1988 56 p (NASA-TP-2820; NAS 1.60:2820) Avail: NTIS HC A04/MF A01

(NASA-TP-2820; NAS 1.60:2820) Avail: NTIS HC A04/MF A01 CSCL 11F

ALTERNATING CURRENT, DIRECT CURRENT, ELECTROCHEMICAL CORROSION, IMPEDANCE, METAL SURFACES, PRIMERS (COATINGS), PROTECTIVE COATINGS, STAINLESS STEELS

N89-26976\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.
STRESS CORROSION STUDY OF PH13-8MO STAINLESS
STEEL USING THE SLOW STRAIN RATE TECHNIQUE

CREEP, TITANIUM ALLOYS

PABLO D. TORRES Washington Jul. 1989 32 p (NASA-TP-2934; NAS 1.60:2934) Avail: NTIS HC A03/MF A01 CSCL 11F

AGING (METALLURGY), SALT SPRAY TESTS, STAINLESS STEELS, STRAIN RATE, STRESS CORROSION CRACKING

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EMITTANCE, CATALYSIS, AND DYNAMIC OXIDATION OF TI-14AL-21NB

K. E. WIEDEMANN, R. K. CLARK, and S. N. SANKARAN (Analytical Services and Materials, Inc., Hampton, VA.) 1989 1 p Presented at the 1988 Annual Meeting of TMS AIME, Phoenix, AZ, Jan. 1988

(NASA-TP-2955; L-16606; NAS 1.60:2955) PREVIEW CSCL 11F

ALUMINUM ALLOYS, CATALYSIS, EMITTANCE, NIOBIUM ALLOYS, OXIDATION, OXIDATION RESISTANCE, TITANIUM ALLOYS

N90-15211\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

SECONDARY ELECTRON EMISSION CHARACTERISTICS OF MOLYBDENUM-MASKED, ION-TEXTURED OFFIC COPPER ARTHUR N. CURREN, KENNETH A. JENSEN, and ROBERT F. ROMAN Jan. 1990 15 p

(NASA-TP-2967; E-5009; NAS 1.60:2967) Avail: NTIS HC A03/MF A01 CSCL 11F

COPPER, ELECTRON BOMBARDMENT, MOLYBDENUM. SECONDARY EMISSION, TRAVELING WAVE TUBES

N90-25206\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

**OXIDATION CHARACTERISTICS OF TI-14AL-21NB INGOT ALLOY** 

SANKARA N. SANKARAN, RONALD K. CLARK, JALAIAH UNNAM, and KARL E. WIEDEMANN (Analytical Services and Materials, Inc., Hampton, VA.) Washington Jul. 1990 24 p (NASA-TP-3012; L-16658; NAS 1.60:3012) Avail: NTIS HC A03/MF A01 CSCL 11F

ALUMINUM OXIDES, INGOTS. NIOBIUM OXIDATION, REACTION KINETICS, TEMPERATURE EFFECTS. TITANIUM ALLOYS

#### 27

# **NONMETALLIC MATERIALS**

Includes physical, chemical, and mechanical properties of plastics, elastomers, lubricants, polymers, textiles, adhesives, and ceramic materials.

N87-12680°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

INVESTIGATION OF THE EFFECTS OF COBALT IONS ON **EPOXY PROPERTIES** 

J. J. SINGH and D. M. STOAKLEY Dec. 1986 16 p (NASA-TP-2639; L-16196; NAS 1.60;2639) Avail: NTIS HC A03/MF A01 CSCL 11G

COBALT, **EPOXY** RESINS. INVESTIGATION. IONS. MECHANICAL PROPERTIES

N87-18666\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

ESTER OXIDATION ON AN ALUMINUM SURFACE USING CHEMILUMINESCENCE

WILLIAM R. JONES, JR., MICHAEL A. MEADOR, and WILFREDO MORALES Jul. 1986 16 p (NASA-TP-2611; E-2647; NAS 1.60:2611) Avail: NTIS HC

A03/MF A01 CSCL 11B

ALUMINUM ALLOYS, CHEMILUMINESCENCE, ESTERS, METAL SURFACES, OXIDATION

N87-20423\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

MICROGRAVITY CRYSTALLIZATION OF MACROMOLECULES: AN INTERIM REPORT AND PROPOSAL FOR CONTINUED RESEARCH

BENJAMIN E. GOLDBERG Dec. 1986 26 p

(NASA-TP-2671; NAS 1.60:2671) Avail: NTIS HC A03/MF A01 CSCL 20B

MOLECULES. POLYMER CHEMISTRY, RECRYSTALLIZA-TION, REDUCED GRAVITY

N88-23872\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

STRUCTURAL CERAMICS

May 1986 226 p Workshop held in Cleveland, Ohio, 20-21 May 1986 Sponsored by NASA, Washington (NASA-CP-2427; E-3063; NAS 1.55;2427) Avail: NTIS HC A11/MF A02 CSCL 11B

CONFERENCES, CORROSION, FRACTURE CERAMICS, MECHANICS, NONDESTRUCTIVE TESTS. POLYMER CHEMISTRY, TRIBOLOGY

National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

THERMAL BARRIER COATINGS. ABSTRACTS AND FIGURES 1985 220 p Workshop held in Cleveland, Ohio, 21-22 May 1985

(NASA-CP-10019; E-4425; NAS 1.55:10019) Avail: NTIS HC A10/MF A02 CSCL 11C

BARRIER LAYERS, CONFERENCES, FAILURE ANALYSIS, GAS TURBINES, LIFE (DURABILITY), MATHEMATICAL MODELS, NONDESTRUCTIVE TESTS, PLASMA SPRAYING, THERMAL CONTROL COATINGS

N89-21103\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

DEGRADATION AND CROSSLINKING OF PERFLUOROALKYL POLYETHERS UNDER X-RAY IRRADIATION IN ULTRAHIGH

SHIGEYUKI MORI (National Academy of Sciences - National Research Council, Washington, DC.) and WILFREDO MORALES 15 p Mar. 1989 Prepared in cooperation with Iwate Univ., Morioka (Japan)

(NASA-TP-2910; E-4500; NAS 1.60:2910) Avail: NTIS HC A03/MF A01 CSCL 11B

CROSSLINKING, PHOTOELECTRON SPECTROSCOPY, POLYETHER RESINS, RADIATION EFFECTS

N89-25332\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

ABSORBED DOSE THRESHOLDS AND ABSORBED DOSE RATE LIMITATIONS FOR STUDIES OF ELECTRON **RADIATION EFFECTS ON POLYETHERIMIDES** 

EDWARD R. LONG, JR., SHEILA ANN T. LONG, STEPHANIE L. GRAY, and WILLIAM D. COLLINS (Old Dominion Univ., Norfolk, VA.) Washington Aug. 1989 22 p (NASA-TP-2928; L-16585; NAS 1.60:2928) Avail: NTIS HC

A03/MF A01 CSCL 11C

ELECTRON RADIATION, POLYETHER RESINS, POLYIMIDE RESINS, RADIATION ABSORPTION, RADIATION DOSAGE, **RADIATION EFFECTS** 

N89-26091\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

REACTION OF PERFLUOROALKYLPOLYETHERS (PFPE) WITH 440C STEEL IN VACUUM UNDER SLIDING CONDITIONS AT ROOM TEMPERATURE

SHIGEYUKI MORI (Iwate Univ., Morioka, Japan ) and WILFREDO MORALES Jan. 1989 12 p

(NASA-TP-2883; E-4209; NAS 1.60:2883) Avail: NTIS HC A03/MF A01 CSCL 07D

#### 29 MATERIALS PROCESSING

**ALKYL** COMPOUNDS. **PERFLUORO** COMPOUNDS. POLYETHER RESINS, SLIDING FRICTION, STAINLESS STEELS, **VACUUM EFFECTS** 

#### 29

#### **MATERIALS PROCESSING**

Includes space-based development of products and processes for commercial applications.

N87-21141\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

MICROGRAVITY FLUID MANAGEMENT SYMPOSIUM

225 p Symposium held in Cleveland. Ohio. 9-10 Apr. 1987 Sep. 1986

(NASA-CP-2465; E-3386; NAS 1.55:2465) Avail: NTIS HC A10/MF A02 CSCL 22A

AEROSPACE ENVIRONMENTS, CONFERENCES, FLUID MANAGEMENT, WEIGHTLESSNESS

N88-10977\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

PREPARATIVE ELECTROPHORESIS FOR SPACE PERCY H. RHODES and ROBERT S. SNYDER Oct. 1987

(NASA-TP-2777; NAS 1.60:2777) Avail: NTIS HC A03/MF A01

CSCL 22A

CONVECTIVE FLOW. ELECTROHYDRODYNAMICS, ELECTROKINETICS, ELECTROPHORESIS, TEMPERATURE **EFFECTS** 

N88-10978\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

CONTINUOUS FLOW ELECTROPHORESIS SYSTEM

**EXPERIMENTS ON SHUTTLE FLIGHTS STS-6 AND STS-7** ROBERT S. SNYDER, PERCY H. RHODES, and TERESA Y. MILLER Oct. 1987 17 p

(NASA-TP-2778; NAS 1.60:2778) Avail: NTIS HC A03/MF A01 CSCL 22A

CONVECTIVE FLOW, **ELECTRICAL** RESISTIVITY. ELECTRODYNAMICS, ELECTROPHORESIS, GRAVITATIONAL **EFFECTS** 

National Aeronautics and Space Administration. N88-14212\*# Marshall Space Flight Center, Huntsville, AL.

**GROWTH OF SOLID SOLUTION SINGLE CRYSTALS**S. L. LEHOCZKY and F. R. SZOFRAN Dec. 1987 18 p (NASA-TP-2787; NAS 1.60:2787) Avail: NTIS HC A03/MF A01

CRYSTAL GROWTH, MERCURY CADMIUM TELLURIDES, SINGLE CRYSTALS, SOLID SOLUTIONS, THERMOPHYSICAL **PROPERTIES** 

N88-23895\*# National Aeronautics and Space Administration, Washington, DC.

NONCONTACT TEMPERATURE MEASUREMENT

429 p MARK C. LEE, ed. Mar. 1988 Workshop held in Washington, D.C., 30 Apr. - 1 May 1987 (NASA-CP-2503; NAS 1.55:2503) Avail: NTIS HC A19/MF A03

CSCL 12A CONFERENCES, INFRARED RADIOMETERS,

PYROMETERS, RADIATION PYROMETERS, TEMPERATURE MEASUREMENT, TEMPERATURE MEASURING INSTRUMENTS

National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

MICROGRAVITY COMBUSTION DIAGNOSTICS WORKSHOP GILBERT J. SANTORO, ed., PAUL S. GREENBERG, ed., and NANCY D. PILTCH, ed. 1988 47 p Workshop held in Cleveland, OH. 28-29 Jul. 1987

(NASA-CP-10017; E-4213; NAS 1.55:10017) Avail: NTIS HC A03/MF A01 CSCL 22A

COMBUSTION PHYSICS, CONFERENCES, DIAGNOSIS, REDUCED GRAVITY

# 31

# **ENGINEERING (GENERAL)**

Includes vacuum technology; control engineering; display engineering; cryogenics; and fire prevention.

N87-22870\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

MODELING DIGITAL CONTROL SYSTEMS WITH

**MA-PREFILTERED MEASUREMENTS** 

MICHAEL E. POLITES Jun. 1987 23 p (NASA-TP-2732; NAS 1.60:2732) Avail: NTIS HC A03/MF A01 CSCL 13H

CONTROL SYSTEMS DESIGN, DIGITAL FILTERS, DIGITAL SYSTEMS, STATE VECTORS, SYSTEMS ENGINEERING

National Aeronautics and Space Administration. N87-24585\*# Marshall Space Flight Center, Huntsville, AL

A NEW APPROACH TO STATE ESTIMATION IN

DETERMINISTIC DIGITAL CONTROL SYSTEMS MICHAEL E. POLITES Jul. 1987 16 p

(NASA-TP-2745; NAS 1.60:2745) Avail: NTIS HC A03/MF A01 CSCL 09B

CONTROL SYSTEMS DESIGN, DIGITAL SYSTEMS, STATE **ESTIMATION** 

N87-27067\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

**EXACT STATE RECONSTRUCTION IN DETERMINISTIC** 

DIGITAL CONTROL SYSTEMS MICHAEL E. POLITES Aug. 1987 19 p

(NASA-TP-2757; NAS 1.60:2757) Avail: NTIS HC A03/MF A01 CSCL 13H

DIGITAL COMMAND SYSTEMS, STATE ESTIMATION, STATE **VECTORS** 

National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

A GENERALIZED METHOD FOR AUTOMATIC DOWNHAND AND WIREFEED CONTROL OF A WELDING ROBOT AND **POSITIONER** 

KEN FERNANDEZ and GEORGE E. COOK (Vanderbilt Univ., Nashville, Tenn.) Feb. 1988 54 p (NASA-TP-2807; NAS 1.60:2807) Avail: NTIS HC A04/MF A01

CSCL 13H

ARC WELDING, COMPUTER AIDED DESIGN, COMPUTER MANUFACTURING, PROGRAM **VERIFICATION** (COMPUTERS), ROBOT CONTROL, ROBOTICS, ROBOTS

National Aeronautics and Space Administration. N88-18751\*# Marshall Space Flight Center, Huntsville, AL.

FURTHER DEVELOPMENTS IN EXACT STATE RECONSTRUCTION IN DETERMINISTIC DIGITAL CONTROL SYSTEMS

MICHAEL E. POLITES Mar. 1988 19 p

(NASA-TP-2812; NAS 1.60:2812) Avail: NTIS HC A03/MF A01 CSCL 13B

CONTROL SYSTEMS DESIGN, DIGITAL SYSTEMS, RECONSTRUCTION, STATE **EQUATIONS** OF STATE, **ESTIMATION** 

#### 32 COMMUNICATIONS AND RADAR

N88-28177\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL. MORE ON EXACT STATE RECONSTRUCTION IN **DETERMINISTIC DIGITAL CONTROL SYSTEMS** MICHAEL E. POLITES Sep. 1988 21 p (NASA-TP-2847; NAS 1.60:2847) Avail: NTIS HC A03/MF A01 CSCL 13B

CONTROL SYSTEMS DESIGN, DIGITAL SYSTEMS, PLANT DESIGN, RECONSTRUCTION, STATE ESTIMATION

N89-24507\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL. FURTHER DEVELOPMENTS IN MODELING DIGITAL CONTROL SYSTEMS WITH MA-PREFILTERED **MEASUREMENTS** 

MICHAEL E. POLITES Washington Mar. 1989 20 p. (NASA-TP-2909; M-612; NAS 1.60:2909) Avail: NTIS HC A03/MF A01 CSCL 13B

ACCELEROMETERS, CONTROL SYSTEMS DESIGN, DIGITAL FILTERS. DIGITAL SYSTEMS. GYROSCOPES. **TRACKERS** 

N89-27039\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL. A NEW STATE RECONSTRUCTOR FOR DIGITAL CONTROLS SYSTEMS USING WEIGHTED-AVERAGE MEASUREMENTS MICHAEL E. POLITES Washington Aug. 1989 17 p (NASA-TP-2936; M-615; NAS 1.60:2936) Avail: NTIS HC

A03/MF A01 CSCL 09B CONTROL SYSTEMS DESIGN, DIGITAL TECHNIQUES, RECONSTRUCTION, STATE ESTIMATION

N90-16968\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA. AN AUGER ELECTRON SPECTROSCOPY STUDY OF

**SURFACE-PREPARATION CONTAMINANTS** 

D. WU (Old Dominion Univ., Norfolk, VA.), R. M. STEPHENS, R. A. OUTLAW, and P. HOPSON Washington Feb. 1990 16 p (NASA-TP-2972; L-16653; NAS 1.60:2972) Avail: NTIS HC A03/MF A01 CSCL 13B

AUGER SPECTROSCOPY, CLEANING, CONTAMINANTS, ELECTRON SPECTROSCOPY, ELECTROPOLISHING, SURFACE **FINISHING** 

N90-21210\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH. INFLUENCE OF THE DEPOSITION CONDITIONS ON

RADIOFREQUENCY MAGNETRON SPUTTERED MOS2 FILMS PIERRE A. STEINMANN and TALIVALDIS SPALVINS Apr. 1990 11 p

(NASA-TP-2994; E-5181; NAS 1.60:2994) Avail: NTIS HC A03/MF A01 CSCL 13B

DEPOSITION, LUBRICANTS, MAGNETRON SPUTTERING, MORPHOLOGY, RADIO FREQUENCIES, STOICHIOMETRY, THIN **FILMS** 

N90-21219\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

A GENERAL-PURPOSE BALLOON-BORNE POINTING SYSTEM FOR SOLAR SCIENTIFIC INSTRUMENTS

M. E. POLITES Washington May 1990 22 p (NASA-TP-3013; NAS 1.60:3013) Avail: NTIS HC A03/MF A01 CSCL 13I

BALLOON-BORNE INSTRUMENTS, CONTROL SYSTEMS CONTROL SYSTEMS, POINTING SOLAR INSTRUMENTS, THREE AXIS STABILIZATION

National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL. ROTATING-UNBALANCED-MASS DEVICES FOR SCANNING **BALLOON-BORNE EXPERIMENTS, FREE-FLYING** SPACECRAFT, AND SPACE SHUTTLE/SPACE STATION **EXPERIMENTS** 

MICHAEL E. POLITES Jun. 1990 17 p (NASA-TP-3030; NAS 1.60:3030) Avail: NTIS HC A03/MF A01 CSCL 14B

POINTING CONTROL SYSTEMS, ROTATING BODIES, SPACE SHUTTLES, SPACE STATION PAYLOADS, SPACE STATIONS, SPACEBORNE EXPERIMENTS

N90-28754\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

DEVELOPMENT AND APPROACH TO LOW-FREQUENCY MICROGRAVITY ISOLATION SYSTEMS

CARLOS M. GRODSINSKY Washington Aug. 1990 24 p (NASA-TP-2984; E-5287; NAS 1.60:2984) Avail: NTIS HC A03/MF A01 CSCL 22A

GRAVITATIONAL EFFECTS. PAYLOADS. REDUCED GRAVITY, SPACE SHUTTLES, SPACE STATIONS, SPACEBORNE EXPERIMENTS, VIBRATION ISOLATORS

32

#### **COMMUNICATIONS AND RADAR**

Includes radar; land and global communications; communications theory; and optical communications.

National Aeronautics and Space Administration. N87-11916\*# Wallops Flight Center, Wallops Island, VA.

PULSE CODE MODULATION (PCM) ENCODER HANDBOOK FOR AYDIN VECTOR MMP-600 SERIES SYSTEM S. F. CURRIER and W. R. POWELL Washington, D.C.

1986 139 p (NASA-RP-1171; NAS 1.61:1171) Avail: NTIS HC A07/MF A01

CSCL 17B

The hardware and software characteristics of a time division multiplex system are described. The system is used to sample analog and digital data. The data is merged with synchronization information to produce a serial pulse coded modulation (PCM) bit stream. Information presented herein is required by users to design compatible interfaces and assure effective utilization of this encoder system. GSFC/Wallops Flight Facility has flown approximately 50 of these systems through 1984 on sounding rockets with no inflight failures. Aydin Vector manufactures all of the components for these systems.

N87-12718\*# National Aeronautics and Space Administration. Wallops Flight Center, Wallops Island, VA.

PULSE CODE MODULATION (PCM) DATA STORAGE AND ANALYSIS USING A MICROCOMPUTER

D. E. MASSEY Aug. 1986 8 p (NASA-TP-2629; REPT-822.3; NAS 1.60:2629) Avail: NTIS HC

A02/MF A01 CSCL 17B

DATA PROCESSING, DATA REDUCTION, DATA STORAGE, MICROCOMPUTERS, PULSE CODE MODULATION

N87-17971\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

BIT-ERROR-RATE TESTING OF HIGH-POWER 30-GHZ TRAVELING WAVE TUBES FOR GROUND-TERMINAL APPLICATIONS

KURT A. SHALKHAUSER and GENE FUJIKAWA Oct. 1986 16 p

(NASA-TP-2635; E-2996; NAS 1.60:2635) Avail: NTIS HC A03/MF A01 CSCL 17B

BIT ERROR RATE, PERFORMANCE TESTS, TRANSMISSION EFFICIENCY, TRAVELING WAVE TUBES

N87-20448\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH. UNIQUE BIT-ERROR-RATE MEASUREMENT SYSTEM FOR SATELLITE COMMUNICATION SYSTEMS

#### 32 COMMUNICATIONS AND RADAR

MARY JO WINDMILLER Mar. 1987 13 p (NASA-TP-2699; E-3322; NAS 1.60;2699) Avail: NTIS HC A03/MF A01 CSCL 17B

BIT ERROR RATE. COMMUNICATION NETWORKS. SATELLITE COMMUNICATION, SYSTEMS ANALYSIS

N87-24590\*# National Aeronautics and Space Administration. Wallops Flight Center, Wallops Island, VA.

A SYNCHRONOUS DATA ANALYZER FOR THE MINIMUM DELAY DATA FORMAT (MDDF) AND LAUNCH TRAJECTORY **ACQUISITION SYSTEM (LTAS)** 

ANDREW J. GREEN Jul. 1987 10 p

(NASA-TP-2743; REPT-822.1; NAS 1.60:2743) Avail: NTIS HC

A02/MF A01 CSCL 17B

DATA REDUCTION. LAUNCHING. SAMPLING. SYNCHRONISM, TRAJECTORY ANALYSIS

N88-14226\*# Colorado Univ., Boulder. Dept. of Electrical Engineering.

PROPAGATION EFFECTS ON SATELLITE SYSTEMS AT FREQUENCIES BELOW 10 GHZ: A HANDBOOK FOR SATELLITE SYSTEMS DESIGN

WARREN L. FLOCK Dec. 1987 501 p

(NAS7-100; JPL-956249)

(NASA-RP-1108/2; NAS 1.61:1108/2) Avail: NTIS HC A22/MF

A03 CSCL 22D

Frequencies below 10 GHz continue to be used for a large portion of satellite service, and new applications, including mobile satellite service and the global positioning system, use frequencies below 10 GHz. As frequency decreases below 10 GHz, attenuation due to precipitation and gases decreases and ionospheric effects increase. Thus the ionosphere, which can be largely neglected above 10 GHz, receives major attention. Although attenuation and depolarization due to rain are less severe below 10 GHz than above, they are nevertheless still important and constitute another major topic. The handbook emphasizes the propagation effects on satellite communications but material that is pertinent to radio and positioning systems and telecommunications is included as well. Chapter 1 through 7 describe the various propagation impairments, and Chapter 9 is devoted to the estimation or calculation of the magnitudes of these effects for use in system design. Chapter 10 covers link power budget equations and the role of propagation effects in these equations. Chapter 8 deals with the complex subject of interference between space and terrestrial systems. Author

N89-17060\*# Westinghouse Electric Corp., Baltimore, MD. PROPAGATION EFFECTS HANDBOOK FOR SATELLITE SYSTEMS DESIGN. A SUMMARY OF PROPAGATION IMPAIRMENTS ON 10 TO 100 GHZ SATELLITE LINKS WITH TECHNIQUES FOR SYSTEM DESIGN

LOUIS J. IPPOLITO Washington, DC Feb. 1989 531 p (NAS7-100: JPL-958178)

(NASA-RP-1082(04); NAS 1.61:1082(04)) Avail: NTIS HC A23/MF A03 CSCL 20N

The NASA Propagation Effects Handbook for Satellite Systems Design provides a systematic compilation of the major propagation effects experienced on space-Earth paths in the 10 to 100 GHz frequency band region. It provides both a detailed description of the propagation phenomenon and a summary of the impact of the effect on the communications system design and performance. Chapter 2 through 5 describe the propagation effects, prediction models, and available experimental data bases. In Chapter 6, design techniques and prediction methods available for evaluating propagation effects on space-Earth communication systems are presented. Chapter 7 addresses the system design process and how the effects of propagation on system design and performance should be considered and how that can be mitigated. Examples of operational and planned Ku, Ka, and EHF satellite communications systems are given. **Author** 

National Aeronautics and Space Administration. N89-17767\*# Lewis Research Center, Cleveland, OH.

UNIVERSAL TEST FIXTURE FOR MONOLITHIC MM-WAVE INTEGRATED CIRCUITS CALIBRATED WITH AN AUGMENTED TRD ALGORITHM

ROBERT R. ROMANOFSKY and KURT A. SHALKHAUSER Mar. 1989 42 p Presented at the 13th International Conference on Infrared and mm-Waves, Honolulu, Hawaii, 5-9 Dec. 1988 (NASA-TP-2875; E-3983; NAS 1.60:2875) Avail: NTIS HC A03/MF A01 CSCL 09C

ALGORITHMS, CALIBRATING, INTEGRATED CIRCUITS, MICROWAVE CIRCUITS, MILLIMETER WAVES, SOLID STATE **DEVICES** 

N90-11915\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

SATELLITE-MATRIX-SWITCHED,

TIME-DIVISION-MULTIPLE-ACCESS NETWORK SIMULATOR WILLIAM D. IVANCIC, MONTY ANDRO, LAWRENCE A. NAGY, JAMES M. BUDINGER, and MARY JO SHALKHAUSER Washington Oct. 1989 21 p Proposed for presentation at the 13th AIAA International Communication Satellite System Conference, 11-15 Mar. 1990

(NASA-TP-2944; E-4813; NAS 1.60:2944) Avail: NTIS HC

A03/MF A01 CSCL 17B

COMMUNICATION NETWORKS, COMMUNICATION SATELLITES, SIMULATORS, TIME DIVISION MULTIPLE ACCESS

33

# **ELECTRONICS AND ELECTRICAL ENGINEERING**

Includes test equipment and maintainability; components, e.g., tunnel diodes and transistors; microminiaturization; and integrated circuitry.

N87-11072\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

THE 1985 GODDARD SPACE FLIGHT CENTER BATTERY **WORKSHOP** 

G. MORROW, ed. Sep. 1986 427 p Workshop held in Greenbelt, Md., 19-21 Nov. 1985

(NASA-CP-2434; REPT-86B0366; NAS 1.55:2434) Avail: NTIS HC A19/MF A03 CSCL 10C

CONFERENCES, ENERGY STORAGE, LITHIUM SULFUR BATTERIES. NICKEL CADMIUM BATTERIES, HYDROGEN BATTERIES

N87-17990\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

PERFORMANCE OF TEXTURED CARBON ON COPPER ELECTRODE MULTISTAGE DEPRESSED COLLECTORS WITH **MEDIUM-POWER TRAVELING WAVE TUBES** 

PETER RAMINS and ARTHUR N. CURREN Nov. 1986 12 p (NASA-TP-2665; E-3143; NAS 1.60:2665) Avail: NTIS HC A03/MF A01 CSCL 09A

ACCUMULATORS, CURRENT DENSITY, ELECTRODES, ELECTRON EMISSION, TRAVELING WAVE TUBES

N87-17991\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

**CALCULATION OF SECONDARY ELECTRON TRAJECTORIES** IN MULTISTAGE DEPRESSED COLLECTORS FOR MICROWAVE AMPLIFIERS

DALE A. FORCE Nov. 1986 7 p (NASA-TP-2664; E-3196; NAS 1.60:2664) Avail: NTIS HC A02/MF A01 CSCL 09A

ACCUMULATORS, ELECTRON EMISSION, MICROWAVE

#### 34 FLUID MECHANICS AND HEAT TRANSFER

AMPLIFIERS, PARTICLE TRAJECTORIES, TRAVELING WAVE TUBES

N87-20474\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

DESIGN, FABRICATION AND PERFORMANCE OF SMALL, GRAPHITE ELECTRODE, MULTISTAGE DEPRESSED COLLECTORS WITH 200-W, CW, 8- TO 18-GHZ TRAVELING-WAVE TUBES

BEN T. EBIHARA and PETER RAMINS Feb. 1987 22 p (NASA-TP-2693; E-3099; NAS 1.60:2693) Avail: NTIS HC A03/MF A01 CSCL 09A

ACCUMULATORS, DESIGN ANALYSIS, ELECTRODES, FABRICATION, PYROLYTIC GRAPHITE, TRAVELING WAVE TUBES

N87-21239\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

TRAVELING-WAVE-TUBE EFFICIENCY IMPROVEMENT BY A LOW-COST TECHNIQUE FOR DEPOSITION OF CARBON ON MULTISTAGE DEPRESSED COLLECTOR

BEN T. EBIHARA, PETER RAMINS, and SHELLY PEET May 1987 14 p

(NASA-TP-2719; E-3416; NAS 1.60:2719) Avail: NTIS HC A03/MF A01 CSCL 09A

CARBON, COPPER, DEPOSITION, ELECTRODES. THIN FILMS, TRAVELING WAVE TUBES

N87-22923\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

REVISED NASA AXIALLY SYMMETRIC RING MODEL FOR COUPLED-CAVITY TRAVELING-WAVE TUBES

JEFFREY D. WILSON Jan. 1987 17 p (NASA-TP-2675; E-3220; NAS 1.60:2675) Avail: NTIS HC A03/MF A01 CSCL 09A

AXISYMMETRIC BODIES, CAVITIES, COUPLED MODES, MODELS, RINGS, TRAVELING WAVE TUBES

N87-25532\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

ANALYTICAL AND EXPERIMENTAL PERFORMANCE OF A DUAL-MODE TRAVELING WAVE TUBE AND MULTISTAGE DEPRESSED COLLECTOR

PETER RAMINS, DALE A. FORCE, and HENRY G. KOSMAHL Aug. 1987 29 p

(NASA-TP-2752; E-3470; NAS 1.60:2752) Avail: NTIS HC A03/MF A01 CSCL 09A

ACCUMULATORS, ELECTRON BEAMS, TRAVELING WAVE TUBES

N88-11021\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

THE 1986 GODDARD SPACE FLIGHT CENTER BATTERY WORKSHOP

GEORGE W. MORROW, ed. and THOMAS Y. YI, ed. Sep. 1987 374 p Workshop held in Greenbelt, Md., 18-19 Nov. 1986 (NASA-CP-2486; REPT-87B0408; NAS 1.55:2486) Avail: NTIS HC A16/MF A03 CSCL 10C

CONFERENCES, ELECTROCHEMISTRY, FAILURE ANALYSIS, FLIGHT TESTS, LITHIUM SULFUR BATTERIES, NICKEL CADMIUM BATTERIES, NICKEL HYDROGEN BATTERIES

N88-15146\*# National Aeronautics and Space Administration.

Lewis Research Center, Cleveland, OH.

PERFORMANCE OF A SMALL, GRAPHITE ELECTRODE, MULTISTAGE DEPRESSED COLLECTOR WITH A 500-W, CONTINUOUS WAVE, 4.8- TO 9.6-GHZ TRAVELING WAVE TUBE

PETER RAMINS, GARY G. LESNY, BEN T. EBIHARA, and SHELLY PEET Feb. 1988 15 p

(NASA-TP-2788; E-3800; NAS 1.60:2788) Avail: NTIS HC A03/MF A01 CSCL 09A

ACCUMULATORS, CONTINUOUS RADIATION, ELECTRODES, GRAPHITE, TRAVELING WAVE TUBES

N89-15337\*# National Aeronautics and Space Administration.
Lewis Research Center, Cleveland, OH.
PERFORMANCE OF A MULTISTAGE DEPRESSED
COLLECTOR WITH MACHINED TITANIUM ELECTRODES
PETER RAMINS and BEN T. EBIHARA Jan. 1989 10 p
(NASA-TP-2891; E-4400; NAS 1.60:2891) Avail: NTIS HC

ACCUMULATORS, ELECTRODES, MACHINING, PERFORMANCE TESTS, TITANIUM

A02/MF A01 CSCL 09A

REFLECTANCE

N89-21169°# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

ANALYTICAL AND EXPERIMENTAL PROCEDURES FOR DETERMINING PROPAGATION CHARACTERISTICS OF MILLIMETER-WAVE GALLIUM ARSENIDE MICROSTRIP LINES ROBERT R. ROMANOFSKY Mar. 1989 21 p (NASA-TP-2899; E-4273; NAS 1.60:2899) Avail: NTIS HC

A03/MF A01 CSCL 20N
ELECTROMAGNETIC RADIATION, MICROSTRIP
TRANSMISSION LINES, MICROWAVE TRANSMISSION,

N89-21171\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

DESIGN, FABRICATION, AND PERFORMANCE OF BRAZED, GRAPHITE ELECTRODE, MULTISTAGE DEPRESSED COLLECTORS WITH 500-W, CONTINUOUS WAVE, 4.8- TO 9.6-GHZ TRAVELING-WAVE TUBES

PETER RAMINS and BEN EBIHARA Mar. 1989 18 p (NASA-TP-2904; E-4361; NAS 1.60:2904) Avail: NTIS HC A03/MF A01 CSCL 09A

BRAZING, CONTINUOUS RADIATION, ELECTRODE MATERIALS, ELECTRON EMISSION, SOLID ELECTRODES, TRAVELING WAVE TUBES

N90-27965\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

SPENT-BEAM REFOCUSING ANALYSIS AND MULTISTAGE DEPRESSED COLLECTOR DESIGN FOR A 75-W, 59- TO 64-GHZ COUPLED-CAVITY TRAVELING-WAVE TUBE
JEFFREY D. WILSON, PETER RAMINS, and DALE A. FORCE Aug. 1990 22 p

(NASA-TP-3039; E-5455; NAS 1.60:3039) Avail: NTIS HC A03/MF A01 CSCL 09A

ACCUMULATORS, COMPUTER AIDED DESIGN, DESIGN ANALYSIS. TRAVELING WAVE TUBES

34

# FLUID MECHANICS AND HEAT TRANSFER

Includes boundary layers; hydrodynamics; fluidics; mass transfer; and ablation cooling.

N87-11963\*# National Aeronautics and Space Administration.
Langley Research Center, Hampton, VA.
ON THE MAXWELLIAN DISTRIBUTION, SYMMETRIC FORM,
AND ENTROPY CONSERVATION FOR THE EULER

**EQUATIONS**S. M. DESHPANDE Nov. 1986 30 p
(NASA-TP-2583; L-16036; NAS 1.60:2583) Avail: NTIS HC

A03/MF A01 CSCL 20D
ENTROPY, EULER EQUATIONS OF MOTION,
MAXWELL-BOLTZMANN DENSITY FUNCTION

N87-13664\*# National Aeronautics and Space Administration.
Langley Research Center, Hampton, VA.
AEROTHERMAL TESTS OF SPHERICAL DOME
PROTUBERANCES ON A FLAT PLATE AT A MACH NUMBER
OF 6.5

# 34 FLUID MECHANICS AND HEAT TRANSFER

C. E. GLASS and L. R. HUNT Dec. 1986 61 p (NASA-TP-2631; L-16160; NAS 1.60:2631) Avail: NTIS HC A04/MF A01 CSCL 20D

AEROTHERMODYNAMICS. **HYPERSONIC** VEHICLES. LAMINAR BOUNDARY LAYER, PREDICTION ANALYSIS TECHNIQUES, PROTUBERANCES, THERMAL PROTECTION, TILES, TURBULENT BOUNDARY LAYER

N87-17000\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL. SPACE SHUTTLE MAIN ENGINE HIGH PRESSURE FUEL PUMP AFT PLATFORM SEAL CAVITY FLOW ANALYSIS S. A. LOWRY and L. W. KEETON (CHAM of North America, Inc.,

Huntsville, Ala.) Jan. 1987 134 p (NASA-TP-2685; NAS 1.60:2685) Avail: NTIS HC A07/MF A01 CSCL 20D

CAVITIES, FUEL PUMPS, HIGH PRESSURE, SEALS (STOPPERS), SPACE SHUTTLE MAIN ENGINE, TURBINE **PUMPS** 

N87-18034\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

JET MODEL FOR SLOT FILM COOLING WITH EFFECT OF FREE-STREAM AND COOLANT TURBULENCE

FREDERICK F. SIMON Oct. 1986 21 p (NASA-TP-2655; E-2961; NAS 1.60:2655) Avail: NTIS HC A03/MF A01 CSCL 20D

FILM COOLING, FLOW VELOCITY, JET ENGINES, NUMERICAL ANALYSIS, TURBULENCE EFFECTS, WALL JETS

National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

**VELOCITY PROFILES IN LAMINAR DIFFUSION FLAMES** VALERIE J. LYONS and JANICE M. MARGLE (Pennsylvania State Univ., Abington) May 1986 13 p Presented at the Combustion Inst. Meeting, Cleveland, Ohio, 5-6 May 1986 (NASA-TP-2596; E-2879; NAS 1.60:2596) Avail: NTIS HC A03/MF A01 CSCL 20D

CYCLOHEXANE, DIFFUSION FLAMES, ETHYL ALCOHOL, HEPTANES, LAMINAR FLOW, OCTANES, TEMPERATURE PROFILES, VELOCITY MEASUREMENT

National Aeronautics and Space Administration.

Langley Research Center, Hampton, VA.
AEROTHERMAL EVALUATION OF A SPHERICALLY BLUNTED **BODY WITH A TRAPEZOIDAL CROSS SECTION IN THE** LANGLEY 8-FOOT HIGH-TEMPERATURE TUNNEL

CINDY W. ALBERTSON Apr. 1987 83 p

(NASA-TP-2641; L-16096; NAS 1.60:2641) Avail: NTIS HC A05/MF A01 CSCL 20D

BOUNDARY LAYERS, FLOW DISTRIBUTION, HEAT FRANSFER, PREDICTIONS, PRESSURE MEASUREMENT, HERMAL PROTECTION

N87-18783\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

A SECOND-ORDER ACCURATE KINETIC-THEORY-BASED METHOD FOR INVISCID COMPRESSIBLE FLOWS

SURESH M. DESHPANDE Dec. 1986 42 p (NASA-TP-2613; L-16050; NAS 1.60:2613) Avail: NTIS HC 103/MF A01 CSCL 20D

BOLTZMANN TRANSPORT EQUATION, EULER EQUATIONS OF MOTION, KINETIC THEORY, NUMERICAL ANALYSIS, SHOCK WAVE PROPAGATION

N87-22103\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

SPACELAB 3 MISSION SCIENCE REVIEW

GEORGE H. FICHTL, ed., JOHN S. THEON, ed. (National Aeronautics and Space Administration, Washington, D.C.), CHARLES K. HILL, ed., and OTHA H. VAUGHAN, ed. 1987 98 p Symposium held in Huntsville, Ala., 4 Dec. 1985 (NASA-CP-2429; M-547; NAS 1.55:2429) Avail: NTIS HC A05/MF A01 CSCL 22.4

AEROSPACE ENVIRONMENTS, POSTFLIGHT ANALYSIS, REDUCED GRAVITY, SPACE COMMERCIALIZATION, SPACE SHUTTLES, SPACEBORNE EXPERIMENTS, SPACELAB

N87-23921\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

THREE-STEP LABYRINTH SEAL FOR HIGH-PERFORMANCE **TURBOMACHINES** 

ROBERT C. HENDRICKS Jun. 1987 75 p (NASA-TP-1848; E-3186; NAS 1.60:1848) Avail: NTIS HC A04/MF A01 CSCL 20D

FUEL PUMPS, LABYRINTH SEALS, SPACE SHUTTLE MAIN ENGINE, STATIC TESTS, TURBOMACHINERY

National Aeronautics and Space Administration. N87-23936\*# Lewis Research Center, Cleveland, OH.

STRAIGHT CYLINDRICAL SEAL FOR HIGH-PERFORMANCE TURBOMACHINES

ROBERT C. HENDRICKS Jun. 1987 76 p (NASA-TP-1850; E-3184; NAS 1.60:1850) Avail: NTIS HC A05/MF A01 CSCL 20D

CYLINDRICAL BODIES, FUEL PUMPS, SEALS (STOPPERS), SPACE SHUTTLE MAIN ENGINE, TURBINE TURBOMACHINERY

N87-24639\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

THREE-STEP CYLINDRICAL SEAL FOR HIGH-PERFORMANCE TURBOMACHINES

ROBERT C. HENDRICKS Jun. 1987 79 p (NASA-TP-1849; E-3185; NAS 1.60:1849) Avail: NTIS HC

A05/MF A01 CSCL 20D
DYNAMIC STABILITY, FUEL PUMPS, LEAKAGE, PUMP SEALS, SPACE SHUTTLE MAIN ENGINE, TURBINE PUMPS

N87-24672\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

MULTISCALE TURBULENCE EFFECTS IN SUPERSONIC JETS **EXHAUSTING INTO STILL AIR** 

KHALED S. ABDOL-HAMID (Analytical Services and Materials, Inc., Hampton, Va.) and RICHARD G. WILMOTH Jul. 1987 38 p (NASA-TP-2707; L-16258; NAS 1.60:2707) Avail: NTIS HC A03/MF A01 CSCL 20D

JET EXHAUST, NAVIER-STOKES EQUATION, SUPERSONIC AIRCRAFT, TURBULENCE

N87-26309\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.
SIMPLIFIED CURVE FITS FOR THE THERMODYNAMIC

PROPERTIES OF EQUILIBRIUM AIR

S. SRINIVASAN, J. C. TANNEHILL (Iowa State Univ. of Science and Technology, Ames.), and K. J. WEILMUENSTER Aug. 1987 48 p

(NAG1-313)

(NASA-RP-1181; L-16276; NAS 1.61:1181) Avail: NTIS HC A03/MF A01 CSCL 20D

New, improved curve fits for the thermodynamic properties of equilibrium air have been developed. The curve fits are for pressure, speed of sound, temperature, entropy, enthalpy, density, and internal energy. These curve fits can be readily incorporated into new or existing computational fluid dynamics codes if real gas effects are desired. The curve fits are constructed from Grabau-type transition functions to model the thermodynamic surfaces in a piecewise manner. The accuracies and continuity of these curve fits are substantially improved over those of previous curve fits. These improvements are due to the incorporation of a small number of additional terms in the approximating polynomials and careful choices of the transition functions. The ranges of validity of the new curve fits are temperatures up to 25 000 K and densities from 10 to the -7 to 10 to the 3d power amagats. Author

# 34 FLUID MECHANICS AND HEAT TRANSFER

N87-27161\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

APPLICATION OF TURBULENCE MODELING TO PREDICT SURFACE HEAT TRANSFER IN STAGNATION FLOW REGION OF CIRCULAR CYLINDER

CHI R. WANG and FREDERICK C. YEH Sep. 1987 25 p (NASA-TP-2758; E-3418; NAS 1.60:2758) Avail: NTIS HC A03/MF A01 CSCL 20D
CIRCULAR CYLINDERS, HEAT TRANSFER, MODELS,

STAGNATION FLOW, SURFACE PROPERTIES, TURBULENCE

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA. DESCRIPTION AND CALIBRATION OF THE LANGLEY HYPERSONIC CF4 TUNNEL: A FACILITY FOR SIMULATING LOW GAMMA FLOW AS OCCURS FOR A REAL GAS

RAYMOND E. MIDDEN and CHARLES G. MILLER, III Mar.

(NASA-TP-2384; L-15798; NAS 1.60:2384) Avail: NTIS HC A05/MF A01 CSCL 20D

CALIBRATING, CARBON TETRAFLUORIDE, HYPERSONIC WIND TUNNELS, MACH NUMBER, REAL GASES, TEST **FACILITIES** 

N87-29795\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

FINITE-ELEMENT REENTRY HEAT-TRANSFER ANALYSIS OF SPACE SHUTTLE ORBITER

WILLIAM L. KO, ROBERT D. QUINN, and LESLIE GONG Dec. 1986 59 p

(NASA-TP-2657; H-1236; NAS 1.60:2657) Avail: NTIS HC A04/MF A01 CSCL 20D

AERODYNAMIC HEATING, FINITE ELEMENT METHOD, HEAT TRANSFER COEFFICIENTS, REENTRY SHIELDING, SPACE SHUTTLE ORBITERS, THERMAL ANALYSIS

N88-14299\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

FLIGHT AND WIND-TUNNEL MEASUREMENTS SHOWING BASE DRAG REDUCTION PROVIDED BY A TRAILING DISK FOR HIGH REYNOLDS NUMBER TURBULENT FLOW FOR SUBSONIC AND TRANSONIC MACH NUMBERS

SHERYLL GOECKE POWERS, JARRETT K. HUFFMAN, and CHARLES H. FOX, JR. (National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.) 1986 143 p

(NASA-TP-2638; H-1281; NAS 1.60:2638) Avail: NTIS HC A07/MF A01 CSCL 20D

BASE PRESSURE, DRAG REDUCTION, FLIGHT TESTS, TRAILING EDGE FLAPS, TURBULENT FLOW, WIND TUNNEL **TESTS** 

N88-15924\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

CRYOGENIC FLUID MANAGEMENT TECHNOLOGY WORKSHOP, VOLUME 1: PRESENTATION MATERIAL AND DISCUSSION

JOHN C. AYDELOTT, ed. and WILLIAM DEVOL, ed. (Sverdrup Technology, Inc., Middleburg Heights, Ohio.) Sep. 1987 386 p Workshop held in Cleveland, Ohio, 28-30 Apr. 1987 (NASA-CP-10001; E-3732; NAS 1.55:10001) Avail: NTIS HC A17/MF A03 CSCL 20D

CONFERENCES, CRYOGENIC COOLING, CRYOGENIC FLUID STORAGE, CRYOGENIC FLUIDS, CRYOGENIC ROCKET PROPELLANTS, CRYOGENICS, REDUCED GRAVITY

National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Center, Edwards, CA. INFLUENCE OF BASE MODIFICATIONS ON IN-FLIGHT BASE DRAG IN THE PRESENCE OF JET EXHAUST FOR MACH NUMBERS FROM 0.7 TO 1.5 SHERYLL GOECKE POWERS Feb. 1988 20 p

(NASA-TP-2802; H-1408; NAS 1.60:2802) Avail: NTIS HC A03/MF A01 CSCL 20D

BASE FLOW, DRAG, FLIGHT TESTS, JET EXHAUST, MACH NUMBER, REVISIONS

N88-18884\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

GALILEO PROBE PARACHUTE TEST PROGRAM: WAKE PROPERTIES OF THE GALILEO PROBE AT MACH NUMBERS FROM 0.25 TO 0.95

THOMAS N. CANNING (Canning, T. N., Portola Valley, Calif) and THOMAS M. EDWARDS Apr. 1988 144 p (NAS2-10000)

(NASA-RP-1130; A-9643; NAS 1.61:1130) Avail: NTIS HC A07/MF A01 CSCL 20D

The results of surveys of the near and far wake of the Galileo Probe are presented for Mach numbers from 0.25 tp 0.95. The trends in the data resulting from changes in Mach number, radial and axial distance, angle of attack, and a small change in model shape are shown in crossplots based on the data. A rationale for selecting an operating volume suitable for parachute inflation based on low Mach number flight results is outlined.

N88-20599\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

CRYOGENIC FLUID MANAGEMENT TECHNOLOGY WORKSHOP. VOLUME 2: ROUNDTABLE DISCUSSION OF TECHNOLOGY REQUIREMENTS

Mar. 1988 84 p Workshop held in Cleveland, Ohio, 28-30 Apr.

(NASA-CP-10009; E-3987; NAS 1.55:10009) Avail: NTIS HC A05/MF A01 CSCL 20D

CONFERENCES, CRYOGENIC F HIDS, FLUID MANAGE-MENT, TECHNOLOGY ASSESSMENT

N88-22325\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

AEROTHERMAL TESTS OF QUILTED DOME MODELS ON A FLAT PLATE AT A MACH NUMBER OF 6.5

CHRISTOPHER E. GLASS and L. ROANE HUNT May 1988

(NASA-TP-2804; L-16346; NAS 1.60:2804) Avail: NTIS HC A04/MF A01 CSCL 20D

AEROTHERMODYNAMICS, **HYPERSONIC** LAMINAR BOUNDARY LAYER, PRESSURE DISTRIBUTION, THERMAL PROTECTION, TURBULENT BOUNDARY LAYER

N89-11153\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

MIXING AND DEMIXING PROCESSES IN MULTIPHASE FLOWS WITH APPLICATION TO PROPULSION SYSTEMS

RAND DECKER, ed. and CHARLES F. SCHAFER, ed. Jul. 1988 191 p Workshop was held in Huntsville, Ala., 25-26 Feb. 1988; sponsored by NASA, Marshall Space Flight Center, Huntsville, Ala. and USRA, Huntsville, Ala. Sponsored by NASA, Washington, D.C.

(NASA-CP-3006; M-591; NAS 1.55:3006) Avail: NTIS HC A09/MF A02 CSCL 20D

COMBUSTION PHYSICS, CONFERENCES, FLUID DYNAMICS. FUEL COMBUSTION, LAMINAR FLOW, MIXING, MULTIPHASE FLOW, PROPULSION, TURBULENT FLOW

N89-12822\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

AERODYNAMIC PRESSURES AND HEATING RATES ON SURFACES BETWEEN SPLIT ELEVONS AT MACH 6.6

L. ROANE HUNT Washington, D.C. Dec. 1988 85 p (NASA-TP-2855; L-16460; NAS 1.60:2855) Avail: NTIS HC A05/MF A01 CSCL 20D

AERODYNAMIC HEATING, DYNAMIC PRESSURE, ELEVONS, HYPERSONIC FLIGHT, SPLIT FLAPS

N89-16115\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

CONSÉRVATION EQUATIONS AND PHYSICAL MODELS FOR HYPERSONIC AIR FLOWS IN THERMAL AND CHEMICAL NONEQUILIBRIUM

PETER A. GNOFFO, ROOP N. GUPTA (Scientific Research and Technology, Inc., Hampton, VA.), and JUDY L. SHINN Washington, DC Feb. 1989 62 p

(NASA-TP-2867; L-16477; NAS 1.60:2867) Avail: NTIS HC A04/MF A01 CSCL 20D

AIR FLOW, CHEMICAL EQUILIBRIUM, CONSERVATION EQUATIONS, HYPERSONIC FLOW, MATHEMATICAL MODELS, NONEQUILIBRIUM FLOW, NONEQUILIBRIUM THERMODYNAMICS

N89-19499\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

CONTAMINATION OF LIQUID OXYGEN BY PRESSURIZED GASEOUS NITROGEN

ALLAN J. ZUCKERWAR, TRACY K. KING, and KIM CHI NGO (Old Dominion Univ., Norfolk, VA.) Apr. 1989 26 p (NASA-TP-2894; L-16526; NAS 1.60:2894) Avail: NTIS HC A03/MF A01 CSCL 20D

FUEL CONTAMINATION, GAS-GAS INTERACTIONS, GASEOUS DIFFUSION, HYPERSONIC WIND TUNNELS, LIQUID NITROGEN, LIQUID OXYGEN, PRESSURE EFFECTS

N89-25409\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

DETERMINATION OF COMBUSTION GAS TEMPERATURES BY INFRARED RADIOMETRY IN SOOTING AND NONSOOTING FLAMES

VALERIE J. LYONS and CARMEN M. GRACIA-SALCEDO (Army Aviation Systems Command, Cieveland, OH.) Feb. 1989 13 p (DA PROJ. 1L1-61102-AH-45)

(NASA-TP-2900; E-4446; NAS 1.60:2900; AVSCOM-TR-88-C-008; AD-A205373) Avail: NTIS HC A03/MF A01 CSCL 21/2

COMBUSTION TEMPERATURE, FLAME TEMPERATURE, GAS TEMPERATURE, INFRARED RADIOMETERS, PREMIXED FLAMES, RADIATION PYROMETERS, SOOT, TEMPERATURE MEASUREMENT

N89-26184\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

WORKSHOP ON TWO-PHASE FLUID BEHAVIOR IN A SPACE ENVIRONMENT

THEODORE D. SWANSON, ed., AL JUHASZ, ed., W. RUSS LONG, ed. (National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.), and LAURA OTTENSTEIN, ed. 1989 45 p Workshop held in Ocean City, MD, 13-14 Jun. 1988

(NASA-CP-3043; REPT-89B00114; NAS 1.55:3043) Avail: NTIS HC A03/MF A01 CSCL 20D

AEROSPACE ENVIRONMENTS, FLUID MANAGEMENT, HEAT TRANSFER, LIQUID-VAPOR INTERFACES, TWO PHASE FLOW

N89-27116\*# National Aeronautics and Space Administration.

Ames Research Center, Moffett Field, CA.

A REVIEW OF HIGH-SPEED, CONVECTIVE, HEAT-TRANSFER COMPUTATION METHODS

MICHAEL E. TAUBER Washington Jul. 1989 38 p (NASA-TP-2914; A-89042; NAS 1.60:2914) Avail: NTIS HC A03/MF A01 CSCL 20D

AERODYNAMIC HEATING, COMPUTATION, CONVECTIVE HEAT TRANSFER, LAMINAR BOUNDARY LAYER, SEPARATED FLOW, SHOCK HEATING, TURBULENT BOUNDARY LAYER

N90-10385\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.
CONSTITUTIVE RELATIONSHIPS AND MODELS IN

CONTINUUM THEORIES OF MULTIPHASE FLOWS
RAND DECKER, ed. Washington Sep. 1989 165 p Workshop
held in Huntsville, AL, 5-7 Apr. 1989; sponsored by NASA,

Washington and USRA, Washington, DC (NASA-CP-3047; M-616; NAS 1.55:3047) Avail: NTIS HC A08/MF A01 CSCL 20D

CONSTITUTIVE EQUATIONS, CONTINUUM MECHANICS, MATHEMATICAL MODELS, MULTIPHASE FLOW

N90-11245\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

LASER ANEMOMETER MEASUREMENTS IN A TRANSONIC AXIAL-FLOW FAN ROTOR

ANTHONY J. STRAZISAR, JERRY R. WOOD, MICHAEL D. HATHAWAY, and KENNETH L. SUDER Washington Nov. 1989 216 p

(NASA-TP-2879; E-4480; NAS 1.60:2879) Avail: NTIS HC A10/MF A02 CSCL 20D

AXIAL FLOW, FAN BLADES, FLOW VELOCITY, LASER ANEMOMETERS, ROTOR BLADES (TURBOMACHINERY), SURVEYS, TRANSONIC FLOW, VELOCITY DISTRIBUTION

N90-14493\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SURFACE FLOW AND HEATING DISTRIBUTIONS ON A CYLINDER IN NEAR WAKE OF AEROASSIST FLIGHT EXPERIMENT (AFE) CONFIGURATION AT INCIDENCE IN MACH 10 AIR

WILLIAM L. WELLS Jan. 1990 58 p (NASA-TP-2954; L-16623; NAS 1.60:2954) Avail: NTIS HC A04/MF A01 CSCL 20D

COMPUTER PROGRAMS, CYLINDRICAL BODIES, FREE FLOW, HEAT TRANSFER, NAVIER-STOKES EQUATION, NEAR WAKES

N90-17042\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

AN UPWIND-BIASED, POINT-IMPLICIT RELAXATION ALGORITHM FOR VISCOUS, COMPRESSIBLE PERFECT-GAS FLOWS

PETER A. GNOFFO Washington Feb. 1990 75 p (NASA-TP-2953; L-16588; NAS 1.60:2953) Avail: NTIS HC A04/MF A01 CSCL 20D

ALGORITHMS, COMPRESSIBLE FLOW, GAS FLOW, HYPERSONIC FLOW, RELAXATION METHOD (MATHEMATICS), THREE DIMENSIONAL FLOW, VISCOUS FLOW

N90-23670\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

AERODYNAMIC PRESSURE AND HEATING-RATE DISTRIBUTIONS IN TILE GAPS AROUND CHINE REGIONS WITH PRESSURE GRADIENTS AT A MACH NUMBER OF 6.6 L. ROANE HUNT and KRISTOPHER K. NOTESTINE (PRC Kentron, Inc., Hampton, VA.) Washington Jun. 1990 70 p (NASA-TP-2988; L-16649; NAS 1.60:2988) Avail: NTIS HC A04/MF A01 CSCL 20D

AERODYNAMIC LOADS, HEATING, HIGH PRESSURE, HYPERSONIC SPEED, THERMAL PROTECTION, TILES

N90-27064\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

Langley Hesearch Center, Hampton, VA.

A REVIEW OF REACTION RATES AND THERMODYNAMIC
AND TRANSPORT PROPERTIES FOR AN 11-SPECIES AIR
MODEL FOR CHEMICAL AND THERMAL NONEQUILIBRIUM

CALCULATIONS TO 30000 K
ROOP N. GUPTA, JERROLD M. YOS, RICHARD A. THOMPSON, and KAM-PUI LEE (Scientific Research and Technology, Inc., Hampton, VA.) Washington Aug. 1990 90 p
(NASA-RP-1232; L-16634; NAS 1.61:1232) Avail: NTIS HC

Reaction rate coefficients and thermodynamic and transport properties are reviewed and supplemented for the 11-species air model which can be used for analyzing flows in chemical and thermal nonequilibrium up to temperatures of 3000 K. Such flows will likely occur around currently planned and future hypersonic vehicles. Guidelines for determining the state of the surrounding

# 35 INSTRUMENTATION AND PHOTOGRAPHY

environment are provided. Curve fits are given for the various species properties for their efficient computation in flowfield codes. Approximate and more exact formulas are provided for computing the properties of partially ionized air mixtures in a high energy environment. Limitations of the approximate mixing laws are discussed for a mixture of ionized species. An electron number-density correction for the transport properties of the charged species is obtained. This correction has been generally ignored in the literature.

N90-27066\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

AN APPROXIMATE METHOD FOR CALCULATING THREE-DIMENSIONAL INVISCID HYPERSONIC FLOW FIELDS CHRISTOPHER J. RILEY and FRED R. DEJARNETTE Washington Aug. 1990 26 p

(NASA-TP-3018; L-16745; NAS 1.60:3018) Avail: NTIS HC A03/MF A01 CSCL 20D

APPROXIMATION, EULER EQUATIONS OF MOTION, FLOW DISTRIBUTION, HYPERSONIC FLOW, INVISCID FLOW, THREE **DIMENSIONAL FLOW** 

N90-28806\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

GAS-JET AND TANGENT-SLOT FILM COOLING TESTS OF A 12.5 DEG CONE AT MACH NUMBER OF 6.7

ROBERT J. NOWAK May 1988 85 p

(NASA-TP-2786; L-16148; NAS 1.60:2786) Avail: NTIS HC A05/MF A01 CSCL 20D

COOLING. GAS JETS, HEAT TRANSFER, MATHEMATICAL MODELS, PRESSURE MEASUREMENT, SHOCK LAYERS, SLOTS, TEMPERATURE MEASUREMENT

#### 35

# **INSTRUMENTATION AND PHOTOGRAPHY**

Includes remote sensors; measuring instruments and gages; detectors; cameras and photographic supplies; and holography.

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

THIRTEENTH INTERNATIONAL LASER RADAR CONFERENCE Aug. 1986 335 p Conference held in Toronto, Ontario, 11-15 Aug. 1986; sponsored by NASA, Washington, D.C., Atmospheric Environment Service, and York Univ.

(NASA-CP-2431; L-16201; NAS 1.55:2431) Avail: NTIS HC A15/MF A03 CSCL 20E

CONFERENCES, LASER APPLICATIONS, LASERS. METEOROLOGICAL PARAMETERS, MIDDLE ATMOSPHERE, OPTICAL RADAR, RADAR EQUIPMENT

N87-13731'# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

**EVALUATION OF DIFFUSE-ILLUMINATION HOLOGRAPHIC** CINEMATOGRAPHY IN A FLUTTER CASCADE

A. J. DECKER Jul. 1986 33 p

(NASA-TP-2593; E-2937; NAS 1.60:2593) Avail: NTIS HC A03/MF A01 CSCL 14E

CINEMATOGRAPHY, FLOW VISUALIZATION, HOLOGRAPHIC INTERFEROMETRY, HOLOGRAPHY, LASER OUTPUTS, THREE **DIMENSIONAL FLOW** 

N87-20514\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

A SIMPLIFIED METHOD FOR DETERMINING HEAT OF **COMBUSTION OF NATURAL GAS** 

JAG J. SINGH, HOSHANG CHEGINI (Old Dominion Univ., Norfolk, Va.), and GERALD H. MALL (Computer Sciences Corp., Hampton, Va.) Apr. 1987 15 p

(NASA-TP-2682; L-16261; NAS 1.60:2682) Avail: NTIS HC A03/MF A01 CSCL 14B

GAS DETECTORS, HEAT OF COMBUSTION, NATURAL GAS. **OXYGEN SUPPLY EQUIPMENT** 

N88-28286\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

OPTICAL MEASUREMENT OF PROPELLER BLADE **DEFLECTIONS** 

ANATOLE P. KURKOV Sep. 1988 31 p

(NASA-TP-2841; E-4131; NAS 1.60:2841) Avail: NTIS HC A03/MF A01 CSCL 14B

DEFLECTION, DISPLACEMENT MEASUREMENT, OPTICAL MEASUREMENT, PROPELLER BLADES

National Aeronautics and Space Administration. N88-30099\*# Lewis Research Center, Cleveland, OH.

MEASUREMENT OF LOCAL HIGH-LEVEL, TRANSIENT SURFACE HEAT FLUX

CURT H. LIEBERT Sep. 1988 9 p Sponsored by NASA, Washington, D.C.

(NASA-TP-2840; E-4200; NAS 1.60:2840) Avail: NTIS HC A02/MF A01 CSCL 14B

HEAT FLUX, SURFACE TEMPERATURE, TEMPERATURE MEASUREMENT, TEMPERATURE MEASURING INSTRUMENTS, TRANSIENT HEATING

N89-13762\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SPATIAL VISION PROCESSES: FROM THE OPTICAL IMAGE TO THE SYMBOLIC STRUCTURES OF CONTOUR INFORMATION

DANIEL J. JOBSON Nov. 1988 31 p Original contains color illustrations

(NASA-TP-2838; L-16479; NAS 1.60:2838) Avail: NTIS HC A03/MF A01 CSCL 14B

COMPUTER VISION. CONTOURS. EDGES. **IMAGE** PROCESSING, SPATIAL FILTERING, SYMBOLS, TEXTURES

National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

TECHNIQUE FOR TEMPERATURE COMPENSATION OF **EDDY-CURRENT PROXIMITY PROBES** 

ROBERT M. MASTERS Jan. 1989 10 p

(NASA-TP-2880; E-4316; NAS 1.60:2880) Avail: NTIS HC A02/MF A01 CSCL 14B

EDDY CURRENTS, EVALUATION, PERFORMANCE TESTS, PROBES. PROXIMITY, TEMPERATURE COMPENSATION. TEMPERATURE MEASUREMENT, TURBOMACHINERY

N89-16139\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

RAMAN INTENSITY AS A PROBE OF CONCENTRATION **NEAR A CRYSTAL GROWING IN SOLUTION** 

R. ALLEN WILKINSON Feb. 1989 12 p (NASA-TP-2865; E-4397; NAS 1.60:2865) Avail: NTIS HC A03/MF A01 CSCL 14B

CRYSTAL GROWTH. RAMAN SPECTRA, **RAMAN** SPECTROSCOPY, SOLUTIONS

N89-26209\*# National Aeronautics and Space Administration. Wallops Flight Center, Wallops Island, VA.

MARA (MULTIMODE AIRBORNE RADAR ALTIMETER) SYSTEM DOCUMENTATION. VOLUME 1: MARA SYSTEM **REQUIREMENTS DOCUMENT** 

C. L. PARSONS, ed. Jul. 1989 88 p

(NASA-RP-1226; REPT-89-143; NAS 1.61:1226) Avail: NTIS HC A05/MF A01 CSCL 14B

The Multimode Airborne Radar Altimeter (MARA), a flexible airborne radar remote sensing facility developed by NASA's Goddard Space Flight Center, is discussed. This volume describes the scientific justification for the development of the instrument and the translation of these scientific requirements into instrument

# 35 INSTRUMENTATION AND PHOTOGRAPHY

design goals. Values for key instrument parameters are derived to accommodate these goals, and simulations and analytical models are used to estimate the developed system's performance.

Author

N90-10412\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

INTRODUCTION TO TOTAL- AND PARTIAL-PRESSURE **MEASUREMENTS IN VACUUM SYSTEMS** 

R. A. OUTLAW and F. A. KERN Washington Nov 1989 77 p

(NASA-RP-1219; L-16494; NAS 1.61:1219) Avail: NTIS HC A05/MF A01 CSCL 14B

An introduction to the fundamentals of total and partial pressure measurement in the vacuum regime (760 x 10 to the -16th power Torr) is presented. The instrument most often used in scientific fields requiring vacuum measurement are discussed with special emphasis on ionization type gauges and quadrupole mass spectrometers. Some attention is also given to potential errors in measurement as well as calibration techniques.

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

VISUAL INFORMATION PROCESSING FOR TELEVISION AND **TELEROBOTICS** 

FRIEDRICH O. HUCK, ed. and STEPHEN K. PARK, ed. (College of William and Mary, Williamsburg, VA.) Washington Nov. 1989 263 p Workshop held in Williamsburg, VA, 10-12 May 1989 (NASA-CP-3053; L-16665; NAS 1.55:3053) Avail: NTIS HC A12/MF A02 CSCL 14B

CODING, COMPUTER VISION, CONFERENCES, IMAGE CONSTRUCTION, IMAGING TECHNIQUES, ROBOTICS, RECONSTRUCTION, IMAGING ROBOTS, TELEOPERATORS, TELEROBOTICS, TELEVISION SYSTEMS

N90-17085\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

NASA LASER LIGHT SCATTERING ADVANCED TECHNOLOGY DEVELOPMENT WORKSHOP, 1988

WILLIAM V. MEYER, ed. (Case Western Reserve Univ., Cleveland, OH.) Aug. 1989 306 p. Workshop held in Cleveland, OH. 7-8 Sep. 1988

(NASA-CP-10033; E-4915; NAS 1.55:10033) Avail: NTIS HC A14/MF A02 CSCL 14B

FIBER OPTICS, LASER BEAMS, LIGHT SCATTERING, PHOTODIODES, REDUCED GRAVITY, SPECTROSCOPY

N90-21351\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

FOUNDATIONS OF MEASUREMENT AND INSTRUMENTATION ISIDORE WARSHAWSKY Apr. 1990 232 p (NASA-RP-1222; E-3786; NAS 1.61:1222) Avail: NTIS HC

A11/MF A02 CSCL 14B

The user of instrumentation has provided an understanding of the factors that influence instrument performance, selection, and application, and of the methods of interpreting and presenting the results of measurements. Such understanding is prerequisite to the successful attainment of the best compromise among reliability. accuracy, speed, cost, and importance of the measurement operation in achieving the ultimate goal of a project. Some subjects covered are dimensions; units; sources of measurement error; methods of describing and estimating accuracy; deduction and presentation of results through empirical equations, including the method of least squares; experimental and analytical methods of determining the static and dynamic behavior of instrumentation systems, including the use of analogs. Author

# 36

#### LASERS AND MASERS

Includes parametric amplifiers.

N87-20522\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

CLOSED-CYCLE, FREQUENCY-STABLE CO2 LASER TECHNOLOGY

CARMEN E. BATTEN, ed., IRVIN M. MILLER, ed., GEORGE M. WOOD, JR., ed., and DAVID V. WILLETTS, ed. (Royal Signals and Radar Establishment, Malvern, England.) Apr. 1987 279 p. Workshop held in Hampton, Va., 10-12 Jun. 1986 (NASA-CP-2456; L-16271; NAS 1.55:2456) Avail: NTIS HC A13/MF A02 CSCL 20E

CARBON DIOXIDE LASERS, CLOSED CYCLES, FREQUENCY STABILITY, RESEARCH MANAGEMENT

N87-27994\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

FREQUENCY DOMAIN LASER VELOCIMETER SIGNAL PROCESSOR: A NEW SIGNAL PROCESSING SCHEME

JAMES F. MEYERS and JAMES I. CLEMMONS, JR. Sep. 1987

(NASA-TP-2735; L-16209; NAS 1.60:2735) Avail: NTIS HC A03/MF A01 CSCL 20E

DOMAINS. FREQUENCIES. LASER **DOPPLER** VELOCIMETERS, SIGNAL PROCESSING

N89-17855\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

ANALYSIS OF ND3+:GLASS, SOLAR-PUMPED, HIGH-POWR LASER SYSTEMS

L. E. ZAPATA and M. D. WILLIAMS Feb. 1989 13 p (NASA-TP-2905; L-16085; NAS 1.60:2905) Avail: NTIS HC A03/MF A01 CSCL 20E

GLASS LASERS, HIGH POWER LASERS, NEODYMIUM LASERS, SOLAR COLLECTORS

N90-24585\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

DIODE LASER SATELLITE SYSTEMS FOR BEAMED POWER TRANSMISSION

M. D. WILLIAMS, J. H. KWON (Miami Univ., Oxford, OH.), G. H. WALKER, and D. H. HUMES Washington 1990 31 p (NASA-TP-2992; L-16669; NAS 1.60:2992) Avail: NTIS HC A03/MF A01 CSCL 20E

ESTIMATING, LASER POWER BEAMING, OPERATING TEMPERATURE, SATELLITE TRANSMISSION, SEMICONDUC-TOR LASERS, STRUCTURAL DESIGN CRITERIA

N90-24586\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

LOW-TEMPERATURE CO-OXIDATION CATALYSTS FOR **LONG-LIFE CO2 LASERS** 

DAVID R. SCHRYER, ed. and GAR B. HOFLUND, ed. (Florida Univ., Gainesville.) Washington Jun. 1990 404 p Conference held in Hampton, VA, 17-19 Oct. 1989; sponsored by NASA, Washington and the Royal Signals and Radar Establishment, Malvern, England

(NASA-CP-3076; L-16797; NAS 1.55:3076) Avail: NTIS HC A18/MF A03 CSCL 20E

CARBON DIOXIDE LASERS, CATALYSTS, CATALYTIC ACTIVITY, CONFERENCES, LOW TEMPERATURE, OXIDATION

### 37

#### **MECHANICAL ENGINEERING**

Includes auxiliary systems (nonpower); machine elements and processes; and mechanical equipment.

N87-10391\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

TESTING OF UH-60A HELICOPTER TRANSMISSION IN NASA LEWIS 2240-KW (3000-HP) FACILITY

A. M. MITCHELL, F. B. OŚWALD, and H. H. COE Aug. 1986 30 p (NASA-TP-2626; E-2941; NAS 1.60:2626) Avail: NTIS HC

(NASA-1P-2626; E-2941; NAS 1.60:2626) AVAII: NTIS HC A03/MF A01 CSCL 13I

HELICOPTERS, TRANSMISSIONS (MACHINE ELEMENTS), VIBRATION MEASUREMENT

N87-18095\*# National Aeronautics and Space Administration.
Lewis Research Center, Cleveland, OH.

PREDICTED EFFECT OF DYNAMIC LOAD ON PITTING FATIGUE LIFE FOR LOW-CONTACT-RATIO SPUR GEARS DAVID G. LEWICKI Jun. 1986 19 p (NASA-TP-2610; E-2989; NAS 1.60:2610; AD-A170906;

(NASA-TP-2610; E-2989; NAS 1.60:2610; AD-A170906; AVSCOM-TR-86-C-21) Avail: NTIS HC A03/MF A01 CSCI 13/9

APPLICATIONS PROGRAMS (COMPUTERS), DYNAMIC LOADS, FATIGUE (MATERIALS), GEARS, LIFE (DURABILITY), PITTING

N87-18821\*# National Aeronautics and Space Administration, Washington, DC.

**TETHER DYNAMICS SIMULATION** 

Feb. 1987 338 p Workshop held in Arlington, Va., 16 Sep. 1986

(NASA-CP-2458; NAS 1.55:2458) Avail: NTIS HC A15/MF A02 CSCL 22B

COMPUTERIZED SIMULATION, ELECTRODYNAMICS, TETHERED SATELLITES, TETHERLINES

N87-20555\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

VIBRATION CHARACTERISTICS OF OH-58A HELICOPTER MAIN ROTOR TRANSMISSION

DAVID G. LEWICKI and JOHN J. COY Apr. 1987 18 p (NASA-TP-2705; E-3368; NAS 1.60:2705; AVSCOM-TR-86-C-42; AD-A180364) Avail: NTIS HC A03/MF A01 CSCL 01/3

HELICOPTERS, ROTOR AERODYNAMICS, TRANSMISSIONS (MACHINE ELEMENTS), VIBRATION MEASUREMENT

N87-22199\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

ROTORDYNAMIC INSTABILITY PROBLEMS IN HIGH-PERFORMANCE TURBOMACHINERY, 1986

Jan. 1987 548 p Workshop held in College Station, Tex., 2-4 Jun. 1986; sponsored in cooperation with Texas A&M Univ., Army Research Office, and Air Force Aeropropulsion Lab. (NASA-CP-2443; E-3136; NAS 1.55:2443) Avail: NTIS HC

A23/MF A03 CSCL 131
ROTOR AERODYNAMICS, STABILITY, TURBOCOMPRES-

N87-22235\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

GEAR TOOTH STRESS MEASUREMENTS ON THE UH-60A

HELICOPTER TRANSMISSION FRED B. OSWALD Mar. 1987 17 p

SORS, TURBOMACHINERY

(NASA-TP-2698; E-3357; NAS 1.60:2698) Avail: NTIS HC A03/MF A01 CSCL 13I

GEAR TEETH, STRESS MEASUREMENT, TRANSMISSIONS (MACHINE ELEMENTS), UH-60A HELICOPTER

N88-15224\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

EFFICIENCY TESTING OF A HELICOPTER TRANSMISSION PLANETARY REDUCTION STAGE

ROBERT F. HANDSCHUH and DOUGLAS A ROHN Feb. 1988 18 p Prepared in cooperation with Army Aviation Research and Development Command, Cleveland, Ohio (DA PROJ. 1L1-61102-AH-45)

(NASA-TP-2795; E-3770; NAS 1.60:2795; AVSCOM-TR-87-C-28; AD-A191884) Avail: NTIS HC A03/MF A01 CSCL 13/9

ENGINE TESTS GEARS, HELICOPTER ENGINES, POWER EFFICIENCY, TRANSMISSIONS (MACHINE ELEMENTS)

N88-17045\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

DYNAMIC ANALYSIS OF MULTIMESH-GEAR HELICOPTER TRANSMISSIONS

FRED K. CHOY, DENNIS P. TOWNSEND, and FRED B. OSWALD Feb. 1988 22 p (NASA-TP-2789; E-3191; NAS 1.60:2789) Avai NTIS HC A03/MF A01 CSCL 13I

DYNAMIC CHARACTERISTICS. GEARS, HELICOPTER ENGINES, SYSTEMS ANALYSIS, TRANSMISSION: (MACHINE ELEMENTS)

N88-18933\*# National Aeronautic3 and Space Administration. Lewis Research Center, Cleveland, ⊕H.

COMPUTER-AIDED DESIGN ANALYSIS OF 57-MM,
ANGULAR-CONTACT, CRYOGENIC TURBOPUMP BEARINGS
ELIZABETH S. ARMSTRONG and HAROLD H. COE Mar. 1988
15 p

(NASA-TP-2816; E-3890; NAS 1.60:2816) Avail: NTIS HC A03/MF A01 | CSCL 13K

BEARINGS, COMPUTER AIDED DESIGN, CRYOGENIC FLUIDS, RETROFITTING, REVISIONS, SERVICE LIFE, SPACE SHUTTLE MAIN ENGINE, TURBINE PUMPS

N89-21243\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland OH.

COMPARISON STUDY OF GEAP DYNAMIC COMPUTER PROGRAMS AT NASA LEWIS RESEARCH CENTER

JAMES J. ZAKRAJSEK Mar. 1989 31 p Prepared in cooperations with Army Aviation Research and Development Command. Cleveland, OH

(DA PROJ. 1L1-62209-AH-76)

COMPUTER AIDED DESIGN, COMPUTER PROGRAMS, GEARS, MECHANICAL DRIVES

N89-22891\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

ROTORDYNAMIC INSTABILITY PROBLEMS IN HIGH-PERFORMANCE TURBOMACHINERY, 1988

Washington, DC Feb. 1989 454 p Workshop held in College Station, TX, 16-18 May 1988; sponsored by NASA, Lewis Research Center, Cleveland, OH, Texas A and M Univ., College Station, ARO, Durham, NC, and Aeropropulsion Lab., Wright-Patterson AFB, OH

BEARINGS, COMPRESSORS, CONFERENCES, DAMPERS, DYNAMIC STABILITY, IMPELLERS, MATHEMATICAL MODELS, HOTOR AERODYNAMICS, SEALS (STOPPERS) TURBOMACHINERY

N89-24607\*# National Aeronautics and Space Administration Lewis Research Center, Cleveland, OH.

COMPARISON OF PREDICTED AND MEASURED TEMPERATURES OF UH-60A HELICOPTER TRANSMISSION

HAROLD H. COE Washington Apr. 1989 15 p (NASA-TP-2911; NAS 1.60:2911; E-4588; AVSCOM- (R-89-C-010; AD-A219173) Avail: NTIS HC A03/MF A01 CSC 13/9

### 37 MECHANICAL ENGINEERING

COMPUTERIZED SIMULATION, HELICOPTER PROPELLER DRIVE, OPERATING TEMPERATURE, PERFORMANCE TESTS, ROLLER BEARINGS, THERMAL ANALYSIS, TRANSMISSIONS (MACHINE ELEMENTS), UH-60A HELICOPTER

N90-18740\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH. FASTENER DESIGN MANUAL

RICHARD T. BARRETT Mar. 1990 99 p

(NASA-RP-1228; E-4911; NAS 1.61:1228) Avail: NTIS HC A05/MF A01 CSCL 13K

This manual was written for design engineers to enable them to choose appropriate fasteners for their designs. Subject matter includes fastener material selection, platings, lubricants, corrosion, locking methods, washers, inserts, thread types and classes, fatigue loading, and fastener torque. A section on design criteria covers the derivation of torque formulas, loads on a fastener group, combining simultaneous shear and tension loads, pullout load for tapped holes, grip length, head styles, and fastener strengths. The second half of this manual presents general guidelines and selection criteria for rivets and lockbolts.

N90-19593\*# Illinois Univ., Chicago. Dept. of Mechanical Engineering.

THEORY OF GEARING

FAYDOR L. LITVIN 1989 479 p Prepared in cooperation with Army Aviation System's Command, Cleveland, OH (NAG3-783; NAG3-655; DA PROJ. 1L1-62209-AH-76) (NASA-RP-1212; E-2641; NAS 1.61:1212; AVSCOM-TR-88-C-035; L-89-600204) Avail: NTIS HC A21/MF A03; Also Avail: SOD HC \$40.00 as 033-000-01068-1 CSCL 13I

Basic mathematical problems on the theory of gearing are covered in this book, such as the necessary and sufficient conditions of envelope existence, relations between principal curvatures and directions for surfaces of mating gears. Also included are singularities of surfaces accompanied by undercutting the process of generation, the phenomena of envelope of lines of contact, and the principles for generation of conjugate surfaces. Special attention is given to the algorithms for computer aided simulation of meshing and tooth contact. This edition was complemented with the results of research recently performed by the author and his doctoral students. The book contains sample problems and also problems for the reader to solve.

N90-19595\*# National Aeronautics and Space Administration.
Langley Research Center, Hampton, VA.
MODELING AND ANALYSIS OF THE SPACE SHUTTLE
NOSE-GEAR TIRE WITH SEMIANALYTIC FINITE ELEMENTS

KYUN O. KIM, AHMED K. NOOR (Joint Inst. for Advancement of Flight Sciences, Hampton, VA.), and JOHN A. TANNER Washington Apr. 1990 36 p

(NASA-TP-2977; L-16639; NAS 1.60:2977) Avail: NTIS HC A03/MF A01 CSCL 22B

AIRCRAFT TIRES, ANISOTROPIC SHELLS, FINITE ELEMENT METHOD, LANDING GEAR, MATHEMATICAL MODELS, NOSE WHEELS, SHELL THEORY, SPACE SHUTTLE ORBITERS

N90-28063\*# National Aeronautics and Space Administration.
Lewis Research Center, Cleveland, OH.
LIQUID LUBRICATION IN SPACE
ERWIN V. ZARETSKY Jul. 1990 26 p
(NASA-RP-1240; E-5094; NAS 1.61:1240) Avail: NTIS HC

The requirement for long-term, reliable operation of aerospace mechanisms has, with a few exceptions, pushed the state of the art in tribology. Space mission life requirements in the early 1960s were generally 6 months to a year. The proposed U.S. space station schedule to be launched in the 1990s must be continuously usable for 10 to 20 years. Liquid lubrication systems are generally used for mission life requirements longer than a year. Although most spacecraft or satellites have reached their required lifetimes without a lubrication-related failure, the application of liquid

lubricants in the space environment presents unique challenges. The state of the art of liquid lubrication in space as well as the problems and their solutions are reviewed.

Author

N90-28066\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

MODIFICATION OF THE SHABERTH BEARING CODE TO INCORPORATE RP-1 AND A DISCUSSION OF THE TRACTION MODEL

CLAUDIA M. WOODS Sep. 1990 30 p

(NASA-TP-3017; E-5407; NAS 1.60:3017) Avail: NTIS HC A03/MF A01 CSCL 13I

COMPUTER PROGRAMS, MATHEMATICAL MODELS, ROLLER BEARINGS, RP-1 ROCKET PROPELLANTS, SPACECRAFT LUBRICATION

38

# **QUALITY ASSURANCE AND RELIABILITY**

Includes product sampling procedures and techniques; and quality control.

N87-27204\*# National Aeronautics and Space Administration.

Langley Research Center, Hampton, VA.
ELECTRONICS RELIABILITY AND MEASUREMENT

**TECHNOLOGY** 

JOSEPH S. HEYMAN, ed. Aug. 1987 143 p Conference held in Hampton, Va., 3-5 Jun. 1986; sponsored by NASA Langley Research Center, USAF, National Security Industrial Association, and the Aerospace Industry Association

(NASA-CP-2472; L-16315; NAS 1.55:2472) Avail: NTIS HC A07/MF A01 CSCL 14D

COMPONENT RELIABILITY, INSPECTION, MICROELECTRONICS, NONDESTRUCTIVE TESTS, QUALITY CONTROL, RELIABILITY ENGINEERING

N87-28025\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

A TECHNIQUE FOR EVALUATING THE APPLICATION OF THE PIN-LEVEL STUCK-AT FAULT MODEL TO VLSI CIRCUITS
DANIEL L. PALUMBO and GEORGE B. FINELLI Sep. 1987
45 p

(NASA-TP-2738; L-16269; NAS 1.60:2738) Avail: NTIS HC A03/MF A01 CSCL 14D

COMPUTERS, ERROR ANALYSIS, EVALUATION, FAULT TOLERANCE, INTEGRATED CIRCUITS, VERY LARGE SCALE INTEGRATION

39

# STRUCTURAL MECHANICS

Includes structural element design and weight analysis; fatigue; and thermal stress.

**N81-71592\*** National Aeronautics and Space Administration, Washington, DC.

THE NĂSTRAN DEMONSTRATION PROBLEM MANUAL, LEVEL 17.5

Dec. 1978 185 p refs (NASA-SP-224(05))

N81-71594\* National Aeronautics and Space Administration, Washington, DC.
THE NASTRAN PROGRAMMERS MANUAL, LEVEL 17.5

A03/MF A01 CSCL 131

Dec. 1978 845 p refs (NASA-SP-223(05))

N87-11180°# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

TURBINE ENGINE HOT SECTION TECHNOLOGY, 1984
Oct. 1984 400 p Conference held in Cleveland, Ohio, 23-24
Oct. 1984

(NASA-CP-2339; E-2267; NAS 1.55:2339) Avail: NTIS HC A17/MF A03 CSCL 20K

AIRCRAFT ENGINES, AIRFOILS, CONFERENCES, LIFE (DURABILITY), LININGS, MATHEMATICAL MODELS, PREDICTION ANALYSIS TECHNIQUES, ROTOR BLADES (TURBOMACHINERY), TURBINE ENGINES

N87-12921\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

EFFECTS OF VARIABLES UPON PYROTECHNICALLY INDUCED SHOCK RESPONSE SPECTRA

J. L. SMITH May 1986 61 p

(NASA-TP-2603; NAS 1.60:2603) Avail: NTIS HC A04/MF A01 CSCL 20K

PYROTECHNICS, SHOCK LOADS, SHOCK SPECTRA, VARIABILITY

N87-13789\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EFFECTS OF WINGLET ON TRANSONIC FLUTTER CHARACTERISTICS OF A CANTILEVERED TWIN-ENGINE-TRANSPORT WING MODEL

C. L. RUHLIN, K. G. BHATIA (Boeing Commercial Airplane Co., Seattle, Wash.), and K. S. NAGARAJA Dec. 1986 77 p (NASA-TP-2627; L-16095; NAS 1.60:2627) Avail: NTIS HC A05/MF A01 CSCL 20K

AERODYNAMIC CONFIGURATIONS, FLUTTER, PREDICTION ANALYSIS TECHNIQUES, TRANSONIC FLOW, WIND TUNNEL TESTS, WINGLETS, WINGS

N87-16321\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

THE 20TH AEROSPACE MECHANICS SYMPOSIUM

May 1986 316 p Symposium held in Cleveland, Ohio, 7-9 May 1986; sponsored by NASA, the California Inst. of Tech. and I MSC

(NASA-CP-2423-REV; E-2904; NAS 1.55:2423-REV) Avail: NTIS

HC A14/MF A02 CSCL 20K
ACTUATORS, CONFERENCES, FLEXIBLE SPACECRAFT,
HYDRAULIC EQUIPMENT, JOINTS (JUNCTIONS),
MANIPULATORS, SPACE STATIONS, SPACECRAFT
INSTRUMENTS, SPUTTERING, TRIBOLOGY

N87-18855\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SENSITIVITY ANALYSIS IN ENGINEERING

HOWARD M. ADELMAN, comp. and RAPHAEL T. HAFTKA, comp. (Virginia Polytechnic Inst. and State Univ., Blacksburg) Feb. 1987 369 p Symposium held in Hampton, Va., 25-26 Sep. 1986

(NASA-CP-2457; L-16278; NAS 1.55:2457) Avail: NTIS HC A16/MF A03 CSCL 20K

DYNAMIC STRUCTURAL ANALYSIS, EIGENVALUES, MODAL RESPONSE, OPTIMIZATION, SENSITIVITY

N87-20566\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

SHOT PEENING FOR TI-6AL-4V ALLOY COMPRESSOR BLADES

GERALD A. CAREK Apr. 1987 9 p

(NASA-TP-2711; E-3430; NAS 1.60:2711) Avail: NTIS HC A02/MF A01 CSCL 20K

ALUMINUM, COMPRESSOR BLADES, SHOT PEENING, TITANIUM ALLOYS, VANADIUM

N87-20567\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

MODELING OF JOINTS FOR THE DYNAMIC ANALYSIS OF TRUSS STRUCTURES

W. KEITH BELVIN May 1987 43 p

(NASA-TP-2661; L-16163; NAS 1.60:2661) Avail: NTIS HC A03/MF A01 CSCL 20K

DYNAMIC STRUCTURAL ANALYSIS, JOINTS (JUNCTIONS), LARGE SPACE STRUCTURES, MODELS, TRUSSES

N87-20568\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.
SPACE STATION STRUCTURES AND DYNAMICS TEST

SPACE STATION STRUCTURES AND DYNAMICS TEST PROGRAM

CARLETON J. MOORE, JOHN S. TOWNSEND, and EDWARD W. IVEY Mar. 1987 47 p

(NASA-TP-2710; NAS 1.60:2710) Avail: NTIS HC A03/MF A01 CSCL 20K

DYNAMIC STRUCTURAL ANALYSIS, DYNAMIC TESTS, LARGE SPACE STRUCTURES, SPACE STATION STRUCTURES, SPACE STATIONS, SYSTEMS ANALYSIS

N87-27231\*# Computer Software Management and Information Center, Athens, GA.

FIFTEENTH NASTRAN (R) USERS' COLLOQUIUM

Aug. 1987 312 p Colloquium held in Kansas City, Mo., 4-8 May 1987 (NASW-3247)

(NASA-CP-2481; NAS 1.55:2481; AD-A226753) Avail: NTIS HC A14/MF A02; also available from COSMIC, Athens, Ga. 30602 CSCL 20/11

COMPUTER AIDED DESIGN, COMPUTER TECHNIQUES, CONFERENCES, FINITE ELEMENT METHOD, NASTRAN, STRUCTURAL ANALYSIS, STRUCTURAL V'RRATION

N87-29858\*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.

THE 21ST AEROSPACE MECHANISMS SYMPOSIUM

May 1987 356 p Symposium held in Houston, Tex., 29 Apr. - 1 May 1987; sponsored by NASA, California Inst. of Tech., and I MSC.

(NASA-CP-2470; S-560; NAS 1.55:2470) Avail: NTIS HC A16/MF A02 CSCL 20K

ACTUATORS, DEPLOYMENT, LARGE SPACE STRUCTURES, MANIPULATORS, ROBOTICS, SPACE ERECTABLE STRUCTURES

N88-11140\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

TURBINE ENGINE HOT SECTION TECHNOLOGY, 1985
Oct. 1985 443 p Conference held in Cleveland, Ohio, 22-23
Oct. 1985

(NASA-CP-2405; E-2727; NAS 1.55:2405) Avail: NTIS HC A19/MF A03 CSCL 20K

COMBUSTION CHAMBERS, CONFERENCES, GAS TURBINE ENGINES, LININGS, MATHEMATICAL MODELS, METAL FATIGUE, STRUCTURAL ANALYSIS, TURBINE BLADES, VANES

N88-13609\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

THE 58TH SHOCK AND VIBRATION SYMPOSIUM, VOLUME 1 WALTER D. PILKEY, comp. and BARBARA F. PILKEY, comp. (Virginia Univ., Charlottesville.) Oct. 1987 476 p Symposium held in Huntsville, Ala., 13-15 Oct. 1987; sponsored in part by DOD

(NASA-CP-2488-VOL-1; M-571-VOL-1; NAS 1.55:2488-VOL-1) Avail: NTIS HC A21/MF A03 CSCL 20K

CONFERENCES, DYNAMIC STRUCTURAL ANALYSIS, MECHANICAL SHOCK, SHOCK TESTS, SPACE SHUTTLE MAIN ENGINE, STRUCTURAL VIBRATION, VIBRATION DAMPING, VIBRATION ISOLATORS

N88-15263\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

LIFE PREDICTION OF THERMOMECHANICAL FATIGUE USING TOTAL STRAIN VERSION OF STRAINRANGE PARTITIONING (SRP): A PROPOSAL

JAMES F. SALTSMAN and GARY R. HALFORD Feb. 1988

(NASA-TP-2779; E-3795; NAS 1.60:2779) Avail: NTIS HC A03/MF A01 CSCL 20K

FATIGUE LIFE, LIFE (DURABILITY), METALS, PREDICTIONS

N88-17095\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

STRESS INTENSITY AND CRACK DISPLACEMENT FOR SMALL EDGE CRACKS

THOMAS W. ORANGE Feb. 1988 11 p

CRACKS, DISPLACEMENT, EDGES, ELASTIC DEFORMATION, STRESS INTENSITY FACTORS

N88-18948\*# National Aeronautics and Space Administration.

Marshall Space Flight Center, Huntsville, AL.

THE 58TH SHOCK AND VIBRATION SYMPOSIUM, VOLUME 2 WALTER D. PILKEY, comp. and BARBARA F. PILKEY, comp. (Virginia Univ., Charlottesville.) Feb. 1988 208 p Symposium held in Huntsville, Ala., 13-15 Oct. 1987; sponsored in part by DOD

(NASA-CP-2488-VOL-2; M-572-VOL-2; NAS 1.55:2488-VOL-2) Avail: NTIS HC A10/MF A02 CSCL 20K

CONFERENCES, DYNAMIC STRUCTURAL ANALYSIS, FINITE ELEMENT METHOD, SPACECRAFT COMPONENTS, SPACECRAFT DESIGN, SPECTRUM ANALYSIS, STRUCTURAL VIBRATION

N88-20652\*# Computer Software Management and Information Center, Athens, GA.

SIXTEENTH NASTRAN (R) USERS' COLLOQUIUM

Mar. 1988 196 p Colloquium held in Arlington, Va., 25-29 Apr.

(NASA-CP-2505; NAS 1.55:2505; AD-A226754) Avail: NTIS HC A09/MF A02; also available from COSMIC, Athens, Ga. 30602 CSCI 20/11

CONFERENCES, NASTRAN, STRUCTURAL ANALYSIS

N88-21456\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

ADVANCES IN CONTACT ALGORITHMS AND THEIR APPLICATION TO TIRES

AHMED K. NOOR and JOHN A. TANNER Apr. 1988 36 p Presented at the American Chemical Society Meeting, Montreal, Quebec, 26-29 May 1987 Original contains color illustrations (NASA-TP-2781; L-16376; NAS 1.60:2781) Avail: NTIS HC A03/MF A01 CSCL 20K

ALGORITHMS, FRICTION, SURFACE PROPERTIES, TIRES

N88-21468\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

THE 22ND AEROSPACE MECHANISMS SYMPOSIUM

May 1988 416 p Symposium held in Hampton, Va.; sponsored by NASA, Washington, California Inst. of Tech., Pasadena, and LMSC, Sunnyvale, Calif.

(NASA-CP-2506; L-16433; NAS 1.55:2506) Avail: NTIS HC A18/MF A03 CSCL 20K

ACTUATORS, BEARINGS, MAGNETIC SUSPENSION, MECHANICAL DRIVES, TELEOPERATORS, VIBRATION ISOLATORS

N88-21498\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

NONLINEAR CONSTITUTIVE RELATIONS FOR HIGH TEMPERATURE APPLICATIONS, 1986

Apr. 1988 482 p Symposium held in Akron, Ohio, 11-13 Jun. 1986; sponsored by NASA, Lewis Research Center, Cleveland,

Ohio and Akron Univ., Ohio

(NASA-CP-10010; E-3956; NAS 1.55:10010) Avail: NTIS HC A21/MF A03 CSCL 20K

CONSTITUTIVE EQUATIONS, MATHEMATICAL MODELS, REFRACTORY MATERIALS, STRESS ANALYSIS, STRUCTURAL ANALYSIS, VISCOPLASTICITY

N88-22382\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

LEWIS STRUCTURES TECHNOLOGY, 1988. VOLUME 2: STRUCTURAL MECHANICS

May 1988 307 p Symposium held in Cleveland, Ohio, 24-25 May 1988

AIRCRAFT ENGINES, DYNAMIC STRUCTURAL ANALYSIS, FATIGUE (MATERIALS), FRACTURE MECHANICS, STRESS ANALYSIS

N88-22408\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

LEWIS STRUCTURES TECHNOLOGY, 1988. VOLUME 3: STRUCTURAL INTEGRITY FATIGUE AND FRACTURE WIND TURBINES HOST

May 1988 366 p Symposium held in Cleveland, Ohio, 24-25 May 1988

(NÁSA-CP-3003-VOL-3; E-3970-VOL-3; NAS 1.55:3003-VOL-3) Avail: NTIS HC A16/MF A03 CSCL 20K

CONFERENCES, DYNAMIC STRUCTURAL ANALYSIS, FRACTURE MECHANICS, METAL FATIGUE, NONDESTRUCTIVE TESTS, PARALLEL PROCESSING (COMPUTERS), WIND TURBINES

N88-23226\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

LEWIS STRUCTURES TECHNOLOGY, 1988. VOLUME 1: STRUCTURAL DYNAMICS

May 1988 463 p Symposium held in Cleveland, Ohio, 24-25 May 1988

(NÁSA-CP-3003-VOL-1; E-3970-VOL-1; NAS 1.55:3003-VOL-1) Avail: NTIS HC A20/MF A03 CSCL 20K

AEROELASTICITY, COMPUTER TECHNIQUES, CONFER ENCES, DYNAMIC STRUCTURAL ANALYSIS, NASTRAN, PARALLEL PROCESSING (COMPUTERS), SPACECRAFT STRUCTURES, STRUCTURAL VIBRATION, TURBINE BLADES, VIBRATION DAMPING, WIND TURBINES

N88-23988\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

DYNAMIC CHARACTERISTICS OF A VIBRATING BEAM WITH PERIODIC VARIATION IN BENDING STIFFNESS

JOHN S. TOWNSEND Feb. 1987 23 p Previously announced as N87-22726

(NASA-TP-2697; NAS 1.60:2697) Avail: NTIS HC A03/MF A01 CSCL 20K

BEAMS (SUPPORTS), BENDING, BENDING VIBRATION, DYNAMIC CHARACTERISTICS, MODAL RESPONSE, MODULATION, PERIODIC VARIATIONS, STIFFNESS

N88-25013\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

SRM PROPELLANT AND POLYMER MATERIALS STRUCTURAL TEST PROGRAM

CARLETON J. MOORE May 1988 16 p

(NASA-TP-2821; NAS 1.60:2821) Avail: NTIS HC A03/MF A01 CSCL 20K

DYNAMIC STRUCTURAL ANALYSIS, PERFORMANCE TESTS, SOLID PROPELLANT ROCKET ENGINES, SPACE SHUTTLE BOOSTERS

N88-26684\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

THREE-DIMENSIONAL ANALYSIS OF A POSTBUCKLED EMBEDDED DELAMINATION

JOHN D. WHITCOMB Jul. 1988 26 p (NASA-TP-2823; L-16453; NAS 1.60:2823) Avail: NTIS HC A03/MF A01 CSCL 20K

A03/MF A01 CSCL 20K
BUCKLING, DELAMINATING, FINITE ELEMENT METHOD,
LAMINATES, STRAIN ENERGY RELEASE RATE

N88-28343\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

SRM (SOLID ROCKET MOTOR) PROPELLANT AND POLYMER MATERIALS STRUCTURAL MODELING

CARLETON J. MOORE Aug. 1988 42 p (NASA-TP-2824; NAS 1.60:2824) Avail: NTIS HC A03/MF A01 CSCL 20K

POLYMERIC FILMS, PROPELLANTS, SOLID PROPELLANT ROCKET ENGINES, STRUCTURAL ANALYSIS

N89-12876\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

TURBINE ENGINE HOT SECTION TECHNOLOGY 1986
Oct. 1986 488 p Workshop held in Cleveland, Ohio, 21-22

Oct. 1986 488 p Workshop held in Cleveland, Ohio, 21-22 Oct. 1986

(NASA-CP-2444; E-3205; NAS 1.55:2444) Avail: NTIS HC A21/MF A03 CSCL 20K

CONFERENCES, FATIGUE (MATERIALS), FRACTURE MECHANICS, GAS TURBINE ENGINES, HEAT TRANSFER, MEASURING INSTRUMENTS, PROPELLANT COMBUSTION, STRUCTURAL ANALYSIS, THERMAL CONTROL COATINGS

N89-13814\*# National Aeronautics and Space Administration.

Marshall Space Flight Center, Huntsville, AL.

EFFECTS OF VARIABLES UPON PYROTECHNICALLY INDUCED SHOCK RESPONSE SPECTRA, PART 2

JAMES LEE SMITH Nov. 1988 106 p (NASA-TP-2872; NAS 1.60:2872) Avail: NTIS HC A06/MF A01

CSCL 20K
COMPONENT RELIABILITY, JOINTS (JUNCTIONS),
PYROTECHNICS, SHAPED CHARGES, SPACECRAFT
STRUCTURES

N89-16170\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

PARTITIONING STRATEGY FOR EFFICIENT NONLINEAR FINITE ELEMENT DYNAMIC ANALYSIS ON MULTIPROCESSOR COMPUTERS

AHMED K. NOOR and JEANNE M. PETERS (Joint Inst. for Advancement of Flight Sciences, Hampton, VA.) Washington, DC Jan. 1989 38 p Original contains color illustrations (NAG1-730; AF-AFOSR-0136-88)

DYNAMIC STRUCTURAL ANALYSIS, FINITE ELEMENT METHOD, MULTIPROCESSING (COMPUTERS), PARALLEL PROCESSING (COMPUTERS), PARTITIONS (MATHEMATICS)

N89-16183\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

THERMOVISCOPLASTIC MODEL WITH APPLICATION TO COPPER

ALAN D. FREED Dec. 1988 18 p

(NASA-TP-2845; E-4280; NAS 1.60:2845) Avail: NTIS HC A03/MF A01 CSCL 20K

COPPER, MODELS, THERMOVISCOELASTICITY, VISCO-PLASTICITY

N89-16192\*# National Aeronautics and Space Administration.

Marshall Space Flight Center, Huntsville, AL.

CYCLIC LOADS TESTS OF CARBON INVOLUTE SOLID ROCKET MOTOR OUTER BOOT RING SEGMENTS

RAFIQ AHMED Dec. 1988 28 p

(NASA-TP-2884; M-605; NAS 1.60:2884) Avail: NTIS HC A03/MF A01 CSCL 20K

CYCLIC LOADS, FIBER COMPOSITES, LOAD TESTS, MODULUS OF ELASTICITY, PLASTIC PROPERTIES, RESIN

MATRIX COMPOSITES, SPACE SHUTTLE BOOSTERS, STRESS-STRAIN RELATIONSHIPS

N89-16196\*# National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Facility, Edwards, CA. CONTROL SURFACE SPANWISE PLACEMENT IN ACTIVE FLUTTER SUPPRESSION SYSTEMS

E. NISSIM and JOHN J. BURKEN Nov. 1988 19 p Prepared in cooperation with Technion - Israel Inst. of Tech., Haifa (NASA-TP-2873; H-1492; NAS 1.60:2873) Avail: NTIS HC A03/MF A01 CSCL 20K

ACTIVE CONTROL, CONTROL SURFACES, FLUTTER ANALYSIS

N89-17298\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

TURBINE ENGINE HOT SECTION TECHNOLOGY, 1987
Oct. 1987 464 p Workshop held in Cleveland, OH, 20-21 Oct. 1987

(NASA-CP-2493; E-3745; NAS 1.55:2493) Avail: NTIS HC A20/MF A03 CSCL 20K

AIRCRAFT ENGINES, COMBUSTION, CONFERENCES, FINITE ELEMENT METHOD, FRACTURE MECHANICS, GAS TURBINE ENGINES, HEAT TRANSFER, STRUCTURAL ANALYSIS, THERMAL CONTROL COATINGS, THERMAL FATIGUE, TURBINE BLADES

N89-17892\*# Natic al Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

MEĂSÚRED AND PREDICTED ROOT-MEAN-SQUARE ERRORS IN SQUARE AND TRIANGULAR ANTENNA MESH FACETS W. B. FICHTER Washington, DC Mar. 1989 17 p (NASA-TP-2896; L-16525; NAS 1.60:2896) Avail: NTIS HC A03/MF A01 CSCL 20K

ANTENNA DESIGN, ANTENNA RADIATION PATTERNS, FABRICS, REFLECTORS, ROOT-MEAN-SQUARE ERRORS, STRUCTURAL ANALYSIS

N89-19579\*# National Aeronautics and Space Administration, Washington, DC.

MIXED FINITE ELEMENT MODELS FOR FREE VIBRATIONS OF THIN-WALLED BEAMS

AHMED K. NOOR, JEANNE M. PETERS, and BYUNG-JIN MIN Feb. 1989 28 p Prepared in cooperation with Joint Inst. for Advancement of Flight Sciences, Hampton, VA (NASA-TP-2868; L-16506; NAS 1.60:2868) Avail: NTIS HC

(NASA-TP-2868; L-16506; NAS 1.60:2868) Avail: NTIS HC A03/MF A01 CSCL 20K

BEAMS (SUPPORTS), FINITE ELEMENT METHOD, FREE VIBRATION, THIN WALLS

N89-19580°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

MIXED FORMULATION FOR FRICTIONLESS CONTACT PROBLEMS

AHMED K. NOOR and KYUN O. KIM 1989 26 p. Prepared in cooperation with George Washington Univ., Hampton, VA and Joint Inst. for Advancement of Flight Sciences, Hampton, VA (NASA-TP-2897; L-16513; NAS 1.60:2897) Avail: NTIS HC A03/MF A01 CSCL 20K

CONTACT LOADS, CURVED BEAMS, DEFORMATION, FINITE ELEMENT METHOD, FRICTION FACTOR, STRESS ANALYSIS

N89-22940\*# Computer Software Management and Information Center, Athens, GA.

SEVENTEENTH NASTRAN (R) USERS' COLLOQUIUM

Mar. 1989 400 p Colloquium held in San Antonio, TX, 24-28 Apr. 1989

(NASA-CP-3029; NAS 1.55:3029; AD-A226755) Avail: NTIS HC A17/MF A03; also available from COSMIC, Athens, GA 30602 CSCL 20/11

CONFERENCES, FINITE ELEMENT METHOD, NASTRAN, STRAIN ENERGY METHODS, STRUCTURAL ANALYSIS

N89-23892\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

THE 23RD AEROSPACE MECHANISMS SYMPOSIUM

Washington Mar. 1989 342 p Symposium held in Huntsville, AL, 3-5 May 1989; sponsored by NASA, Washington, California Inst. of Tech., Pasadena, and LMSC, Sunnyvale, CA (NASA-CP-3032; M-611; NAS 1.55:3032) Avail: NTIS HC A15/MF A02 CSCL 20K

AEROSPACE SYSTEMS, CONFERENCES, DEPLOYMENT, MANIPULATORS, LUBRICANTS, SPACE STATIONS, SPACECRAFT DOCKING, TELEOPERATORS

N89-24626\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

RESEARCH IN STRUCTURES, STRUCTURAL DYNAMICS AND MATERIALS, 1989
WILLIAM F. HUNTER, comp. and AHMED K. NOOR, comp.

(George Washington Univ., Hampton, VA.) Apr. 1989 Proceedings of the AIAA/ASME/ASCE/AHS/ASC 30th Structures, Structural Dynamics and Materials Conference, Mobile, AL, 3-5 Apr. 1989

(NASA-CP-10024; NAS 1.55:10024) Avail: NTIS HC A05/MF A01 CSCL 20K

**ACOUSTIC** EMISSION. BUCKLING. COMPOSITE STRUCTURES, CONFERENCES, CONTROL SYSTEMS DESIGN, DISPLACEMENT, DYNAMIC **STRUCTURAL** ANALYSIS, MATHEMATICAL MODELS

N89-24638\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

COMPUTATIONAL METHODS FOR STRUCTURAL MECHANICS AND DYNAMICS, PART 1

W. JEFFERSON STROUD, ed., JERROLD M. HOUSNER, ed., JOHN A. TANNER, ed., and ROBERT J. HAYDUK, ed. Washington May 1989 329 p Workshop held in Hampton, VA, 19-21 Jun. 1985

(NASA-CP-3034-PT-1; L-16560-PT-1; NAS 1.55:3034-PT-1)

Avail: NTIS HC A15/MF A02 CSCL 20K

COMPUTATION, COMPUTERIZED SIMULATION, CONFER-ENCES, SHELLS (STRUCTURAL FORMS), STRESS ANALYSIS, STRUCTURAL ANALYSIS, TIRES

N89-24654\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

COMPUTATIONAL METHODS FOR STRUCTURAL

**MECHANICS AND DYNAMICS** 

W. JEFFERSON STROUD, ed., JERROLD M. HOUSNER, ed., JOHN A. TANNER, ed., and ROBERT J. HAYDUK, ed. Washington May 1989 256 p Workshop held in Hampton, VA, 19-21 Jun. 1985

(NASA-CP-3034-PT-2; L-16560-PT-2; NAS 1.55:3034-PT-2)

Avail: NTIS HC A12/MF A02 CSCL 20K

DESIGN. COMPUTERIZED AIRCRAFT SIMULATION. CONFERENCES, DYNAMIC STRUCTURAL ANALYSIS, MANY **BODY PROBLEM, STRESS ANALYSIS** 

N69-26255\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

DERIVATION OF A TAPPERED P-VERSION BEAM FINITE

HOWARD E. HINNANT (Army Aviation Systems Command, Hampton, VA.) Aug. 1989 45 p (DA PROJ. 1L1-62211-A-47-AB)

(NASA-TP-2931; L-16577; NAS 1.60:2931; AVSCOM-TR-B-002;

AD-A213443) Avail: NTIS HC A03/MF A01 CSCL 20/11
BEAMS, FINITE ELEMENT METHOD, MATHEMATICAL MODELS, TAPERING

National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL. WELD STRESSES BEYOND ELASTIC LIMIT: MATERIALS

DISCONTINUITY

V. VERDERAIME Washington Aug. 1989 28 p (NASA-TP-2935; NAS 1.60:2935) Avail: NTIS HC A03/MF A01 CSCL 20L

ELASTIC PROPERTIES, STRAIN HARDENING, STRESS CONCENTRATION, STRESSES, WELDING

N89-28034\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

**EVALUATION OF A STRAIN-GAGE LOAD CALIBRATION ON** A LOW-ASPECT-RATIO WING STRUCTURE AT ELEVATED **TEMPERATURE** 

LAWRENCE F. REARDON Jun. 1989 39 p

(NASA-TP-2921; H-1331; NAS 1.60:2921) Avail: NTIS HC A03/MF A01 CSCL 20K

AIRCRAFT CONFIGURATIONS, AIRCRAFT STRUCTURES, CALIBRATING, HIGH TEMPERATURE ENVIRONMENTS, LOAD TESTS, LOW ASPECT RATIO WINGS, STRAIN GAGES, WING LOADING

N89-29773\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

NASA WORKSHOP ON COMPUTATIONAL STRUCTURAL MECHANICS 1987, PART 1

NANCY P. SYKES, ed. (Analytical Services and Materials, Inc., Hampton, VA.) Feb. 1989 383 p Workshop held in Hampton, VA, 18-20 Nov. 1987; sponsored by NASA, Langley Research Center, Hampton, VA, and NASA, Lewis Research Center, Cleveland, OH

(NASA-CP-10012-PT-1; NAS 1.55:10012-PT-1) Avail: NTIS HC A17/MF A03 CSCL 20K

ARCHITECTURE (COMPUTERS), CONFERENCES, FINITE ELEMENT METHOD, MULTIPROCESSING (COMPUTERS), PROCESSING PARALLEL (COMPUTERS), SOFTWARE **ENGINEERING, STRUCTURAL ANALYSIS** 

National Aeronautics and Space Administration. N89-29789\*# Langley Research Center, Hampton, VA.

NASA WORKSHOP ON COMPUTATIONAL STRUCTURAL MECHANICS 1987, PART 2

NANCY P. SYKES, ed. (Analytical Services and Materials, Inc., Hampton, VA.) Feb. 1989 374 p Workshop held in Hampton, VA, 18-20 Nov. 1987; sponsored by NASA, Langley Research Center, Hampton, VA, and NASA, Lewis Research Center, Cleveland, OH

(NASA-CP-10012-PT-2; NAS 1.55:10012-PT-2) Avail: NTIS HC A16/MF A02 CSCL 20K

ARCHITECTURE (COMPUTERS), COMPUTER AIDED DESIGN, COMPUTER SYSTEMS PROGRAMS, COMPUTERIZED SIMULATION, CONFERENCES, FINITE ELEMENT METHOD, STRUCTURAL ANALYSIS, STRUCTURAL ENGINEERING

N89-29799\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

NASA WORKSHOP ON COMPUTATIONAL STRUCTURAL MECHANICS 1987, PART 3

NANCY P. SYKES, ed. (Analytical Services and Materials, Inc., Hampton, VA.) Feb. 1989 419 p Workshop held in Hampton, VA, 18-20 Nov. 1987; sponsored by NASA, Langley Research Center, Hampton, VA, and NASA, Lewis Research Center, Cleveland, OH

(NASA-CP-10012-PT-3; NAS 1.55:10012-PT-3) Avail: NTIS HC A18/MF A03 CSCL 20K

COMPUTER TECHNIQUES, CONFERENCES, ELEMENT METHOD, LARGE SPACE STRUCTURES, SOFTWARE ENGINEERING, STRUCTURAL ANALYSIS

N89-29811\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

APPLICATION OF NEWTON'S METHOD TO THE POSTBUCKLING OF RINGS UNDER PRESSURE LOADINGS GAYLEN A. THURSTON Oct. 1989 26 p

(NASA-TP-2941; L-16578; NAS 1.60:2941) Avail: NTIS HC A03/MF A01 CSCL 20K

BUCKLING, CYLINDRICAL SHELLS, DEFORMATION, LOADS (FORCES), NEWTON METHODS, RING STRUCTURES, STRUCTURAL FAILURE

National Aeronautics and Space Administration. N90-12042\*# Hugh L. Dryden Flight Research Facility, Edwards, CA. EFFECT OF CONTROL SURFACE MASS UNBALANCE ON THE STABILITY OF A CLOSED-LOOP ACTIVE CONTROL SYSTEM E. NISSIM (Technion - Israel Inst. of Tech., Haifa.) Oct. 1989 26 p

(NASA-TP-2952; H-1534; NAS 1.60:2952) Avail: NTIS HC A03/MF A01 CSCL 20K

ACTIVE CONTROL **AERODYNAMIC** STABILITY. AERODYNAMICS, BALANCE, CONTROL SURFACES, FEEDBACK CONTROL, FLUTTER, INERTIA, MASS DISTRIBUTION

National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

INTEGRATED FORCE METHOD VERSUS DISPLACEMENT **METHOD FOR FINITE ELEMENT ANALYSIS** 

SURYA N. PATNAIK, LASZLO BERKE, and RICHARD H. GALLAGHER (Clarkson Univ., Potsdam, NY.) Washington Feb. 1990 33 p

(NASA-TP-2937; E-4604; NAS 1.60:2937) Avail: NTIS HC A03/MF A01 CSCL 20K

**EQUILIBRIUM** DISPLACEMENT, EQUATIONS, FINITE ELEMENT METHOD, LOADS (FORCES), STIFFNESS, STRUCTURAL ANALYSIS, STRUCTURAL STABILITY

N90-22079\*# National Aeronautics and Space Administration. John F. Kennedy Space Center, Cocoa Beach, FL.

THE 24TH AEROSPACE MECHANISMS SYMPOSIUM

Washington Apr. 1990 370 p Symposium held at Kennedy

Space Center, FL, 18-20 Apr. 1990; sponsored by NASA,

Washington, California Inst. of Tech., Pasadena, and LMSC, Sunnyvale, CA

(NASA-CP-3062; NAS 1.55:3062) Avail: NTIS HC A16/MF A03 CSCL 20K

ACTUATORS, AEROSPACE ENGINEERING, CONFERENCES, SUPPORT GROUND EQUIPMENT, LARGE SPACE STRUCTURES, TRIBOLOGY

N90-24637\*# Computer Software Management and Information Center, Athens, GA.

EIGHTEENTH NASTRAN (R) USERS' COLLOQUIUM

Washington NASA Apr. 1990 176 p Colloquium held in

Portland, OR, 23-27 Apr. 1990 Sponsored by NASA, Washington

(NASA-CP-3069; NAS 1.55:3069; AD-A226756) Avail: NTIS HC A09/MF A01; also available from COSMIC, Athens, GA 30602 CSCL 20/11

CONFERENCES, FINITE ELEMENT METHOD, NASTRAN, STRUCTURAL ANALYSIS, STRUCTURAL VIBRATION

National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

LOADS ANALYSIS AND TESTING OF FLIGHT **CONFIGURATION SOLID ROCKET MOTOR OUTER BOOT** RING SEGMENTS

RAFIQ AHMED Washington Jun. 1990 47 p (NASA-TP-3028; NAS 1.60:3028) Avail: NTIS HC A03/MF A01 CSCL 20K

BEAMS (SUPPORTS), BENDING, COMPUTER PROGRAMS, FAILURE ANALYSIS, MATHEMATICAL MODELS, SOLID PROPELLANT ROCKET ENGINES, STIFFNESS

N90-27121\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA. MODAL INTERACTION IN POSTBUCKLED PLATES. THEORY GAYLEN A. THURSTON Washington Nov. 1989 21 p (NASA-TP-2943; L-16573; NAS 1.60:2943) Avail: NTIS HC

A03/MF A01 CSCL 20K BUCKLING, FAILURE MODES, PLATES (STRUCTURAL MEMBERS), STRUCTURAL ANALYSIS, STRUCTURAL FAILURE

National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

CERAMICS ANALYSIS AND RELIABILITY EVALUATION OF STRUCTURES (CARES). USERS AND PROGRAMMERS

NOEL N. NEMETH (Aerospace Design and Fabrication, Inc., Brook Park, OH.), JANE M. MANDERSCHEID, and JOHN P. GYEKENYESI Washington Aug. 1990 232 p (NASA-TP-2916; E-4722-1; NAS 1.60:2916) Avail: NTIS HC A11/MF A02 CSCL 11C

CERAMICS, COMPUTER PROGRAMS, FAILURE MODES, NASTRAN, PROBABILITY THEORY, RELIABILITY ANALYSIS, STRUCTURAL ANALYSIS

N90-28859\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

**BUCKLING AND POSTBUCKLING BEHAVIOR OF** COMPRESSION-LOADED ISOTROPIC PLATES WITH

MICHAEL P. NEMETH Washington Sep. 1990 22 p Presented at the 31st AIAA/ASME/ASCE/AHS Structures, Structural Dynamics, and Materials Conference, Long Beach, CA, 2-4 Apr. 1990 Previously announced in IAA as A90-29311 (NASA-TP-3024; L-16789; NAS 1.60:3024) Avail: NTIS HC A03/MF A01 CSCL 20K

BUCKLING, METAL PLATES, OPENINGS, RECTANGULAR PLATES, STIFFNESS

42

# **GEOSCIENCES (GENERAL)**

N87-18139\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

GEOMORPHOLOGY FROM SPACE: A GLOBAL OVERVIEW OF **REGIONAL LANDFORMS** 

NICHOLAS M. SHORT, ed. and ROBERT W. BLAIR, JR., ed. (Fort Lewis A&M Coll., Durango, Colo.) 1986 737 p Original contains color illustrations

(NASA-SP-486; NAS 1.21:486; LC-86-17974) Avail: SOD HC \$41.00 as 033-000-00994-1; NTIS MF E03 CSCL 08E

This book, Geomorphology from Space: A Global Overview of Regional Landforms, was published by NASA STIF as a successor to the two earlier works on the same subject: Mission to Earth: LANDSAT views the Earth, and ERTS-1: A New Window on Our Planet. The purpose of the book is threefold: first, to serve as a stimulant in rekindling interest in descriptive geomorphology and landforms analysis at the regional scale; second, to introduce the community of geologists, geographers, and others who analyze the Earth's surficial forms to the practical value of space-acquired remotely sensed data in carrying out their research and applications; and third, to foster more scientific collaboration between geomorphologists who are studying the Earth's landforms and astrogeologists who analyze landforms on other planets and moons in the solar system, thereby strengthening the growing field of comparative planetology. F.M.R.

National Aeronautics and Space Administration. N88-13774\*# Goddard Space Flight Center, Greenbelt, MD. SCIENTIFIC AND OPERATIONAL REQUIREMENTS FOR TOMS

DATA

ARLIN J. KRUEGER, ed. Dec. 1987 112 p Conference held in Greenbelt, Md., 10-11 Sep. 1986 (NASA-CP-2497; REPT-87B0206; NAS 1.55:2497) Avail: NTIS HC A06/MF A01 CSCL 04A

ATMOSPHERIC CHEMISTRY, CONFERENCES, MAPPING. DEPLETION, OZONOMETRY, PHOTOCHEMICAL

# 42 GEOSCIENCES (GENERAL)

REACTIONS, SATELLITE SOUNDING, TOTAL OZONE MAPPING SPECTROMETER, TROPOSPHERE

N88-17096\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.
NIMBUS 7 SOLAR BACKSCATTER ULTRAVIOLET (SBUV)

SPECTRAL SCAN SOLAR IRRADIANCE AND EARTH

**RADIANCE PRODUCT USER'S GUIDE** 

BARRY M. SCHLESINGER, RICHARD P. CEBULA (ST Systems Corp., Hyattsville, Md.), DONALD F. HEATH, and ALBERT J. FLEIG Feb. 1988 65 p (NAS5-29386)

(NASA-RP-1199; NAS 1.61:1199; REPT-88-0004) Avail: NTIS HC A04/MF A01 CSCL 04A

The archived tape products from the spectral scan mode measurements of solar irradiance (SUNC tapes) and Earth radiance (EARTH tapes) by the Solar Backscatter UV (SBUV) instrument aboard Nimbus 7 are described. Incoming radiation from 160 to 400 nm is measured at intervals of 0.2 nm. The scan-to-scan repeatability of the solar irradiance measurements ranges from approximately 0.5 to 1 percent longward of 280 nm, to 2 percent around 210 nm and 4 percent near 175 nm. The repeatability of the Earth radiance values ranges from 2 to 3 percent at longer wavelengths and low zenith angles to 10 percent at shorter wavelengths and high zenith angles. The tape formats are described in detail, including file structure and contents of each type of record. Catalogs of the tapes and the time period covered are provided, along with lists of the days lacking solar irradiance measurements and the days dedicated to Earth radiance measurements. The method for production of the tapes is outlined and quality control measures are described. How radiances and irradiances are derived from the raw counts, the corrections for changes in instrument sensitivity, and related uncertainties are discussed.

N89-22152\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

NIMBUS-7 DATA PRODUCT SUMMARY

ARNOLD G. OAKES, DAESOO HAN, H. LEE KYLE, GENE CARL FELDMAN, ALBERT J. FLEIG, EDWARD J. HURLEY, and BARBARA A. KAUFMAN (General Sciences Corp., Laurel, MD.) Feb. 1989 103 p (NAS5-29386)

(NASA-RP-1215; REPT-89B00074; NAS 1.61:1215) Avail: NTIS HC A06/MF A01 CSCL 04A

Data sets resulting from the first nine years of operations of the Nimbus-7 Satellite are briefly described. After a brief description of the Nimbus-7 Mission, each of the eight experiments on-board the satellite (Coastal Zone Color Scanner (CZCS), Earth Radiation Budget (ERB), Limb Infrared Monitor of the Stratosphere (MIMS), Stratospheric Aerosol Measurement II (SAM II), Stratospheric and Mesospheric Sounder (SAMS), Solar Backscatter Ultraviolet/Total Mapping Spectrometer (SBUV/TOMS), Multichannel Microwave Radiometer (SMMR) and the Temperature Humidity Infrared Radiometer (THIR) are introduced and their respective data products are described in terms of media, general format, and suggested applications. Extensive references are provided. Instructions for obtaining further information, and for **Author** ordering data products are given.

N89-26274°# National Aeronautics and Space Administration, Washington, DC

PLANETARY GEOSCIENCES, 1988

MARIA T. ZUBER, ed., JEFF L. PLESCIA, ed., ODETTE B. JAMES, ed., and GLENN MACPHERSON, ed. (Smithsonian Institution, 113 p Original contains color Washington, DC.) Aug. 1989 illustrations

(NASA-SP-498; NAS 1.21:498; LC-88-600456) Avail: NTIS HC A06/MF A01 CSCL 08G

Research topics within the NASA Planetary Geosciences Program are presented. Activity in the fields of planetary geology, geophysics, materials, and geochemistry is covered. The investigator's current research efforts, the importance of that work in understanding a particular planetary geoscience problem, the context of that research, and the broader planetary geoscience effort is described. As an example, theoretical modelling of the stability of water ice within the Martian regolith, the applicability of that work to understanding Martian volatiles in general, and the geologic history of Mars is discussed.

National Aeronautics and Space Administration. N89-26275°# Goddard Space Flight Center, Greenbelt, MD.

POLAR MICROWAVE BRIGHTNESS TEMPERATURES FROM NIMBUS-7 SMMR: TIME SERIES OF DAILY AND MONTHLY

MAPS FROM 1978 TO 1987 JOSEFINO C. COMISO and H. JAY ZWALLY Jul. 1989 89 p (NAS5-29386)

(NASA-RP-1223; REPT-89B00167; NAS 1.61:1223) Avail: NTIS HC A05/MF A01 CSCL 04A

A time series of daily brightness temperature gridded maps (October 25, 1978 through August 15, 1987) were generated from all ten channels of the Nimbus-7 Scanning Multichannel Microwave Radiometer orbital data. This unique data set can be utilized in a wide range of applications including heat flux, ocean circulation, ice edge productivity, and climate studies. Two sets of data in polar stereographic format are created for the Arctic region: one with a grid size of about 30 km on a 293 by 293 array similar to that previously utilized for the Nimbus-5 Electrically Scanning Microwave Radiometer, while the other has a grid size of about 25 km on a 448 by 304 array identical to what is now being used for the DMSP Scanning Multichannel Microwave Imager. Data generated for the Antaractic region are mapped using the 293 by 293 grid only. The general technique for mapping, and a quality assessment of the data set are presented. Monthly and yearly averages are also generated from the daily data and sample geophysical ice images and products derived from the data are given. Contour plots of monthly ice concentrations derived from the data for October 1978 through August 1987 are presented to demonstrate spatial and temporal detail which this data set can offer, and to show potential research applications.

N90-22824\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

SEARISE: A MULTIDISCIPLINARY RESEARCH INITIATIVE TO PREDICT RAPID CHANGES IN GLOBAL SEA LEVEL CAUSED BY COLLAPSE OF MARINE ICE SHEETS

ROBERT A. BINDSCHADLER, ed. 1990 55 p Workshop held in College Park, MD, 23-25 Jan. 1990; sponsored by NASA and NSF

(NASA-CP-3075; REPT-90-077; NAS 1.55:3075) Avail: NTIS HC A04/MF A01 CSCL 08C

ANTARCTIC REGIONS, ATMOSPHERIC TEMPERATURE, CLIMATE CHANGE, ICE ENVIRONMENTS, POLAR REGIONS, PROJECT PLANNING, SEA ICE, SEA LEVEL

43

# EARTH RESOURCES AND REMOTE SENSING

Includes remote sensing of earth resources by aircraft and spacecraft; photogrammetry; and aerial photography.

N87-22281\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SURFACE BIDIRECTIONAL REFLECTANCE PROPERTIES OF TWO SOUTHWESTERN ARIZONA DESERTS FOR **WAVELENGTHS BETWEEN 0.4 AND 2.2 MICROMETERS** 

CHARLES H. WHITLOCK, G. CARLTON PURGOLD, and STUART R. LECROY (PRC Kentron, Inc., Hampton, Va.) 48 p

(NASA-TP-2643; L-16159; NAS 1.60:2643) Avail: NTIS HC A03/MF A01 CSCL 20F

ALBEDO, BIDIRECTIONAL REFLECTANCE, DESERTS, DIRECTIVITY, SOLAR POSITION, ZENITH

National Aeronautics and Space Administration, Washington, DC.

# **EARTH RESOURCES: A CONTINUING BIBLIOGRAPHY WITH** INDEXES (ISSUE 54)

Aug. 1987 164 p

(NASA-SP-7041(54); NAS 1.21:7041(54)) Avail: NTIS HC A08 CSCL 05B

This bibliography lists 562 reports, articles, and other documents introduced into the NASA scientific and technical information system between April 1 and June 30, 1987. Emphasis is placed on the use of remote sensing and geophysical instrumentation in spacecraft and aircraft to survey and inventory natural resources and urban areas. Subject matter is grouped according to agriculture and forestry, environmental changes and cultural resources. geodesy and cartography, geology and mineral resources, hydrology and water management, data processing and distribution systems, instrumentation and sensors, and economic analysis.

N87-28162\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

#### EFFECTS OF AEROSOLS AND SURFACE SHADOWING ON **BIDIRECTIONAL REFLECTANCE MEASUREMENTS OF DESERTS**

DAVID E. BOWKER and RICHARD E. DAVIS Sep. 1987 26 p. (NASA-TP-2756; L-16327; NAS 1.60:2756) Avail: NTIS HC A03/MF A01 CSCL 04A

AEROSOLS, BIDIRECTIONAL REFLECTANCE, DESERTS. DUST, REMOTE SENSING, SHADOWS, SURFACE PROPERTIES

N87-28955\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

# ATLAS OF ABSORPTION LINES FROM 0 TO 17900 CM

J. H. PARK, L. S. ROTHMAN, C. P. RINSLAND, H. M. PICKETT, D. J. RICHARDSON, and J. S. NAMKUNG (ST Systems Corp., Hampton, Va.) Sep. 1987 197 p (NASA-RP-1188; L-16330; NAS 1.61:1188) Avail: NTIS HC

A09/MF A02 CSCL 04A Plots of logarithm (base 10) of absorption line strength versus wavenumber from 0 to 17900/cm(sup)-1 are shown for the 28 atmospheric gases (H2O, CO2, O3, N2O, CO, CH4, O2, NO, SO2,

NO2, NH3, HNO3, OH, HF, HCI, HBr, HI, CIO, OCS, H2CO, HOCI, N2. HCN, CH3Cl, H2O2, C2H2, C2H6, PH3), which appear in the 1986 Air Force Geophysics Laboratory high-resolution transmission molecular absorption data base (HITRAN) compilation, and for O(P-3), O-18 isotopic ozone, and HO2 from the 1984 JPL compilation in the 0- to 200/cm(sup)-1 region, and infrared solar CO lines at 4500 K. Also shown are plots of logarithm (base 10) of approximate infrared absorption cross sections of 11 heavy molecules versus wavenumber. The cross-section data cover 700 to 1800/cm(sup)-1 and are included as a separate data file in the 1986 HITRAN database.

N88-20714\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

# THE 1987 AIRBORNE ANTARCTIC OZONE EXPERIMENT: THE **NIMBUS-7 TOMS DATA ATLAS**

ARLIN J. KRUEGER, PHILIP E. ARDANUY, FRANK S. SECHRIST, LANNING M. PENN, DAVID E. LARKO, SCOTT D. DOIRON, and REGINALD N. GALIMORE (Science Applications Research, Lanham, Md.) Mar. 1988 246 p (NASA-RP-1201; REPT-88B0107; NAS 1.61:1201) Avail: NTIS

HC A11/MF A02 CSCL 04B

Total ozone data taken by the Nimbus-7 Total Ozone Mapping Spectrometer (TOMS) played a central role in the successful outcome of the 1987 Airborne Antarctic Ozone Experiment. The near-real-time TOMS total ozone observations were suppled within hours of real time to the operations center in Punta Arenas, Chile, over a telecommunications network designed specifically for this

purpose. The TOMS data preparation and method of transfer over the telecommunications links are reviewed. This atlas includes a complete set of the near-real-time TOMS orbital overpass data over regions around the Palmer Peninsula of Antarctica for the period of August 8 through September 29, 1987. Also provided are daily polar orthographic projections of TOMS total ozone measurements over the Southern Hemisphere from August through November 1987. In addition, a chronology of the salient points of the experiment, along with some latitudinal cross sections and time series at locations of interest of the TOMS total ozone observations are presented. The TOMS total ozone measurements are evaluated along the flight tracks of each of the ER-2 and DC-8 missions during the experiment. The ozone hole is shown here to develop in a monotonic progression throughout late. August and September. The minimum total ozone amount was found on 5 October, when its all-time lowest value of 109 DU is recorded. The hole remains well defined, but fills gradually from mid-October through mid-November. The hole's dissolution is observed here to begin in mid-November, when it elongates and begins to rotate. By the end of November, the south pole is no longer located within the ozone hole.

N88-23314\* National Aeronautics and Space Administration, Washington, DC.

#### EARTH RESOURCES: A CONTINUING BIBLIOGRAPHY WITH INDEXES (ISSUE 57)

May 1988 129 p

(NASA-SP-7041(57); NAS 1.21:7041(57)) Avail: NTIS HC A07

This bibliography lists 451 reports, articles and other documents introduced into the NASA scientific and technical information system between January 1 and March 31, 1988. Emphasis is placed on the use of remote sensing and geophysical instrumentation in spacecraft and aircraft to survey and inventory natural resources and urban areas. Subject matter is grouped according to agriculture and forestry, environmental changes and cultural resources, geodesy and cartography, geology and mineral resources, hydrology and water management, data processing and distribution systems, instrumentation and sensors, and economic Author analysis.

N89-10401\*# National Aeronautics and Space Administration, Washington, DC.

# SAPPING FEATURES OF THE COLORADO PLATEAU: A COMPARATIVE PLANETARY GEOLOGY FIELD GUIDE

ALAN D. HOWARD, ed., R. CRAIG KOCHEL, ed., and HENRY E. HOLT, ed. (Geological Survey, Flagstaff, Ariz.) 1987 Original contains color illustrations (NSG-7572)

(NASA-SP-491; NAS 1.21:491; LC-87-15305) Avail: NTIS HC A06/MF A01; also available SOD HC \$6.00 as 003-000-01027-3 CSCL 08H

This book is an attempt to determine geomorphic criteria to be used to distinguish between channels formed predominantly by sapping and seepage erosion and those formed principally by surface runoff processes. The geologic nature of the Colorado Plateau has resulted in geomorphic features that show similarities to some areas on Mars, especially certain valley networks within thick sandstone formations. Where spring sapping is an effective process, the valleys that develop are unique in terms of their morphology and network pattern.

N89-12114\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

LANDSAT-4 AND LANDSAT-5 MULTISPECTRAL SCANNER COHERENT NOISE CHARACTERIZATION AND REMOVAL

JAMES C. TILTON and WILLIAM L. ALFORD (Defense Mapping Agency, Washington, D.C.) Feb. 1988 46 p (NASA-TP-2595-REV; NAS 1.60:2595-REV; REPT-86B0040)

COHERENT ELECTROMAGNETIC RADIATION, ELEC-TROMAGNETIC NOISE, LANDSAT 4, LANDSAT 5, MULTI-SPECTRAL BAND SCANNERS, NOISE REDUCTION

N89-29825\* National Aeronautics and Space Administration. Washington, DC

**EARTH RESOURCES: A CONTINUING BIBLIOGRAPHY WITH** INDEXES (ISSUE 62)

Nov. 1988 146 p

(NASA-SP-7041(62): NAS 1.21:7041(62)) Avail: NTIS HC A07: NTIS standing order as PB89-903800, \$15.50 domestic, \$31.00 foreign CSCL 08B

This bibliography lists 544 reports, articles, and other documents introduced into the NASA scientific and technical information system between April 1 and June 30, 1989. Emphasis is placed on the use of remote sensing and geophysical instrumentation in spacecraft and aircraft to survey and inventory natural resources and urban areas. Subject matter is grouped according to agriculture and forestry, environmental changes and cultural resources, geodesy and cartography, geology and mineral resources, hydrology and water management, data processing and distribution systems, instrumentation and sensors, and economic analysis.

Author

N90-12091\* National Aeronautics and Space Administration, Washington, DC.

EARTH RESOURCES: A CONTINUING BIBLIOGRAPHY WITH INDEXES (ISSUE 63)

Oct. 1989 128 p (NASA-SP-7041(63); NAS 1.21:7041(63)) Avail: NTIS HC A07; NTIS standing order as PB89-903800, \$15.50 domestic, \$31.00 foreign CSCL 08B

This bibliography lists 449 reports, articles, and other documents introduced into the NASA scientific and technical information system between July 1 and September 31, 1989. Emphasis is placed on the use of remote sensing and geophysical instrumentation in spacecraft and aircraft to survey and inventory natural resources and urban areas. Subject matter is grouped according to agriculture and forestry, environmental changes and cultural resources, geodesy and cartography, geology and mineral resources, oceanography and marine resources, hydrology and water management, data processing and distribution systems, and instrumentation and sensors.

N90-23780\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

SENSOR PERFORMANCE ANALYSIS

H. E. MONTGOMERY, H. OSTROW, and G. M. RESSLER (Ressier Associates, Inc., Laurel, MD.) Washington Jul. 1990 90 p (NASA-RP-1241; REPT-89B00057; NAS 1.61:1241) Avail: NTIS HC A05/MF A01 CSCL 14B

The theory is described and the equations required to design are developed and the performance of electro-optical sensor systems that operate from the visible through the thermal infrared spectral regions are analyzed. Methods to compute essential optical and detector parameters, signal-to-noise ratio, MTF, and figures of merit such as NE delta rho and NE delta T are developed. A set of atmospheric tables are provided to determine scene radiance in the visible spectral region. The Planck function is used to determine radiance in the infrared. The equations developed were incorporated in a spreadsheet so that a wide variety of sensor studies can be rapidly and efficiently conducted.

N90-27140\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EARTH SCIENCES REQUIREMENTS FOR THE INFORMATION SCIENCES EXPERIMENT SYSTEM

DAVID E. BOWKER, ed., STEVE J. KATZBERG, ed., and R. GALE WILSON, ed. Washington Jul. 1990 220 p Workshop held in Williamsburg, VA, 1-4 May 1989

(NASA-CP-3072; L-16773; NAS 1.55:3072) Avail: NTIS HC A10/MF A02 CSCL 05B

CONFERENCES, DATA PROCESSING EQUIPMENT, EARTH OBSERVING SYSTEM (EOS), EQUIPMENT SPECIFICATIONS, REAL TIME OPERATION, SUPPORT SYSTEMS

# 44

# **ENERGY PRODUCTION AND CONVERSION**

Includes specific energy conversion systems, e.g., fuel cells; global sources of energy; geophysical conversion; and windpower.

N87-26413\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

SPACE PHOTOVOLTAIC RESEARCH AND TECHNOLOGY 1986. HIGH EFFICIENCY, SPACE ENVIRONMENT, AND ARRAY TECHNOLOGY

Jun. 1987 375 p. Conference held in Cleveland, Ohio, 7-9 Oct.

(NASA-CP-2475; E-3450; NAS 1.55:2475) Avail: NTIS HC A16/MF A03 CSCL 10B

CONFERENCES, ENERGY CONVERSION EFFICIENCY, PHOTOVOLTAIC CONVERSION, SOLAR CELLS, SPACECRAFT **POWER SUPPLIES** 

N87-29914\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

SPACE ELECTROCHEMICAL RESEARCH AND TECHNOLOGY (SERT)

Sep. 1987 364 p Conference held in Cleveland, Ohio, 14-16 Apr. 1987

(NASA-CP-2484; E-3506; NAS 1.55:2484) Avail: NTIS HC A16/MF A03 CSCL 10C

ELECTRIC BATTERIES, ELECTROCATALYSTS, ELECTRO-CHEMISTRY, MATHEMATICAL MODELS, REGENERATIVE FUEL **CELLS** 

N89-22982\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

SPACE ELECTROCHEMICAL RESEARCH AND TECHNOLOGY **CONFERENCE: ABSTRACTS Abstracts Only** 

Washington 1989 49 p Conference held in Cleveland, OH, 11-13 Apr. 1989 (NASA-CP-10029; E-4708; NAS 1.55:10029) Avail: NTIS HC

A03/MF A01 CSCL 10A
AEROSPACE SYSTEMS, CONFERENCES, ELECTRO-CATALYSTS, ELECTROCHEMISTRY, ELECTRODES, ENER-GY STORAGE, HYDROGEN OXYGEN FUEL CELLS, STOR-AGE BATTERIES

N89-24704\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

SPACE PHOTOVOLTAIC RESEARCH AND TECHNOLOGY, 1988. HIGH EFFICIENCY, SPACE ENVIRONMENT, AND ARRAY TECHNOLOGY

Washington Apr. 1989 362 p Conference held in Cleveland, OH, 19-21 Apr. 1988

(NASA-CP-3030; E-4587; NAS 1.55:3030) Avail: NTIS HC A16/MF A03 CSCL 10A

CONFERENCES, PHOTOVOLTAIC EFFECT, SOLAR ARRAYS, SOLAR CELLS, SPACECRAFT POWER SUPPLIES

N90-20454\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

SPACE ELECTROCHEMICAL RESEARCH AND TECHNOLOGY (SERT), 1989

RICHARD S. BALDWIN, ed. Washington Dec. 1989 Conference held in Cleveland, OH, 11-13 Apr. 1989 (NASA-CP-3056; E-4708; NAS 1.55:3056) Avail: NTIS HC À16/MF A02 CSCL 10A

CONFERENCES, ELECTRIC BATTERIES, ELECTRIC ENERGY STORAGE. ELECTROCATALYSTS, ELECTROCHEMISTRY, ELECTRODE MATERIALS, HYDROGEN OXYGEN FUEL CELLS, NICKEL HYDROGEN BATTERIES, SPACECRAFT POWER SUPPLIES

### 45

# **ENVIRONMENT POLLUTION**

Includes atmospheric, noise, thermal, and water pollution.

N89-14503\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.

POLAR OZONE WORKSHOP. ABSTRACTS

ARTHUR C. AIKIN May 1988 306 p Workshop held in Snowmass, CO, 9-13 May 1988; sponsored by NASA, NOAA, NSF, Chemical Mfgrs. Association, WMO, and the United Nations Environment Program Sponsored by NASA, Washington, DC (NASA-CP-10014; REPT-88B0234; NAS 1.55:10014) Avail: NTIS HC A14/MF A03 CSCL 13B

ANTARCTIC REGIONS, ATMOSPHERIC CHEMISTRY, ATMOSPHERIC COMPOSITION, CONFERENCES, EARTH OBSERVATIONS (FROM SPACE), OZONE, OZONE DEPLETION, OZONOMETRY, POLAR METEOROLOGY, STRATOSPHERE

# 46

# **GEOPHYSICS**

Includes aeronomy; upper and lower atmosphere studies; ionospheric and magnetospheric physics; and geomagnetism.

N87-11358\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.
AIRBORNE LIDAR MEASUREMENTS OF EL CHICHON
STRATOSPHERIC AEROSOLS, MAY 1983

M. P. MCCORMICK and M. T. OSBORN (SASC Technologies, Inc., Hampton, Va.) Oct. 1986 91 p (NASA-RP-1172; L-16176; NAS 1.61:1172) Avail: NTIS HC

An experimental survey flight to determine the spatial distribution and aerosol characteristics of the El Chichon-produced stratospheric aerosol was conducted in May 1983. The mission included several different sensors flown abroad the NASA Convair 990 at latitudes between 72 deg. and 56 deg. S. This report presents the lidar data from that flight mission. Representative profiles of lidar backscatter ratio, plots of integrated backscattering function versus latitude, and contours of backscatter mixing ratio versus altitude and latitude are given. In addition, tables containing numerical values of the backscatter ratio and backscattering function versus altitude are supplied for each profile. By May 1983, material produced by the El Chichon eruptions of late March-early April 1982 had spread throughout the latitudes covered by this mission. However, the most massive portion of the material resided north of 33 deg. N and was concentrared below 21 km. In this latitude region (33 deg. N to 72 deg. N), peak backscatter ratios at a wavelength of 0.6943 microns varied between 3.5 and 4.5, and the peak integratred backscattering function was about 18 X 10 to the -4 power/sr, corresponding to a peak optical depth calculated to be approximately 0.08. This report presents the results of this mission in a ready-to-use format for atmospheric and climatic studies. Author

N87-13022\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

DESCRIPTION OF DATA ON THE NIMBUS 7 LIMS MAP ARCHIVE TAPE: OZONE AND NITRIC ACID

E. E. REMSBERG, R. J. KURZEJA, K. V. HAGGARD, J. M. RUSSELL, III, and L. L. GORDLEY Dec. 1986 73 p (NASA-TP-2625; L-16136; NAS 1.60:2625) Avail: NTIS HC A04/MF A01 CSCL 04A

INFRARED DETECTORS, KALMAN FILTERS, NIMBUS 7 SATELLITE, NITRIC ACID, OZONE, STRATOSPHERE

N87-15528\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

FUTURE DIRECTIONS FOR H SUB X O SUB Y DETECTION DAVID R. CROSLEY, ed. (SRI International Corp., Menlo Park, Calif.) and JAMES M. HOELL, ed. Dec. 1986 67 p Workshop held in Menlo Park, Calif., 12-15 Aug. 1985

(NASA-CP-2448; L-16216; NAS 1.55:2448) Avail: NTIS HC A04/MF A01 CSCL 04A

ATMOSPHERIC COMPOSITION, HYDROGEN PEROXIDE, HYDROXYL RADICALS, TROPOSPHERE, WATER

N87-17417\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SAGE AEROSOL MEASUREMENTS. VOLUME 3: JANUARY 1, 1981 TO NOVEMBER 18, 1981

M. PATRICK MCCORMICK Feb. 1987 274 p

(NASA-RP-1173; L-16177; NAS 1.61:1173) Avail: NTIS HC A12/MF A02 CSCL 04A

The Stratospheric Aerosol and Gas Experiment (SAGE) satellite system, launched February 18, 1979, obtained profiles of aerosol extinction at 1.00 micron and 0.45 micron ozone concentration. and nitrogen dioxide concentration. Data taken during sunset events are presented in the form of zonal and seasonal averages of aerosol extinction of 1.00 micron and 0.45 micron, ratios of aerosol extinction to molecular extinction at 1.00 micron and ratios of aerosol extinction at 0.45 micron to aerosol extinction at 1.00 micron. Averages for 1981 are shown in tables, and in profile and contour plots (as a function of altitude and latitude). In addition, temperature data provided by NOAA for the time and location of each SAGE measurement are averaged and shown in a similar format. The stratospheric aerosol distribution for 1981 shows effects of volcanically injected material from eruptions of Ulawun, Alaid, and Pagan. Peak values of aerosol extinction at 0.45 micron and 1.00 micron were 2 to 4 times higher than typical peak values observed during near background conditions. Stratospheric aerosol optical depth values at 1.00 microns increased by a factor of about 2 from near background levels in regions of volcanic activity. During the year, these values ranged from between 0.001 and 0.006. The largest were near the location of a recent eruption. The distribution of the ratio of aerosol to molecular extinction at 1.00 microns also showed that maximum values are found in the vicinity of an eruption. These maximums varied in altitude, but remained below a height of about 25 km. No attempt has been made to give detailed explanations or interpretations of these data. The intent is to provide, in a ready-to-use visual format, representative zonal and seasonal averages of aerosol extinction data for the third calendar year of the SAGE data set to facilitate atmospheric and climatic studies. Author

N87-18248\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SPACE OPPORTUNITIES FOR TROPOSPHERIC CHEMISTRY RESEARCH

JOEL S. LEVINE, ed. Feb. 1987 92 p Workshop held in New York, N.Y., 9-13 Sep. 1985 (NASA-CP-2450; L-16250; NAS 1.55:2450) Avail: NTIS HC A05/MF A01 CSCL 04A

AEROSOLS, AIR POLLUTION, ATMOSPHERIC CHEMISTRY, ATMOSPHERIC COMPOSITION, CONFERENCES, GASES, REMOTE SENSING, TROPOSPHERE

N87-20663\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

AIRBORNE LIDAR MEASUREMENTS OF EL CHICHON STRATOSPHERIC AEROSOLS, JANUARY 1984

M. PATRICK MCCORMICK and M. T. OSBORN (ST Systems Corp., Hampton, Va.) Apr. 1987 49 p

(NASA-RP-1175; L-16234; NAS 1.61:1175) Avail: NTIS HC A03/MF A01 CSCL 04A

A lidar-equipped NASA Electra aircraft was flown in January 1984 between the latitude of 38 and 90 deg N. One of the primary purposes of this mission was to determine the spatial distribution and aerosol characteristics of El Chichon produced stratospheric

### 46 GEOPHYSICS

material. Lidar data from that portion of the flight mission between 38 deg N and 77 deg N is presented. Representative profiles of lidar backscatter ratio, a plot of the integral backscattering function versus latitude, and contours of backscatter mixing ratio versus altitude and latitude are given. In addition, tables containing numerical values of the backscatter ratio and backscattering function versus altitude are applied for each profile. These data clearly show that material produced by the El Chichon eruptions of late March-early April 1982 had spread throughout the latitudes covered by this mission, and that the most massive portion of the material resided north of 55 deg N and was concentrated below 17 km in a layer that peaked at 13 to 15 km. In this latitude region, peak backscatter ratios at a wavelength of 0.6943 microns were approximately 3 and the peak integrated backscattering function was about 15 X 10 to the -4/sr corresponding to a peak optical depth of approximately 0.07. This report presents the results of this mission in a ready-to-use format for atmospheric and climatic studies.

N87-20665\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.

# UPPER AND MIDDLE ATMOSPHERIC DENSITY MODELING REQUIREMENTS FOR SPACECRAFT DESIGN AND OPERATIONS

M. H. DAVIS, ed. (Universities Space Research Association, Boulder, Colo.), R. E. SMITH, ed., and D. L. JOHNSON, ed. Feb. 1987 290 p Workshop held in Huntsville, Ala., 19-21 1985 (NAS8-36400)

(NASA-CP-2460; M-548; NAS 1.55:2460) Avail: NTIS HC A13/MF A02 CSCL 04A

AEROSPACE ENVIRONMENTS, ATMOSPHERIC DENSITY, ATMOSPHERIC MODELS, SPACECRAFT DESIGN, THERMOSPHERE

 ${\bf N88-18084^*\#}$  National Aeronautics and Space Administration, Washington, DC.

INTO THE THERMOSPHERE: THE ATMOSPHERE EXPLORERS
ERIC BURGESS and DOUGLASS TORR 1987 172 p Original document contains color illustrations

(NASA-SP-490; NAS 1.21:490; LC-87-14156) Avail: SOD HC \$14.00 as 033-000-01013-3; NTIS MF A01 CSCL 04A

The need to study the lower thermosphere with the new instrument, data handling, and spacecraft technology available in the 1960s led to the formulation and establishment of the Atmospheric Explorer program. This book provides an overview of this program with particular emphasis on the AE3, AE4, and AE5 satellites, which represent early examples of problem-dedicated missions. Both the satellites and their instrumentation on the one hand and the experimental and scientific considerations in studying the thermosphere on the other are discussed.

J.P.B.

N88-19037\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

# CRUSTAL DYNAMICS PROJECT: CATALOGUE OF SITE INFORMATION

CAREY E. NOLL, ed. Mar. 1988 539 p

(NASA-RP-1198; REPT-88B9999; NAS 1.61:1198) Avail: NTIS HC A23/MF A03 CSCL 08G

This document represents a catalog of site information for the Crustal Dynamics Project. It contains information on and descriptions of those sites used by the Project as observing stations for making the precise geodetic measurements necessary for studies of the Earth's crustal movements and deformation.

Author

N88-25094\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SAM 2 DATA USER'S GUIDE

W. P. CHU, M. T. OSBORN (ST Systems Corp., Hampton, Va.), and L. R. MCMASTER Jul. 1988 29 p

(NASA-RP-1200; L-16377; NAS 1.61:1200) Avail: NTIS HC A03/MF A01 CSCL 04A

This document is intended to serve as a guide to the use of

the data products from the Stratospheric Aerosol Measurement (SAM) 2 experiment for scientific investigations of polar stratospheric aerosols. Included is a detailed description of the Beta and Aerosol Number Density Archive Tape (BANAT), which is the SAM 2 data product containing the aerosol extinction data available for these investigations. Also included are brief descriptions of the instrument operation, data collection, processing and validation, and some of the scientific analyses conducted to date.

N88-29233\*# National Aeronautics and Space Administration, Washington, DC.

PRESENT STATE OF KNOWLEDGE OF THE UPPER ATMOSPHERE 1988: AN ASSESSMENT REPORT

R. T. WATSON, M. J. PRATHER, and M. J. KURYLO Jun. 1988 203 p

(NASA-RP-1208; NAS 1.61:1208) Avail: NTIS HC A10/MF A02 CSCL 04A

This document was issued in response to the Clean Air Act Amendments of 1977, Public Law 95-95, mandating that NASA and other key agencies submit biennial reports to Congress and EPA. NASA is to report on the state of our knowledge of the upper atmosphere, particularly the stratosphere. This is the sixth ozone assessment report submitted to Congress and the concerned regulatory agencies. Part 1 contains an outline of the NASA Upper Atmosphere Research Program and summaries of the research efforts supported during the last two years. An assessment is presented of the state of knowledge as of March 15, 1988 when the Ozone Trends Panel, organized by NASA and co-sponsored by the World Meteorological Organization, NOAA, FAA and the United Nations Environment Program released an executive summary of its findings from a critical in-depth study involving over 100 scientists from 12 countries. Chapter summaries of the International Ozone Trends Panel Report form the major part of this report. Two other sections are Model Predictions of Future Ozone Change and Chemical Kinetics and Photochemical Data for Use in Stratospheric Modeling. Each of these sections and the report in its entirety were peer reviewed. **Author** 

N88-29234\*# National Aeronautics and Space Administration.
Langley Research Center, Hampton, VA.
FORTY-FIGHT-INCH LIDAR AEROSOL MEASUREMENTS

FORTY-EIGHT-INCH LIDAR AEROSOL MEASUREMENTS TAKEN AT THE LANGLEY RESEARCH CENTER, MAY 1974 TO DECEMBER 1987

W. H. FULLER, JR., M. T. OSBORN, and W. H. HUNT (Wyle Labs., Inc., Hampton, Va.) Oct. 1988 102 p (NASA-RP-1209; L-16473; NAS 1.61:1209) Avail: NTIS HC A06/MF A01 CSCL 04A

A ground based lidar system located at NASA Langley Research Center in Hampton, Va., was used to obtain high resolution vertical profiles of the stratospheric and upper tropospheric aerosol since 1974. More than 200 measurements obtained at a wavelength of 0.6943 microns during 1974 to 1987 are summarized. Plots of peak backscatter mixing ratio and integrated backscatter vs time are presented for the entire measurement sequence. The plots highlight the influence of several major volcanic eruptions on the long term stratospheric aerosol layer. In particular, the eruptions of El Chichon in late Mar. to early Apr. 1982, produced a massive aerosol layer. Aerosol enhancement from El Chichon reached Hampton, Va. by May 1982, with a scattering ratio of approx, 50 detected on Jul. 1, 1982. In addition, scattering ratio profiles for June 1982 to December 1987, along with tables containing numerical values of the backscatter ratio and backscattering function versus altitude, are included to further describe the upper tropospheric and stratospheric aerosol layer. A 14 year summary is presented, in a ready to use format, of lidar observations at a fixed midlatitude location to be used for further study.

N89-10420\*# National Aeronautics and Space Administration.
Langley Research Center, Hampton, VA.
COMPILATION OF METHODS IN ORBITAL MECHANICS AND
SOLAR GEOMETRY

JAMES J. BUGLIA Washington Oct. 1988 81 p (NASA-RP-1204; L-16451; NAS 1.61:1204) Avail: NTIS HC A05/MF A01 CSCL 04A

This paper contains a collection of computational algorithms for determining geocentric ephemerides of Earth satellites, useful for both mission planning and data reduction applications. Special emphasis is placed on the computation of sidereal time, and on the determination of the geocentric coordinate of the center of the Sun, all to the accuracy found in the Astronomical Almanac. The report is completely self-contained in that no requirement is placed on any external source of information, and hence, these methods are ideal for computer application.

N89-25540\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

COMPARISON OF SATELLITE-DERIVED DYNAMICAL QUANTITIES FOR THE STRATOSPHERE OF THE SOUTHERN HEMISPHERE

THOMAS MILES, ed. and ALAN ONEILL, ed. Washington Jul. 1989 39 p Presented at the Workshop on the Middle Atmosphere in the Southern Hemisphere, Williamsburg, VA, 14-17 Apr. 1986; sponsored by NASA, Washington, DC

(NASA-CP-3044; L-16593; NAS 1.55:3044) Avail: NTIS HC A03/MF A01 CSCL 04A

ATMOSPHERIC CIRCULATION, GEOPOTENTIAL HEIGHT, SATELLITE OBSERVATION, STRATOSPHERE, ZONAL FLOW (METEOROLOGY)

N89-26304\*# Oxford Univ. (England). Dept. of Atmospheric Physics.

NIMBUS-7 STRATOSPHERIC AND MESOSPHERIC SOUNDER (SAMS) EXPERIMENT DATA USER'S GUIDE

F. W. TAYLOR, C. D. RODGERS, S. T. NUTTER, and N. OSLIK (ST Systems Corp., Lanham, MD.) Washington May 1989 149 p

(NAS5-28063)

(NASA-RP-1221; NAS 1.61:1221; REPT-89B00074) Avail: NTIS HC A07/MF A01 CSCL 08G

The Stratospheric and Mesospheric Sounder (SAMS) aboard Nimbus-7 observes infrared radiation from the atmospheric limb. Global upper atmosphere temperature profiles and vertical concentrations of H2O, NO, N2O, CH4 and CO2 are derived from these measurements. The status of all channels was carefully monitored. Temperature and composition were retrieved from the measurements by linearizing the direct equation about an a priori profile and using an optimum statistical estimator to find the most likely solution. The derived temperature and composition profiles are archived on two tape products whose file structure and record formats are described in detail. The gridded retrieved temperature tape (GRID-T) contains daily day and night average temperatures at 62 pressure levels in a 2.5 degree latitude by 10 degree longitude grid extending from 67.5 degrees N to 50 degrees S. The zonal mean methane and nitrous oxide composition tape (ZMT-G) contains zonal mean day and night average CH4 and N2O mixing ratios at 31 pressure levels for 2.5 degrees latitude zones extending from 67.5 degrees N to 50 degrees S.

N89-28969\*# Jet Propulsion Lab., California Inst. of Tech., Pasadena.

A HIGH-RESOLUTION ATLAS OF THE INFRARED SPECTRUM OF THE SUN AND THE EARTH ATMOSPHERE FROM SPACE. A COMPILATION OF ATMOS SPECTRA OF THE REGION FROM 650 TO 4800 CM-1 (2.3 TO 16 MICRONS). VOLUME 2: STRATOSPHERE AND MESOSPHERE, 650 TO 3350 CM-1 CROFTON B. FARMER and ROBERT H. NORTON Washington

CROFTON B. FARMER and ROBERT H. NORTON Washington 1989 688 p

(NAS7-918)

(NASA-RP-1224-VOL-2; JPL-400-370-VOL-2; NAS

1.61:1224-VOL-2; LC-89-600203) Avail: NTIS HC A99/MF A04 CSCL 04A

During the period April 29 to May 2, 1985, the Atmospheric Trace Molecule Spectroscopy (ATMOS) experiment was operated for the first time, as part of the Spacelab-3 payload of the shuttle

Challenger. The principal purpose of this experiment was to study the distributions of the atmosphere's minor and trace molecular constituents. The instrument, a modified Michelson interferometer covering the frequency range from 600 to 5000/cm-1 at a spectral resolution of 0.01/cm-1, recorded infrared absorption spectra of the sun and of the earth's atmosphere at times close to entry into and exit from occultation by the earth's limb. Spectra were obtained that are free from absorptions due to constituents of the atmosphere (i.e., they are pure solar spectra), as well as spectra of the atmosphere itself, covering line-of-sight tangent altitudes that span the range from the lower thermosphere to the bottom of the troposphere. This atlas presents a compilation of these spectra arranged in a hardcopy format suitable for quick-look reference purposes. Volume 2 covers the stratosphere and mesosphere (i.e., tangent altitudes from 20 to 80 km) for frequencies from 650 to 3350/cm-1. Author

N90-11405\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.
TWO-DIMENSIONAL INTERCOMPARISON OF

STRATOSPHERIC MODELS

CHARLES H. JACKMAN, ed., ROBERT K. SEALS, JR., ed., and MICHAEL J. PRATHER, ed. (National Aeronautics and Space Administration. Goddard Inst. for Space Studies, New York, NY.) Aug. 1989 606 p Workshop held in Virginia Beach, VA, 11-16 Sep. 1988; sponsored by NASA, Washington

(NASA-CP-3042; REPT-69B00192; NAS 1.55:3042) Avail: NTIS HC A99/MF A04 CSCL 04A

ATMOSPHERIC MODELS, CONFERENCES, DATA BASES, PHOTOCHEMICAL REACTIONS, RADIATIVE TRANSFER, STRATOSPHERE, TWO DIMENSIONAL MODELS

N90-13893\*# Jet Propulsion Lab., California Inst. of Tech., Pasadena.

A HIGH-RESOLUTION ATLAS OF THE INFRARED SPECTRUM OF THE SUN AND THE EARTH ATMOSPHERE FROM SPACE: A COMPILATION OF ATMOS SPECTRA OF THE REGION FROM 650 TO 4800 CM (2.3 TO 16 MICRON). VOLUME 1: THE SUN

CROFTON B. FARMER and ROBERT H. NORTON 1989 535 p

(NAS7-918)

(NASA-RP-1224-VOL-1; NAS 1.61:1224-VOL-1;

JPL-400-370-VOL-1) Avail: NTIS HC A23/MF A03 CSCL 04A

During the period April 29 through May 2, 1985, the Atmospheric Trace Molecular Spectroscopy experiment was operated as part of the Spacelab-3 payload of the shuttle Challenger. The instrument, a modified Michelson Interferometer covering the frequency range from 600 to 5000/cm, at a spectral resolution of 0.01/cm, recorded infrared spectra of the Sun and of the Earth's atmosphere at times close to entry into and exit from occultation by the Earth's limb as seen from the shuttle orbit of 360 km. Spectra were obtained that are free from absorptions due to constituents of the atmosphere (i.e., solar pure spectra), as well as spectra of the atmosphere itself, covering line-of-sight tangent altitudes that span the range from the lower thermosphere to the bottom of the troposphere. This atlas, believed to be the first record of observations of the continuous high resolution infrared spectrum of the Sun and the Earth's atmosphere from space, provides a compilation of these spectra arranged in a hardcopy format suitable for quick-look reference purposes; the data are also available in digital form.

N90-17227\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

NIMBUS 7 SOLAR BACKSCATTER ULTRAVIOLET (SBUV)
OZONE PRODUCTS USER'S GUIDE

ALBERT J. FLEIG, R. D. MCPETERS, P. K. BHARTIA, BARRY M. SCHLESINGER, RICHARD P. CEBULA, K. F. KLENK, STEVEN L. TAYLOR (ST Systems Corp., Lanham, MD.), and DONALD F. HEATH Jan. 1990 117 p (NAS5-29386)

(NASA-RP-1234; REPT-636; NAS 1.61:1234) Avail: NTIS HC A06/MF A01 CSCL 04A

Three ozone tape products from the Solar Backscatter Ultraviolet (SBUV) experiment aboard Nimbus 7 were archived at the National Space Science Data Center. The experiment measures the fraction of incoming radiation backscattered by the Earth's atmosphere at 12 wavelengths. In-flight measurements were used to monitor changes in the instrument sensitivity. Total column ozone is derived by comparing the measurements with calculations of what would be measured for different total ozone amounts. The altitude distribution is retrieved using an optimum statistical technique for the inversion. The estimated initial error in the absolute scale for total ozone is 2 percent, with a 3 percent drift over 8 years. The profile error depends on latitude and height, smallest at 3 to 10 mbar; the drift increases with increasing altitude. Three tape products are described. The High Density SBUV (HDSBUV) tape contains the final derived products - the total ozone and the vertical ozone profile - as well as much detailed diagnostic information generated during the retrieval process. The Compressed Ozone (CPOZ) tape contains only that subset of HDSBUV information, including total ozone and ozone profiles, considered most useful for scientific studies. The Zonal Means Tape (ZMT) contains daily, weekly, monthly and quarterly averages of the derived quantities over 10 deg latitude zones.

N90-20562\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.
SATELLITE RADAR ALTIMETRY OVER ICE. VOLUME 1:
PROCESSING AND CORRECTIONS OF SEASAT DATA OVER
GREENLAND

H. JAY ZWALLY, ANITA C. BRENNER, JUDITH A. MAJOR, THOMAS V. MARTIN (Van Martin Consulting, Inc., Rockville, MD.), and ROBERT A. BINDSCHADLER Jan. 1990 147 p (NASA-RP-1233-VOL-1; REPT-89B00239; NAS 1.61:1233-VOL-1) Avail: NTIS HC A07/MF A01 CSCL 08C

The data-processing methods and ice data products derived from Seasat radar altimeter measurements over the Greenland ice sheet and surrounding sea ice are documented. The corrections derived and applied to the Seasat radar altimeter data over ice are described in detail, including the editing and retracking algorithm to correct for height errors caused by lags in the automatic range tracking circuit. The methods for radial adjustment of the orbits and estimation of the slope-induced errors are given.

Author

N90-20563\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.

SATELLITE RADAR ALTIMETRY OVER ICE. VOLUME 2: USERS' GUIDE FOR GREENLAND ELEVATION DATA FROM SEASAT

H. JAY ZWALLY, JUDITH A. MAJOR, ANITA C. BRENNER, ROBERT A. BINDSCHADLER, and THOMAS V. MARTIN (Van Martin Consulting, Inc., Rockville, MD.) Jan. 1990 84 p (NASA-RP-1233-VOL-2; REPT-89B00240; NAS 1.61:1233-VOL-2) Avail: NTIS HC A05/MF A01 CSCL 08C

A gridded surface-elevation data set and a geo-referenced data base for the Seasat radar altimeter data over Antarctica are described. It is intended to be a user's guide to accompany the data provided to data centers and other users. The grid points are on a polar stereographic projection with a nominal spacing of 20 km. The gridded elevations are derived from the elevation data in the geo-referenced data base by a weighted fitting of a surface in the neighborhood of each grid point. The gridded elevations are useful for the creating smaller-scale contour maps, and examining individual elevation measurements in specific geographic areas. Tape formats are described, and a FORTRAN program for reading the data tape is listed and provided on the tape.

N90-20564\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.
SATELLITE RADAR ALTIMETRY OVER ICE. VOLUME 4:
USERS' GUIDE FOR ANTARCTICA ELEVATION DATA FROM
SEASAT

H. JAY ZWALLY, JUDITH A. MAJOR, ANITA C. BRENNER, ROBERT A. BINDSCHADLER, and THOMAS V. MARTIN (Van Martin Consulting, Inc., Rockville, MD.) Jan. 1990 57 p (NASA-RP-1233-VOL-4; REPT-89800241; NAS 1.61:1233-VOL-4) Avail: NTIS HC A04/MF A01 CSCL 08C

A gridded surface-elevation data set and a geo-referenced data base for the Seasat radar altimeter data over Greenland are described. This is a user guide to accompany the data provided to data centers and other users. The grid points are on a polar stereographic projection with a nominal spacing of 20 km. The gridded elevations are derived from the elevation data in the geo-referenced data base by a weighted fitting of a surface in the neighborhood of each grid point. The gridded elevations are useful for the creating of large-scale contour maps, and the geo-referenced data base is useful for regridding, creating smaller-scale contour maps, and examinating individual elevation measurements in specific geographic areas. Tape formats are described, and a FORTRAN program for reading the data tape is listed and provided on the tape.

N90-22850\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.
SURFACE TOPOGRAPHY OF THE GREENLAND ICE SHEET FROM SATELLITE RADAR ALTIMETRY
ROBERT A. BINDSCHADLER, H. JAY ZWALLY, JUDITH A. MAJOR, and ANITA C. BRENNER (ST Systems Corp., Greenbelt, MD.) 1989 127 p Original contains color illustrations (NASA-SP-503; REPT-89B00170; NAS 1.21:503; LC-89-600282) Avail: NTIS HC A16/MF A02; 3 functional color pages CSCL

Surface elevation maps of the southern half of the Greenland subcontinent are produced from radar altimeter data acquired by the Seasat satellite. A summary of the processing procedure and examples of return waveform data are given. The elevation data are used to generate a regular grid which is then computer contoured to provide an elevation contour map. Ancillary maps show the statistical quality of the elevation data and various characteristics of the surface. The elevation map is used to define ice flow directions and delineate the major drainage basins. Regular maps of the Jakobshavns Glacier drainage basin and the ice divide in the vicinity of Crete Station are presented. Altimeter derived elevations are compared with elevations measured both by satellite geoceivers and optical surveying.

**N90-28929\*#** National Aeronautics and Space Administration, Washington, DC.

PRESENT STATE OF KNOWLEDGE OF THE UPPER ATMOSPHERE 1990: AN ASSESSMENT REPORT Report to the Congress

R. T. WATSON, M. J. KURYLO, M. J. PRATHER, and F. M. ORMOND Sep. 1990 145 p
(NASA-RP-1242: NAS 1 61-1242) Avail: NTIS HC A07/MF A01

(NASA-RP-1242; NAS 1.61:1242) Avail: NTIS HC A07/MF A01 CSCI 044

NASA is charged with the responsibility to report on the state of the knowledge of the Earth's upper atmosphere, particularly the stratosphere. Part 1 of this report, issued earlier this year, summarized the objectives, status, and accomplishments of the research tasks supported under NASA's Upper Atmosphere Research Program during the last two years. New findings since the last report to Congress was issued in 1988 are presented. Several scientific assessments of the current understanding of the chemical composition and physical structure of the stratosphere are included, in particular how the abundance and distribution of ozone is predicted to change in the future. These reviews include: a summary of the most recent international assessment of stratospheric ozone; a study of future chlorine and bromine loading of the atmosphere; a review of the photochemical and chemical kinetics data that are used as input parameters for the atmospheric models; a new assessment of the impact of Space Shuttle launches on the stratosphere; a summary of the environmental issues and needed research to evaluate the impact of the newly re-proposed fleet of stratospheric supersonic civil aircraft; and a list of the

contributors to this report and the science assessments which have formed our present state of knowledge of the upper atmosphere and ozone depletion.

Author

#### 47

# **METEOROLOGY AND CLIMATOLOGY**

Includes weather forecasting and modification.

N87-12086\*# National Aeronautics and Space Administration. Wallops Flight Center, Wallops Island, VA.

PRELIMINARY ESTIMATES OF RADIOSONDE THERMISTOR

F. J. SCHMIDLIN, J. K. LUERS (Dayton Univ., Ohio.), and P. D. HUFFMAN Washington, D.C. Sep. 1986 19 p (NASA-TP-2637; NAS 1.60:2637) Avail: NTIS HC A03/MF A01 CSCL 04B

ERROR ANALYSIS, RADIOSONDES, THERMISTORS

N87-13043\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

NASA/MSFC FY-85 ATMOSPHERIC PROCESSES RESEARCH REVIEW

W. W. VAUGHAN, comp. and F. PORTER, comp. Oct. 1985 143 p Review held in Huntsville, Ala. 7-9 May 1985 and in Columbia, Md., 8-12 Jul. 1985 (NASA-CP-2402; M-503; NAS 1.55:2402) Avail: NTIS HC

A07/MF A02 CSCL 04B

ATMOSPHERIC ELECTRICITY, ATMOSPHERIC SOUNDING, DATA PROCESSING, DOPPLER RADAR, GEOPHYSICS, MESOSCALE PHENOMENA, OPTICAL RADAR, SATELLITE IMAGERY, THUNDERSTORMS, WIND (METEOROLOGY)

N87-20701\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

ON REQUIREMENTS FOR A SATELLITE MISSION TO MEASURE TROPICAL RAINFALL

OTTO W. THIELE, ed. Apr. 1987 67 p (NASA-RP-1183; NAS 1.61:1183) Avail: NTIS HC A04/MF A01

Tropical rainfall data are crucial in determining the role of tropical latent heating in driving the circulation of the global atmosphere. Also, the data are particularly important for testing the realism of climate models, and their ability to simulate and predict climate accurately on the seasonal time scale. Other scientific issues such as the effects of El Nino on climate could be addressed with a reliable, extended time series of tropical rainfall observations. A passive microwave sensor is planned to provide information on the integrated column precipitation content, its areal distribution, and its intensity. An active microwave sensor (radar) will define the layer depth of the precipitation and provide information about the intensity of rain reaching the surface, the key to determining the latent heat input to the atmosphere. A visible/infrared sensor will provide very high resolution information on cloud coverage, type, and top temperatures and also serve as the link between these data and the long and virtually continuous coverage by the geosynchronous meteorological satellites. The unique combination of sensor wavelengths, coverages, and resolving capabilities together with the low-altitude, non-Sun synchronous orbit provide a sampling capability that should yield monthly precipitation amounts to a reasonable accuracy over a 500- by 500-km grid.

Autho

N87-22341\*# National Aeronautics and Space Administration.

Langley Research Center, Hampto..., VA.
ATMOSPHERIC TURBULENCE RELATIVE TO AVIATION,
MISSILE, AND SPACE PROGRAMS

DENNIS W. CAMP, ed. and WALTER FROST, ed. (FWG Associates, Inc., Tullahoma, Tenn.) Apr. 1987 257 p Workshop

held in Hampton, Va., 2-4 Apr. 1986 (NASA-CP-2468; L-16296; NAS 1.55:2468) Avail: NTIS HC

A12/MF A02 CSCL 04B

AIRCRAFT SAFETY, ATMOSPHERIC MODELS, ATMOSPHERIC TURBULENCE, CONFERENCES, MISSILES, SPACE PROGRAMS, WEATHER FORECASTING

N87-26489\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

ATLAS OF WIDE-FIELD-OF-VIEW OUTGOING LONGWAVE RADIATION DERIVED FROM NIMBUS 6 EARTH RADIATION BUDGET DATA SET, JULY 1975 TO JUNE 1978

T. DALE BESS and G. LOUIS SMITH Aug. 1987 80 p (NASA-RP-1185; L-16325; NAS 1.61:1185) Avail: NTIS HC A05/MF A01 CSCL 04B

An atlas of monthly mean outgoing longwave radiation global contour maps and associated spherical harmonic coefficients is presented. The atlas contains 36 months of continuous data from July 1975 to June 1978. The data were derived from the first Earth radiation budget experiment, which was flown on the Nimbus-6 Sun-synchronous satellite in 1975. Only the wide-field-of-view longwave measurements are cataloged in this atlas. The contour maps along with the associated sets of spherical harmonic coefficients form a valuable data set for studying different aspects of our changing climate over monthly, annual, and interannual scales in the time domain, and over regional, zonal, and global scales in the spatial domain.

N87-26491\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

CALIBRATION OF THE SPIN-SCAN OZONE IMAGER ABOARD THE DYNAMICS EXPLORER 1 SATELLITE

WALTER E. BRESSETTE, GERALD M. KEATING, and DAVID F. YOUNG (ST Systems Corp., Hampton, Va.) Aug. 1987 44 p (NASA-TP-2723; L-16150; NAS 1.60:2723) Avail: NTIS HC A03/MF A01 CSCL 04B

ALGORITHMS, CALIBRATING, DYNAMICS EXPLORER 1 SATELLITE, OZONE, REGRESSION ANALYSIS, ULTRAVIOLET SPECTROMETERS

N87-29996\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

FIVE YEAR GLOBAL DATASET: NMC OPERATIONAL ANALYSES (1978 TO 1982)

DAVID STRAUS and JOSEPH ARD: ZZONE Sep. 1987 50 p Prepared in cooperation with Sigma Data Services Corp., Rockville, Md

(NASA-RP-1194; REPT-87B0273; NAS 1.61:1194) Avail: NTIS HC A03/MF A01 CSCL 04B

This document describes procedures used in assembling a five year dataset (1978 to 1982) using NMC Operational Analysis data. These procedures entailed replacing missing and unacceptable data in order to arrive at a complete dataset that is continuous in time. In addition, a subjective assessment on the integrity of all data (both preliminary and final) is presented. Documentation on tapes comprising the Five Year Global Dataset is also included.

Author

 $\mbox{\bf N88-10451}\mbox{\ }^*\mbox{\it \#}$  National Aeronautics and Space Administration, Washington, DC.

ATLAS OF WIDE-FIELD-OF-VIEW OUTGOING LONGWAVE RADIATION DERIVED FROM NIMBUS 7 EARTH RADIATION BUDGET DATA SET - NOVEMBER 1978 TO OCTOBER 1985 T. DALE BESS and G. LOUIS SMITH Aug. 1987 176 p (NASA-RP-1186; L-16326; NAS 1.61:1186) Avail: NTIS HC

A09/MF A01 CSCL 04B

An atlas of monthly mean outgoing longwave radiation global contour maps and associated spherical harmonic coefficients is presented. The atlas contains 84 months of continuous data from November 1978 to October 1985. The data were derived from the second Earth radiation budget experiment, which was flown on the Nimbus 7 Sun-synchronous satellite in 1978. This data set is a companion set and extension to a similar report of the Nimbus

# 47 METEOROLOGY AND CLIMATOLOGY

6 satellite. Together these two reports give a data set covering a 10 year time period and will be very valuable in studying different aspects of our changing climate over monthly, annual, and interannual scales in the time domain and over regional, zonal, and global scales in the spatial domain.

Author

N88-14572\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

DESCRIPTION OF DATA ON THE NIMBUS 7 LIMS MAP ARCHIVE TAPE: WATER VAPOR AND NITROGEN DIOXIDE KENNETH V. HAGGARD, B. T. MARSHALL (G and A Technical Software, Hampton, Va.), ROBERT J. KURZEJA (Du Pont de Nemours, E. I. and Co., Aiken, S.C.), ELLIS E. REMSBERG, and JAMES M. RUSSELL, III Feb. 1988 69 p (NASA-TP-2761; L-16313; NAS 1.60:2761) Avail: NTIS HC A04/MF A01 CSCL 04B

ATMOSPHERIC COMPOSITION, EARTH LIMB, INFRARED DETECTORS, MAPPING, NIMBUS 7 SATELLITE, STRATOSPHERE

N88-20772\*# National Aeronautics and Space Administration.
Langley Research Center, Hampton, VA.
SUMMARY OF ALONG-TRACK DATA FROM THE EARTH
RADIATION BUDGET SATELLITE FOR SEVERAL MAJOR

DAVID R. BROOKS and MARTA A. FENN May 1988 147 p (NASA-RP-1197; L-16401; NAS 1.61:1197) Avail: NTIS HC A07/MF A01 CSCL 04B

**DESERT REGIONS** 

For several days in January and August 1985, the Earth Radiation Budget Satellite, a component of the Earth Radiation Budget Experiment (ERBE), was operated in an along-track scanning mode. A survey of radiance measurements is given for four desert areas in Africa, the Arabian Peninsula, Australia, and the Sahel region of Africa. Each overflight provides radiance information for four scene categories: clear, partly cloudy, mostly cloudy, and overcast. The data presented include the variation of radiance in each scene classification as a function of viewing zenith angle during each overflight of the five target areas. Several features of interest in the development of anisotropic models are evident, including day-night differences in longwave limb darkening and the azimuthal dependence of short wave radiance. There is some evidence that surface features may introduce thermal or visible shadowing that is not incorporated in the usual descriptions of the anisotropic behavior of radiance as viewed from space. The data also demonstrate that the ERBE scene classification algorithms give results that, at least for desert surfaces, are a function of viewing geometry. Author

# N88-25105\*# Tennessee Univ. Space Inst., Tullahoma. METEOROLOGICAL AND ENVIRONMENTAL INPUTS TO AVIATION SYSTEMS

DENNIS W. CAMP, ed. and WALTER FROST, ed. Jun. 1988 226 p Workshop held in Tullahoma, Tenn., 12-14 Mar. 1985; sponsored by NASA, Washington, NOAA, FAA, DOD, and Office of the Federal Coordinator for Meteorology (NASA-CP-2498; L-16338; NAS 1.55:2498) Avail: NTIS HC A11/MF A02 CSCL 04B

AVIATION METEOROLOGY, FLIGHT SAFETY, WEATHER

N88-27677°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

ANGULAR RADIATION MODELS FOR EARTH-ATMOSPHERE SYSTEM. VOLUME 1: SHORTWAVE RADIATION

J. T. SUTTLES, R. N. GREEN, P. MINNIS, G. L. SMITH, W. F. STAYLOR, B. A. WIELICKI, J. J. WALKER, D. F. YOUNG, V. R. TAYLOR, and L. L. STOWE (National Oceanic and Atmospheric Administration, Washington, D. C.) Jul. 1988 148 p (NASA-RP-1184; L-16414; NAS 1.61:1184) Avail: NTIS HC A07/MF A01 CSCL 048

Presented are shortwave angular radiation models which are required for analysis of satellite measurements of Earth radiation, such as those fro the Earth Radiation Budget Experiment (ERBE). The models consist of both bidirectional and directional parameters.

The bidirectional parameters are anisotropic function, standard deviation of mean radiance, and shortwave-longwave radiance correlation coefficient. The directional parameters are mean albedo as a function of Sun zenith angle and mean albedo normalized to overhead Sun. Derivation of these models from the Nimbus 7 ERB (Earth Radiation Budget) and Geostationary Operational Environmental Satellite (GOES) data sets is described. Tabulated values and computer-generated plots are included for the bidirectional and directional modes.

 $\textbf{N89-14634}^*\#$  National Aeronautics and Space Administration, Washington, DC.

SUMMARY OF ALONG-TRACK DATA FROM THE EARTH RADIATION BUDGET SATELLITE FOR SEVERAL REPRESENTATIVE OCEAN REGIONS

DAVID R. BROOKS and MARTA A. FENN (Planning Research Corp., Hampton, Va.) Nov. 1988 216 p (NASA-RP-1206; L-16449; NAS 1.61:1206) Avail: NTIS HC A10/MF A02 CSCL 04B

For several days in January and August 1985, the Earth Radiation Budget Satellite, a component of the Earth Radiation Budget Experiment (ERBE), was operated in an along-track scanning mode. A survey of radiance measurements taken in this mode is given for five ocean regions; the north and south Atlantic, the Arabian Sea, the western Pacific north of the Equator, and part of the Intertropical Convergence Zone. Each overflight contains information about the clear scene and three cloud categories: partly cloudy, mostly cloudy, and overcast. The data presented include the variation of longwave and shortwave radiance in each scene classification as a function of viewing zenity angle during each overflight of one of the five target regions. Several features of interest in the development of anisotropic models are evident, including the azimuthal dependence of shortwave radiance that is an essential feature of shortwave bidirectional models. The data also demonstrate that the scene classification algorithm employed by the ERBE results in scene classifications that are a function of viewing geometry.

N89-14648\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.
USER'S GUIDE FOR THE NIMBUS 7 SCANNING
MULTICHANNEL MICROWAVE RADIOMETER (SMMR)
CELL-ALL TAPE

C. C. CU, D. HAN, S. T. KIM (ST Systems Corp., Lanham, Md.), and P. GLOERSEN Oct. 1988 152 p (NAS5-29386)

The SMMR instrument onboard the Nimbus-7 satellite has been in operation since October 1978. It provided global coverage of passive microwave observations at 6.6, 10.7, 18, 21, and 37 GHz. The oberved brightness temperature can be used to retrieve geophysical parameters, principally sea surface temperature, atmospheric water vapor and liquid water content over oceans. sea ice concentration, and snow cover over land. The SMME CELL-ALL Tape contains earth-located calibrated brightness temperature data which have been appropriately binned into cells of various grid sizes, allowing intercomparisons of observations made at different frequencies (with corresponding different footprint sizes). This user's guide describes the operation of the instrument, the flow of the data processing the calibration procedure, and the characteristics of the calibrated brightness temperatures and how they are binned. Detailed tape specifications and lists of available data are also provided.

N89-17374°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

LIMB-DARKENING FUNCTIONS AS DERIVED FROM ALONG-TRACK OPERATION OF THE ERBE SCANNING RADIOMETER FOR JANUARY 1985

G. LOUIS SMITH, NATIVIDAD MANALO, JOHN T. SUTTLES, and IRA WALKER (Planning Research Corp., Hampton, VA.)

Washington, DC Mar. 1989 26 p (NASA-RP-1214; L-16487; NAS 1.61:1214) Avail: NTIS HC A03/MF A01 CSCL 04B

During January 1985, the scanning radiometer aboard the Earth Radiation Budget Satellite was operated to scan along-track. These data have been analyzed to produce limb-darkening functions for Earth emitted radiation, which relate the radiance in any given direction to the radiant exitance. Limb-darkening functions are presented in tabular form and shown as figures for 10 day cases and 12 night cases, corresponding to various scene types and latitude zones. The scene types were computed using measurements within 10 deg of zenith. The limb-darkening functions have values of 1.03 to 1.09 at zenith, with 1.06 being typical. It is found that latitude causes a variation on the order of 1 percent, except for zenith angles greater than 70 deg. These limb-darkening models are about 2 percent higher at zenith than the models derived from Nimbus 7 data.

N89-20587\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

ANGULAR RADIATION MODELS FOR EARTH-ATMOSPHERE SYSTEM. VOLUME 2: LONGWAVE RADIATION

J. T. SUTTLES, R. N. GREEN, G. L. SMITH, B. A. WIELICKI, I. J. WALKER, V. R. TAYLOR, and L. L. STOWE (National Oceanic and Atmospheric Administration, Washington, DC.) Apr. 1989 88 p

The longwave angular radiation models that are required for analysis of satellite measurements of Earth radiation, such as those from the Earth Radiation Budget Experiment (ERBE) are presented. The models contain limb-darkening characteristics and mean fluxes. Limb-darkening characteristics are the longwave anisotropic factor and the standard deviation of the longwave radiance. Derivation of these models from the Nimbus 7 ERB (Earth Radiation Budget) data set is described. Tabulated values and computer-generated plots are included for the limb-darkening and mean-flux models.

Author

N89-20588\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.

AN ASSESSMENT MODEL FOR ATMOSPHERIC COMPOSITION

MICHAEL J. PRATHER, ed. Jan. 1988 56 p Proceedings of a workshop held at NASA Goddard Inst. for Space Studies, New York, NY, 10-13 Jan. 1988

(NASA-CP-3023; REPT-89-31; NAS 1.55:3023) Avail: NTIS HC A04/MF A01 CSCL 04B

AIR QUALITY, ATMOSPHERIC COMPOSITION, EARTH ATMOSPHERE, ENVIRONMENTAL MONITORING, PHOTO-CHEMICAL OXIDANTS

N89-27302\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

# THE 1989 AIRBORNE ARCTIC STRATOSPHERIC EXPEDITION NIMBUS-7 TOMS DATA ATLAS

ARLIN J. KRUEGER, LANNING M. PENN, DAVID E. LARKO, SCOTT D. DOIRON, and PATRICIA T. GUIMARAES (ST Systems Corp., Vienna, VA.) Washington Jul. 1989 154 p (NAS5-29373)

(NASA-RP-1227; REPT-89B00188; NAS 1.61:1227) Avail: NTIS HC A08/MF A01 CSCL 04B

Over the past several years, world scientific attention was focused on the rapid and unanticipated decrease in the abundance of ozone over Antarctica during the Austral spring. A major aircraft campaign was conducted from December 1988 to February 1989 in response to the recently published Ozone Trends Panel Report which found that the largest decreases in Arctic ozone occurred during January to February at latitudes near the edge of the Arctic vortex. This atlas provides a complete set of TOMS ozone measurements over Europe and the North Atlantic for the duration of the experiment. These were the orbital TOMS measurements provided to the experimenters in near-real-time. In addition, a set

of Northern Hemisphere TOMS ozone measurements for the period December 26, 1988 to March 20, 1989 is presented. A comparison of January and February 1989 mean ozone values to prior years is also presented. Author

N89-28983\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

THE 1988 ANTARCTIC OZONE MONITORING NIMBUS-7 TOMS DATA ATLAS

ARLIN J. KRUEGER, LANNING M. PENN, DAVID E. LARKO, SCOTT D. DOIRON, and PATRICIA T. GUIMARAES (ST Systems Corp., Vienna, VA.) Aug. 1989 153 p (NAS5-29375)

(NASA-RP-1225; REPT-89B00176; NAS 1.61:1225) Avail: NTIS HC A08/MF A01 CSCL 04B

Because of the great environmental significance of ozone and to support continuing research at McMurdo, Syowa, and other Southern Hemisphere stations, the development of the 1988 ozone hole was monitored using data from the Nimbus-7 Total Ozone Mapping Spectrometer (TOMS) instrument, produced in near-real-time. This Atlas provides a complete set of daily polar orthographic projections of the TOMS total ozone measurements over the Southern Hemisphere for the period August 1 through November 17, 1988. Although total ozone in mini-holes briefly dropped below 150 DU in late August, the main ozone hole is seen to be much less pronounced than in 1987. Minimum values, observed in late September and early October 1988, were seldom less than 175 DU. Compared with the same period in 1987, when a pronounced ozone hole whose minimum value of 109 Dobson Units (DU) was the lowest total ozone ever observed, the 1988 ozone hole is displaced from the South Pole, opposing a persistent maximum with values consistently above 500 DU. Daily ozone values above selected Southern Hemisphere stations are presented, along with comparisons of the 1988 ozone distribution to that of other years.

N90-14741\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

#### ATLAS OF ALBEDO AND ABSORBED SOLAR RADIATION DERIVED FROM NIMBUS 6 EARTH RADIATION BUDGET DATA SET, JULY 1975 TO MAY 1978

G. LOUIS SMITH, T. DALE BESS, and DAVID RUTAN (PRC Kentron, Inc., Hampton, VA.) 1989 88 p (NASA-RP-1230; L-16601; NAS 1.61:1230) Avail: NTIS HC A05/MF A01 CSCL 04B

An atlas of monthly mean global contour maps of albedo and absorbed solar radiation is presented. The atlas is based on 35 months of continuous measurements from July 1975 through May 1978. The data were retrieved from measurements made by the shortwave wide field-of-view radiometer of the first Earth Radiation Budget (ERB) instrument, which flew on the Nimbus 6 spacecraft in 1975. Profiles of zonal mean albedos and absorbed solar radiation are tabulated. These geographical distributions are provided as a resource for studying the radiation budget of the earth. This atlas of albedo and absorbed solar radiation complements the atlases of outgoing longwave radiation by Bess and Smith in NASA-RP-1185 and RP-1186, also based on the Nimbus 6 and 7 ERB data.

N90-17233\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

# ATLAS OF ALBEDO AND ABSORBED SOLAR RADIATION DERIVED FROM NIMBUS 7 EARTH RADIATION BUDGET DATA SET, NOVEMBER 1978 TO OCTOBER 1985

G. LOUIS SMITH, DAVID RUTAN (PRC Kentron, Inc., Hampton, VA.), and T. DALE BESS Washington Jan. 1990 213 p (NASA-RP-1231; L-16591; NAS 1.61:1231) Avail: NTIS HC A10/MF A02 CSCL 04B

An atlas of monthly mean global contour maps of albedo and absorbed solar radiation is presented. This atlas contains 7 years of continuous data from November 1978 through October 1985. The data were retrieved from measurements made by the second Earth Radiation Budget (ERB) wide field-of-view instrument, which

# 47 METEOROLOGY AND CLIMATOLOGY

flew on the Nimbus 7 spacecraft in 1978. The deconvolution method used to produce these data is briefly discussed here so that the user may understand their generation and limitations. These geographical distributions of albedo and absorbed solar radiation are provided as a resource for researchers studying the radiation budget of the Earth. This atlas of albedo and absorbed solar radiation complements the atlases of outgoing longwave radiation by Bess and Smith, also based on the Nimbus 6 and 7 ERB data.

Author

N90-19718\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA. SPANWISE MEASUREMENTS OF VERTICAL COMPONENTS

SPANWISE MEASUREMENTS OF VERTICAL COMPONENTS OF ATMOSPHERIC TURBULENCE

ROBERT K. SLEEPER Washington Apr. 1990 67 p (NASA-TP-2963; L-16550; NAS 1.60:2963) Avail: NTIS HC A04/MF A01 CSCL 04B

AUTOCORRELATION, CROSS CORRELATION, FLOW DISTRIBUTION, GUSTS, VERTICAL AIR CURRENTS, WIND VELOCITY

N90-23837\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

NIMBUS-7 TOMS ÄNTARCTIC OZONE ATLAS: AUGUST THROUGH NOVEMBER, 1989

ARLIN J. KRUEGER, LANNING M. PENN, DAVID E. LARKO, SCOTT D. DOIRON, and PATRICIA T. GUIMARAES (ST Systems Corp., Vienna, VA.) Jul. 1990 176 p (NAS5-29373)

(NASA-RP-1237; NAS 1.61:1237; REPT-90B00114) Avail: NTIS HC A09/MF A01 CSCL 04B

Because of the great environmental significance of ozone and to support continuing research at the Antarctic and other Southern Hemisphere stations, the development of the 1989 ozone hole was monitored using data from the Nimbus-7 Total Ozone Mapping Spectrometer (TOMS) instrument, produced in near-real-time. This Atlas provides a complete set of daily polar orthographic projections of the TOMS total ozone measurements over the Southern Hemisphere for the period August 1 through November 30, 1989. The 1989 ozone hole developed in a manner similar to that of 1987, reaching a comparable depth in early October. This was in sharp contrast to the much weaker hole of 1988. The 1989 ozone hole remained at polar latitudes as it filled in November, in contrast to other recent years when the hole drifted to mid-latitudes before disappearing. Daily ozone values above selected Southern Hemisphere stations are presented, along with comparisons of the 1989 ozone distribution to that of other years.

N90-28224\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

FIRE SCIENCE RESULTS 1989

DAVID S. MCDOUGAL, ed. Washington Jul. 1990 434 p
Meeting held in Monterey, CA, 10-14 Jul. 1989; sponsored in
cooperation with NASA, NSF, ONR, DOE, AFGL, and NOAA
(NASA-CP-3079; L-16792; NAS 1.55:3079) Avail: NTIS HC
A19/MF A03 CSCL 048
CIRRUS CLOUDS, CLIMATOLOGY, CLOUDS (METEOROL-

CIRRUS CLOUDS. CLIMATOLOGY. CLOUDS (METEOROLOGY), CONFERENCES. MARINE METEOROLOGY, OPTICAL PROPERTIES. REMOTE SENSING. STRATOCUMULUS CLOUDS. THERMODYNAMIC PROPERTIES

# 48

# **OCEANOGRAPHY**

Includes biological, dynamic, and physical oceanography; and marine resources.

N87-24870\* National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

ARCTIC SEA ICE, 1973-1976: SATELLITE PASSIVE-MICROWAVE OBSERVATIONS

CLAIRE L. PARKINSON, JOSEFINO C. COMISO, H. JAY ZWALLY, DONALD J. CAVALIERI, PER GLOERSEN, and WILLIAM J. CAMPBELL (Puget Sound Univ., Tacoma, Wash.) Jan. 1987 301 p Original contains color illustrations

(NASA-SP-489; NAS 1.21:489; LC-86-23876) Avail: NTIS HC A14 CSCL 08L

The Arctic region plays a key role in the climate of the earth. The sea ice cover affects the radiative balance of the earth and radically changes the fluxes of heat between the atmosphere and the ocean. The observations of the Arctic made by the Electrically Scanning Microwave Radiometer (ESMR) on board the Nimbus 5 research satellite are summarized for the period 1973 through 1976.

# 51

# **LIFE SCIENCES (GENERAL)**

N87-20727\*# National Aeronautics and Space Administration.

Marshall Space Flight Center, Huntsville, AL.

LIQUID DROP STABILITY FOR PROTEIN CRYSTAL GROWTH IN MICROGRAVITY

ROBERT B. OWEN, BETH H. BROOM, ROBERT S. SNYDER, and RON DANIEL Apr. 1987 17 p (NASA-TP-2724; NAS 1.60:2724) Avail: NTIS HC A03/MF A01 CSCL 06B

DROPS (LIQUIDS), MICROGRAVITY APPLICATIONS, PROTEIN CRYSTAL GROWTH, PROTEIN SYNTHESIS, STABILITY

N88-15354\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

MICROGRAVITY PARTICLE RESEARCH ON THE SPACE STATION

STEVEN W. SQUYRES, ed., CHRISTOPHER P. MCKAY, ed., and DEBORAH E. SCHWARTZ, ed. Dec. 1987 48 p Workshop held in Moffett Field, Calif., 22-24 Aug. 1985 (NASA-CP-2496: A-87361: NAS 1 55:2496) Avail: NTIS HC

(NASA-CP-2496; A-87361; NAS 1.55:2496) Avail: NTIS HC A03/MF A01 CSCL 06B

PARTICLES, REDUCED GRAVITY, SPACE STATION PAYLOADS, SPACEBORNE EXPERIMENTS

N88-17168\*# National Aeronautics and Space Administration. Lyndon B, Johnson Space Center, Houston, TX.

SPACE BIOREACTOR SCIENCE WORKSHOP

DENNIS R. MORRISON, ed. Dec. 1987 183 p Workshop held in Houston, Tex., 22-23 Aug. 1985 (NASA-CP-2485; S-564; NAS 1.55:2485) Avail: NTIS HC

A09/MF A02 CSCL 06B

BIOPROCESSING, BIOREACTORS, BIOTECHNOLOGY, CELLS (BIOLOGY), CONFERENCES, CULTURE TECHNIQUES, REDUCED GRAVITY, SPACE PROCESSING, TISSUES (BIOLOGY)

N88-19883\*# National Aeronautics and Space Administration.

Armes Research Center, Moffett Field, CA.

SPACE STATION HUMAN FACTORS RESEARCH REVIEW.
VOLUME 3: SPACE STATION HABITABILITY AND FUNCTION:
ARCHITECTURAL RESEARCH

MARC M. COHEN, ed., ALICE EICHOLD, ed., and SUSAN HEERS, ed. Oct. 1987 211 p Workshop held at Moffett Field, Calif., 3-6 Dec. 1985

ARCHITECTURE, HUMAN FACTORS ENGINEERING, SPACE STATIONS, SPACECRAFT DESIGN

N88-24145\*# National Aeronautics and Space Administration.
Ames Research Center, Moffett Field, CA.
SPACE STATION HUMAN FACTORS RESEARCH REVIEW.

VOLUME 1: EVA RESEARCH AND DEVELOPMENT
MARC M. COHEN, ed. and H. C. VYKUKAL, ed. Apr. 1988
136 p Workshop held at Moffett Field, Calif., 3-6 Dec. 1985
(NASA-CP-2426-VOL-1; A-87163-VOL-1; NAS 1.55:2426-VOL-1)
Avail: NTIS HC A07/MF A01 CSCL 06B

CONFERENCES, EXTRAVEHICULAR ACTIVITY, HUMAN FACTORS ENGINEERING, SPACE STATIONS

N88-24148\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

SPACE STATION HUMAN FACTORS RESEARCH REVIEW. VOLUME 4: INHOUSE ADVANCED DEVELOPMENT AND RESEARCH

TRIEVE TANNER, ed., YVONNE A. CLEARWATER, ed., and MARC M. COHEN, ed. May 1988 135 p Workshop held at Moffett Field, Calif., 3-6 Dec. 1985

HUMAN FACTORS ENGINEERING, SPACE STATIONS, SPACECRAFT DESIGN

N89-17997\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

PROCEEDINGS OF A CONFERENCE ON CARDIOVASCULAR BIOINSTRUMENTATION

RODNEY W. BALLARD, CHARLES A. FULLER, RICHARD MAINS, and HERBERT J. FINGER Dec. 1988 71 p Conference held at Moffett Field, CA, 21-22 Jul. 1987

BIOINSTRUMENTATION, CARDIOVASCULAR SYSTEM, CONFERENCES, GROUND SUPPORT SYSTEMS, MANNED SPACE FLIGHT

N89-24022\*# General Electric Co., Moffett Field, CA.
GAS-GRAIN SIMULATION FACILITY: FUNDAMENTAL
STUDIES OF PARTICLE FORMATION AND INTERACTIONS.
VOLUME 1: EXECUTIVE SUMMARY AND OVERVIEW

GUY FOGLEMAN, ed., JUDITH L. HUNTINGTON, ed. (Search for Extraterrestrial Intelligence Inst., Los Altos, CA.), DEBORAH E. SCHWARTZ, ed., and MARK L. FONDA, ed. Mar. 1989 38 p Presented at the Gas-Grain Simulation Facility Experiments Workshop, Sunnyvale, CA, 31 Aug. - 1 Sep. 1987; sponsored by the Exobiology Flight Program

(NASA-CP-10026-VOL-1; A-88256-VOL-1; NAS

CLOUDS. AEROSOLS. COSMIC DUST, GRAINS. EFFECTS, NUCLEATION. **PARTICLE GRAVITATIONAL** PARTICLES, PARTICULATES. INTERACTIONS, REDUCED SPACE LABORATORIES, SPACE GRAVITY, STATION PAYLOADS, SPACEBORNE EXPERIMENTS

N89-24023\*# General Electric Co., Moffett Field, CA.
GAS-GRAIN SIMULATION FACILITY: FUNDAMENTAL
STUDIES OF PARTICLE FORMATION AND INTERACTIONS.
VOLUME 2: ABSTRACTS, CANDIDATE EXPERIMENTS AND
FEASIBILITY STUDY

GUY FOGLEMAN, ed., JUDITH L. HUNTINGTON, ed. (Search for Extraterrestrial Intelligence Inst., Los Altos, CA.), DEBORAH E. SCHWARTZ, ed., and MARK L. FONDA, ed. Mar. 1989 199 p Presented at the Gas-Grain Simulation Facility Experiments Workshop, Sunnyvale, CA, 31 Aug. - 1 Sep. 1987; sponsored by the Exobiology Flight Program

(NASA-CP-10026-VOL-2; A-88256-VOL-2; NAS

1.55:10026-VOL-2) Avail: NTIS HC A09/MF A02 CSCL 06C AEROSOLS, CLOUDS, COSMIC DUST, GRAINS, PARTICLE INTERACTIONS, PARTICLES, PARTICULATES, REDUCED GRAVITY, SPACEBORNE EXPERIMENTS

N89-26334\*# National Aeronautics and Space Administration. Ames Research Center. Moffett Field. CA.

**EXOBIOLOGY AND FUTURE MARS MISSIONS** 

CHRISTOPHER P. MCKAY, ed. and WANDA DAVIS, L., ed. Washington Mar. 1989 73 p Workshop held in Sunnyvale, CA, Mar. 1988

(NASA-CP-10027; A-89098; NAS 1.55:10027) Avail: NTIS HC A04/MF A01 CSCL 03B

BIOLOGICAL EVOLUTION, CHEMICAL EVOLUTION, CONFERENCES, ECOLOGY, EXOBIOLOGY, FOSSILS, MARS SAMPLE RETURN MISSIONS. SOILS

#### **52**

#### **AEROSPACE MEDICINE**

Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals.

N87-18976\* National Aeronautics and Space Administration, Washington, DC.

AEROSPACE MEDICINE AND BIOLOGY: A CUMULATIVE INDEX TO THE 1986 ISSUES (SUPPLEMENT 293)

Jan. 1987 251 p

(NASA-SP-7011(293); NAS 1.21:7011(293)) Avail: NTIS HC A12 CSCL 06E

This publication is a cumulative index to the abstracts contained in the Supplements 281 through 292 of Aerospace Medicine and Biology: A Continuing Bibliography. It includes seven indexes subject, personal author, corporate source, foreign technology, contract number, report number, and accession number. Author

N87-30041\* National Aeronautics and Space Administration, Washington, DC.

AEROSPACE MEDICINE AND BIOLOGY: A CONTINUING BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 302)
Oct. 1987 55 p

(NASA-SP-7011(302); NAS 1.21:7011(302)) Avail: HC A04 CSCL 06E

This bibliography lists 131 reports, articles, and other documents introduced into the NASA scientific and technical information system in September, 1987.

Author

N88-14623\*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.

AIRBORNE PARTICULATE MATTER IN SPACECRAFT

Feb. 1988 15 p Presented at a Panel Discussion held in Houston, Tex., 23-24 Jul. 1987 (NAS9-17200)

(NASA-CP-2499; S-570; NAS 1.55:2499) Avail: NTIS HC A03/MF A01 CSCL 06K

AEROSOLS, AEROSPACE ENVIRONMENTS, PURIFICATION, AIR QUALITY, SPACECRAFT DESIGN

AIR

N88-18180\* National Aeronautics and Space Administration, Washington, DC.

AEROSPACE MEDICINE AND BIOLOGY: A CUMULATIVE INDEX TO A CONTINUING BIBLIOGRAPHY (SUPPLEMENT 306)

Jan. 1988 210 p

(NASA-SP-7011(306); NAS 1.21:7011(306)) Avail: NTIS HC A10 CSCL 06E

This publication is a cumulative index to the abstracts contained in the Supplements 294 through 305 of Aerospace Medicine and Biology: A Continuing Bibliography. It includes seven indexes subject, personal author, corporate source, foreign technology, contract number, report number, and accession number. Author

N88-30281\* National Aeronautics and Space Administration, Washington, DC.

AEROSPACE MEDICINE AND BIOLOGY: A CONTINUING BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 315)

Oct. 1988 71 p

(NASA-SP-7011(315); NAS 1.21:7011(315)) Avail: NTIS HC A04; NTIS standing order as PB88-912300. \$9.00 domestic, \$18.00 foreign CSCL 06E

This bibliography lists 211 reports, articles and other documents introduced into the NASA scientific and technical information system in September, 1988.

Author

N89-29951\* National Aeronautics and Space Administration, Washington, DC.

AEROSPACE MEDICINE AND BIOLOGY: A CONTINUING BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 327)

(NASA-SP-7011(327); NAS 1.21:7011(327)) Avail: NTIS HC A04; NTIS standing order as PB89-912300, \$10.50 domestic, \$21.00 foreign CSCL 06E

This bibliography lists 127 reports, articles and other documents introduced into the NASA Scientific and Technical Information System during August, 1989. Subject coverage includes: aerospace medicine and psychology, life support systems and controlled environments, safety equipment, exobiology and extraterrestrial life, and flight crew behavior and performance.

N90-28963\* National Aeronautics and Space Administration, Washington, DC.

AEROSPACE MEDICINE AND BIOLOGY: A CONTINUING BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 340) Feb. 1989 64 p

(NASA-SP-7011(340); NAS 1.21:7011(340)) Avail: NTIS HC A03; NTIS standing order as PB90-912300, \$11.50 domestic, \$23.00 foreign CSCL 06E

This bibliography lists 157 reports, articles and other documents introduced into the NASA Scientific and Technical Information System during August 1990. Subject coverage includes: aerospace medicine and psychology, life support systems and controlled environments, safety equipment, exobiology and extraterrestrial life, and flight crew behavior and performance.

Author

N90-28965\*# National Aeronautics and Space Administration.

Ames Research Center, Moffett Field, CA.

JOINT US/USSR STUDY: COMPARISON OF EFFECTS OF HORIZONTAL AND HEAD-DOWN BED REST

HAROLD SANDLER and ANATOLI I. GRIGORIEV (Institute of Biomedical Problems, Moscow, USSR) Washington Aug. 1990 102 p

(NASA-TP-3037; A-85177; NAS 1.60:3037) Avail: NTIS HC A06/MF A01 CSCL 06S

BED REST, BIOCHEMISTRY, HEAD DOWN TILT, HYPOKINESIA, LOWER BODY NEGATIVE PRESSURE, PHYSICAL EXERCISE, PHYSIOLOGY, SPACE FLIGHT

#### 53

#### **BEHAVIORAL SCIENCES**

Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.

N88-2337u'# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

MENTAL-STATE ESTIMATION, 1987

J. RAYMOND COMSTOCK, JR., comp. May 1988 393 p
Workshop held in Williamsburg, Va., 3-4 Jun. 1987; sponsored by
NASA, Langley Research Center, Hampton, Va. and Old Dominion
Univ., Norfolk, Va. Sponsored by NASA, Washington
(NASA-CP-2504; L-16420; NAS 1.55:2504) Avail: NTIS HC
A17/MF A03 CSCL 05J

BIOMETRICS, ESTIMATING, HUMAN PERFORMANCE, MENTAL PERFORMANCE, OPERATOR PERFORMANCE, PSYCHOMOTOR PERFORMANCE, STRESS (PSYCHOLOGY), WORKLOADS (PSYCHOPHYSIOLOGY), WORKSTATIONS

#### 54

### MAN/SYSTEM TECHNOLOGY AND LIFE SUPPORT

Includes human engineering; biotechnology; and space suits and protective clothing.

N88-12251\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

CONTROLLED ECOLOGICAL LIFE SUPPORT SYSTEM: REGENERATIVE LIFE SUPPORT SYSTEMS IN SPACE

ROBERT D. MACELROY and DAVID T. SMERNOFF (New Hampshire Univ., Durham.) Sep. 1987 153 p The 26th COSPAR Meeting held in Toulouse, France, Jul. 1986 (NCC2-231)

(NASA-CP-2480; A-87256; NAS 1.55:2480) Avail: NTIS HC A08/MF A01 CSCL 06K

ALGAE, CLOSED ECOLOGICAL SYSTEMS, GAS EXCHANGE, VEGETATION GROWTH

N88-13852\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

CONTROLLED ECOLOGICAL LIFE SUPPORT SYSTEM.
DESIGN, DEVELOPMENT, AND USE OF A GROUND-BASED
PLANT GROWTH MODULE

ROBERT D. MACELROY, DAVID T. SMERNOFF (New Hampshire Univ., Durham.), and JOHN D. RUMMEL Sep. 1987 83 p Meeting held at Moffett Field, Calif., Sep. 1984, in Cocoa Beach, Fla., Apr. 1985 and in Carmel, Calif., 23-25 Apr. 1986 (NCC2-27)

(NASA-CP-2479; A-87255; NAS 1.55;2479) Avail: NTIS HC A05/MF A01 CSCL 06K

CLOSED ECOLOGICAL SYSTEMS, CROP GROWTH, EXPERIMENT DESIGN, FOOD, LABORATORY EQUIPMENT, PLANTS (BOTANY)

N89-13898\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

REPORT OF THE 1ST PLANNING WORKSHOP FOR CELSS FLIGHT EXPERIMENTATION

JOHN W. TREMOR and ROBERT D. MACELROY 1988 28 p Workshop held at Moffett Field, Calif., 23-24 Mar. 1987 (NASA-CP-10020; A-88265; NAS 1.55:10020) Avail: NTIS HC A03/MF A01 CSCL 05H

BIOASTRONAUTICS, CLOSED ECOLOGICAL SYSTEMS,

CONFERENCES, PLANTS (BOTANY), SPACECRAFT ENVIRONMENTS

59

# MATHEMATICAL AND COMPUTER SCIENCES (GENERAL)

N89-18039\*# National Aeronautics and Space Administration.
Ames Research Center, Moffett Field, CA.
INTERACTIVE ORBITAL PROVINITY OPERATIONS PLANNING.

INTERACTIVE ORBITAL PROXIMITY OPERATIONS PLANNING SYSTEM
ARTHUR J. GRUNWALD and STEPHEN R. ELLIS Nov. 1988

48 p (NASA-TP-2839; A-88091; NAS 1.60:2839) Avail: NTIS HC

(NASA-TP-2839; A-88091; NAS 1.60:2839) Avail: NTIS HC A03/MF A01 CSCL 05H

COMPUTER GRAPHICS, ORBITAL MANEUVERS, PROXIMITY, SPACE STATIONS, SPACECRAFT TRAJECTORIES

N90-22918\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

SPATIAL DISPLAYS AND SPATIAL INSTRUMENTS

STEPHEN R. ELLIS, ed., MARY K. KAISER, ed., and ARTHUR J. GRUNWALD, ed. (Technion - Israel Inst. of Tech., Haifa.) Jul. 1989 623 p Conference held in Pacific Grove, CA, 31 Aug. - 3 Sep. 1987; sponsored by NASA, Ames Research Center, Moffett Field, CA and California Univ., Berkeley (NASA-CP-10032: A-88090: NAS 1 55:10032) Avail: NTIS HC.

(NASA-CP-10032; A-88090; NAS 1.55:10032) Avail: NTIS HC A99/MF A04 CSCL 05H

COMPUTER GRAPHICS, CONFERENCES, DISPLAY DEVICES, IMAGE ANALYSIS, SPATIAL RESOLUTION, VISUAL PERCEPTION

N90-22965\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

DETERMINATION OF DEPTH-VIEWING VOLUMES FOR STEREO THREE-DIMENSIONAL GRAPHIC DISPLAYS

RUSSELL V. PARRISH and STEVEN P. WILLIAMS (Army Aviation Systems Command, Saint Louis, MO.) Washington Jun. 1990 21 p

(DA PROJ. 1L1-61102-AH-45)

(NASA-TP-2999; L-16655; NAS 1.60:2999;

AVSCOM-TM-90-B-016) Avail: NTIS HC A03/MF A01 CSCL 05H

COMPUTER GRAPHICS, DEPTH, SPACE PERCEPTION, STEREOSCOPIC VISION, VISUAL SIGNALS

55

#### **SPACE BIOLOGY**

Includes exobiology; planetary biology; and extraterrestrial life.

N90-13939\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

CELLS IN SPACE

JEAN D. SIBONGA, ed., RICHARD C. MAINS, ed., THOMAS N. FAST, ed. (Santa Clara Univ., CA.), PAUL X. CALLAHAN, ed., and CHARLES M. WINGET, ed. Aug. 1989 310 p Conference held in San Juan Bautista, CA, 31 Oct. - 4 Nov. 1988 (NASA-CP-10034; A-89131; NAS 1.55:10034) Avail: NTIS HC A14/MF A02 CSCL 06C

CELLS (BIOLOGY), CONFERENCES, EXPERIMENT DESIGN, GRAVITATIONAL EFFECTS, GRAVITATIONAL PHYSIOLOGY, MANNED SPACE FLIGHT, SPACEBORNE EXPERIMENTS

N88-14629\*# National Aeronautics and Space Administration.
Ames Research Center, Moffett Field, CA.
A GENERAL SOLUTION TO THE SILHOUETTE PROBLEM
DAVID R. HEDGLEY, JR. Feb. 1987 9 p
(NASA-TP-2695; H-1348; NAS 1.60:2695) Avail: NTIS HC
A02/MF A01 CSCL 12A
COMPUTER GRAPHICS, DISPLAY DEVICES, IMAGE

COMPUTER GRAPHICS, DISPLAY DEVICES, IMAGE ENHANCEMENT, IMAGE PROCESSING

N88-17206\*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.

FIRST ANNUAL WORKSHOP ON SPACE OPERATIONS AUTOMATION AND ROBOTICS (SOAR 87)

SANDY GRIFFIN, ed. Oct. 1987 530 p Workshop held in Houston, Tex., 5-7 Aug. 1987; sponsored by NASA, Johnson Space Flight Center and the US Air Force

(NASA-CP-2491; S-567; NAS 1.55:2491) Avail: NTIS HC A23/MF A04 CSCL 12B

ARCHITECTURE (COMPUTERS), AUTOMATIC CONTROL, COMPUTER AIDED DESIGN, CONFERENCES, DISTRIBUTED PROCESSING, EXPERT SYSTEMS, LOGISTICS, MAN MACHINE SYSTEMS, NEURAL NETS, PARALLEL PROCESSING (COMPUTERS), ROBOTICS

N88-21646\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

CARE 3 USER'S WORKSHOP

Apr. 1988 160 p Workshop held in Hampton, Va., 6-7 Oct. 1987; sponsored by NASA, Washington (NASA-CP-10011; NAS 1.55:10011) Avail: NTIS HC A08/MF A01 CSCL 12A

COMPUTER PROGRAMS, CONFERENCES, FAULT TOLERANCE, RELIABILITY ANALYSIS

N89-19817\*# National Aeronautics and Space Administration.
Lyndon B. Johnson Space Center, Houston, TX.

SECOND ANNUAL WORKSHOP ON SPACE OPERATIONS AUTOMATION AND ROBOTICS (SOAR 1988)

SANDY GRIFFIN, ed./comp. Washington, DC Nov. 1988 517 p Workshop held in Dayton, OH, 20-23 Jul. 1988; sponsored by NASA, Johnson Space Flight Center, USAF, Washington, DC, and Wright State Univ., Dayton, OH

(NASA-ČP-3019; S-585; NAS 1.55:3019) Avail: NTIS HC A22/MF A04 CSCL 12A

COMPUTER ASSISTED INSTRUCTION, COMPUTER TECHNIQUES, EXPERT SYSTEMS, HUMAN FACTORS ENGINEERING, INFORMATION SYSTEMS, KNOWLEDGE BASES (ARTIFICIAL INTELLIGENCE), ROBOTICS, SYSTEMS INTEGRATION, TELEOPERATORS

N90-21524\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

A TIME-ACCURATE ADAPTIVE GRID METHOD AND THE NUMERICAL SIMULATION OF A SHOCK-VORTEX INTERACTION

MICHAEL J. BOCKELIE and PETER R. EISEMAN (Columbia Univ., New York, NY.) Washington Jun. 1990 20 p (NAG1-427; AF-AFOSR-0307-86)

(NASA-TP-2998; L-16727; NAS 1.60:2998) Avail: NTIS HC A03/MF A01 CSCL 12A

COMPUTATIONAL GRIDS, COMPUTERIZED SIMULATION, GRID GENERATION (MATHEMATICS), SHOCK WAVE INTERACTION, VORTICES

#### 59 MATHEMATICAL AND COMPUTER SCIENCES (GENERAL)

National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.

THIRD ANNUAL WORKSHOP ON SPACE OPERATIONS **AUTOMATION AND ROBOTICS (SOAR 1989)** 

SANDY GRIFFIN, ed. Washington Mar. 1990 651 p Workshop held in Houston, TX, 25-27 Jul. 1989; sponsored by NASA. Washington, the AF, and Houston-Clear Lake Univ. (NASA-CP-3059; S-599; NAS 1.55:3059) Avail: NTIS HC A99/MF A04 CSCL 12A

AEROSPACE ENVIRONMENTS, AUTOMATIC CONTROL, CONFERENCES, END EFFECTORS, EXPERT SYSTEMS, HUMAN FACTORS ENGINEERING, KNOWLEDGE BASES (ARTIFICIAL INTELLIGENCE), MANIPULATORS, ROBOTICS, ROBOTS, SPACE STATIONS, SPACECRAFT CONTAMINATION, TELEOPERATORS

#### 60

#### **COMPUTER OPERATIONS AND HARDWARE**

Includes hardware for computer graphics, firmware, and data processing.

N78-74659\* National Aeronautics and Space Administration.

Marshall Space Flight Center, Huntsville, AL.
THE MSFC/UAH DATA MANAGEMENT SYMPOSIUM

A. CASTELLI, ed. 16 Feb. 1978 423 p refs Symp. held at Huntsville, Ala., 18-19 Oct. 1977 (NASA-CP-2040)

ALABAMA, CONFERENCES, DATA MANAGEMENT, NASA PROGRAMS, UNIVERSITIES

National Aeronautics and Space Administration. N88-20833\*# Langley Research Center, Hampton, VA.

DIGITAL ENHANCEMENT OF FLOW FIELD IMAGES

ROBERT A. KUDLINSKI and STEPHEN K. PARK Mar. 1988 25 p Original contains color illustrations

(NASA-TP-2770; L-16318; NAS 1.60:2770) Avail: NTIS HC A03/MF A01 CSCL 09B

DIGITAL TECHNIQUES, FLOW VISUALIZATION, IMAGE ENHANCEMENT, IMAGE PROCESSING, PHOTOGRAPHIC **PROCESSING** 

N90-20651\*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.

**GRAPHICS TECHNOLOGY IN SPACE APPLICATIONS (GTSA** 1989)

SANDY GRIFFIN, ed. Aug. 1989 247 p Workshop held in Houston, TX, 12-14 Apr. 1989; sponsored by NASA, Washington and Houston Univ., Clear Lake

(NASA-CP-3045; S-594; NAS 1.55:3045) Avail: NTIS HC A11/MF A02 CSCL 09B

COMPUTER COMPUTER ANIMATION, GRAPHICS. CONFERENCES, DISPLAY DEVICES, MAN MACHINE SYSTEMS, SPACE SHUTTLES, SPACE STATIONS, SYSTEMS SIMULATION, TELEOPERATORS, TRAINING SIMULATORS

#### 61

#### **COMPUTER PROGRAMMING AND SOFTWARE**

Includes computer programs, routines, and algorithms, and specific applications, e.g., CAD/CAM.

N87-10720\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD. PROCEEDINGS OF THE 5TH ANNUAL USERS' CONFERENCE

M. SZCZUR, ed. and E. HARRIS, ed. 1985 400 p Conference held at Greenbelt, Md., 4-6 Jun. 1985 (NASA-CP-2399; NAS 1.55:2399) Avail: NTIS HC A17/MF A03

CSCL 09B

ACCESS CONTROL, COMPUTER NETWORKS, FORMAT. IMAGE PROCESSING, SOFTWARE ENGINEERING, SOFTWARE TOOLS, SPACE STATIONS

N87-19931\*# National Aeronautics and Space Administration, Washington, DC.

COMPUTER SCIENCES AND DATA SYSTEMS, VOLUME 1 Mar. 1987 356 p Proceedings of a Symposium held in Williamsburg, Va., 18-20 Nov. 1986

(NASA-CP-2459-VOL-1; NAS 1.55:2459-VOL-1) Avail: NTIS HC A16/MF A02 CSCL 09B

ARCHITECTURE (COMPUTERS), CONCURRENT PRO-CESSING, CONFERENCES, DATA MANAGEMENT, DISTRI-BUTED PROCESSING, EXPERT SYSTEMS, SOFTWARE **ENGINEERING** 

N87-19932\*# National Aeronautics and Space Administration. Washington, DC.

COMPUTER SCIENCES AND DATA SYSTEMS, VOLUME 2

Mar. 1987 339 p Proceedings of a Symposium held in Williamsburg, Va., 18-20 Nov. 1986

(NASA-CP-2459-VOL-2; NAS 1.55:2459-VOL-2) Avail: NTIS HC A15/MF A02 CSCL 09B

CONFERENCES, DATA STORAGE. DISTRIBUTED PROCESSING, FIBER OPTICS, MASSIVELY PARALLEL PROCESSORS, OPTICAL DATA PROCESSING, PARALLEL PROCESSING (COMPUTERS), VHSIC (CIRCUITS)

N87-23156\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD. SIXTH ANNUAL USERS' CONFERENCE

MARTHA SZCZUR, ed. and ELFRIEDA HARRIS, ed. (Science Oct. 1986 Applications Research, Lanham, Md.) Conference held in Pasadena, Calif., 8-10 Oct. 1986; sponsored by JPL and NASA, Goddard Space Flight Center (NASA-CP-2463; REPT-8780176; NAS 1.55:2463) Avail: NTIS HC A11/MF A02 CSCL 09B

APPLICATIONS PROGRAMS (COMPUTERS), COMPUTER SYSTEMS PROGRAMS, CONFERENCES, IMAGE PROCESSING, INFORMATION SYSTEMS, MAN-COMPUTER INTERFACE, **OPERATING SYSTEMS (COMPUTERS)** 

N87-26531\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

FRONTIERS OF MASSIVELY PARALLEL SCIENTIFIC COMPUTATION

JAMES R. FISCHER, ed. Jul. 1987 293 p Symposium held in Greenbelt, Md., 24-25 Sep. 1986; sponsored by NASA Goddard Space Flight Center and Goodyear Aerospace Corp.

(NASA-CP-2478; REPT-87B9876; NAS 1.55:2478) Avail: NTIS HC A13/MF A02 CSCL 09B

ALGORITHMS, COMPUTER COMPUTER GRAPHICS, SYSTEMS PERFORMANCE, COMPUTERIZED SIMULATION, MASSIVELY PARALLEL PROCESSORS, **PARALLEL** PROCESSING (COMPUTERS)

N88-16360\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

THIRD CONFERENCE ON ARTIFICIAL INTELLIGENCE FOR SPACE APPLICATIONS, PART 1

JUDITH S. DENTON, comp., MICHAEL S. FREEMAN, comp., and MARY VEREEN, comp. Nov. 1987 421 p Conference held in Huntsville, Ala., 2-3 Nov. 1987; sponsored by NASA, Marshall Space Flight Center, Huntsville, Ala. and Alabama Univ., Huntsville

(NASA-CP-2492-Pt-1; M-575-PT-1; NAS 1.55:2492-Pt-1) Avail: NTIS HC A18/MF A03 CSCL 09B

COMPUTER PROGRAMS, CONFERENCES, DATA BASE

#### 61 COMPUTER PROGRAMMING AND SOFTWARE

MANAGEMENT SYSTEMS, EXPERT SYSTEMS, KNOWLEDGE, MAN MACHINE SYSTEMS, ROBOTICS, SCHEDULING, SPACE SHUTTLES, SPACE STATIONS, SPACECRAFT CONTROL

N88-24188\*# National Aeronautics and Space Administration.

Marshall Space Flight Center, Huntsville, AL.

## THIRD CONFERENCE ON ARTIFICIAL INTELLIGENCE FOR SPACE APPLICATIONS, PART 2

JUDITH S. DENTON, comp., MICHAEL S. FREEMAN, comp., and MARY VEREEN, comp. Jun. 1988 66 p Conference held in Huntsville, Ala., 2-3 Nov. 1987; sponsored by NASA, Marshall Space Flight Center, Huntsville, Ala. and Alabama Univ., Huntsville Sponsored by NASA, Washington

(NASA-CP-2492-PT-2; M-576-PT-2; NAS 1.55:2492-PT-2) Avail: NTIS HC A04/MF A01 CSCL 09B

COMPUTER PROGRAMS, CONFERENCES, EXPERT SYSTEMS, SOFTWARE TOOLS, SPACE STATIONS

N88-29351\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

## SECOND CONFERENCE ON ARTIFICIAL INTELLIGENCE FOR SPACE APPLICATIONS

THOMAS DOLLMAN, comp. Aug. 1988 709 p Conference held in Huntsville, Ala., 13-14 Nov. 1986; sponsored by NASA, Marshall Space Flight Center, Huntsville, Ala. and Alabama Univ., Huntsville Sponsored by NASA, Washington, D.C. (NASA-CP-3007; M-577; NAS 1.55:3007) Avail: NTIS HC A99/MF A04 CSCL 09B

AUTOMATIC CONTROL, COMPUTER AIDED DESIGN, COMPUTER VISION, EXPERT SYSTEMS, ROBOTICS, SPACE STATIONS

N89-11407\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA. OEXP ANALYSIS TOOLS WORKSHOP

L. BERNARD GARRETT, ROBERT L. WRIGHT, DEBORAH BADI, and JOHN T. FINDLAY (Flight Mechanics and Control, Inc., Hampton, Va.) Aug. 1988 146 p Workshop held in Hampton, Va., 21-22 Jun. 1988 Sponsored by NASA, Washington, D.C. (NASA-CP-10013; NAS 1.55:10013) Avail: NTIS HC A07/MF A01 CSCL 09B

COMPUTER PROGRAMS, LUNAR EXPLORATION, MARS LANDING, MISSION PLANNING, SOFTWARE TOOLS

N89-12237\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

ANALYSIS OF POSITRON LIFETIME SPECTRA IN POLYMERS JAG J. SINGH, GERALD H. MALL (Computer Sciences Corp., Hampton, Va.), and DANNY R. SPRINKLE Dec. 1988 61 p (NASA-TP-2853; L-16468; NAS 1.60:2853) Avail: NTIS HC A04/MF A01 CSCL 09B

COMPUTER PROGRAMS, EPOXY COMPOUNDS, HALF LIFE, POSITRONS, RADIATION SPECTRA

N89-13994\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

# THE ESTIMATION ERROR COVARIANCE MATRIX FOR THE IDEAL STATE RECONSTRUCTOR WITH MEASUREMENT NOISE

MICHAEL E. POLITES Dec. 1988 19 p (NASA-TP-2881; NAS 1.60:2881) Avail: NTIS HC A03/MF A01 CSCL 09B

COVARIANCE, ERROR ANALYSIS, MATRICES (MATHEMATICS), RECONSTRUCTION, STATE ESTIMATION

N89-15549\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.

### FOURTH CONFERENCE ON ARTIFICIAL INTELLIGENCE FOR SPACE APPLICATIONS

STEPHEN L. ODELL, comp., JUDITH S. DENTON, comp., and MARY VEREEN, comp. Oct. 1988 485 p Conference held in Huntsville, AL, 15-16 Nov. 1988; sponsored by NASA and Alabama Univ., Huntsville

(NASA-CP-3013; M-599; NAS 1.55:3013) Avail: NTIS HC A21/MF A03 CSCL 09B

AEROSPACE SCIENCES, ARTIFICIAL INTELLIGENCE, EXPERT SYSTEMS, ROBOTICS

N89-22332\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.

### PROCEEDINGS OF THE SCIENTIFIC DATA COMPRESSION WORKSHOP

H. K. RAMAPRIYAN, ed. Washington, DC Feb. 1989 448 p Workshop held in Snowbird, UT, 3-5 May 1988; sponsored by NASA, Washington

(NASA-CP-3025; REPT-89B0038; NAS 1.55:3025) Avail: NTIS HC A19/MF A03 CSCL 09B

CONFERENCES, DATA COMPRESSION, DATA MANAGEMENT, DATA TRANSMISSION, IMAGE PROCESSING, IMAGING TECHNIQUES, SIGNAL PROCESSING, TELEMETRY, VECTORS (MATHEMATICS)

N89-23181\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

A KNOWLEDGE-BASED TOOL FOR MULTILEVEL DECOMPOSITION OF A COMPLEX DESIGN PROBLEM

JAMES L. ROGERS Washington May 1989 23 p

(NASA-TP-2903; L-16557; NAS 1.60:2903) Avail+ NTIS HC

A03/MF A01 CSCL 09B

COMPUTER AIDED DESIGN, KNOWLEDGE BASES (ARTIFICIAL INTELLIGENCE), SCHEDULING, SOFTWARE TOOLS, SYSTEMS ENGINEERING

N90-11454\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

### APPLICATIONS OF THE HYBRID AUTOMATED RELIABILITY PREDICTOR: REVISED EDITION

SALVATORE J. BAVUSO, JOANNE BECHTA DUGAN, KISHOR TRIVEDI, BETH ROTHMANN, and MARK BOYD (Duke Univ., Durham, NC.) Dec. 1988 30 p

(NASA-TP-2760-REV; L-16304; NAS 1.60:2760-REV) Avail: NTIS HC A03/MF A01 CSCL 09B

APPLICATIONS PROGRAMS (COMPUTERS), COMPUTER TECHNIQUES, FAULT TOLERANCE, PREDICTIONS, RELIABILITY

N90-14789\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

#### SOFTWARE REUSE ISSUES

SUSAN J. VOIGT, ed. and KATHRYN A. SMITH, ed. Washington Dec. 1989 168 p Workshop held in Melbourne, FL, 17-18 Nov. 1988

(NASA-CP-3057; L-16667; NAS 1.55:3057) Avail: NTIS HC A08/MF A01 CSCL 09B

COMPUTER PROGRAMS, CONFERENCES, SOFTWARE ENGINEERING, SOFTWARE TOOLS, SPACE STATIONS

N90-18882\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

#### LOW-ENERGY GAMMA RAY ATTENUATION CHARACTERISTICS OF AVIATION FUELS

JAG J. SINGH, CHIH-PING SHEN (Old Dominion Univ., Norfolk,

VA.), and DANNY R. SPRINKLE Washington Mar. 1990
40 p

(NASA-TP-2974; L-16719; NAS 1.60:2974) Avail: NTIS HC A03/MF A01 CSCL 09B

AIRCRAFT FUELS, AIRPORTS, ENERGY ABSORPTION, FUEL SYSTEMS, GAMMA RAY ABSORPTION, GAMMA RAYS

N90-27275\*# National Aeronautics and Space Administration.

Marshall Space Flight Center, Huntsville, AL.

### FIFTH CONFERENCE ON ARTIFICIAL INTELLIGENCE FOR SPACE APPLICATIONS

STEVE L. ODELL, comp. Washington May 1990 587 p Conference held in Huntsville, AL, 22-23 May 1990; sponsored in cooperation with Alabama Univ., Huntsville, IEEE, and AIAA

#### **62 COMPUTER SYSTEMS**

(NASA-CP-3073; M-627; NAS 1.55:3073) Avail: NTIS HC A25/MF A04 CSCL 09B

ARTIFICIAL INTELLIGENCE, AUTOMATIC CONTROL, CONFERENCES, KNOWLEDGE BASES (ARTIFICIAL INTELLIGENCE), ROBOTICS

#### 62

#### **COMPUTER SYSTEMS**

Includes computer networks and special application computer systems.

N87-23202\*# National Aeronautics and Space Administration.
Lewis Research Center, Cleveland, OH.

APPLICATIONS AND REQUIREMENTS FOR REAL-TIME SIMULATORS IN GROUND-TEST FACILITIES

DALE J. ARPASI and RICHARD A. BLECH Dec. 1986 26 p (NASA-TP-2672; E-3189; NAS 1.60:2672) Avail: NTIS HC A03/MF A01 CSCL 09B

GROUND TESTS, REAL TIME OPERATION, SIMULATORS, TEST FACILITIES

N89-17422\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

PARALLEL GAUSSIAN ELIMINATION OF A BLOCK TRIDIAGONAL MATRIX USING MULTIPLE MICROCOMPUTERS

RICHARD A. BLECH Washington, DC Feb. 1989 35 p (NASA-TP-2892; E-4199; NAS 1.60:2892) Avail: NTIS HC A03/MF A01 CSCI 09B

A03/MF A01 CSCL 09B

GAUSSIAN ELIMINATION, MATRICES (MATHEMATICS),
MICROCOMPUTERS, MULTIPROCESSING (COMPUTERS),
PARALLEL PROGRAMMING

N89-24815\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

THE FAULT TREE COMPILER (FTC): PROGRAM AND MATHEMATICS

RICKY W. BUTLER and ANNA L. MARTENSEN (PRC Kentron, Inc., Hampton, VA.) Washington Jul. 1989 40 p (NASA-TP-2915; L-16529; NAS 1.60:2915) Avail: NTIS HC A03/MF A01 CSCL 09B

COMPUTER PROGRAMS, COMPUTER TECHNIQUES, FAULT TOLERANCE, FAULT TREES, PROBABILITY THEORY, RELIABILITY ANALYSIS

#### 63

#### **CYBERNETICS**

Includes feedback and control theory, artificial intelligence, robotics and expert systems.

N88-30330°# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.

THE 1988 GODDARD CONFERENCE ON SPACE APPLICATIONS OF ARTIFICIAL INTELLIGENCE

JAMES RASH, ed. and PETER HUGHES, ed. Aug. 1988 437 p Conference held in Greenbelt, Md., 24 May 1988 Sponsored by NASA, Washington, D.C.

(NASA-CP-3009; REPT-88B0212; NAS 1.55:3009) Avail: NTIS HC A19/MF A03 CSCL 09B

AEROSPACE ENGINEERING, ARTIFICIAL INTELLIGENCE, COMPUTERIZED SIMULATION, CONFERENCES, EXPERT SYSTEMS, IMAGE PROCESSING, MISSION PLANNING

N89-26578\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

THE 1989 GODDARD CONFERENCE ON SPACE APPLICATIONS OF ARTIFICIAL INTELLIGENCE

JAMES RASH, ed. Washington Apr. 1989 385 p Conference held in Greenbelt, MD, 16-17 May 1989

(NASA-CP-3033; REPT-89B00099; NAS 1.55:3033) Avail: NTIS HC A17/MF A03 CSCL 09B

ARTIFICIAL INTELLIGENCE, COMPUTER VISION, COMPUTERIZED SIMULATION, CONFERENCES, DATA MANAGEMENT, EXPERT SYSTEMS, FAILURE ANALYSIS, IMAGE PROCESSING, MISSION PLANNING

N90-10618\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

OPTIMIZED RESOLVED RATE CONTROL OF

SEVEN-DEGREE-OF-FREEDOM LABORATORY TELEROBOTIC MANIPULATOR (LTM) WITH APPLICATION TO THREE-DIMENSIONAL GRAPHICS SIMULATION

L. KEITH BARKER and WILLIAM S. MCKINNEY, JR. Washington Oct. 1989 80 p

(NASA-ŤP-2938; L-16562; NAS 1.60:2938) Avail: NTIS HC A05/MF A01 CSCL 09B

DEGREES OF FREEDOM, MANIPULATORS, OPTIMAL CONTROL, REAL TIME OPERATION, ROBOT CONTROL, ROBOTICS, TELEROBOTICS

N90-22294\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

THE 1990 GODDARD CONFERENCE ON SPACE APPLICATIONS OF ARTIFICIAL INTELLIGENCE

JAMES L. RASH, ed. May 1990 342 p Conference held in Greenbelt, MD, 1-2 May 1990

(NASA-CP-3068; REPT-90B00078; NAS 1.55:3068) Avail: NTIS HC A15/MF A02 CSCL 09B

ARCHITECTURE (COMPUTERS), ARTIFICIAL INTELLIGENCE, CONFERENCES, FAULT TOLERANCE, PLANNING, SCHEDULING

#### 64

#### **NUMERICAL ANALYSIS**

Includes iteration, difference equations, and numerical approximation.

N87-14054\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SOME PATH-FOLLOWING TECHNIQUES FOR SOLUTION OF NONLINEAR EQUATIONS AND COMPARISON WITH PARAMETRIC DIFFERENTIATION

R. L. BARGER and R. W. WALTERS (Virginia Polytechnic Inst. and State Univ., Blacksburg.) 1986 16 p (NASA-TP-2654; L-16199; NAS 1.60:2654) Avail: NTIS HC A03/MF A01 CSCL 12A

COMPUTER PROGRAMMING, CRITICAL PATH METHOD, DIFFERENTIAL EQUATIONS, NONLINEAR EQUATIONS, PARAMETER IDENTIFICATION

N87-14918\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

SOLUTION OF ELLIPTIC PARTIAL DIFFERENTIAL EQUATIONS BY FAST POISSON SOLVERS USING A LOCAL RELAXATION FACTOR. 2: TWO-STEP METHOD

S. C. CHANG May 1986 17 p

(NASA-TP-2530; E-2528-1; NAS 1.60:2530) Avail: NTIS HC A03/MF A01 CSCL 12A

ELLIPTIC DIFFERENTIAL EQUATIONS, ELLIPTIC FUNCTIONS, PARTIAL DIFFERENTIAL EQUATIONS, PROBLEM SOLVING

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

QUANTITATIVE ANALYSIS OF THE RECONSTRUCTION PERFORMANCE OF INTERPOLANTS

DONALD L. LANSING and STEPHEN K. PARK (College of William and Mary, Williamsburg, Va.) May 1987 35 p (NASA-TP-2688; L-16164; NAS 1.60:2688) Avail: NTIS HC A03/MF A01 CSCL 12A

INTERPOLATION, QUANTITATIVE ANALYSIS, RECON-STRUCTION

N87-22447\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

AN ALGORITHM FOR SURFACE SMOOTHING WITH **RATIONAL SPLINES** 

JAMES R. SCHIESS Jun. 1987 17 p. (NASA-TP-2708; L-16272; NAS 1.60:2708) Avail: NTIS HC A03/MF A01 CSCL 12A

ALGORITHMS, RATIONAL FUNCTIONS, SMOOTHING. SPLINE FUNCTIONS, SURFACE ROUGHNESS

N87-28367\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EXPERIMENTS IN ENCODING MULTILEVEL IMAGES AS **QUADTREES** 

DONALD L. LANSING Sep. 1987 60 p

(NASA-TP-2722; L-16292; NAS 1.60:2722) Avail: NTIS HC A04/MF A01 CSCL 12A

CODING, DATA COMPRESSION, DATA STORAGE, GRAY SCALE, IMAGE PROCESSING

N89-12316\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

THREE-DIMENSIONAL MULTIGRID ALGORITHMS FOR THE **FLUX-SPLIT EULER EQUATIONS** 

W. KYLE ANDERSON, JAMES L. THOMAS, and DAVID L. WHITFIELD (Mississippi State Univ., Mississippi State.) Nov. 1988 41 p

(NASA-TP-2829; L-16416; NAS 1.60:2829) Avail: NTIS HC A03/MF A01 CSCL 12A

APPROXIMATION, COMPUTATIONAL FLUID DYNAMICS, EULER EQUATIONS OF MOTION, FLUX VECTOR SPLITTING, THREE DIMENSIONAL FLOW

N89-16415\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EFFECT OF EPHEMERIS ERRORS ON THE ACCURACY OF THE COMPUTATION OF THE TANGENT POINT ALTITUDE OF A SOLAR SCANNING RAY AS MEASURED BY THE SAGE 1 **AND 2 INSTRUMENTS** 

JAMES J. BUGLIA Washington, DC Feb. 1989 29 p (NASA-TP-2866; L-16485; NAS 1.60:2866) Avail: NTIS HC A03/MF A01 CSCL 12A

ALTITUDE, APPROXIMATION, EPHEMERIDES, POSITION ERRORS, SAGE SATELLITE, SCANNING, SPACECRAFT ORBITS. SUN, TANGENTS

#### 65

#### STATISTICS AND PROBABILITY

Includes data sampling and smoothing; Monte Carlo method; and stochastic processes.

N87-23244\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA. DEVELOPMENT OF CONFIDENCE LIMITS BY PIVOTAL **FUNCTIONS FOR ESTIMATING SOFTWARE RELIABILITY** KELLY J. DOTSON Jun. 1987 12 p

(NASA-TP-2709; L-16264; NAS 1.60:2709) Avail: NTIS HC A03/MF A01 CSCL 12A

CONFIDENCE LIMITS, FAILURE ANALYSIS, PREDICTIONS, RELIABILITY ANALYSIS, SOFTWARE ENGINEERING

N87-27474\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

PROBABILISTIC RISK ANALYSIS OF FLYING THE SPACE SHUTTLE WITH AND WITHOUT FUEL TURBINE DISCHARGE **TEMPERATURE REDLINE PROTECTION** 

LEONARD HOWELL Aug. 1987 22 p (NASA-TP-2759; NAS 1.60:2759) Avail: NTIS HC A03/MF A01

CSCL 12A ENGINE FAILURE, MATHEMATICAL MODELS, SPACE MAIN ENGINE, SPACECRAFT SHUTTLE RELIABILITY, STOCHASTIC PROCESSES, TEMPERATURE SENSORS

N88-17380\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SURE RELIABILITY ANALYSIS: PROGRAM AND MATHEMATICS

RICKY W. BUTLER and ALLAN L. WHITE Mar. 1988 77 p. (NASA-TP-2764; L-16263; NAS 1.60:2764) Avail: NTIS HC A05/MF A01 CSCL 12A

APPLICATIONS PROGRAMS (COMPUTERS), MARKOV PROCESSES, TOLERANCE. MATHEMATICAL MODELS, RELIABILITY ANALYSIS

N88-22653\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

ANALYSIS AND TESTING OF THE SURE PROGRAM KELLY J. DOTSON 1988 1 p

(NASA-TP-2817; L-16413; NAS 1.60:2817) PREVIEW CSCL

COMPUTER PROGRAMS, ERROR ANALYSIS, FAULT DERANCE, MARKOV PROCESSES, MATHEMATICAL TOLERANCE, MODELS, RELIABILITY ANALYSIS

#### 66

#### SYSTEMS ANALYSIS

Includes mathematical modeling; network analysis; and operations research.

N88-21740\*# National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Center, Edwards, CA.
USER'S MANUAL FOR LINEAR, A FORTRAN PROGRAM TO

**DERIVE LINEAR AIRCRAFT MODELS** 

EUGENE L. DUKE, BRIAN P. PATTERSON, and ROBERT F. ANTONIEWICZ Dec. 1987 109 p

(NASA-TP-2768; H-1259; NAS 1.60:2768) Avail: NTIS HC

A06/MF A01 CSCL 12B
AIRCRAFT MODELS, COMPUTER PROGRAMS, FORTRAN, LINEARIZATION

N89-16437\*# National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Facility, Edwards, CA. USER'S MANUAL FOR INTERACTIVE LINEAR: A FORTRAN PROGRAM TO DERIVE LINEAR AIRCRAFT MODELS

ROBERT F. ANTONIEWICZ, EUGENE L. DUKE, and BRIAN P. PATTERSON Sep. 1988 126 p

(NASA-TP-2835; H-1443; NAS 1.60:2835) Avail: NTIS HC A07/MF A01 CSCL 12B

AIRCRAFT DESIGN, FORTRAN, INTERACTIVE CONTROL. LINEAR SYSTEMS, USER MANUALS (COMPUTER PROGRAMS)

#### 67

#### THEORETICAL MATHEMATICS

includes topology and number theory.

N89-14052\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.
AN ECONOMICAL SEMI-ANALYTICAL ORBIT THEORY FOR
MICRO-COMPUTER APPLICATIONS
R. A. GORDON Washington, D.C. Mar. 1988 46 p

(NASA-TP-2811; REPT-8680451; NAS 1.60:2811) Avail: NTIS HC A03/MF A01 CSCL 12A

AERODYNAMIC DRAG, COMPUTER TECHNIQUES, ORBIT CALCULATION, ORBIT PERTURBATION, ZONAL HARMONICS

#### 70

#### **PHYSICS (GENERAL)**

N89-14053\*# National Aeronautics and Space Administration.
Langley Research Center, Hampton, VA.

A GÉNERAL FORMALISM FOR PHASE SPACE CALCULATIONS

JOHN W. NORBURY, PHILIP A. DEUTCHMAN, LAWRENCE W. TOWNSEND, and FRANCIS A. CUCINOTTA (Old Dominion Univ., Norfolk, Va.) Nov. 1988 23 p (NSF PHY-84-11009)

(NASA-TP-2843; L-16463; NAS 1.60:2843) Avail: NTIS HC

A03/MF A01 CSCL 20C
GALACTIC COSMIC RAYS, NORMALITY, PHASE-SPACE
INTEGRAL

N90-12282\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

PARAMETRIC STUDY OF POWER ABSORPTION FROM ELECTROMAGNETIC WAVES BY SMALL FERRITE SPHERES

GERALD W. ENGLERT Nov. 1989 22 p (NASA-TP-2949; E-4601; NAS 1.60:2949) Avail: NTIS HC

A03/MF A01 CSCL 20C EDDY CURRENTS, ELECTROMAGNETIC RADIATION

EDDY CURRENTS, ELECTROMAGNETIC RADIATION, FERRITES, HYSTERESIS, RADIATION ABSORPTION, SPHERES

N90-18957\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

ANNIHILATION IN GASES AND GALAXIES

RICHARD J. DRACHMAN, ed. Washington Jan. 1990 271 p Workshop held in Greenbelt, MD, 19-21 Jul. 1989 (NASA-CP-3058; REPT-90B00019; NAS 1.55:3058) Avail: NTIS

HC A12/MF A02 CSCL 20H
ANNIHILATION REACTIONS, ANTIMATTER, POSITRONIUM,
POSITRONS, SCATTERING CROSS SECTIONS

#### 71

#### **ACOUSTICS**

Includes sound generation, transmission, and attenuation.

N87-14120°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA. EFFECTS OF BACKGROUND NOISE ON TOTAL NOISE ANNOYANCE

K. F. WILLSHIRE Jan. 1987 59 p (NASA-TP-2630; L-16153; NAS 1.60:2630) Avail: NTIS HC A04/MF A01 CSCL 46A

BACKGROUND NOISE, EFFECTIVE PERCEIVED NOISE LEVELS, NOISE INTENSITY, NOISE POLLUTION, NOISE TOLERANCE

N87-17479\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

POWER CEPSTRUM TECHNIQUE WITH APPLICATION TO MODEL HELICOPTER ACOUSTIC DATA

R. M. MARTIN and C. L. BURLEY Washington Jun. 1986 68 p

(NASA-TP-2586; L-16070; NAS 1.60:2586) Avail: NTIS HC A04/MF A01 CSCL 20A

ACOUSTIC MEASUREMENT, CEPSTRAL ANALYSIS, HELICOPTERS, MODELS, SIGNAL REFLECTION

N87-18399\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.
CORRELATION OF HELICOPTER IMPULSIVE NOISE FROM BLADE-VORTEX INTERACTION WITH ROTOR MEAN INFLOW ANDREW B. CONNOR and R. M. MARTIN Mar. 1987 23 p (NASA-TP-2650; L-16145; NAS 1.60:2650) Avail: NTIS HC A03/MF A01 CSCL 20A

BLADE SLAP NOISE, BLADE-VORTEX INTERACTION, ROTOR BLADES (TURBOMACHINERY), VORTICES, WIND TUNNEL TESTS

N87-20798\*# National Aeronautics and Space Administration.
Langley Research Center, Hampton, VA.

EXPERIMENTAL VALIDATION OF A TWO-DIMENSIONAL
SHEAR-FLOW MODEL FOR DETERMINING ACOUSTIC

IMPEDANCE
TONY L. PARROTT, WILLIE R. WATSON, and MICHAEL G. JONES
(PRC Kentron, Inc., Hampton, Va.) May 1987 50 p
(NASA-TP-2679; L-16203; NAS 1.60:2679) Avail: NTIS HC

A03/MF A01 CSCL 20A
ACOUSTIC IMPEDANCE, MODELS, SHEAR FLOW, TWO
DIMENSIONAL FLOW, TWO DIMENSIONAL MODELS

N87-24161\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

ANNOYANCE RESPONSE TO SIMULATED ADVANCED TURBOPROP AIRCRAFT INTERIOR NOISE CONTAINING TONAL BEATS

JACK D. LEATHERWOOD Jul. 1987 28 p (NASA-TP-2689; L-16184; NAS 1.60:2689) Avail: NTIS HC A03/MF A01 CSCL 20A

AIRCRAFT COMPARTMENTS, AIRCRAFT NOISE, HUMAN TOLERANCES, PSYCHOLOGICAL EFFECTS, RESPONSES

N88-11450°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EVALUATION OF A SCALE-MODEL EXPERIMENT TO INVESTIGATE LONG-RANGE ACOUSTIC PROPAGATION

TONY L. PARROTT, GERRY L. MCANINCH, and INGRID A.

CARLBERG Nov. 1987 55 p (NASA-TP-2748; L-16300; NAS 1.60:2748) Avail: NTIS HC A04/MF A01 CSCL 20A

ACOUSTICS, FEASIBILITY ANALYSIS, MATHEMATICAL MODELS, SCALE MODELS, TERRAIN, WAVE PROPAGATION

N88-13002\*# National Aeronautics and Space Administration.

Langley Research Center, Hampton, VA.

MEASUREMENT OF VELOCITY AND VORTICITY FIELDS IN
THE WAKE OF AN AIRFOIL IN PERIODIC PITCHING MOTION
EARL R. BOOTH, JR. Dec. 1987 31 p

(NASA-TP-2780; L-16339; NAS 1.60:2780) Avail: NTIS HC A03/MF A01 CSCL 20A

AIRFOILS, PITCH (INCLINATION), VORTICES, VORTICITY, WAKES

#### 72 ATOMIC AND MOLECULAR PHYSICS

National Aeronautics and Space Administration. N88-16510\*# Langley Research Center, Hampton, VA.

SHOCK STRUCTURE AND NOISE OF SUPERSONIC JETS IN SIMULATED FLIGHT TO MACH 0.4

THOMAS D. NORUM and JOHN G. SHEARIN 187 p

(NASA-TP-2785; L-16341; NAS 1.60:2785) Avail: NTIS HC A09/MF A01 CSCL 20A

JET AIRCRAFT NOISE, MACH NUMBER, SHOCK WAVES, SUPERSONIC AIRCRAFT

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA MEASURED AND CALCULATED ACOUSTIC ATTENUATION RATES OF TUNED RESONATOR ARRAYS FOR TWO SURFACE IMPEDANCE DISTRIBUTION MODELS WITH FLOW TONY L. PARROTT, A. LOUIS ABRAHAMSON, and MICHAEL G. JONES (PRC Kentron, Inc., Hampton, Va.) Jan. 1988 51 p (NASA-TP-2766; L-16352; NAS 1.60:2766) Avail: NTIS HC

A04/MF A01 CSCL 20A
ACOUSTIC ATTENUATION, ACOUSTIC IMPEDANCE, CAVITY RESONATORS, ENGINE NOISE, FINITE ELEMENT METHOD.

GRAZING FLOW, NOISE REDUCTION

N88-17441\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

ANNOYANCE CAUSED BY ADVANCED TURBOPROP AIRCRAFT FLYOVER NOISE: SINGLE-ROTATING PROPELLER CONFIGURATION

DAVID A. MCCURDY Mar. 1988 43 p (NASA-TP-2782; L-16301; NAS 1.60:2782) Avail: NTIS HC A03/MF A01 CSCL 20A

ENGINE NOISE, JET AIRCRAFT NOISE, NOISE INTENSITY, NOISE TOLERANCE, PROPELLER FANS, TOLERANCES (PHYSIOLOGY)

N88-22710\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

ADVANCING-SIDE DIRECTIVITY AND RETREATING-SIDE INTERACTIONS OF MODEL ROTOR BLADE-VORTEX INTERACTION NOISE

R. M. MARTIN, W. R. SPLETTSTOESSER, J. W. ELLIOTT, and K.-J. SCHULTZ (Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Brunswick, West Germany )

(NASA-TP-2784; L-16354; NAS 1.60:2784; AVSCOM-TR-87-B-3) Avail: NTIS HC A03/MF A01 CSCL 20A
BLADE-VORTEX INTERACTION, ROTOR AERODYNAMICS

N88-26907\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

HELICOPTER MAIN-ROTOR NOISE: DETERMINATION OF SOURCE CONTRIBUTIONS USING SCALED MODEL DATA THOMAS F. BROOKS, J. RALPH JOLLY, JR. (Planning Research Corp., Hampton, Va.), and MICHAEL A. MARCOLINI Aug. 1988

(NASA-TP-2825; L-16399; NAS 1.60:2825) Avail: NTIS HC A04/MF A01 CSCL 20A

AIRCRAFT NOISE, BLADE SLAP NOISE. **BO-105** HELICOPTER, ROTARY WINGS, WIND TUNNEL TESTS

N89-25673\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

AIRFOIL SELF-NOISE AND PREDICTION

THOMAS F. BROOKS, D. STUART POPE (PRC Kentron, Inc., Hampton, VA.), and MICHAEL A. MARCOLINI Jul. 1989 145 p. (NASA-RP-1218; L-16528; NAS 1.61:1218) Avail: NTIS HC A07/MF A01 CSCL 20A

A prediction method is developed for the self-generated noise of an airfoil blade encountering smooth flow. The prediction methods for the individual self-noise mechanisms are semiempirical and are based on previous theoretical studies and data obtained from tests of two- and three-dimensional airfoil blade sections.

The self-noise mechanisms are due to specific boundary-layer phenomena, that is, the boundary-layer turbulence passing the trailing edge, separated-boundary-layer and stalled flow over an airfoil, vortex shedding due to laminar boundary layer instabilities, vortex shedding from blunt trailing edges, and the turbulent vortex flow existing near the tip of lifting blades. The predictions are compared successfully with published data from three self-noise studies of different airfoil shapes. An application of the prediction method is reported for a large scale-model helicopter rotor, and the predictions compared well with experimental broadband noise measurements. A computer code of the method is given. Author

N90-10680\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

FLUCTUATING PRESSURES MEASURED BENEATH A HIGH-TEMPERATURE, TURBULENT BOUNDARY LAYER ON A FLAT PLATE AT MACH NUMBER OF 5

TONY L. PARROTT, MICHAEL G. JONES (Planning Research Corp., Hampton, VA.), and CINDY W. ALBERTSON Nov. 1989 39 p

(NASA-TP-2947; L-16596; NAS 1.60:2947) Avail: NTIS HC A03/MF A01 CSCL 20A

HIGH TEMPERATURE, MACH NUMBER, PIEZORESISTIVE TRANSDUCERS. PRESSURE MEASUREMENT. PROCESSING, TURBULENT BOUNDARY LAYER

N90-24853\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

FAA/NASA EN ROUTE NOISE SYMPOSIUM

CLEMANS A. POWELL, comp. Washington Apr. 1990 301 p Symposium held in Hampton, VA, 12-13 Sep. 1989 (NASA-CP-3067; L-16763; NAS 1.55:3067) Avail: NTIS HC

A14/MF A02 CSCL 20A
AIRCRAFT NOISE, AIRPORTS, CONFERENCES, NASA
PROGRAMS, NOISE POLLUTION, NOISE TOLERANCE, PROPELLERS, ROUTES

N90-29166\* National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

ANNOYANCE CAUSED BY ADVANCED TURBOPROP AIRCRAFT FLYOVER NOISE:

COUNTER-ROTATING-PROPELLER CONFIGURATION DAVID A. MCCURDY Washington Sep. 1990 88 p. (NASA-TP-3027; L-16780; NAS 1.60:3027) Avail: NTIS HC A05/MF A01 CSCI 20A

HUMAN TOLERANCES. NOISE INTENSITY. PSYCHOACOUSTICS. PROPELLER TOLERANCE, NOISE, SOUND PRESSURE

#### 72

#### ATOMIC AND MOLECULAR PHYSICS

Includes atomic structure, electron properties, and molecular spectra.

N89-30022\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

AUGER ELECTRON INTENSITY VARIATIONS IN **OXYGEN-EXPOSED LARGE GRAIN POLYCRYSTALLINE** SILVER

W. S. LEE, R. A. OUTLAW, G. B. HOFLUND, and M. R. DAVIDSON (Florida Univ., Gainesville.) 1989 18 p (NASA-TP-2930; L-16579; NAS 1.60:2930) Avail: NTIS HC A03/MF A01 CSCL 20H

AUGER SPECTROSCOPY, CRYSTALLOGRAPHY, ELECTRON FLUX DENSITY, OXYGEN RECOMBINATION, POLYCRYSTALS, **SILVER** 

#### 73

#### **NUCLEAR AND HIGH-ENERGY PHYSICS**

Includes elementary and nuclear particles; and reactor theory.

N87-17487\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA. DOUBLY DIFFERENTIAL CROSS SECTIONS FOR GALACTIC

**HEAVY-ION FRAGMENTATION** FRANCIS A. CUCINOTTA (Old Dominion Univ., Norfolk, Va.), JOHN W. NORBURY, GOVIND S. KHANDELWAL, and LAWRENCE W.

TOWNSEND Feb. 1987 23 p (NASA-TP-2659; L-16187; NAS 1.60:2659) Avail: NTIS HC A03/MF A01 CSCL 20H

COLLISION PARAMETERS, GALAXIES, HEAVY IONS, PARTICLE COLLISIONS, SCATTERING CROSS SECTIONS

N87-24977\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

POSSIBLE COMPLEMENTARY COSMIC-RAY SYSTEMS: **NUCLEI AND ANTINUCLEI** 

WARREN W. BUCK, JOHN W. WILSON, LAWRENCE W. TOWNSEND, and JOHN W. NORBURY (Idaho Univ., Moscow.) Jul. 1987 47 p

(NASA-TP-2741; L-16275; NAS 1.60:2741) Avail: NTIS HC A03/MF A01 CSCL 20H

ANTIMATTER, ANTIPARTICLES, GALACTIC COSMIC RAYS, HEAVY IONS, NUCLEI (NUCLEAR PHYSICS)

N88-13015\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

**NUCLEAR TECHNIQUES IN STUDIES OF CONDENSED** MATTER

JAG J. SINGH Aug. 1987 22 p (NASA-RP-1195; L-16361; NAS 1.61:1195) Avail: NTIS HC A03/MF A01 CSCL 20H

Nuclear techniques have played an important role in the studies of materials over the past several decades. For example, X-ray diffraction, neutron diffraction, neutron activation, and particle- or photon-induced X-ray emission techniques have been used extensively for the elucidation of structural and compositional details of materials. Several new techniques have been developed recently. Four such techniques are briefly reviewed which have great potential in the study and development of new materials. Of these four, Mossbauer spectroscopy, muon spin rotation, and positron annihilation spectroscopy techniques exploit their great sensitivity to the local atomic environments in the test materials. Interest in synchrotron radiation, on the other hand, stems from its special properties, such as high intensity, high degree of polarization, and high monochromaticity. It is hoped that this brief review will stimulate interest in the exploitation of these newer techniques for the development of improved materials. Author

National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

EIKONAL SOLUTIONS TO OPTICAL MODEL **COUPLED-CHANNEL EQUATIONS** 

FRANCIS A. CUCINOTTA, GOVIND S. KHANDELWAL, KHIN M. MAUNG (Cld Dominion Univ., Norfolk, Va.), LAWRENCE W. TOWNSEND, and JOHN W. WILSON Nov. 1988 30 p (NASA-TP-2830; L-16462; NAS 1.60:2830) Avail: NTIS HC A03/MF A01 CSCL 20H

EIKONAL EQUATION, ELASTIC SCATTERING, HEAVY IONS, INELASTIC SCATTERING, IONIC COLLISIONS, NUCLEAR SCATTERING, SCATTERING AMPLITUDE

N90-14890\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

CALCULATION OF TWO-NEUTRON MULTIPLICITY IN **PHOTONUCLEAR REACTIONS** 

JOHN W. NORBURY (Rider Coll., Lawrenceville, NJ.) and

LAWRENCE W. TOWNSEND Jan. 1990 11 p (NASA-TP-2968; L-16610; NAS 1.60:2968) Avail: NTIS HC A03/MF A01 CSCL 20H

EJECTION, EXCITATION, PARTICLE COLLISIONS, PARTICLE EMISSION, PHOTONUCLEAR REACTIONS

#### 74

#### **OPTICS**

Includes light phenomena; and optical devices.

N87-13264\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

THEORY FOR COMPUTING THE FIELD SCATTERED FROM A SMOOTH INFLECTED SURFACE

R. L. BARGER and A. K. DOMINEK 1986 23 p (NASA-TP-2632; L-16157; NAS 1.60:2632) Avail: NTIS HC A03/MF A01 CSCL 20F

BODIES OF REVOLUTION, ELECTROMAGNETIC RADIATION, MICROWAVES, REFLECTANCE, SURFACE PROPERTIES, WAVE SCATTERING

N90-25673\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.

MODE-MEDIUM INSTABILITY AND ITS CORRECTION WITH A GAUSSIAN REFLECTIVITY MIRROR

K. L. WEBSTER and C. C. SUNG (Alabama Univ., Huntsville.) Washington Jun. 1990 26 p

(NASA-TP-3023; NAS 1.60:3023) Avail: NTIS HC A03/MF A01 CSCL 20F

CARBON DIOXIDE LASERS, HIGH POWER LASERS, LASER STABILITY. BEAMS. LASER LASING. MIRRORS. REFLECTANCE

#### **75**

#### **PLASMA PHYSICS**

Includes magnetohydrodynamics and plasma fusion.

N87-10764\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

LASER-POWERED MHD GENERATORS FOR SPACE APPLICATION

N. W. JALUFKA Oct. 1986 15 p

(NASA-TP-2621; NAS 1.60:2621) Avail: NTIS HC A03/MF A01 CSCL 201

ENERGY CONVERSION EFFICIENCY, LASER PLASMA INTERACTIONS, MAGNETOHYDRODYNAMIC GENERATORS

N87-14998\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

ASYMPTOTIC ANALYSIS OF CORONA DISCHARGE FROM THIN ELECTRODES

P. A. DURBIN Sep. 1986 7 p (NASA-TP-2645; E-3151; NAS 1.60:2645) Avail: NTIS HC A02/MF A01 CSCL 201

ASYMPTOTIC METHODS, ELECTRIC CORONA, ELECTRIC DISCHARGES, ELECTRODES

N88-18443\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

LASER PRODUCTION AND HEATING OF PLASMA FOR MHD APPLICATION

N. W. JALUFKA Mar. 1988 11 p

#### 81 ADMINISTRATION AND MANAGEMENT

(NASA-TP-2798; L-16373; NAS 1.60:2798) Avail: NTIS HC A03/MF A01 CSCL 201

**ELECTRIC** GENERATORS. **ENERGY** CONVERSION EFFICIENCY. MAGNETOHYDRODYNAMIC GENERATORS. PLASMA HEATING

National Aeronautics and Space Administration. N89-14842\*# Lewis Research Center, Cleveland, OH.

**LUNAR HELIUM-3 AND FUSION POWER** 

Washington, DC Sep. 1988 234 p Workshop held in Cleveland, Ohio, 25-26 Apr. 1988

(NASA-CP-10018; E-4254; NAS 1.55:10018) Avail: NTIS HC À11/MF A02 CSCL 201

HELIUM ISOTOPES, LUNAR SOIL, MINING, NUCLEAR FUSION, REGOLITH

#### 76

#### **SOLID-STATE PHYSICS**

Includes superconductivity.

N90-12348\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

#### FORTRAN PROGRAM FOR X RAY PHOTOELECTRON SPECTROSCOPY DATA REFORMATTING

PHILLIP B. ABEL Nov. 1989 10 p

(NASA-TP-2957; E-4867; NAS 1.60:2957) Avail: NTIS HC

A02/MF A01 CSCL 20L

BINARY DATA, COMPUTER PROGRAMS, ELECTRON SPECTROSCOPY, FORMAT, FORTRAN, RAY **SPECTROSCOPY** 

#### 81

#### ADMINISTRATION AND MANAGEMENT

Includes management planning and research.

N87-20833\* National Aeronautics and Space Administration, Washington, DC.

#### MANAGEMENT: A BIBLIOGRAPHY FOR NASA MANAGERS (SUPPLEMENT 21)

Apr. 1987 70 p

(NASA-SP-7500(21); NAS 1.21:7500(21)) Avail: NTIS HC A04 CSCL 05A

This bibliography lists 664 reports, articles and other documents introduced into the NASA scientific and technical information system in 1986. Items are selected and grouped according to their usefulness to the manager as manager. Citations are grouped into ten subject categories: human factors and personnel issues: management theory and techniques; industrial management and manufacturing; robotics and expert systems; computers and information management; research and development; economics, costs, and markets; logistics and operations management; reliability and quality control; and legality, legislation, and policy Author

N88-21867\* National Aeronautics and Space Administration. Washington, DC.

#### MANAGEMENT: A BIBLIOGRAPHY FOR NASA MANAGERS Apr. 1988 158 p

(NASA-SP-7500(22); NAS 1.21.7500(22)) Avail: NTIS HC A08 CSCL 05A

This bibliography lists 653 reports, articles and other documents introduced into the NASA scientific and technical information system in 1987. Items are selected and grouped according to their usefulness to the manager as manager. Citiations are grouped

into ten subject categories; human factors and personnel issues; management theory and techniques; industrial management and manufacturing; robotics and expert systems; computers and information management; research and development; economics, costs and markets; logistics and operations management, reliability and quality control; and legality, legislation, and policy.

N89-12479\*# National Aeronautics and Space Administration, Washington, DC.

ISSUES IN NASA PROGRAM AND PROJECT MANAGEMENT FRANCIS T. HOBAN, ed. Oct. 1988 51 p.

(NASA-SP-6101; NAS 1.21:6101) Avail: NTIS HC A04/MF A01 CSCL 05A

This collection of papers and resources on aerospace management issues is inspired by a desire to benefit from the lessons learned from past projects and programs. Inherent in the NASA culture is a respect for divergent viewpoints and innovative ways of doing things. This publication presents a wide variety of views and opinions. Good management is enhanced when program and project managers examine the methods of veteran managers, considering the lessons they have learned and reflected on their own guiding principles. Author

N89-26766\* National Aeronautics and Space Administration, Washington, DC.

#### MANAGEMENT: A BIBLIOGRAPHY FOR NASA MANAGERS Apr. 1989 198 p

(NASA-SP-7500(23); NAS 1.21:7500(23)) Avail: NTIS HC A09 CSCL 05A

This bibliography lists 822 reports, articles and other documents introduced into the NASA Scientific and Technical Information System in 1988. Items are selected and grouped according to their usefulness to the manager as manager. Citations are grouped into ten subject categories: human factors and personnel issues; management theory and techniques; industrial management and manufacturing; robotics and expert systems; computers and information management; research and development; economics. costs and markets; logistics and operations management; reliability and quality control; and legality, legislation, and policy.

N90-12385\*# National Aeronautics and Space Administration, Washington, DC.

#### WORKING WITH PEOPLE TO IMPROVE PRODUCTIVITY AND QUALITY: A BIBLIOGRAPHY WITH INDEXES, 1934-1988 Oct. 1989 72 p

(NASA-SP-7078; NAS 1.21:7078) Avail: NTIS HC A04 CSCL

This bibliography contains 253 anotated references to reports and journal articles entered into the NASA scientific and technical information database 1984 to 1988.

N90-13277\*# National Aeronautics and Space Administration, Washington, DC.

#### ISSUES IN NASA PROGRAM AND PROJECT MANAGEMENT FRANCIS T. HOBAN, ed. 1989 57 p

(NASA-SP-6101(02); NAS 1.21:6101(02)) Avail: NTIS HC

A04/MF A01, SOD HC \$15.00 as 033-000-010-64-8 CSCL 05A This new collection of papers on aerospace management issues

contains a history of NASA program and project management, some lessons learned in the areas of management and budget from the Space Shuttle Program, an analysis of tools needed to keep large multilayer programs organized and on track, and an update of resources for NASA managers. A wide variety of opinions and techniques are presented.

N90-24174\* National Aeronautics and Space Administration, Washington, DC.

#### MANAGEMENT: A BIBLIOGRAPHY FOR NASA MANAGERS Mar. 1990 190 p

(NASA-SP 7500(24); NAS 1.21:7500(24)) Avail: NTIS HC A09 CSCL 05A

This bibliography lists 755 reports, articles and other documents introduced into the NASA Scientific and Technical Information

#### 82 DOCUMENTATION AND INFORMATION SCIENCE

System in 1989. Items are selected and grouped according to their usefulness to the manager as manager. Citations are grouped into ten subject categories: human factors and personnel issues; management theory and techniques; industrial management and manufacturing; robotics and expert systems; computers and information management; research and development; economics, costs and :narkets; logistics and operations management; reliability and quality control; and legality, legislation, and policy. Author

#### 82

#### **DOCUMENTATION AND INFORMATION SCIENCE**

Includes information management; information storage and retrieval technology; technical writing; graphic arts; and micrography.

N87-25023\* National Aeronautics and Space Administration, Washington, DC.

NASA PATENT ABSTRACTS BIBLIOGRAPHY: A CONTINUING BIBLIOGRAPHY. SECTION 1: ABSTRACTS (SUPPLEMENT 31)
Jul. 1987 45 D

(NASA-SP-7039(31)-Sect-1; NAS 1.21:7039(31)-Sect-1) Avail: NTIS HC A03; NTIS standing order as PB86-911100, \$11.50 domestic, \$23.00 foreign CSCL 05B

Abstracts are provided for 85 patents and patent applications entered into the NASA scientific and technical information system during the period January 1987 through June 1987. Each entry consists of a citation, an abstract, and in most cases, a key illustration selected from the patent or patent application. Author

N87-26689\* National Aeronautics and Space Administration, Washington, DC.

NASA PATENT ABSTRACTS BIBLIOGRAPHY: A CONTINUING BIBLIOGRAPHY. SECTION 2: INDEXES (SUPPLEMENT 31)
Jul. 1987 493 p

(NASA-SP-7039(31)-SECT-2; NAS 1.21:7039(31)-SECT-2) Avail: NTIS HC A21 CSCL 05B

A subject index is provided for over 4600 patents and patent applications for the period May 1969 through June 1987. Additional indexes list personal authors, corporate authors, contract numbers, NASA case numbers, U.S. patent class numbers, and NASA accession numbers.

**N87-27557\*** National Aeronautics and Space Administration, Washington, DC.

NASA THESAURUS SUPPLEMENT: A FOUR PART
CUMULATIVE SUPPLEMENT TO THE 1985 EDITION OF THE
NASA THESAURUS (SUPPLEMENT 3)

Jul. 1987 325 p

(NASA-SP-7053-SUPPL-3; NAS 1.21:7053-SUPPL-3) Avail: NTIS HC A14 CSCL 05B

The four part cumulative NASA Thesaurus Supplement to the 1985 edition of the NASA Thesaurus includes Part 1, Hierarchical Listing, Part 2, Access Vocabulary, Part 3, NASA Thesaurus Definitions, and Part 4, Changes. The semiannual supplement gives complete hierarchies for new terms.

N87-30218\*# National Aeronautics and Space Administration, Washington, DC.

NASA SCIENTIFIC AND TECHNICAL PUBLICATIONS: A CATALOG OF SPECIAL PUBLICATIONS, REFERENCE PUBLICATIONS, CONFERENCE PUBLICATIONS, AND TECHNICAL PAPERS, 1977-1986

Sep. 1987 390 p

(NASA-SP-7063(01); NAS 1.21:7063(01)) Avail: NTIS HC free as PR-655B; NASA Scientific and Technical Information Facility, P.O. Box 8757, BWI Airport, Md. 21240 HC free CSCL 05B

This catalog lists 2311 citations of all NASA Special Publications, NASA Reference Publications, NASA Conference Publications, and NASA Technical Papers that were entered into the NASA scientific

and technical database during the decade 1977 through 1986. The entries are grouped by subject category. Indexes of subject terms, personal authors, and NASA report numbers are provided.

Author

N88-15732\* National Aeronautics and Space Administration, Washington, DC.

NASA PATENT ABSTRACTS BIBLIOGRAPHY: A CONTINUING BIBLIOGRAPHY. SECTION 1: ABSTRACTS (SUPPLEMENT 32)
Jan. 1988 61 p

(NASA-SP-7039(32)-SECT-1; NAS 1.21:7039(32)-SECT-1) Avail: NTIS HC A04; NTIS standing order as PB 88-911100, \$12.50 domestic, \$25.00 foreign CSCL 05B

Abstracts are provided for 136 patents and patent applications entered into the NASA scientific and technical information system during the period July through December 1987. Each entry consists of a citation, an abstract, and in most cases, a key illustration selected from the patent or patent application.

Author

N88-18511\* National Aeronautics and Space Administration, Washington, DC.

NASA PATENT ABSTRACTS BIBLIOGRAPHY: A CONTINUING BIBLIOGRAPHY. SECTION 2: INDEXES (SUPPLEMENT 32)
Jan. 1988 499 p

(NASA-SP-7039(32)-SECT-2; NAS 1.21:7039(32)-SECT-2) Avail: NTIS HC A21; NTIS standing order as PB88-911100, \$26.50 domestic, \$53.00 foreign CSCL 05B

A subject index is provided for over 4700 patents and patent applications for the period May 1969 through December 1987. Additional indexes list personal authors, corporate authors, contract numbers, NASA case numbers, U.S. patent class numbers, U.S. patent numbers, and NASA accession numbers. Author

N88-22830\*# National Aeronautics and Space Administration, Washington, DC.

NASA SCIENTIFIC AND TECHNICAL PUBLICATIONS: A CATALOG OF SPECIAL PUBLICATIONS, REFERENCE PUBLICATIONS, CONFERENCE PUBLICATIONS, AND TECHNICAL PAPERS, 1987

Mar. 1988 69 p

(NASA-SP-7063(02); NAS 1.21:7063(02)) Avail: NTIS HC free as PR-828; NASA Scientific and Technical Information Facility, P.O. Box 8757, BWI Airport, Md. 21240 HC free CSCL 05B

This catalog lists 239 citations of all NASA Special Publications, NASA Reference Publications, NASA Conference Publications, and NASA Technical Papers that were entered in the NASA scientific and technical information database during accession year 1987. The entries are grouped by subject category. Indexes of subject terms, personal authors, and NASA report numbers are provided. Author

N89-13301\*# National Aeronautics and Space Administration, Washington, DC.

NASA THESAURUS. VOLUME 3: DEFINITIONS

Jul. 1988 148 p

(NASA-SP-7064-VOL-3; NAS 1.21:7064-VOL-3) Avail: NTIS HC A07 CSCL 05B

Publication of NASA Thesaurus definitions began with Supplement 1 to the 1985 NASA Thesaurus. The definitions given here represent the complete file of over 3,200 definitions, complimented by nearly 1,000 use references. Definitions of more common or general scientific terms are given a NASA slant if one exists. Certain terms are not defined as a matter of policy: common names, chemical elements, specific models of computers, and nontechnical terms. The NASA Thesaurus predates by a number of years the systematic effort to define terms, therefore not all Thesaurus terms have been defined. Nevertheless, definitions of older terms are continually being added. The following data are provided for each entry: term in uppercase/lowercase form, definition, source, and year the term (not the definition) was added to the NASA Thesaurus. The NASA History Office is the authority for capitalization in satellite and spacecraft names. Definitions with no source given were constructed by lexicographers at the NASA

Scientific and Technical Information (STI) Facility who rely on the following sources for their information: experts in the field, literature searches from the NASA STI database, and specialized references.

**N89-15779\***# National Aeronautics and Space Administration, Washington, DC.

THE NASA SCIENTIFIC AND TECHNICAL INFORMATION SYSTEM: ITS SCOPE AND COVERAGE

Dec. 1988 216 p

(NASA-SP-7065; NAS 1.21:7065) Avail: NTIS HC A10/MF A02 CSCL 05B

A general description of the subject areas covered in the NASA scientific and technical information system is presented. In addition, it establishes subject-based selection criteria for guiding decisions related to the addition of new documents to the NASA collection.

Author

N89-25775\* National Aeronautics and Space Administration, Washington, DC.

NASA PATENT ABSTRACTS BIBLIOGRAPHY: A CONTINUING BIBLIOGRAPHY. SECTION 1: ABSTRACTS (SUPPLEMENT 35) Jun. 1989 38 p

(NASA-SP-7039(35)-SECT-1; NAS 1.21:7039(35)-SECT-1) Avail: NTIS HC A03; NTIS standing order as PB89-911100, \$13.75 domestic, \$27.50 foreign CSCL 05B

Abstracts are provided for 58 patents and patent applications entered into the NASA scientific and technical information systems during the period January 1989 through June 1989. Each entry consists of a citation, an abstract, and in most cases, a key illustration selected from the patent or patent application. Author

N89-29264\* National Aeronautics and Space Administration, Washington, DC.

NASA PATENT ABSTRACTS BIBLIOGRAPHY: A CONTINUING BIBLIOGRAPHY. SECTION 2: INDEXES (SUPPLEMENT 35)

Jan. 1989 512 p

(NASA-SP-7039(35)-SECT-2; NAS 1.21:7039(35)-SECT-2) Avail: NTIS HC A22; NTIS standing order as PB89-911100, \$29.00 domestic, \$58.00 foreign CSCL 05B

A subject index is provided for over 4600 patents and patent applications for the period May 1969 through June 1989. Additional indexes list personal authors, corporate authors, contract numbers, NASA case numbers, U.S. patent class numbers, U.S. patent numbers, and NASA accession numbers.

**N90-13782\*#** National Aeronautics and Space Administration, Washington, DC.

NASA SCIENTIFIC AND TECHNICAL PUBLICATIONS: A CATALOG OF SPECIAL PUBLICATIONS, REFERENCE PUBLICATIONS, CONFERENCE PUBLICATIONS, AND TECHNICAL PAPERS. 1988

Feb. 1989 57 p

(NASA-SP-7063(03); NAS 1.21:7063(03)) Avail: NTIS HC free as PR-849; NASA Scientific and Technical Information Facility, BWI Airport, MD free CSCL 05B

This catalog lists 179 citations of all NASA Special Publications, NASA Reference Publications, NASA Conference Publications, and NASA Technical Papers that were entered into the NASA scientific and technical information database during accession year 1988. The entries are grouped by subject category. Indexes of subject terms, personal authors, and NASA report numbers are provided.

Author

N90-22438\*# National Aeronautics and Space Administration, Washington, DC.

NASA THESAURUS SUPPLEMENT: A FOUR PART CUMULATIVE SUPPLEMENT TO THE 1988 EDITION OF THE NASA THESAURUS (SUPPLEMENT 3) Semiannual Report Mar. 1989 33 p

The four-part cumulative supplement to the 1988 edition of

the NASA Thesaurus includes the Hierarchical Listing (Part 1), Access Vocabulary (Part 2), Definitions (Part 3), and Changes (Part 4). The semiannual supplement gives complete hierarchies and accepted upper/lowercase forms for new terms.

Author

N90-25698\* National Aeronautics and Space Administration, Washington, DC.

NASA PATENT ABSTRACTS BIBLIOGRAPHY: A CONTINUING BIBLIOGRAPHY. SECTION 1: ABSTRACTS (SUPPLEMENT 37)

Jan. 1989 43 p (NASA-SP-7039(37)-SECT-1; NAS 1.21:7039(37)-SECT-1) Avail: NTIS HC A04; NTIS standing order as PB89-911100, \$15.00 domestic, \$30.00 foreign CSCL 05B

Abstracts are provious for 76 patents and patent applications entered into the NASA scientific and technical information systems during the period January 1990 through June 1990. Each entry consists of a citation, an abstract, and in most cases, a key illustration selected from the patent or patent application. Author

**N90-26700\*** National Aeronautics and Space Administration, Washington, DC.

NASA PATENT ABSTRACTS BIBLIOGRAPHY: A CONTINUING BIBLIOGRAPHY. SECTION 2: INDEXES (SUPPLEMENT 37)
Jan. 1989 507 p

(NASA-SP-7039(37)-SECT-2; NAS 1.21:7039(37)-SECT-2) Avail: NTIS HC A22; NTIS standing order as PB90-911100, \$32.00 domestic, \$64.00 foreign CSCL 05B

A subject index is provided for over 4600 patents and patent applications for the period May 1969 through June 1990. Additional indexes list personal authors, corporate authors, contract numbers, NASA case numbers, U.S. patent class numbers, U.S. patent numbers, and NASA accession numbers.

Author

N90-26710\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

GRAMMAR, PUNCTUATION, AND CAPITALIZATION: A HANDBOOK FOR TECHNICAL WRITERS AND EDITORS MARY K. MCCASKILL Washington 1990 112 p (NASA-SP-7084; L-16617; NAS 1.21:7084) Avail: NTIS HC A06/MF A01 CSCL 05B

Writing problems are addressed which are often encountered in technical documents and preferences are indicated (Langley's) when authorities do not agree. It is directed toward professional writers, editors, and proofreaders. Those whose profession lies in other areas (for example, research or management), but who have occasion to write or review others' writing will also find this information useful. A functional attitude toward grammar and punctuation is presented. Chapter 1 on grammar presents grammatical problems related to each part of speech. Chapter 2 on sentence structure concerns syntax, that is, effective arrangement of words, with emphasis on methods of revision to improve writing effectiveness. Chapter 3 addresses punctuation marks, presenting their function, situations when they are required or incorrect, and situations when they are appropriate but optional. Chapter 4 presents capitalization, which is mostly a matter of editorial style and preference rather than a matter of generally accepted rules. An index and glossary are included. Author

N90-27548\*# National Aeronautics and Space Administration, Washington, DC.

INFORMATION RESOURCES MANAGEMENT, 1984-1989: A BIBLIOGRAPHY WITH INDEXES

May 1990 202 p

(NASA-SP-7079; NAS 1.21:7079) Avail: NTIS HC A10 CSCL 05B

This bibliography contains 768 annotated references to reports and journal articles entered into the NASA scientific and technical information database 1984 to 1989.

Author

#### 84

#### LAW, POLITICAL SCIENCE AND SPACE POLICY

Includes NASA appropriation hearings; aviation law; space law and policy; international law; international cooperation; and patent policy.

N88-19375\*# National Aeronautics and Space Administration. Washington, DC.

SPACELAB: AN INTERNATIONAL SUCCESS STORY

DOUGLAS R. LORD (Science Applications International Corp., 565 p Washington, D.C.) 1987 Original contains color illustrations

(NASW-4092)

(NASA-SP-487; NAS 1.21:487; LC-86-17979) Avail: NTIS HC A24/MF A03 CSCL 05D

Spacelab is a European-developed and U.S.-operated space laboratory carried in the cargo bay of the Space Shuttle Orbiter. This story of the Spacelab Development Program traces the program from the origin of the Spacelab concept, describing negotiations and agreements for European participation and the role of Europe and the United States in system development, operational capability development, and utilization planning. It also considers the joint management structure, coordination, and experience in solving management and technical interface problems. The book is not an exhaustive historical treatise, but an informative and readable story of the evolution and technical accomplishments of this unique program in manned space flight and of some of the unusual political and human interest aspects of the program from the viewpoint of one of the key participants.

### 85

#### **URBAN TECHNOLOGY AND TRANSPORTATION**

Includes applications of space technology to urban problems; technology transfer; technology assessment; and surface and mass transportation.

N87-70425\* National Aeronautics and Space Administration, Washington, DC.

SIGNIFICANT NASA INVENTIONS. AVAILABLE FOR LICENSING IN FOREIGN COUNTRIES

1977 103 p

(NASA-SP-7038(04); NAS 1.21:7038(04)) Avail: SOD HC \$5.00 as 003-000-00986-1; NTIS MF A01

#### 88

#### **SPACE SCIENCES (GENERAL)**

National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL. **DOUBLE LAYERS IN ASTROPHYSICS** 

ALTON C. WILLIAMS, ed. and TAUNA W. MOOREHEAD, ed. May 321 p Workshop held in Huntsville, Ala., 17-19 Mar. 1986; sponsored by NASA, Washington and USRA

(NASA-CP-2469; M-560; NAS 1.55:2469) Avail: NTIS HC A14/MF A02 CSCL 03B

CONFERENCES, ELECTRIC FIELDS, ENERGY TRANSFER,

MATHEMATICAL MODELS. PLASMA LAYERS, PLASMA PHYSICS, SPACE PLASMAS

N87-24247\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

**ESSAYS IN SPACE SCIENCE** 

REUVEN RAMATY, ed., THOMAS L. CLINE, ed., and JONATHAN F. ORMES, ed. Jun. 1987 424 p Symposium held in Greenbelt, Md., 23 Apr. 1985

(NASA-CP-2464; REPT-87B0055; NAS 1.55:2464) Avail: NTIS HC A18/MF A03 CSCL 03B

ASTROPHYSICS, CONFERENCES, COSMIC RAYS, GAMMA ASTRONOMY, INFRARED ASTRONOMY, X RAY **ASTRONOMY** 

N87-28471\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

CALCULATION AND ACCURACY OF ERBE SCANNER **MEASUREMENT LOCATIONS** 

LAWRENCE H. HOFFMAN, WILLIAM L. WEAVER, and JAMES F. KIBLER Sep. 1987 34 p

(NASA-TP-2670; L-16218; NAS 1.60:2670) Avail: NTIS HC A03/MF A01 CSCL 03B

COMPUTATION, EARTH ATMOSPHERE, EARTH RADIATION BUDGET EXPERIMENT, POSITION (LOCATION), REMOTE SENSING, SCANNING

N88-25390\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

A STUDY OF SPACE STATION CONTAMINATION EFFECTS M. R. TORR, ed., J. F. SPANN, ed., and T. W. MOOREHEAD, ed. May 1988 141 p Workshop held in Hilton Head Island, S.C., 29-30 Oct. 1987 Sponsored by NASA, Washington (NASA-CP-3002; M-586; NAS 1.55:3002) Avail: NTIS HC A07/MF A01 CSCL 22B

CONFERENCES, CONTAMINANTS, EARTH ORBITAL ENVIRONMENTS. SPACE STATIONS. **SPACECRAFT** CONTAMINATION

N89-14188\*# National Aeronautics and Space Administration. Lvndon B. Johnson Space Center, Houston, TX. REPORT OF THE IN SITU RESOURCES UTILIZATION

WORKSHOP

KYLE FAIRCHILD, ed. and WENDELL W. MENDELL, ed. Nov. 85 p Workshop held in Lake Buena Vista, Fla., 28-30 Jan. 1987; sponsored by NASA, DOE, Large Scale Programs Inst., United Technologies Corp., Kraft Foods and Disney Imagineering (NASA-CP-3017; S-581; NAS 1.55:3017) Avail: NTIS HC A05/MF A01 CSCL 03B

LUNAR EXPLORATION, SPACE COMMERCIALIZATION, SPACE HABITATS, TECHNOLOGY ASSESSMENT

N89-14189\*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.

REMOTE SENSING IN POLARIZED LIGHT

VICTOR S. WHITEHEAD and KINSELL L. COULSON (California Univ., Davis.) Oct. 1988 40 p Proceedings of Workshop held in Houston, Tex., 3-5 Nov. 1987 (NASA-CP-3014; S-577; NAS 1.55:3014) Avail: NTIS HC

A03/MF A01 CSCL 05B

CAMERAS, EARTH OBSERVATIONS (FROM SPACE), IMAGING TECHNIQUES, POLARIZATION (WAVES), RADIATIVE TRANSFER, SPACE SHUTTLE PAYLOADS

National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.

EXPERIMENTS IN PLANETARY AND RELATED SCIENCES AND THE SPACE STATION

RONALD GREELEY, ed. (Arizona State Univ., Tempe.) and RICHARD J. WILLIAMS, ed. Washington, DC 188 p Workshop held in Tempe, AZ, 15-16 Sep. 1986 (NCC9-14; NAS9-17023)

(NASA-CP-2494; S-566; NAS 1.55:2494) Avail: NTIS HC A09/MF A02 CSCL 03B

ASTROPHYSICS, CONFERENCES, INTERSTELLAR CHEMISTRY, PARTICLE INTERACTIONS, ROBOTICS, SPACE STATION PAYLOADS. SPACEBORNE EXPERIMENTS

N89-15790\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.
SPACE STATION INDUCED MONITORING

JAMES F. SPANN, ed. and MARSHA R. TORR, ed. Washington, DC Nov. 1988 85 p Conference held in Huntsville, AL, 10-11 May 1988 Sponsored by NASA, Washington (NASA-CP-3021; M-602; NAS 1.55:3021) Avail: NTIS HC A05/MF A01 CSCL 22B

AEROSPACE ENVIRONMENTS, ENVIRONMENTAL MONITORING, SPACE STATIONS, SPACECRAFT CHARGING

N90-18329\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.
SOLAR-TERRESTRIAL SCIENCE STRATEGY WORKSHOP

PETER M. BANKS, ed., WILLIAM T. ROBERTS, ed., and JACK KROPP, ed. (TRW, Inc., Redondo Beach, CA.) Washington Sep. 1989 73 p Workshop held in Stanford, CA, 12-16 Sep. 1988 Original contains color illustrations

(NASA-CP-3048; M-617; NAS 1.55:3048) Avail: NTIS HC A04/MF A01; 4 functional color pages CSCL 03B

CONFERENCES, MISSION PLANNING, NASA PROGRAMS, SOLAR TERRESTRIAL INTERACTIONS, SPACEBORNE EXPERIMENTS, STRATEGY, TECHNOLOGY ASSESSMENT

N90-27562\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

CARBON IN THE GALAXY: STUDIES FROM EARTH AND SPACE

JILL C. TARTER, ed., SHERWOOD CHANG, ed., and DOUG J. DEFREES, ed. (Molecular Research Inst., Palo Alto, CA.) Washington Apr. 1990 350 p Meeting held at Moffett Field, CA. 5-6 Nov. 1987

(NASA-CP-3061; A-90031; NAS 1.55:3061) Avail: NTIS HC A15/MF A02 CSCL 03B

CARBON, COMETS, CONFERENCES, INTERPLANETARY DUST, INTERSTELLAR CHEMISTRY, METEORITIC DIAMONDS, MILKY WAY GALAXY

#### 89

#### **ASTRONOMY**

Includes radio, gamma-ray, and infrared astronomy; and astrometry.

N87-14219\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.
TEN YEAR PLANETARY EPHEMERIS: 1986-1995

F. ESPENAK Nov. 1986 249 p (NASA-RP-1176; NAS 1.61:1176; REPT-86B0471) Avail: NTIS HC A11/MF A02 CSCL 03A

Accurate geocentric positions are tabulated at five day intervals for the Sun, Mercury, Venus, Mars, Jupiter, Saturn, Uranus and Neptune during the ten year period 1986 through 1995. The apparent angular diameters, radial velocities, declinations and mean times of meridian transit of the seven planets and the Sun are graphically depicted for each year in the interval. Appendices are included which discuss the theory of planetary orbits and a

FORTRAN program for calculating planetary ephemerides.

Author

N87-22573\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.
INFRARED SOURCE CROSS-INDEX, FIRST EDITION
MARION SCHMITZ (Computer Sciences Corp., Beltsville, Md.),

JAYLEE M. MEAD, and DANIEL Y. GEZARI Apr. 1987 323 p (NASA-RP-1182; REPT-87B0058; NAS 1.61:1182) Avail: NTIS HC A14/MF A02 CSCL 03A

The Infrared Source Cross-Index is a listing of correlated infrared source names (and positions) for astronomical objects observed at 1-1000 microns. The source names have been obtained from the database of the first edition of the Catalog of Infrared Observations (CIO: NASA RP 1118), covering observations published through 1982. Additional identifications were located by correlating these names with identifications contained in other machine-readable astronomical catalogs in the NASA National Space Science Data Center (NSSDC). There are some 80,000 different source names in the Cross-Index, corresponding to over 27,000 unique infrared sources.

 $\textbf{N87-24266}^{\bullet}\#$  National Aeronautics and Space Administration, Washington, DC.

#### STAR FORMATION IN GALAXIES

May 1987 755 p Conference held in Pasadena, Calif., 16-19 Jun. 1986

(NASA-CP-2466; NAS 1.55:2466) Avail: NTIS HC A99/MF E06 CSCL 03A

CONFERENCES, GALACTIC STRUCTURE, GALAXIES, INFRARED ASTRONOMY, MOLECULAR CLOUDS, RADIO ASTRONOMY, STAR FORMATION, STELLAR LUMINOSITY

N87-25906\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.
FIFTY YEAR CANON OF SOLAR ECLIPSES: 1986 - 2035
FRED ESPENAK Jul. 1987 272 p
(NASA-RP-1178-REV; REPT-87B0252; NAS 1.61:1178-REV)
Avail: NTIS HC A12/MF A02 CSCL 03A

A complete catalog is presented, listing the general characteristics of every solar eclipse from 1901 through 2100. To complement this catalog, a detailed set of cylindrical projection world maps shows the umbral paths of every solar eclipse over the 200 year interval. Focusing in on the next 50 years, accurate geodetic path coordinates and local circumstances for the 71 central eclipses from 1987 through 2035 are tabulated. Finally, the geodetic paths of the umbral and penumbral shadows of all 109 solar eclipses in this period are plotted on orthographic projection maps of the Earth. Appendices are included which discuss eclipse geometry, eclipse frequency and occurrence, modern eclipse prediction and time determination. Finally, code for a simple Fortran program is given to predict the occurrence and characteristics of solar eclipses.

N88-15738\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

CATALOG OF INFRARED OBSERVATIONS. PART 1: DATA Second Edition

DANIEL Y. GEZARI, MARION SCHMITZ (Computer Sciences Corp., Beltsville, Md.), and JAYLEE M. MEAD Dec. 1987 625 p (NASA-RP-1196-PT-1-ED-2; NAS 1.61:1196-PT-1-ED-2) Avail: NTIS HC A99/MF A04 CSCL 03A

The Catalog of Infrared Observations (CIO) is a compilation of infrared astronomical observational data obtained from an extensive literature search of astronomical journals and major astronomical catalogs and surveys. The literature searches are complete for 1965 through 1986 in this Second Edition. The Catalog is published in two parts, with the observational data (roughly 200,000 observations of 20,000 individual sources) listed in Part I. and supporting appendices in Part II. The expanded Second Edition contains a new feature: complete IRAS 4-band data for all CIO sources detected, listed with the main Catalog observations, as well as in complete detail in the Appendix. The appendices include an atlas of infrared source positions, two bibliographies of infrared literature upon which the search was based, and, keyed to the main Catalog listings (organized alphabetically by author and then chronologically), an atlas of infrared spectral ranges, and IRAS data from the CIO sources. The complete CIO database is available to qualified users in printed microfiche and magnetic tape formats. **Author** 

N88-16615\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

**CATALOG OF INFRARED OBSERVATIONS. PART 2: APPENDIXES Second Edition** 

DANIEL Y. GEZARI, MARION SCHMITZ, and JAYLEE M. MEAD Dec. 1987 343 p

(NASA-RP-1196-PT-2-ED-2; NAS 1.61:1196-PT-2-ED-2) Avail:

NTIS HC A15/MF A02 CSCI 03A

The Catalog of Infrared Observations (CIO) is a compilation of infrared astronomical observational data obtained from an extensive literature search of astronomical journals and major astronomical catalogs and surveys. The literature searches are complete for years 1965 to 1986. Supporting appendixes are published in this part. The appendices include an atlas of infrared source positions, two bibliographies of infrared literature upon which the search was based, and, keyed to the main Catalog listings (organized alphabetically by first author, and by date), an atlas of infrared spectral ranges, and IRAS data for the CIO sources. The complete CIO database is available to qualified users in printed microfiche and magnetic tape formats.

N88-24553\*# National Aeronautics and Space Administration, Washington, DC.

NASA THESAURUS: ASTRONOMY VOCABULARY

1988 112 p Presented at the International Astronomical Union Conference, Baltimore, Md., 27-31 Jul. 1988 (NASA-SP-7069; NAS 1.21:7069) Avail: NTIS HC A06 CSCL

A terminology of descriptors used by the NASA Scientific and Technical information effort to index documents in the area of astronomy is presented. The terms are listed in hierarchical format derived from the 1988 edition of the NASA Thesaurus Volume 1 -- Hierarchical Listing. Over 1600 terms are included. In addition to astronomy, space sciences covered include astrophysics, cosmology, lunar flight and exploration, meteors and meteorites, celestial mechanics, planetary flight and exploration, and planetary

N88-30545°# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD. FAR INFRARED SUPPLEMENT: CATALOG OF INFRARED

**OBSERVATIONS, SECOND EDITION** 

DANIEL Y. GEZARI, MARION SCHMITZ Computer Sciences Corp., Beltsville, Md.), and JAYLEE M. MEAD Aug. 1988 233 p (NASA-RP-1205; REPT-88B-121; NAS 1.61:1205) Avail: NTIS HC A11/MF A02 CSCL 03A

The Far Infrared Supplement: Catalog of Infrared Observations summarizes all infrared astronomical observations at far infrared wavelengths (5 to 1000 microns) published in the scientific literature from 1965 through 1986. The Supplement list contain 25 percent of the observations in the full Catalog of Infrared Observations (CIO), and essentially eliminates most visible stars from the listings. The Supplement is thus more compact than the main catalog, and is intended for easy reference during astronomical observations. The Far Infrared Supplement (2nd Edition) includes the Index of Infrared Source Positions and the Bibliography of Infrared Astronomy for the subset of far infrared observations

N89-11657\*# National Aeronautics and Space Administration, Washington, DC.

O STARS AND WOLF-RAYET STARS

PETER S. CONTI, ANNE B. UNDERHILL, STUART JORDAN, ed., 1988 and RICHARD THOMAS, ed. 508 p Prepared in cooperation with Centre National de la Recherche Scientifique, Paris (France)

(NASA-SP-497; NAS 1.21:497) Avail: SOD HC \$24.00 as 033-000-01021-4; NTIS A01 CSCL 03A

Basic information is given about O and Wolf-Rayet stars indicating how these stars are defined and what their chief observable properties are. Part 2 of the volume discussed four related themes pertaining to the hottest and most luminous stars. Presented are: an observational overview of the spectroscopic classification and extrinsic properties of O and Wolf-Rayet stars; the intrinsic parameters of luminosity, effective temperature, mass, and composition of the stars, and a discussion of their viability: stellar wind properties; and the related issues concerning the efforts of stellar radiation and wind on the immediate interstellar environment are presented. B.G.

N89-12513\* National Aeronautics and Space Administration, Washington, DC.

ATLAS OF GALAXIES USEFUL FOR MEASURING THE COSMOLOGICAL DISTANCE SCALE

ALLAN SANDAGE and JOHN BEDKE (Space Telescope Science Inst., Baltimore, Md.) 1988 462 p Prepared for Computer Sciences Corp., Baltimore, Md. Prepared in cooperation with Johns Hopkins Univ., Baltimore, Md.

(NASA-SP-496; NAS 1.21:496; LC-88-600056) Avail: NTIS HC A20; also available SOD HC \$80.00 as 033-000-01020-6 CSCL

03A

A critical first step in determining distances to galaxies is to measure some property of primary objects such as stars of specific types, H II regions, and supernovae remnants that are resolved out of the general galactic star content. With the completion of the Mount Wilson/Palomar/Las Campanas survey of bright galaxies in 1985, excellent large-scale photographs of the complete Shapley-Ames sample were on hand. Most of the galaxies useful for distance scale calibration are in this collection. This atlas contains photographs of 322 galaxies including the majority of all Shapley-Ames bright galaxies, plus cluster members in the Virgo Cluster core that might be usefully resolved by the Hubble Space Telescope (HST). Because of crowding and high background-disk surface brightness, the choice of field position is crucial for programs involving resolution of particular galaxies into stars. The purpose of this atlas is to facilitate this choice. Enough information is given herein (coordinates of the galaxy centers and the scale of the photography) to allow optimum placement of the HST wide-field planetary camera format of approximately 150 arc-seconds on a side. Author

N89-13310\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

SECOND WORKSHOP ON IMPROVEMENTS TO PHOTOMETRY WILLIAM J. BORUCKI, ed. Sep. 1988 314 p. Workshop neld. in Gaithersburg, Md., 5-6 Oct. 1987; sponsored by NASA, Ames Research Center, Moffett Field, Calif. and NBS, Gaithersburg, Md. (NASA-CP-10015; A-88125; NAS 1.55:10015) Avail: NTIS HC A14/MF A02 CSCL 03A

ASTRONOMICAL PHOTOMETRY, CONFERENCES, FIBER OPTICS, PHOTOMETERS

N89-13330°# National Aeronautics and Space Administration, Washington, DC.

INFRARED OBSERVATIONS OF COMETS HALLEY AND **WILSON AND PROPERTIES OF THE GRAINS** 

MARTHA S. HANNER, ed. (Jet Propulsion Lab., California Inst. of Tech., Pasadena.) Sep. 1988 200 p Workshop held at Ithaca, N.Y., 10-12 Aug. 1987

(NASA-CP-3004; NAS 1.55:3004) Avail: NTIS HC A09/MF A02 CSCL 03A

COMETARY ATMOSPHERES, COSMIC DUST, HALLEY'S COMET, INFRARED SPECTRA

National Aeronautics and Space Administration. N89-15810\*# Lyndon B. Johnson Space Center, Houston, TX.

FUTURE ASTRONOMICAL OBSERVATORIES ON THE MOON JACK O. BURNS, ed. (New Mexico Univ., Albuquerque.) and WENDELL W. MENDELL, ed. Washington, DC Mar. 1988 129 p Workshop held in Houston, TX, 10 Jan. 1986; sponsored by NASA, Johnson Space Flight Center, Houston, TX and American Astronomical Society, Washington, DC

(NASA-CP-2489; S-569; NAS 1.55:2489) Avail: NTIS HC A07/MF A01 CSCL 03A

ASTRONOMICAL OBSERVATORIES, LUNAR BASES, LUNAR OBSERVATORIES, RADIO ASTRONOMY, RADIO TELESCOPES

N90-10805\*# New Mexico Univ., Albuquerque. Inst. for Astrophysics.

A LUNAR FAR-SIDE VERY LOW FREQUENCY ARRAY

JACK O. BURNS, ed., NEBOJSA DURIC, ed., STEWART JOHNSON, ed. (BDM Corp., Albuquerque, NM.), and G. JEFFREY TAYLOR, ed. Nov. 1989 75 p Workshop held in Albuquerque, NM, 18-19 Feb. 1988; sponsored by NASA, Washington, New Mexico Univ., Albuquerque, and BDM Corp., Albuquerque, NM Sponsored by NASA, Washington (NASA-CP-3039; NAS 1.55:3039) Avail: NTIS HC A04/MF A01

CSCL 03A

ARRAYS, CONFERENCES, LIBRATION, LUNAR BASES, MOON, RADIO ASTRONOMY, STRUCTURAL DESIGN, VERY **LOW FREQUENCIES** 

N90-10807\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

**AUTOMATIC CLASSIFICATION OF SPECTRA FROM THE** INFRARED ASTRONOMICAL SATELLITE (IRAS)

PETER CHEESEMAN, JOHN STUTZ, MATTHEW SELF, WILLIAM TAYLOR (Sterling Federal Systems, Inc., Palo Alto, CA.), JOHN GOEBEL, KEVIN VOLK, and HELEN WALKER Mar. 1989

(NASA-RP-1217; NAS 1.61:1217) Avail: NTIS HC A25/MF A04 CSCL 03A

A new classification of Infrared spectra collected by the Infrared Astronomical Satellite (IRAS) is presented. The spectral classes were discovered automatically by a program called Auto Class 2. This program is a method for discovering (inducing) classes from a data base, utilizing a Bayesian probability approach. These classes can be used to give insight into the patterns that occur in the particular domain, in this case, infrared astronomical spectroscopy. The classified spectra are the entire Low Resolution Spectra (LRS) Atlas of 5,425 sources. There are seventy-seven classes in this classification and these in turn were meta-classified to produce nine meta-classes. The classification is presented as spectral plots, IRAS color-color plots, galactic distribution plots and class commentaries. Cross-reference tables, listing the sources by IRAS name and by Auto Class class, are also given. These classes show some of the well known classes, such as the black-body class, and silicate emission classes, but many other classes were unsuspected, while others show important subtle differences within the well known classes. **Author** 

National Aeronautics and Space Administration. N90-18342\*# Goddard Space Flight Center, Greenbelt, MD. FIFTY YEAR CANON OF LUNAR ECLIPSES: 1986-2035 FRED ESPENAK Mar. 1989 221 p (NASA-RP-1216; REPT-89B00056; NAS 1.61:1216) Avail: NTIS HC A10/MF A02 CSCL 03A

A complete catalog is presented, listing the general circumstances of every lunar eclipse from 1901 through 2100. To compliment this catalog, a set of figures illustrate the basic Moon-shadow geometry and global visibility for every lunar eclipse over the 200 year interval. Focusing in on the next fifty years, 114 detailed diagrams show the Moon's path through Earth's shadow during every eclipse, including contact times at each phase. The accompanying cylindrical projection maps of Earth show regions of hemispheric visibility for all phases. The appendices discuss eclipse geometry, eclipse frequency and recurrence, enlargement of Earth's shadow, crater timings, eclipse brightness and time determination. Finally, a simple FORTRAN program is provided which can be used to predict the occurrence and general characteristics of lunar eclipses. This work is a companion volume to NASA Reference Publication 1178: Fifty Year Canon of Solar Eclipses: 1986-2035. Author

N90-28470\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD. SPATIAL INTERFEROMETRY IN OPTICAL ASTRONOMY DANIEL Y. GEZARI, FRANCOIS RODDIER, and CLAUDE RODDIER (Hawaii Univ., Honolulu.) Sep. 1990 Washington

(NASA-RP-1245; REPT-90-069; NAS 1.61:1245) Avail: NTIS HC A11/MF A02 CSCL 03A

A bibliographic guide is presented to publications of spatial interferometry techniques applied to optical astronomy. Listings appear in alphabetical order, by first author, as well as in specific subject categories listed in chronological order, including imaging theory and speckle interferometry, experimental techniques, and observational results of astronomical studies of stars, the Sun, and the solar system. Author

#### 90

#### **ASTROPHYSICS**

Includes cosmology; celestial mechanics; space plasmas; and interstellar and interplanetary gases and dust.

N87-30235\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

ATLAS OF COMET HALLEY 1910 II

BERTRAM DONN, JUERGEN RAHE, and JOHN C. BRANDT 1986 597 p

(NASA-SP-488; NAS 1.21:488; LC-86-16341) Avail: SOD HC 

With the impending return of Halley's Comet in 1986, a major effort began to collect the material obtained at its last appearance in 1910. This material displays the evolving coma and tail phenomena, and is useful for comparison with the present quantitative studies of spectroscopic and structural phenomena. Images in the atlas are arranged in chronological order by day. Days that have multiple images with varying scale are arranged in two sequences. Photographs showing tail phenomena are first, followed by photographs obtained with longer focus instruments showing the head or near-nuclear region. Drawings of Comet Halley, made from visual observations in 1835 and 1910, also are included. B.G.

N88-11592\*# National Aeronautics and Space Administration, Washington, DC.

THE M-TYPE STARS

HOLLIS RALPH JOHNSON, FRANCOIS R. QUERCI, STUART JORDAN, ed., RICHARD THOMAS, ed., LEO GOLDBERG (Kitt Peak National Observatory, Lucson, Ariz.), and JEAN-CLAUDE PECKER 1987 576 p Prepared in cooperation with CNRS, Paris, France Its Monograph Series on Nonthermal Phenomena in Stellar Atmospheres, Volume 5

(NASA-SP-492; NAS 1.21:492; LC-87-11340) Avail: SOD HC \$26.00 as 033-000-01007-9; NTIS MF A01 CSCL 03B

The papers in this volume cover the following topics: (1) basic properties and photometric variability of M and related stars; (2) spectroscopy and nonthermal processes; (3) circumstellar radio molecular lines; (4) circumstellar shells, the formation of grains, and radiation transfer; (5) mass loss; (6) circumstellar chemistry; (7) thermal atmospheric models; (8) quasi-thermal models; (9) observations on the atmospheres of M dwarfs; and (1) theoretical work on M dwarfs. For individual titles, see N88-11593 through N88-11602.

N88-20235\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

WORKSHOP ON TECHNOLOGY DEVELOPMENT ISSUES FOR THE LARGE DEPLOYABLE REFLECTOR (LDR)

KENJI NISHIOKA, ed. Feb. 1986 118 p Workshop held in Asilomar, Calif., 17-22 Mar. 1985

(NASA-CP-2407; A-85394; NAS 1.55:2407) Avail: NTIS HC A06/MF A01 CSCL 03B

**CRYOGENIC** COOLING, DEPLOYMENT, ASTRONOMY, INFRARED TELESCOPES, LARGE DEPLOYABLE REFLECTOR, LARGE SPACE STRUCTURES, REFLECTORS, TECHNOLOGY ASSESSMENT

N88-28843\* National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD. INTERNATIONAL ULTRAVIOLET EXPLORER SPECTRAL ATLAS OF PLANETARY NEBULAE, CENTRAL STARS, AND RELATED OBJECTS

WALTER A. FEIBELMAN, NANCY A. OLIVERSEN, JOY NICHOLSBOHLIN, and MATTHEW P. GARHART (Computer Sciences Corp., Beltsville, Md.) Jun. 1988 380 p (NAS5-28749)

(NASA-RP-1203; NAS 1.61:1203) Avail: NTIS HC A17 CSCL 03B

The International Ultraviolet Explorer (IUE) archives contain a wealth of information on high quality ultraviolet spectra of approximately 180 planetary nebulae, their central stars, and related objects. Selected are representative low-dispersion IUE spectra in the range 1200 to 3200 A for 177 objects arranged by Right Ascension (RA) for this atlas. For most entries, the combined short wavelength (SWP) (1200to 1900) and long wavelength (LWR) (or LWP, 1900 to 3200 A) regions are shown on 30 cm by 10 cm Calcomp plots on a uniform scale to facilitate intercomparison of the spectra. Each calibrated spectrum is also shown on an expanded vertical scale to bring out some of the weaker features. Author

N88-29652\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.
CATALOG OF OPEN CLUSTERS AND ASSOCIATED
INTERSTELLAR MATTER

DAVID LEISAWITZ Jun. 1988 294 p (NASA-RP-1202; REPT-88B0152; NAS 1.61:1202) Avail: NTIS HC A13/MF A02 CSCL 03B

The Catalog of Open Clusters and Associated Interstellar Matter summarizes observations of 128 open clusters and their associated ionized, atomic, and molecular iinterstellar matter. Cluster sizes, distances, radial velocities, ages, and masses, and the radial velocities and masses of associated interstellar medium components, are given. The database contains information from approximately 400 references published in the scientific literature before 1988.

N89-14194\*# Jet Propulsion Lab., California Inst. of Tech., Pasadena.

INFRARED ASTRONOMICAL SATELLITE (IRAS) CATALOGS AND ATLASES. VOLUME 1: EXPLANATORY SUPPLEMENT C. A. BEICHMAN, ed., G. NEUGEBAUER, ed., H. J. HABING, ed., P. E. CLEGG, ed., and THOMAS J. CHESTER, ed. (California Inst. of Tech., Pasadena.) Washington, D.C. 1988 455 p Prepared in cooperation with Netherlands Agency for Aerospace Programs, Delft, and Science Research Council, London, United Kingdom Sponsored by NASA, Washington (NASA-RP-1190-VOL-1; NAS 1.61:1190-VOL-1) Avail: NTIS HC

A20/MF A03; also available SOD CSCL 03B

The Infrared Astronomical Satellite (IRAS) was launched on
January 26, 1983. During its 300-day mission, IRAS surveyed over
96 pct of the celestial sphere at four infrared wavelengths, centered
approximately at 12, 25, 60, and 100 microns. Volume 1 describes
the instrument, the mission, and data reduction.

Author

N89-14195\*# Jet Propulsion Lab., California Inst. of Tech.,

INFRARED ASTRONOMICAL SATELLITE (IRAS) CATALOGS AND ATLASES. VOLUME 5: THE POINT SOURCE CATALOG DECLINATION RANGE -30 DEG GREATER THAN DELTA GREATER THAN -50 DEG

Washington, D.C. 1988 410 p Prepared in cooperation with Netherlands Agency for Aerospace Programs, Delft, and Science Research Council, London, United Kingdom Sponsored by NASA, Washington

(NASA-RP-1190-VOL-5; NAS 1.61:1190-VOL-5) Avail: NTIS HC A18/MF A03; also available SOD CSCL 03B

The Infrared Astronomical Satellite (IRAS) was launched January 26, 1983. During its 300-day mission, IRAS surveyed over 96 pct of the celestial sphere at four infrared wavelengths, centered approximately at 12, 25, 60, and 100 microns. This is Volume 5, The Point Source Catalog Declination Range -30 deg greater than delta greater than -50 deg.

Author

N89-14196\*# Jet Propulsion Lab., California Inst. of Tech., Pasadena.

INFRARED ASTRONOMICAL SATELLITE (IRAS) CATALOGS AND ATLASES. VOLUME 4: THE POINT SOURCE CATALOG DECLINATION RANGE 0 DEG GREATER THAN DELTA GREATER THAN -30 DEG

Washington, D.C. 1988 596 p Prepared in cooperation with Netherlands Agency for Aerospace Programs, Delft, and Science Research Council, London, United Kingdom Sponsored by NASA, Washington

(NASA-ŘP-1190-VOL-4; NAS 1.61:1190-VOL-4) Avail: NTIS HC A25/MF A04: also available SOD CSCL 03B

The Infrared Astronomical Satellite (IRAS) was launched 26 January 1983. During its 300-day mission, it surveyed over 96 pct of the celestial sphere at four infrared wavelengths, centered approximately at 12, 25, 60, and 100 microns. This is Volume 4, The Point Source Catalog Declination Range 0 deg greater than delta greater than -30 deg.

Author

N89-14197\*# Jet Propulsion Lab., California Inst. of Tech., Pasadena

INFRARED ASTRONOMICAL SATELLITE (IRAS) CATALOGS AND ATLASES. VOLUME 2: THE POINT SOURCE CATALOG DECLINATION RANGE 90 DEG GREATER THAN DELTA GREATER THAN 30 DEG

Washington, D.C. 1988 555 p Prepared in cooperation with Netherlands Agency for Aerospace Programs, Delft, and Science Research Council, London, United Kingdom Sponsored by NASA, Washington

(NASA-RP-1190-VOL-2; NAS 1.61:1190-VOL-2) Avail: NTIS HC A24/MF A03; also available SOD CSCL 03B

The Infrared Astronomical Satellite (IRAS) was launched January 26, 1983. During its 300-day mission, IRAS surveyed 96 pct of the celestial sphere at four infrared wavelengths, centered approximately at 12, 25, 60, and 100 microns. This is Volume 2, The Point Source Catalog Declination Range 90 deg greater than delta greater than 30 deg.

Author

N89-14198\*# Jet Propulsion Lab., California Inst. of Tech., Pasadena.

INFRARED ASTRONOMICAL SATELLITE (IRAS) CATALOGS AND ATLASES. VOLUME 6: THE POINT SOURCE CATALOG DECLINATION RANGE -50 DEG GREATER THAN DELTA GREATER THAN -90 DEG

Washington, D.C. 1988 473 p Prepared in cooperation with Netherlands Agency for Aerospace Programs, Delft, and Science Hasearch Council, London, United Kingdom Sponsored by NASA, Washington

(NASA-RP-1190-VOL-6; NAS 1.61:1190-VOL-6) Avail: NTIS HC A20/MF A03; also available SOD CSCL 03B

The Infrared Astronomical Satellite (IRAS) was launched January 26, 1983. During its 300-day mission, it surveyed over 96 pct of the celestial sphere at four infrared wavelengths, centered approximately at 12, 25, 60, and 100 microns. This is Volume 6, The Point Source Catalog Declination Range -50 deg greater than delta greater than -90 deg.

Author

N69-14199\*# Jet Propulsion Lab., California Inst. of Tech., Pasadena.

INFRARED ASTRONOMICAL SATELLITE (IRAS) CATALOGS AND ATLASES. VOLUME 7: THE SMALL SCALE STRUCTURE CATALOG

GEORGE HELOU, ed. and D. W. WALKER, ed. Washington, D.C. 1988 348 p Prepared in cooperation with Netherlands Agency for Aerospace Programs, Delft, and Science Research Council, London, United Kingdom Sponsored by NASA,

#### 91 LUNAR AND PLANETARY EXPLORATION

Washington

(NASA-RP-1190-VOL-7; NAS 1.61:1190-VOL-7) Avail: NTIS HC A15/MF A02; also available SOD CSCL 03B

The Infrared Astronomical Satellite (IRAS) was launched January 26, 1983. During its 300-day mission, it surveyed over 96 pct of the celestial sphere at four infrared wavelengths, centered approximately at 12, 25, 60, and 100 microns. Volume 1 describes the instrument, the mission, and the data reduction process. Volumes 2 through 6 present the observations of the approximately 245,000 individual point sources detected by IRAS; each volume gives sources within a specified range of declination. Volume 7 gives the observations of the approximately 16,000 sources spatially resolved by IRAS and smaller than 8'. This is Volume 7, The Small Scale Structure Catalog.

N89-14201\*# Jet Propulsion Lab., California Inst. of Tech., Pasadena.

INFRARED ASTRONOMICAL SATELLITE (IRAS) CATALOGS AND ATLASES. VOLUME 3: THE POINT SOURCE CATALOG DECLINATION RANGE 30 DEG GREATER THAN DELTA GREATER THAN 0 DEG

Washington, D.C. 1988 493 p Prepared in cooperation with Netherlands Agency for Aerospace Programs, Delft, and Science Research Council, London, United Kingdom Sponsored by NASA, Washington

(NASA-ŘP-1190-VOL-3; NAS 1.61:1190-VOL-3) Avail: NTIS HC A21/MF A03; also available SOD CSCL 03B

The Infrared Astronomical Satellite (IRAS) was launched January 26, 1983. During its 300-day mission, IRAS surveyed over 96 pct of the celestial sphere at four infrared wavelengths, centered approximately at 12, 25, 60, and 100 microns. This is Volume 3, The Point Source Catalog Declination Range 30 deg greater than delta greater than 0 deg.

Author

N89-27612\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.

COMMENTARY ON INTERSTELLAR MATTER ASSOCIATED WITH 18 OPEN CLUSTERS

DAVID LEISAWITZ Washington Sep. 1989 20 p Sponsored by National Research Council (R033-87; NSF AST-81-6403; NSF AST-83-12332)

(NASA-RP-1229; REPT-89B00238; NAS 1.61:1229) Avail: NTIS HC A03/MF A01 CSCL 03B

Information supplementary to that contained in Section 4 of an article entitled, A CO Survey of Regions Around 34 Open Clusters, (Leisawitz, Bash, and Thaddeus) published in the Astrophysical Journal Supplement Series, Volume 70, Number 4, August 1989 is summarized. The information presented here, which describes the interstellar environments of young clusters and some cluster physical characteristics, comes from observations published in the astronomical literature and the author's carbon monoxide (CO) emission line survey, and may help clarify our understanding of the interaction of massive stars with the interstellar medium.

Author

 $\mbox{N90-18344}\mbox{\ensuremath{^{\circ}}}\mbox{\ensur$ 

FGK STARS AND T TAURI STARS: MONOGRAPH SERIES ON NONTHERMAL PHENOMENA IN STELLAR ATMOSPHERES LAWRENCE E. CRAM, ed. and LEONARD V. KUHI, ed. (California Univ., Berkeley.) 1989 353 p Prepared in cooperation with Centre National de la Recherche Scientifique, Paris, France (NASA-SP-502; NAS 1.21:502; LC-89-600317) Avail: NTIS HC A16/MF A02; also available SOD HC \$18.00 as 033-000-01073-7 CSCL 03B

The purpose of this book, FGK Stars and T Tauri Stars, like all other volumes of this series, is to exhibit and describe the best space data and ground based data currently available, and also to describe and critically evaluate the status of current theoretical models and physical mechanisms that have been proposed to interpret these data. The method for obtaining this book was to collect manuscripts from competent volunteer authors, and then to collate and edit these contributions to form a well

structured book, which will be distributed to an international community of research astronomers by NASA and by the French CNRS.

N90-19940\*# National Aeronautics and Space Administration, Washington, DC.

RELATIVISTIC GRAVITATIONAL EXPERIMENTS IN SPACE RONALD W. HELLINGS, ed. Aug. 1989 242 p Workshop held in Annapolis, MD, 28-30 Jun. 1988 (NASA-CP-3046; NAS 1.55:3046) Avail: NTIS HC A11/MF A02 CSCL 03B

BLACK HOLES (ASTRONOMY), GRAVITATIONAL WAVES, RELATIVITY, SPACEBORNE EXPERIMENTS

N90-23294\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.

THE ENERGETIC GAMMA-RAY EXPERIMENT TELESCOPE (EGRET) SCIENCE SYMPOSIUM

CARL E. FICHTEL, ed., STANLEY D. HUNTER, ed., PARAMESWARAN SREEKUMAR, ed., and FLOYD W. STECKER, ed. May 1990 327 p Symposium held in Greenbelt, MD, 15-16 Nov. 1989 Original contains color illustrations (NASA-CP-3071; NAS 1.55:3071) Avail: NTIS HC A15/MF A02;

1 functional color page CSCL 03B CONFERENCES, GALACTIC COSMIC RAYS, GALACTIC RADIATION, GALACTIC STRUCTURE, GAMMA RAY ASTRONOMY, GAMMA RAY OBSERVATORY, GAMMA RAY TELESCOPES

91

#### **LUNAR AND PLANETARY EXPLORATION**

Includes planetology; and manned and unmanned flights.

N87-17598\*# National Aeronautics and Space Administration. Goddard Inst. for Space Studies, New York, NY.

THE JOVIAN ATMOSPHERES

MICHAEL ALLISON, ed. and LARRY D. TRAVIS, ed. Oct. 1986 129 p Conference held in New York, N.Y., 6-8 May 1985 Submitted for publication

(NASA-CP-2441; NAS 1.55:2441) Copyright Avail: NTIS HC A07/MF A01 CSCL 84B

ATMOSPHERIC CHEMISTRY, CLOUDS (METEOROLOGY), GAS DYNAMICS, GAS GIANT PLANETS, HYDROGEN, JUPITER ATMOSPHERE, NEPTUNE ATMOSPHERE, SATURN ATMOSPHERE, SPACE EXPLORATION, SYNOPTIC METEOROLOGY, THERMODYNAMICS, URANUS ATMOSPHERE

N87-19322\*# National Aeronautics and Space Administration, Washington, DC.

STATUS AND FUTURE OF LUNAR GEOSCIENCE 1986 63 p

(NASA-SP-484; NAS 1.21:484) Avail: SOD HC \$4.25 as 033-000-00997-6; NTIS MF A01 CSCL 03B

The Moon is of special interest among the many and diverse bodies of the solar system because it serves as a scientific baseline for understanding the terrestrial planets, its origin is closely tied to the early history of the Earth, and its proximity permits a variety of space applications such as mining and establishment of bases and colonies. Data acquisition and analysis have enabled advances to be made and the remaining questions in many fields of lunar geoscience to be identified. The status and unresolved problems of lunar science are discussed. Immediate needs, new unmanned missions, and a return to the Moon (a lunar base) are examined.

B.G.

#### 91 LUNAR AND PLANETARY EXPLORATION

N88-24564\*# National Aeronautics and Space Administration, Washington, DC.

REFLECTANCE SPECTROSCOPY IN PLANETARY SCIENCE: REVIEW AND STRATEGY FOR THE FUTURE

THOMAS B. MCCORD, ed. (Hawaii Univ., Honolulu.) Jun. 1987 43 p

(NASA-SP-493; NAS 1.21:493; LC-87-28154) Avail: NTIS HC A03/MF A01 CSCL 03B

Reflectance spectroscopy is a remote sensing technique used to study the surfaces and atmospheres of solar system bodies. It provides first-order information on the presence and amounts of certain ions, molecules, and minerals on a surface or in an atmosphere. Reflectance spectroscopy has become one of the most important investigations conducted on most current and planned NASA Solar System Exploration Program space missions. This book reviews the field of reflectance spectroscopy, including information on the scientific technique, contributions, present conditions, and future directions and needs.

N88-26279\*# National Aeronautics and Space Administration, Washington, DC.

PLANETARY GEOLOGY: GOALS, FUTURE DIRECTIONS, AND RECOMMENDATIONS Final Report

Aug. 1988 23 p Workshop held in Tempe, Ariz., Jan. 1987 (NASA-CP-3005; NAS 1.55:3005) Avail: NTIS HC A03/MF A01 CSCL 03B

PLANETARY GEOLOGY, PLANETOLOGY, SPACE EXPLORATION

N89-16709\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.

THE CASSINI MISSION: INFRARED AND MICROWAVE SPECTROSCOPIC MEASUREMENTS

V. G. KUNDE Jan. 1989 127 p

(NASA-RP-1213; NAS 1.61:1213; REPT-89B0006) Avail: NTIS HC A07/MF A01 CSCL 03B

The Cassini Orbiter and Titan Probe model payloads include a number of infrared and microwave instruments. This document describes: (1) the fundamental scientific objectives for Saturn and Titan which can be addressed by infrared and microwave instrumentation, (2) the instrument requirements and the accompanying instruments, and (3) the synergism resulting from the comprehensive coverage of the total infrared and microwave spectrum by the complement of individual instruments. The baseline consists of four instruments on the orbiter and two on the Titan probe. The orbiter infrared instruments are: (1) a microwave spectrometer and radiometer; (2) a far to mid-infrared spectrometer; (3) a pressure modulation gas correlation spectrometer, and (4) a near-infrared grating spectrometer. The two Titan probe infrared instruments are: (1) a near-infrared instrument, and (2) a tunable diode laser infrared absorption spectrometer and nephelometer.

Author

N89-18373\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

PROCEEDINGS OF THE POLAR PROCESSES ON MARS WORKSHOP

ROBERT M. HABERLE Dec. 1988 59 p Workshop held in Sunnyvale, CA, 12-13 May 1988

(NASA-CP-10021; A-89001; NAS 1.55:10021) Avail: NTIS HC A04/MF A01 CSCL 03B

CONFERENCES, MARS (PLANET), MARS ATMOSPHERE, POLAR REGIONS

N89-28474\*# National Aeronautics and Space Administration, Washington, DC.

TIME-VARIABLE PHENOMENA IN THE JOVIAN SYSTEM MICHAEL J. S. BELTON, ed., ROBERT A. WEST, ed. (Jet Propulsion Lab., California Inst. of Tech., Pasadena.), JURGEN RAHE, ed., and MARGARITA PEREYDA 1989 406 p Workshop held in Flagstaff, AZ, 25-27 Aug. 1987 Original contains color illustrations

(NASA-SP-494; NAS 1.21:494; LC-88-25450) Avail: NTIS HC A18/MF A03 CSCL 03B

The current state of knowledge of dynamic processes in the Jovian system is assessed and summaries are provided of both theoretical and observational foundations upon which future research might be based. There are three sections: satellite phenomena and rings; magnetospheric phenomena, lo's torus, and aurorae; and atmospheric phenomena. Each chapter discusses time dependent theoretical framework for understanding and interpreting what is observed; others describe the evidence and nature of observed changes or their absence. A few chapters provide historical perspective and attempt to present a comprehensive synthesis of the current state of knowledge.

Author

N90-10814\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

CONCEPTUAL DESIGN OF A SYNCHRONOUS MARS TELECOMMUNICATIONS SATELLITE

DEBORAH M. BADI, JEFFREY T. FARMER, PAUL A. GARN, and GARY L. MARTIN (George Washington Univ., Hampton, VA.) Washington Nov. 1989 18 p

(NASA-TP-2942; L-16580; NAS 1.60:2942) Avail: NTIS HC A03/MF A01 CSCL 03B

COMMAND AND CONTROL, COMMUNICATION SATELLITES, STRUCTURAL DESIGN

N90-25030\*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.

GEOSCIENCE AND À LUNAR BÀSE: A CÓMPREHENSIVE PLAN FOR LUNAR EXPLORATION

G. JEFFREY TAYLOR, ed. and PAUL D. SPUDIS, ed. (Geological Survey, Flagstaff, AZ.) Washington Apr. 1990 76 p Workshop held in Houston, TX, 25-26 Aug. 1988

CONFERENCES, GEOLOGY, GEOPHYSICS, LUNAR BASES, LUNAR EXPLORATION, RESOURCES MANAGEMENT

N90-26744\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

FIRST INTERNATIONAL CONFERENCE ON LABORATORY RESEARCH FOR PLANETARY ATMOSPHERES

KENNETH FOX, ed., JOHN E. ALLEN, JR., ed., LOUIS J. STIEF, ed., and DIANA T. QUILLEN, ed. (Bowie State Univ., MD.) May 1990 481 p Conference held in Bowie, MD, 25-27 Oct. 1989 (NASA-CP-3077; REPT-90B00106; NAS 1.55:3077) Avail: NTIS HC A21/MF A03 CSCL 03B

CHARGED PARTICLES, CONFERENCES, PARTICLE INTERACTIONS, PHOTONS, PLANETARY ATMOSPHERES, REACTION KINETICS, SPECTROSCOPY, THERMODYNAMICS

N90-27607\*# Arizona State Univ., Tempe. Dept. of Geology. MARS LANDING SITE CATALOG

RONALD GREELEY, ed. Washington NASA Aug. 1990 202 p (NAGW-1306)

(NASA-RP-1238; NAS 1.61:1238) Avail: NTIS HC A10/MF A02 CSCL 03B

The catalog was compiled from material provided by the planetary community for areas on Mars that are of potential interest for future exploration. The catalog has been edited for consistency insofar as practical; however, the proposed scientific objectives and characteristics have not been reviewed. This is a working catalog that is being revised, updated, and expanded continually.

Author

#### 92

#### **SOLAR PHYSICS**

includes solar activity, solar flares, solar radiation and sunspots.

N87-19328\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.
ENERGETIC PHENOMENA ON THE SUN: THE SOLAR
MAXIMUM MISSION FLARE WORKSHOP. PROCEEDINGS
MUKUL KUNDU, ed. (Maryland Univ., College Park) and BRUCE WOODGATE, ed. Dec. 1986 423 p Workshop held in Greenbelt, Md., 24-28 Jan. 1983, 9-14 Jun. 1983, and 13-17 Feb. 1984
(NASA-CP-2439; NAS 1.55:2439) Avail: NTIS HC A18/MF A03 CSCL 03B

CONFERENCES, MAGNETOHYDRODYNAMIC STABILITY, SOLAR CORONA, SOLAR FLARES, SOLAR MAGNETIC FIELD, SOLAR MAXIMUM MISSION, SOLAR PHYSICS, SOLAR PROMINENCES, SUN, SUNSPOTS

N87-20871\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

**CORONAL AND PROMINENCE PLASMAS** 

CSCL 03B

GUIDE

ARTHUR I. POLAND, ed. Dec. 1986 435 p Workshop held in Greenbelt, Md., 9-11 Apr. 1985 and 8-10 Apr. 1986 (NASA-CP-2442; REPT-86BO536; NAS 1.55:2442; AD-A188629) Avail: NTIS HC A19/MF A03 CSCL 03/2

CONFERENCES, MAGNETIC FIELD CONFIGURATIONS, MAGNETOHYDRODYNAMIC STABILITY, MAGNETOSTATICS, PLASMAS (PHYSICS), RADIO ASTRONOMY, SOLAR ATMOSPHERE, SOLAR CORONA, SOLAR MAGNETIC FIELD, SOLAR PHYSICS, SOLAR PROMINENCES, SUN

N87-20947\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.
STATISTICAL ASPECTS OF SOLAR FLARES
ROBERT M. WILSON Apr. 1987 41 p
(NASA-TP-2714; NAS 1.60:2714) Avail: NTIS HC A03/MF A01

SOLAR FLARES, SOLAR PROMINENCES, STATISTICAL ANALYSIS

N87-21785\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.
RAPID FLUCTUATIONS IN SOLAR FLARES

BRIAN R. DENNIS, ed., LARRY E. ORWIG, ed., and ALAN L. KIPLINGER, ed. (Systems Applied Sciences Corp.-Technologies, Landover, Md.) 1986 491 p Workshop held in Lanham, Md., 30 Sep. - 4 Oct. 1985

(NASA-CP-2449; NAS 1.55:2449) Avail: NTIS HC A21/MF A03 CSCL 03B

CONFERENCES, MICROWAVES, OSCILLATIONS, PLASMA PHYSICS, RADIO WAVES, SOLAR FLARES, X RAYS

N88-11609°# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

THEORETICAL PROBLEMS IN HIGH RESOLUTION SOLAR PHYSICS, 2

G. ATHAY, ed. (National Center for Atmospheric Research, Boulder, Colo.) and D. S. SPICER, ed. Sep. 1987 141 p Workshop held in Boulder, Colo., 15-17 Sep. 1986

(NASA-CP-2483; REPT-8780401; NAS 1.55:2483) Avail: NTIS HC A07/MF A01 CSCL 038

HIGH RESOLUTION, MAGNETIC FLUX, SOLAR MAGNETIC FIELD, SOLAR OBSERVATORIES, SOLAR PHYSICS

N89-30151\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, MD.
NIMBUS-7 ERB SOLAR ANALYSIS TAPE (ESAT) USER'S

EUGENE MAJOR, JOHN R. HICKEY, H. LEE KYLE, BRADLEY M. ALTON, and BRENDA J. VALLETTE (Research and Data

Systems, Inc., Lanham, MD.) Nov. 1988 92 p (NASA-RP-1211; REPT-88-204; NAS 1.61:1211) Avail: NTIS HC A05/MF A01 CSCL 03B

Seven years and five months of Nimbus-7 Earth Radiation Budget (ERB) solar data are available on a single ERB Solar Analysis Tape (ESAT). The period covered is November 16, 1978 through March 31, 1986. The Nimbus-7 satellite performs approximately 14 orbits per day and the ERB solar telescope observes the cun once per orbit as the satellite crosses the southern terminator. The solar data were carefully calibrated and screened. Orbital and daily mean values are given for the total solar irradiance plus other spectral intervals (10 solar channels in all). In addition, selected solar activity indicators are included on the ESAT. The ESAT User's Guide is an update of the previous ESAT User's Guide (NASA TM 86143) and includes more detailed information on the solar data calibration, screening procedures, updated solar data plots, and applications to solar variability. Details of the tape format, including source code to access ESAT, are included.

N90-12456\*# National Aeronautics and Space Administration.

Marshall Space Flight Center, Huntsville, AL.

ON THE STATISTICS OF EL NINO OCCURRENCES AND THE

RELATIONSHIP OF EL NINO TO VOLCANIC AND SOLAR/GEOMAGNETIC ACTIVITY

ROBERT M. WILSON Washington Sep. 1989 62 p (NASA-TP-2948; NAS 1.60:2948) Avail: NTIS HC A04/MF A01 CSCL 03B

AIR WATER INTERACTIONS, EL NINO, GEOMAGNETISM, SOLAR TERRESTRIAL INTERACTIONS, VOLCANOES

#### 93

#### **SPACE RADIATION**

Includes cosmic radiation; and inner and outer earth's radiation belts.

N87-25984\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

COSMIC RAY HEAVY ION LET MAPPING FOR ALUMINUM, SILICON, AND TISSUE TARGETS

E. G. STASSINOPOULOS, J. M. BARTH, and T. M. JORDAN (EMP Consultants, Northridge, Calif.) Apr. 1987 264 p (NASA-RP-1180; REPT-87B0034; NAS 1.61:1180) Avail: NTIS HC A12/MF A02 CSCL 03B

Linear energy transfer (LET) values in aluminum, silicon, and tissue targets have been calculated for 31 galactic cosmic ray ion species in eight different units. The values are described for single event upset (SEU) effect assessments or radiobiological evaluations. The data are presented in graphical and tabular form.

N89-14210\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

SOLAR-FLARE SHIELDING WITH REGOLITH AT A LUNAR-BASE SITE

JOHN E. NEALY, JOHN W. WILSON, and LAWRENCE W. TOWNSEND Dec. 1988 21 p (NASA-TP-2869; L-16488; NAS 1.60:2869) Avail: NTIS HC

(NASA-TP-2869; L-16488; NAS 1.60:2869) Avail: NTIS HC A03/MF A01 CSCL 03B

LUNAR BASES, LUNAR SURFACE, RADIATION DOSAGE, RADIATION SHIELDING, SOLAR FLARES

N89-16714\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

BENCHMARK SOLUTIONS FOR THE GALACTIC ION TRANSPORT EQUATIONS: ENERGY AND SPATIALLY DEPENDENT PROBLEMS

BARRY D. GANAPOL (Arizona Univ., Tucson.), LAWRENCE W.

#### 93 SPACE RADIATION

TOWNSEND, and JOHN W. WILSON Washington, DC Mar. 1989 31 p

(NASA-TP-2878; L-16519; NAS 1.60:2878) Avail: NTIS HC A03/MF A01 CSCL 03B

EQUATIONS OF MOTION, GALACTIC RADIATION, HEAVY IONS, ION BEAMS, IONIC MOBILITY, RADIATION HAZARDS, TRANSPORT THEORY

N89-17562\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

**BRYNTRN: A BARYON TRANSPORT MODEL** 

JOHN W. WILSON, LAWRENCE W. TOWNSEND, JOHN E. NEALY, SANG Y. CHUN, B. S. HONG, WARREN W. BUCK, S. L. LAMKIN, BARRY D. GANAPOL, FERDOUS KHAN, and FRANCIS A. CUCINOTTA (Old Dominion Univ., Norfolk, VA.) Washington, DC Mar. 1989 84 p

(NASA-TP-2887; L-16512; NAS 1.60:2887) Avail: NTIS HC A05/MF A01 CSCL 03B

BARYONS, COMPUTER PROGRAMS, DATA BASES, ENERGY TRANSFER, TRANSPORT PROPERTIES

N89-25103\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

**KAON-NUCLEUS SCATTERING** 

BYUNGSIK HONG, KHIN MAUNG MAUNG, JOHN W. WILSON, and WARREN W. BUCK (Hampton Inst., VA.) 1989 30 p (NASA-TP-2920; L-16583; NAS 1.60:2920) Avail: NTIS HC A03/MF A01 CSCL 03A

ABSORPTION CROSS SECTIONS, EIKONAL EQUATION, KAONS, MESON-NUCLEON INTERACTIONS, NUCLEAR SCATTERING, NUCLEONS, PARTICLE COLLISIONS, PARTICLE INTERACTIONS, PROTON SCATTERING, SCATTERING CROSS SECTIONS, SCHROEDINGER EQUATION

N90-18357°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

RADIATION EXPOSURE FOR MANNED MARS SURFACE MISSIONS

LISA C. SIMONSEN, JOHN E. NEALY, LAWRENCE W. TOWNSEND, and JOHN W. WILSON Washington Mar. 1990 25 p

(NASA-TP-2979; L-16708; NAS 1.60:2979) Avail: NTIS HC A03/MF A01 CSCL 03B

GALACTIC COSMIC RAYS, MANNED MARS MISSIONS, MARS ATMOSPHERE, MARS SURFACE, RADIATION DOSAGE, SOLAR FLARES

N90-25031\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

IMPROVED MODEL FOR SOLAR COSMIC RAY EXPOSURE IN MANNED EARTH ORBITAL FLIGHTS

JOHN W. WILSON, JOHN E. NEALY, WILLIAM ATWELL, FRANCIS A. CUCINOTTA (Rockwell International Corp., Houston, TX.), JUDY L. SHINN, and LAWRENCE W. TOWNSEND Washington Jun. 1990 14 p

(NASA-TP-2987; L-16759; NAS 1.60:2987) Avail: NTIS HC A03/MF A01 CSCL 03B

ASTRONAUTS, EXPOSURE, FLUENCE, MATHEMATICAL MODELS, ORGANS, RADIATION DOSAGE, RADIATION SHIELDING, SOLAR COSMIC RAYS

N90-29290°# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

COMPARISON OF DOSE ESTIMATES USING THE BUILDUP-FACTOR METHOD AND A BARYON TRANSPORT CODE (BRYNTRN) WITH MONTE CARLO RESULTS

JUDY L. SHINN, JOHN W. WILSON, JOHN E. NEALY, and FRANCIS A. CUC.NOTTA (Rockwell International Corp., Houston, TX.) Washington Oct. 1990 29 p

COMPUTER PROGRAMS, EXTRATERRESTRIAL RADIATION,

MONTE CARLO METHOD, RADIATION DOSAGE, RADIATION SHIELDING, RADIATION TRANSPORT

#### 99

#### **GENERAL**

N87-24390\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

ENGINEER IN CHARGE: A HISTORY OF THE LANGLEY AERONAUTICAL LABORATORY, 1917-1958

JAMES R. HANSEN (Maine Univ., Orono.) Washington, D.C. 1986 643 p NASA History Series (NASW-3502)

(NASA-SP-4305; NAS 1.21:4305) Avail: SOD HC \$30.00 as 033-000-00999-2; NTIS MF A01 CSCL 05B

A history is presented by using the most technologically significant research programs associated with the Langley Aeronautical Laboratory from 1917 to 1958 and those programs that, after preliminary research, seemed best to illustrate how the laboratory was organized, how it works, and how it cooperated with industry and the military.

B.G.

**N88-14062\***# National Aeronautics and Space Administration, Washington, DC.

ASTRONAUTICS AND AERONAUTICS, 1978: A CHRONOLOGY BETTE R. JANSON (Creative Resources and Planning, Fairfax, Va.) 1986 394 p. //s NASA History Series (NASA ORDER W-73289)

(NASA-SP-4023; NAS 1.21:4023) Avail: SOD HC \$13.00 as 033-000-01010-9; NTIS MF A01 CSCL 05D

This is the 18th in a series of annual chronologies of significant events in the fields of astronautics and aeronautics. Events covered are international as well as national and political as well as scientific and technical. This series is a reference work for historians, NASA personnel, government agencies, congressional staffs, and the media.

Author

 ${\bf N88\text{-}25428\text{-}}\#$  National Aeronautics and Space Administration, Washington, DC.

NASA HISTORICAL DATA BOOK, VOLUME 1: NASA RESOURCE 1958-1968

JANE VANNIMMEN, LEONARD C. BRUNO, and ROBERT L. ROSHOLT 1988 639 p (NASW-3597)

(NASA-SP-4012-VOL-1; NAS 1.21:4012-VOL-1; LC-74-600126) Avail: NTIS MF A04; SOD HC \$57.00 in set of 3 as 033-000-01017-6 CSCL 05D

This is Volume 1, NASA Resources 1958-1968, of a three-volume series providing a 20-year compilation of summary statistical and other data descriptive of NASA's programs in aeronautics and manned and unmanned spaceflight. This series is an important component of NASA published historical reference works, used by NASA personnel, managers, external researchers, and other government agencies.

**N88-25429\*#** National Aeronautics and Space Administration, Washington, DC.

NASA HISTORICAL DATA BOOK, VOLUME 2: PROGRAMS AND PROJECTS 1958-1968

LINDA NEUMAN EZELL 1988 652 p (NASW-3597)

(NASA-SP-4012-VOL-2; NAS 1.21:4012-VOL-2; LC-74-600126) Avail: NTIS MF A04; SOD HC \$57.00 in set of 3 as 033-000-01017-6 CSCL 05D

This is Volume 2, Programs and Projects 1958-1968, of a three-volume series providing a 20-year compilation of summary statistical and other data descriptive of NASA's programs in

aeronautics and manned and unmanned spaceflight. This series is an important component of NASA published historical reference works, used by NASA personnel, managers, external researchers, and other government agencies. Author

N88-25430\*# National Aeronautics and Space Administration, Washington, DC.

#### NASA HISTORICAL DATA BOOK, VOLUME 3: PROGRAMS **AND PROJECTS 1969-1978**

LINDA NEUMAN EZELL 1988 492 p

(NASW-3597)

(NASA-SP-4012-VOL-3; NAS 1.21:4012-VOL-3; LC-74-600126) Avail: NTIS MF A03; SOD HC \$57.00 in set of 3 as 033-000-01017-6 CSCL 05D

This is Volume 3, Programs and Projects 1969-1978, of a three-volume series providing a 20-year compilation of summary statistical and other data descriptive of NASA's programs in aeronautics and manned and unmanned spaceflight. This series is an important component of NASA published historical reference works, used by NASA personnel, managers, external researchers, and other government agencies.

N89-25946\*# National Aeronautics and Space Administration, Washington, DC.

#### WHERE NO MAN HAS GONE BEFORE: A HISTORY OF **APOLLO LUNAR EXPLORATION MISSIONS**

WILLIAM DAVID COMPTON 1988 420 p Original contains color illustrations

(NASA-SP-4214; NAS 1.21:4214) Avail: NTIS HC A18/MF A03 CSCL 05D

This book is a narrative account of the development of the science program for the Apollo lunar landing missions. It focuses on the interaction between scientific interests and operational considerations in such matters as landing site selection and training of crews, quarantine and back contamination control, and presentation of results from scientific investigations. Scientific exploration of the moon on later flights, Apollo 12 through Apollo 17 is emphasized. Author

N89-26803\*# National Aeronautics and Space Administration, Washington, DC.

**ASTRONAUTICS AND AERONAUTICS, 1985: A CHRONOLOGY** BETTE R. JANSON Mar. 1988 545 p

(NASA-SP-4025; NAS 1.21:4025; LC-65-60308) Avail: NTIS HC A23/MF A03; also available SOD HC \$22.00 as 033-000-01022-2 CSCL 05B

This book is part of a series of annual chronologies of significant events in the fields of astronautics and aeronautics. Events covered are international as well as national, in political as well as scientific and technical areas. This series is an important reference work used by historians, NASA personnel, government agencies, and congressional staffs, as well as the media. Author

N89-26805\*# National Aeronautics and Space Administration, Washington, DC.

#### ORDERS OF MAGNITUDE: A HISTORY OF THE NACA AND NASA, 1915-1990

ROGER E. BILSTEIN Jul. 1989 171 p ERRATUM: Coauthored by Frank W. Anderson, Jr.

(NASA-SP-4406; NAS 1.21:4406) Avail: NTIS HC A08/MF A01 CSCL 05D

This edition brings up to date the history of U.S. agencies for space exploration, the NACA and NASA, from 1915 through 1990. Early aviation and aeronautics research are described, with particular emphasis on the impact of the two world wars on aeronautics development and the postwar exploitation of those technologies. The reorganization and expansion of the NACA into NASA is described in detail as well as NASA's relationship witn industry, the university system, and international space agencies such as the ESA. The dramatic space race of the 1950 and 1960s is recounted through a detailed histroy of the Gemini and Apollo programs and followed by a discussion of the many valuable social/scientific application of aeronautics technologies, many of

which were realized through the launching of successful satellite projects. The further solar system explorations of the Voyager missions are described, as it the Challenger tragedy and the 1988 return to space of the Shuttle program. Future plans are outlined for a cooperatively funded international space station to foster the ongoing study of space science. Author

N90-25928\*# National Aeronautics and Space Administration, Washington, DC


#### **ASTRONAUTICS AND AERONAUTICS, 1979-1984: A** CHRONOLOGY

BETTE R. JANSON and ELEANOR H. RITCHIE Nov. 1989

(NASA-SP-4024; NAS 1.21:4024) Avail: NTIS HC A99/MF A04; also available SOD HC \$24.00 as 033-000-01080-0 CSCL 05D

This volume of the Astronautics and Aeronautics series covers 1979 through 1984. The series provides a chronological presentation of all significant events and developments in space exploration and the administration of the space program during the period covered. Author

#### Typical Subject Index Listing



The subject heading is a key to the subject content of the document. The title is used to provide a description of the subject matter. When the title is insufficiently descriptive of document content, a title extension is added, separated from the title by three hyphens. The (NASA or AIAA) accession number and the page number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document. Under any one subject heading, the accession numbers are arranged in sequence with the AIAA accession numbers appearing first.

#### A STARS O stars and Wolf-Ravet stars | NASA-SP-497 | p 74 N89-11657 **ABORTED MISSIONS** Simulator evaluation of a display for a Takeoff Performance Monitoring System | NASA-TP-2908 | p 20 N89-23469 **ABSORPTION CROSS SECTIONS** Atlas of absorption lines from 0 to 17900 cm (sup)-1 [NASA-RP-1188] p 49 N87-28955 Kaon-nucleus scattering NASA-TP-29201 p 80 N89-25103 **ABSORPTION SPECTRA** Atlas of absorption lines from 0 to 17900 cm (sup)-1 (NASA-RP-1188) p 49 N87-28955

Further developments in modeling digital control systems with MA-prefiltered measurements [NASA-TP-2909] p 33 N89-24507

**ACCESS CONTROL** Proceedings of the 5th Annual Users' Conference

INASA-CP-23991

ACCUMULATORS

**ACCELEROMETERS** 

Performance of textured carbon on copper electrode multistage depressed collectors with medium-power traveling wave tubes [NASA-TP-2665]

p 62 N87-10720

p 34 N87-17990 Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers p 34 N87-17991 INASA-TP-26641

Design, fabrication and performance of small, graphite electrode, multistage depressed collectors with 200-W. CW, 8- to 18-GHz traveling-wave tubes

NASA-TP-26931 p 35 N87-20474 Analytical and experimental performance of a dual-mode traveling wave tube and multistage depressed collector [NASA-TP-2752] p 35 N87-25532 p 35 N87-25532 Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8to 9.6-GHz traveling wave tube INASA-TP-27881 p.35 N88-15146

Performance of a multistage depressed collector with nachined titanium electrodes

p 35 N89-15337 [NASA-TP-2891] Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube

p 35 N90-27965 INASA-TP-30391 ACCURACY

Foundations of measurement and instrumentation [NASA-RP-1222] p 40 N90-21351 ACEE PROGRAM

The ACEE program and basic composites research at Langley Research Center (1975 to 1986): Summary and bibliography [NASA-RP-1177]

p 28 N87-29612

ACOUSTIC ATTENUATION

Measured and calculated acoustic attenuation rates of tuned resonator arrays for two surface impedance distribution models with flow p 67 N88-17440 INASA-TP-27661

Comparison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment

INASA-TP-29961 p 22 N90-19242

ACOUSTIC EMISSION

Research in structures, structural dynamics and materials, 1989 [NASA-CP-10024] p 46 N89-24626

ACOUSTIC IMPEDANCE

Experimental validation of a two-dimensional shear-flow model for determining acoustic impedance

[NASA-TP-2679] p 66 N87-20798 Measured and calculated acoustic attenuation rates of tuned resonator arrays for two surface impedance distribution models with flow

|NASA-TP-2766| p 67 N88-17440

ACOUSTIC MEASUREMENT

Power cepstrum technique with application to model nelicopter acoustic data [NASA-TP-2586] p 66 N87-17479

Tip aerodynamics and acoustics test: A report and data

INASA-RP-11791 p 9 N89-17579 Comparison between design and installed acoustic

characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment

INASA-TP-29961 p 22 N90-19242

ACOUSTICS

Helicopter blade-vortex interaction locations Scale-model acoustics and free-wake analysis results INASA-TP-26581 p.4 N87-18537

Evaluation of a scale-model experiment to investigate iong-range acoustic propagation

p 56 N88-11450 INASA-TP-27481

**ACTIVE CONTROL** 

Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application

INASA-TP-24821 p 19 N88-14987 Control surface spanwise placement in active flutter suppression systems

p 45 N89-16196 [NASA-TP-2873] Effect of control surface mass unbalance on the stability

of a closed-loop active control system INASA-TP-29521 p 47 N90-12042

**ACTUATORS** 

The 20th Aerospace Mechanics Symposium p 43 N87-16321 INASA-CP-2423-REVI The 21st Aerospace Mechanisms Symposium |NASA-CP-2470| p 43 N87-29858 The 22nd Aerospace Mechanisms Symposium | NASA-CP-2506 | p 44 N88-21468 Integrated tools for control-system analysis

p 20 N89-19309 INASA-TP-28851 The 24th Aerospace Mechanisms Symposium p 47 N90-22079 INASA-CP-30621

**AEROACOUSTICS** 

NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics

INASA-CP-2495-VOL-21 n 1 N88-16632

Airfoil self-noise and prediction

INASA-RP-12181 p 67 N89-25673

**AEROASSIST** 

Technology for Future NASA Missions. Civil Space Technology Initiative (CSTI) and Pathfinder [NASA-CP-3016] p 22 p 22 N89-11760

Measured and predicted aerodynamic coefficients and shock shapes for Aeroassist Flight Experiment (AFE) configuration

INASA-TP-29561 p 11 N90-14185

AEROBRAKING

The effect of interplanetary trajectory options on a manned Mars aerobrake configuration

INASA-TP-30191 p 24 N90-26036

**AERODYNAMIC BALANCE** 

Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative INASA-TP-26331 n 3 N87,10843

Drag measurements on a laminar-flow body of revolution 13-inch magnetic suspension and balance system p 9 N89-19232 !NASA-TP-28951

A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors p 20 N89-23468 INASA-TP-29071

**AERODYNAMIC CHARACTERISTICS** 

Effects of empennage surface location on aerodynamic characteristics of a twin-engine afterbody model with nonaxisymmetric nozzles

INASA-TP-23921

p 14 N87-17693 Low-speed aerodynamic characteristics of a twin-engine general aviation configuration with aft-fuselage-mounted pusher propellers

INASA-TP-27631 p.6 N87-29462 Planform effects on the supersonic aerodynamics of multibody configurations

INASA-TP-27621 p.6 N88-12454 Aerodynamic characteristics of wings designed with a

combined-theory method to cruise at a Mach number of INASA-TP-2799 p 7 N88-19420

Influence of wind shear on the aerodynamic characteristics of airplanes

|NASA-TP-2827| p 12 N88-26344 Steady-state and transitional aerodynamic characteristics of a wing in simulated heavy rain

[NASA-TP-2932] p 10 N89-25951 A procedure for computing surface wave trajectories on an inhomogeneous surface

INASA-TP-29291 p 10 N89-26811 Low-speed, high-lift aerodynamic characteristics of

slender, hypersonic accelerator-type configurations p 10 N90-10830 INASA-TP-29451 Measured and predicted aerodynamic coefficients and

shock shapes for Aeroassist Flight Experiment (AFE) configuration [NASA-TP-2956] p 11 N90-14185

NASA supercritical airfoils. A matrix of family-related airfoits

INASA-TP-29691 o 11 N90-16710 CAST-10-2/DOA 2 Airfoil Studies Workshop Results p 22 N90-17647 INASA-CP-30521

Low-speed wind-tunnel investigation of the flight dynamic characteristics of an advanced turboprop business/commuter aircraft configuration

p 20 N90-19239 and theoretical aerodynamic high-lift name |NASA-TP-2982| Experimental characteristics of a high-lift semispan wing model NASA TP 29901

p 11 N90-20046 Dynamic ground-effect measurements on the F-15 STOL and Maneuver Technology Demonstrator (S/MTD) configuration

INASA TP-30001 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main

INASA-TP-30091

p 11 N90-24239

Effect of tail size reductions on longitudinal aerodynamic AFRODYNAMIC HEATING **AEROELASTIC RESEARCH WINGS** characteristics of a three surface F-15 model with Finite-element reentry heat-transfer analysis of space In-flight total forces, moments and static aeroelastic nonaxisymmetric nozzles shuttle Orbite characteristics of an oblique-wing research airplane [NASA-TP-3036] p 11 N90-25938 INASA-TP-26571 p 37 N87-29795 INASA-TP-22241 p 19 N87-10103 RODYNAMIC COEFFICIENTS AFROFLASTICITY Trajectory characteristics and heating of hypervelocity NASA/Army Rotorcraft Technology. Volume 1: Flight-determined aerodynamic derivatives of the AD-1 projectiles having large ballistic coefficients NASA-TP-26141 Aerodynamics, and Dynamics and Aeroelasticity p 7 N88-19412 oblique-wing research airplane [NASA-TP-2222] p 1 N88-16625 NASA-CP-2495-VOL-1 p 19 N87-10871 Aerodynamic pressures and heating rates on surfaces Combined aerodynamic and structural dynamic problem An experimental investigation of the flap-lag-torsion between split elevons at Mach 6.6 routines (CASPER): p 37 N89-12822 Theory emulating [NASA-TP-2855] aeroelastic stability of a small-scale hingeless helicopter A review of high-speed, convective, heat-transfer p 7 N88-20257 INASA-TP-24181 p 4 N87-17669 INASA-TP-25461 computation methods INASA-TP-2914] Powered-lift aircraft technology Shape sensitivity analysis of wing static aeroelastic p 38 N89-27116 INASA-SP-501] p 15 N90-12589 AERODYNAMIC INTERFERENCE characteristics Measured and predicted aerodynamic coefficients and Interference effects of thrust reversing on horizontal tail INASA-TP-28081 o 15 N88-22031 Lewis Structures Technology, 1988. Volume 1: Structural shock shapes for Aeroassist Flight Experiment (AFE) effectiveness of twin-engine fighter aircraft at Mach **Dynamics** numbers from 0.15 to 0.90 p 11 N90-14185 p 44 N88-23226 INASA-TP-29561 [NASA-CP-3003-VOL-1] p 19 N87-10870 Integrated Technology Rotor Methodology Assessment Aerodynamic characteristics of two rotorcraft airfoils CAST-10-2/DOA 2 Airfoil Studies Workshop Results designed for application to the inboard region of a main INASA-CP-30521 p 22 N90-17647 p 2 N88-27148 rotor blade **AERODYNAMIC LOADS** INASA-CP-100071 [NASA-TP-3009] p 11 N90-24239 Cornering characteristics of the main-gear tire of the Transonic Unsteady Aerodynamics and Aeroelasticity AERODYNAMIC CONFIGURATIONS 1987, part 1 pace shuttle orbiter p 9 N89-19234 Forward-swept wing configuration designed for high INASA-CP-3022-PT-11 p 14 N88-18583 Transonic Unsteady Aerodynamics and Aeroelasticity maneuverability by use of a transonic computational Aerodynamic pressure and heating-rate distributions in tile gaps around chine regions with pressure gradients at INASA-TP-26281 p 9 N89-19247 p 3 N87-11702 [NASA-CP-3022-PT-2] a Mach number of 6.6 Effects of winglet on transonic flutter characteristics of p 38 N90-23670 INASA-TP-29881 Method for experimental determination of flutter speed a cantilevered twin-engine-transport wing model AERODYNAMIC NOISE by parameter identification p 43 N87-13789 INASA-TP-26271 Airfoil self-noise and prediction INASA-TP-29231 p 15 N89-26844 Flight investigation of the effect of tail configuration on INASA-RP-12181 p 67 N89-25673 AERONAUTICAL ENGINEERING stall, spin, and recovery characteristics of a low-wing AERODYNAMIC STABILITY Engineer in charge: A history of the Langley Aeronautical Laboratory, 1917-1958 Transonic flow analysis for rotors. Part 2: Three-dimensional, unsteady, full-potential calculation general aviation research airplane NASA-TP-26441 p 13 N87-16815 [NASA-SP-4305] ρ 80 N87-24390 Flight characteristics of the AD-1 oblique-wing research [NASA-TP-2375-PT-2] p 3 N87-10841 Aeronautical engineering: A continuing bibliography with aircraft Effects of the installation and operation of jet-exhaust indexes (supplement 217) p 19 N87-18570 [NASA-TP-2223] vaw vanes on the longitudinal and lateral-directional [NASA-SP-7037(217)] p 1 N87-27613 On minimizing the number of calculations in characteristics of the F-14 airplane Astronautics and aeronautics, 1978: A chronology p 6 N88-12455 design-by-analysis codes [NASA-TP-2769] p 80 N88-14062 NASA-SP-40231 NASA-TP-27061 p 5 N87-23586 Integrated Technology Rotor Methodology Assessment Aeronautical engineering: A cumulative index to a Effect of Reynolds number variation on aerodynamics continuing bibliography [NASA-SP-7037(222)] of a hydrogen-fueled transport concept at Mach 6 [NASA-CP-10007] p 2 N88-27148 n 7 N88-19416 p 5 N87-26031 |NASA-TP-2728| Analysis of flight data from a High-Incidence Research Subsonic longitudinal and lateral-dire characteristics of a forward-swept-wing configuration at angles of attack up to 47 deg NASA historical data book. Volume 1: NASA resources lateral-directional fodel by system identification methods p 20 N90-10074 INASA-TP-29401 p 80 N88-25428 [NASA-SP-4012-VOL-1] Effect of control surface mass unbalance on the stability p 6 N87-26874 Aeronautical engineering: A continuing bibliography with [NASA-TP-2727] of a closed-loop active control system p 47 N90-12042 INASA-TP-29521 indexes Langley Symposium on Aerodynamics, volume 1 AERODYNAMIC STALLING [NASA-SP-7037(229)] p 2 N88-27163 [NASA-CP-2397] p 1 1/38-14926 Flight investigation of the effect of tail configuration on Aeronautical engineering: A continuing bibliography with A performance index approach to aerodynamic design stall, spin, and recovery characteristics of a low-wing indexes (supplement 242) with the use of analysis codes only [NASA-SP-7037(242)] general aviation research airplane p 2 N89-29304 [NASA-TP-2805] p 7 N88-18552 NASA-TP-26441 Astronautics and Aeronautics, 1979-1984: A A review of technologies applicable to low-speed flight Flight investigation of the effects of an outboard chronology of high-performance aircraft investigated in the Langley modification wing-leading-edge modification on stall/spin characteristics of a low-wing, single-engine, T-tail light INASA-SP-40241 p 81 N90-25928 14- x 22-foot subsonic tunnel Aeronautical engineering: A continuing bibliography with NASA-TP-27961 p 7 N88-20264 airplane indexes (supplement 255) Analysis of flight data from a High-Incidence Research [NASA-TP-2691] p 14 N87-23614 [NASA-SP-7037(255)] p 2 N90-27648 Model by system identification methods Steady-state and transitional aero characteristics of a wing in simulated heavy rain aerodynamic INASA-TP-29401 p 20 N90-10074 **AERONAUTICS** NASA historical data book. Volume 2: Programs and Measured and predicted aerodynamic coefficients and NASA-TP-29321 p 10 N89-25951 projects 1958-1968 shock shapes for Aeroassist Flight Experiment (AFE) **AERODYNAMICS** p 80 N88-25429 NASA-SP-4012-VOL-21 configuration An experimental investigation of an advanced turboprop NASA historical data book, Volume 3: Programs and INASA-TP-29561 p 11 N90-14185 installation on a swept wing at subsonic and transonic projects 1969-1978 Experimental and theoretical aerodynamic [NASA-SP-4012-VOL-3] p 81 N88-25430 characteristics of a high-lift semispan wing model INASA-TP-27291 p.6 N87-26883 p 11 N90-20046 Astronautics and aeronautics, 1985: A chronology INASA-TP-29901 Aeronautical engineering: A continuing bibliography with [NASA-SP-4025] p 81 N89-26803 indexes (supplement 217) **AERODYNAMIC DRAG** AEROSOLS [NASA-SP-7037(217)] Effects of tail span and empennage arrangement on p 1 N87-27613 IASA-SP-7037(217)|
Supersonic aerodynamics of delta wings Airborne lidar measurements of El Chichon stratosphene drag of a typical single-engine lighter aft end [NASA-TP-2352] p 3 N87-10838 aerosols, May 1983 INASA-TP-27711 p 51 N87-11358 NASA-RP-11721 Aeronautical engineering: A cumulative index to a Effects of empennage surface location on aerodynamic SAGE aerosol measurements. Volume 3: January 1, continuing bibliography characteristics of a twin-engine afterbody model with p 7 N88-19416 (NASA-SP-7037(222)) 1981 to November 18, 1981 nonaxisymmetric nozzles Joint University Program for Air Transportation INASA-RP-11731 p 51 N87-17417 p 14 N87-17693 INASA-TP-23921 Research, 1986 Space Opportunities for Tropospheric Chemistry Drag measurements of blunt stores tangentially mounted INASA-CP-25021 p 2 N88-23715 on a flat plate at supersonic speeds Nonlinear programming extensions to rational function INASA-CP-24501 p 51 N67-18248 |NASA-TP-2742| p 6 N8/-27626 approximation methods for unsteady aerodynamic forces Airborne lidar measurements of El Chichon stratospheric Planform effects on the supersonic aerodynamics of INASA-TP-27761 p 15 N88-24623 erosols, January 1984 multibody configurations Aeronautical engineering: A continuing bibliography with p 51 N87-20663 [NASA-RP-1175] p 6 N88-12454 [NASA-TP-2762] Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts An economical semi-analytical orbit theory for |NASA-SP-7037(229)| p 2 N88-27163 micro-computer applications Validation of a pair of computer codes for estimation INASA-TP-27561 p 49 N87-28162 INASA-TP-2811] p 66 N89-14052 and optimization of subsonic aerodynamic performance Airborne particulate matter in spacecraft Exhaust nozzles for propulsion systems with emphasis of simple hinged-flap systems for thin swept wings [NASA-CP-2499] p 59 N88-14623 p 8 N89-10024 on supersonic cruise aircraft NASA-TP-2828 [NASA-RP-1235] SAM 2 data user's guide p 18 N90-21037 Aeronautical engineering: A continuing bibliography with p 52 N88-25094 AERODYNAMIC FORCES INASA-RP-12001 indexes (supplement 242) p 2 N89-29304 Forty-eight-inch lidar aerosol measurements taken at the Steady and unsteady aerodynamic forces from the SOUSSA surface-panel method for a fighter wing with tip NASA-SP-7037(242) angley Research Center, May 1974 to December 1987 Effect of control surface mass unbalance on the stability nissile and comparison with experiment and PANAIR [NASA-RP-1209] p 52 N68-29234 of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042 INASA-TP 27761 p 5 N87-26032 Gas-Grain Simulation Facility: Fundamental studies of Aeronautical enginering: A continuing bibliography with Nonlinear programming extensions to rational function particle formation and interactions. Volume 1: Executive

ndexes (supplement 255)

INASA-SP-7037(255)1

summary and overview

INASA-CP-10026-VOL-11

p 59 N89-24022

p 2 N90-27648

[NASA-TP-2776]

approximation methods for unsteady aerodynamic forces

p 15 N88-24623

Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study	NASA Thesaurus supplement A four part cumulative supplement to the 1988 edition of the NASA Thesaurus (supplement 3)	AIR SEA ICE INTERACTIONS Arctic Sea ice, 1973-1976: Satellite passive-microwave observations
[NASA-CP-10026-VOL-2] p 59 N89-24023	[NASA-SP-7064-SUPPL-3] p 71 N90-22438	[NASA-SP-489] p 58 N87-24870
AEROSPACE ENGINEERING Astronautics and aeronautics, 1978: A chronology	AEROSPACE SYSTEMS Space Electrochemical Research and Technology	AIR TRAFFIC CONTROL
[NASA-SP-4023] p 80 N88-14062	Conference: Abstracts	Ground-based time-guidance algorithm for control of airplanes in a time-metered air traffic control environment:
The 1988 Goddard Conference on Space Applications	[NASA-CP-10029] p 50 N89-22982	A piloted simulation study
of Artificial Intelligence	The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892	[NASA-TP-2616] p 16 N87-10864
[NASA-CP-3009] p 64 N88-30330 NASA Patent Abstracts Bibliography: A continuing	AEROTHERMODYNAMICS	Joint University Program for Air Transportation Research, 1985
bibliography. Section 1: Abstracts (supplement 35)	Aerothermal tests of spherical dome protuberances on	[NASA-CP-2453] p.1 N87-27596
[NASA-SP-7039(35)-SECT-1] p 71 N89-25775	a flat plate at a Mach number of 6.5 [NASA-TP-2631] p 35 N87-13664	Jet transport flight operations using cockpit display of
NASA Patent Abstracts Bibliography: A continuing	Structural Integrity and Durability of Reusable Space	traffic information during instrument meteorological conditions; Simulation evaluation
bibliography. Section 2: Indexes (supplement 35) [NASA-SP-7039(35)-SECT-2] p 71 N89-29264	Propulsion Systems	[NASA-TP-2567] p 12 N87-29469
The 24th Aerospace Mechanisms Symposium	[NASA-CP-2471] p 26 N87-22766 Aerothermal tests of guilted dome models on a flat plate	A piloted simulation study of data link ATC message
[NASA-CP-3062] p 47 N90-22079	at a Mach number of 6.5	exchange [NASA-TP-2859] p 13 N89-15900
NASA Patent Abstracts Bibliography: A continuing	[NASA-TP-2804] p 37 N88-22325	Simulation evaluation of TIMER, a time-based, terminal
bibliography. Section 1: Abstracts (supplement 37) [NASA-SP-7039(37)-SECT-1] p 71 N90-25698	AFTERBODIES  Effects of empennage surface location on aerodynamic	air traffic, flow-management concept
Astronautics and Aeronautics, 1979-1984: A	characteristics of a twin-engine afterbody model with	[NASA-TP-2870] p 13 N89-15901 Flight deck automation: Promises and realities
chronology	nonaxisymmetric nozzles	[NASA-CP-10036] p 17 N90-13384
[NASA-SP-4024] p 81 N90-25928 NASA Patent Abstracts Bibliography: A continuing	[NASA-TP-2392] p 14 N87-17693 Effects of afterbody boattail design and empennage	Delivery performance of conventional aircraft by terminal-area, time-based air traffic control: A real-time
bibliography. Section 2: Indexes (supplement 37)	arrangement on aeropropulsive characteristics of a	Simulation evaluation
[NASA-SP-7039(37)-SECT-2] p 71 N90-26700	twin-engine fighter model at transonic speeds	[NASA-TP-2978] p 13 N90-18378
AEROSPACE ENVIRONMENTS	[NASA-TP-2704] p.4 N87-21873 Comparison of wind tunnel and flight test afterbody and	Joint University Program for Air Transportation Résearch, 1988-1989
Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations	nozzle pressures for a twin-jet fighter aircraft at transonic	[NASA-CP-3063] p 2 N90-20921
[NASA-CP-2460] p 52 N87-20665	speeds	AIR TRAFFIC CONTROLLERS (PERSONNEL)
Microgravity Fluid Management Symposium	[NASA-TP-2588] p 6 N88-10765 Effect of empennage arrangement on single-engine	Delivery performance of conventional aircraft by
[NASA-CP-2465] p 32 N87-21141	nozzle/afterbody static pressures at transonic speeds	terminal-area, time-based air traffic control: A real-time simulation evaluation
Spacelab 3 Mission Science Review [NASA-CP-2429] p 36 N87-22103	[NASA-TP-2753] p 6 N88-10771	[NASA-TP-2978] p 13 N90-18378
Airborne particulate matter in spacecraft	AGING (METALLURGY) Stress corrosion study of PH13-8Mo staintess steel using	AIR TRANSPORTATION  Joint University Program for Air Transportation
[NASA-CP-2499] p 59 N88-14623	the Slow Strain Rate Technique	Research, 1983
Space Station Induced Monitoring [NASA-CP-3021] p 73 N89-15790	[NASA-TP-2934] p 30 N89-26976	[NASA-CP-2451] p 1 N87-18520
Workshop on Two-Phase Fluid Behavior in a Space	Heat treatment study of the SiC/Ti-15-3 composite system	Joint University Program for Air Transportation Research, 1984
Environment	[NASA-TP-2970] p 29 N90-19302	[NASA-CP-2452] p 1 N87-22604
[NASA-CP-3043] p 38 N89-26184	AGRICULTURE	Joint University Program for Air Transportation
Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989)	Earth resources: A continuing bibliography with indexes (issue 57)	Research, 1985 [NASA-CP-2453] p.1 N87-27596
[NASA-CP-3059] p 62 N90-25503	(NASA-SP-7041(57)) p 49 N88-23314	Flight deck automation: Promises and realities
AEROSPACE INDUSTRY	AIR	[NASA-CP-10036] p 17 N90-13384
Material characterization of superplastically formed titanium (Ti-6Al-2Sn-4Zr-2Mo) sheet	Simplified curve fits for the thermodynamic properties of equilibrium air	Joint University Program for Air Transportation Research, 1988-1989
[NASA-TP-2674] p 30 N87-20407	[NASA-RP-1181] p 36 N87-26309	[NASA-CP-3063] p 2 N90-20921
Wind shear detection. Forward-looking sensor	A rapid method for the computation of equilibrium	AIR WATER INTERACTIONS
technology [NASA-CP-10004] p 12 N88-14970	chemical composition of air to 15000 K [NASA-TP-2792] p 30 N88-16830	Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152
Issues in NASA program and project management	A review of reaction rates and thermodynamic and	On the statistics of El Nino occurrences and the
[NASA-SP-6101(02)] p 69 N90-13277	transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000	relationship of El Nino to volcanic and solar/geomagnetic
AEROSPACE MEDICINE Aerospace medicine and biology: A cumulative index	K	activity  NASA-TP-2948  p 79 N90-12456
to the 1986 issues (supplement 293)	[NASA-RP-1232] p 38 N90-27064	AIRBORNE EQUIPMENT
[NASA-SP-7011(293)] p 59 N87-18976	AIR DATA SYSTEMS	Airborne lidar measurements of El Chichon stratospheric
Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302)	Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack	aerosols, May 1983 [NASA-RP-1172] p 51 N87-11358
[NASA-SP-7011(302)] p 59 N87-30041	[NASA-TP-2716] p 14 N87-29497	Airborne lidar measurements of El Chichon stratospheric
Aerospace medicine and biology: A cumulative index	AIR FLOW	aerosols, January 1984
to a continuing bibliography (supplement 306) [NASA-SP-7011(306)] p 60 N88-18180	Conservation equations and physical models for hypersonic air flows in thermal and chemical	[NASA-RP-1175] p 51 N87-20663 Airborne Wind Shear Detection and Warning Systems:
Aerospace medicine and biology: A continuing	nonequilibrium	First Combined Manufacturers' and Technologists'
bibliography with indexes (supplement 315)	[NASA-TP-2867] p 38 N89-16115 AIR NAVIGATION	Conference   NASA-CP-100061   p.12 N88-17616
[NASA-SP-7011(315)] p 60 N88-30281 Aerospace medicine and biology: A continuing	Joint University Program for Air Transportation	[NASA-CP-10006] p 12 N88-17616 MARA (Multimode Airborne Radar Altimeter) system
bibliography with indexes (supplement 327)	Research, 1983	documentation. Volume 1: MARA system requirements
[NASA-SP-7011(327)] p 60 N89-29951 Aerospace medicine and biology: A continuing	[NASA-CP-2451] p.1 N87-18520 Joint University Program for Air Transportation	document [NASA-RP-1226] p 39 N89-26209
bibliography with indexes (supplement 340)	Research, 1988-1989	AIRCRAFT COMPARTMENTS
[NASA-SP-7011(340)] p 60 N90-28963	NASA-CP-3063  p.2 N90-20921	Annoyance response to simulated advanced turboprop
AEROSPACE PLANES  Low-speed, high-lift aerodynamic characteristics of	AIR POLLUTION	aircraft interior noise containing tonal beats [NASA-TP-2689] p 66 N87-24161
slender, hypersonic accelerator-type configurations	SAGE aerosol measurements. Volume 3: January 1, 1981 to November 18, 1981	Evaluation of the ride quality of a light twin engine
[NASA-TP-2945] p 10 N90-10830	[NASA-RP-1173] p 51 N87-17417	airplane using a ride quality meter
AEROSPACE SCIENCES  NASA scientific and technical publications: A catalog	Space Opportunities for Tropospheric Chemistry	[NASA-TP-2913] p 2 N89-22568 AIRCRAFT CONFIGURATIONS
of Special Publications, Reference Publications,	Research   NASA-CP-2450   p 51 N87-18248	Effects of tail span and empennage arrangement on
Conference Publications, and Technical Papers,	Airborne lidar measurements of El Chichon stratospheric	drag of a typical single-engine fighter aft end
1977-1986 [NASA-SP-7063(01)] p 70 N87-30218	aerosols, January 1984	(NASA-TP-2352) p.3 N87-10838 Planform effects on the supersonic aerodynamics of
NASA scientific and technical publications: A catalog	[NASA-RP-1175] p 51 N87-20663	multibody configurations
of Special Publications, Reference Publications,	Atlas of absorption lines from 0 to 17900 cm (sup)-1 [NASA-RP-1188] p 49 N87-28955	[NASA-TP-2762] p.6 N88-12454
Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 70 N88-22830	AIR PURIFICATION	Transonic Unsteady Aerodynamics and Aeroelasticity 1987, part 1
Fourth Conference on Artificial Intelligence for Space	Airborne particulate matter in spacecraft	[NASA-CP-3022-PT-1] p 9 N89-19234
Applications	[NASA-CP-2499] p 59 N88-14623 AIR QUALITY	Evaluation of a strain-gage load calibration on a
[NASA-CP-3013] p 63 N89-15549 NASA scientific and technical publications: A catalog	Airborne particulate matter in spacecraft	low-aspect-ratio wing structure at elevated temperature [NASA-TP-2921] p 46 N89-28034
of special publications, reference publications, conference	INASA-CP-24991 p 59 N88-14623	Fuselage design for a specified Mach-sliced area
nublications and technical papers, 1988 (NASA-SP-7063(03)) p.71 N90-10782	An assessment model for atmospheric composition [NASA-CP-3023] p 57 N89-20588	distribution [NASA-TP-2975] p 16 N90-18385
(NASA-SP-7063(03)) p 71 N90-10782	[1460A-06-3023] p.37 (403-20300	[14000-16-5910] h to Han-10302

p 44 N88-21456

INASA-TP-27811

p 13 N87-16815

Dynamic ground-effect measurements on the F-15 STQL	NASA supercritical airfoils: A matrix of family-related	AIRCRAFT STABILITY
and Maneuver Technology Demonstrator (S/MTD)	airtoils	Application of parameter estimation to aircraft stability
configuration [NASA-TP-3000] p 11 N90-22531	[NASA-TP-2969] p 11 N90-16710	and control: The output-error approach [NASA-RP-1168] p 14 N87-29499
AIRCRAFT CONSTRUCTION MATERIALS	Fuselage design for a specified Mach-sliced area distribution	Transonic Unsteady Aerodynamics and Aeroelasticity
Evaluation of energy absorption of new concepts of	[NASA-TP-2975] p 16 N90-18385	1987, part 2
aircraft composite subfloor intersections [NASA-TP-2951] p 16 N90-26823	AIRCRAFT ENGINES	[NASA-CP-3022-PT-2] p 9 N89-19247 AIRCRAFT STRUCTURES
AIRCRAFT CONTROL	Turbine Engine Hot Section Technology, 1984 [NASA-CP-2339] p.43 N87-11180	The ACEE program and basic composites research at
Joint University Program for Air Transportation Research, 1984	Investigation of the misfueling of reciprocating piston	Langley Research Center (1975 to 1986): Summary and
{NASA-CP-2452} p.1 N87-22604	aircraft engines	bibliography (NASA-RP-1177) p 28 N87-29612
Application of parameter estimation to aircraft stability	[NASA-TP-2803] p 12 N68-21144 Lewis Structures Technology, 1988, Volume 2: Structural	Evaluation of a strain-gage load calibration on a
and control: The output-error approach [NASA-RP-1168] p 14 N87-29499	Mechanics	low-aspect-ratio wing structure at elevated temperature [NASA-TP-2921] p 46 N89-28034
Effects of the installation and operation of jet-exhaust	[NASA-CP-3003-VOL-2] p 44 N88-22382	A Protection And Detection Surface (PADS) for damage
yaw vanes on the longitudinal and lateral-directional	Turbine Engine Hot Section Technology, 1987 [NASA-CP-2493] p 45 N89-17298	tolerance
characteristics of the F-14 airplane [NASA-TP-2769] p 6 N88-12455	AIRCRAFT FUELS	NASA-TP-3011   p 29 N90-27788   AIRCRAFT TIRES
Proceedings of the Circulation-Control Workshop,	Low-energy gamma ray attenuation characteristics of	Measurements of flow rate and trajectory of aircraft
1986 [NASA-CP-2432] p 7 N88-17586	aviation fuels [NASA-TP-2974] p 63 N90-18882	tire-generated water spray
[NASA-CP-2432] p 7 N88-17586 Airborne Wind Shear Detection and Warning Systems:	AIRCRAFT GUIDANCE	[NASA-TP-2718] p 14 N87-24458 Static mechanical properties of 30 x 11.5 - 14.5, type
First Combined Manufacturers' and Technologists'	Joint University Program for Air Transportation	8 aircraft tires of bias-ply and radial-belted design
Conference [NASA-CP-10006] p.12 N88-17616	Research, 1983	[NASA-TP-2810] p 15 N88-21157
Rotorcraft flight-propulsion control integration: An	[NASA-CP-2451] p.1 N87-18520 Joint University Program for Air Transportation	Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various
eclectic design concept	Research, 1984	runway surface types and conditions. A summary of test
[NASA-TP-2815] p.19 N88-19475 Joint University Program for Air Transportation	[NASA-CP-2452] p 1 N87-22604	results from joint FAA/NASA Runway Friction Program [NASA-TP-2917] p 16 N90-15902
Research, 1986	Joint University Program for Air Transportation Research, 1986	Modeling and analysis of the space shuttle nose-gear
[NASA-CP-2502] p 2 N88-23715	[NASA-CP-2502] p 2 N88-23715	tire with semianalytic finite elements
Influence of wind shear on the aerodynamic characteristics of airplanes	AIRCRAFT HAZARDS	[NASA-TP-2977] p 42 N90-19595 AIRFOIL PROFILES
[NASA-TP-2827] p 12 N88-26344	Doppler Radar Detection of Wind Shear {NASA-CP-2435} p 12 N87-10054	Effect of advanced rotorcraft airfoil sections on the hover
Joint University Program for Air Transportation Research, 1988-1989	AIRCRAFT INSTRUMENTS	performance of a small-scale rotor model
[NASA-CP-3063] p 2 N90-20921	A simulation evaluation of the engine monitoring and	[NASA-TP-2832] p 10 N89-24264 Airfoil self-noise and prediction
AIRCRAFT DESIGN	control system display [NASA-TP-2960] p 17 N90-18393	[NASA-RP-1218] p 67 N89-25673
In-flight total forces, moments and static aeroelastic characteristics of an oblique-wing research airplane	AIRCRAFT LANDING	CAST-10-2/DOA 2 Airfoil Studies Workshop Results [NASA-CP-3052] p 22 N90-17647
[NASA-TP-2224] p 19 N87-10103	Langley Aircraft Landing Dynamics Facility	Experimental and theoretical aerodynamic
Recent Experiences in Multidisciplinary Analysis and	[NASA-RP-1189] p 21 N87-29544 Dynamic ground-effect measurements on the F-15 STOL	characteristics of a high-lift semispan wing model
Optimization, part 1 {NASA-CP-2327-PT-1} p 13 N87-11717	and Maneuver Technology Demonstrator (S/MTD)	[NASA-TP-2990] p 11 N90-20046 AIRFOILS
Recent Experiences in Multidisciplinary Analysis and	configuration	Turbine Engine Hot Section Technology, 1984
Optimization, part 2 [NASA-CP-2327-PT-2] p 13 N87-11750	{NASA-TP-3000} p 11 N90-22531 AIRCRAFT MANEUVERS	{NASA-CP-2339} p 43 N87-11180 Lewis inverse design code (LINDES): Users manual
Engineer in charge: A history of the Langley Aeronautical	Langley Symposium on Aerodynamics, volume 1	[NASA-TP-2676] p 4 N87-20238
Laboratory, 1917-1958	[NASA-CP-2397] p 1 N88-14926	Calculation of viscous effects on transonic flow for
(NASA-SP-4305) p 80 N87-24390 Langley Symposium on Aerodynamics, volume 1	AIRCRAFT MODELS  User's manual for LINEAR, a FORTRAN program to	oscillating airfoils and comparisons with experiment [NASA-TP-2731] p.6 N87-27622
[NASA-CP-2397] p 1 N88-14926	derive linear aircraft models	Measurement of velocity and vorticity fields in the wake
NASA/Army Rotorcraft Technology, Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight	[NASA-TP-2768] p 65 N88-21740	of an airfoil in periodic pitching motion [NASA-TP-2780] p 66 N8R-13002
Dynamics and Control, and Acoustics	Derivation and definition of a linear aircraft model [NASA-RP-1207] p 19 N89-15123	Airfoil self-noise and prediction
NASA-CP-2495-VOL-2] p.1 NB8-16632 NASA/Army Rotorcraft Technology, Volume 3: Systems	Measurements of pressures on the tail and aft fuselage	[NASA-RP-1218] p 67 N89-25673
Integration, Research Aircraft, and Industry	of an airplane model during rotary motions at spin	Steady-state and transitional aerodynamic characteristics of a wing in simulated heavy rain
[NASA-CP-2495-VOL-3] p.1 N88-16650	attitudes [NASA-TP-2939] p 10 N90-10829	[NASA-TP-2932] p 10 N89-25951
Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of	AIRCRAFT NOISE	CAST-10-2/DOA 2 Airfoil Studies Workshop Results [NASA-CP-3052] p 22 N90-17647
4.5	Annoyance response to simulated advanced turboprop	AIRPORTS
[NASA-TP-2799] p.7 N88-19420 Laminar Flow Aircraft Certification	INASA-TP-2689   p 66 N87-24161	Low-energy gamma ray attenuation characteristics of
(NASA-CP-2413) p.8 N88-23737	Helicopter main-rotor noise: Determination of source	aviation fuels [NASA-TP-2974] p 63 N90-18882
User's manual for interactive LINEAR: A FORTRAN	contributions using scaled model data (NASA-TP-2825) p 67 N88-26907	FAA/NASA En Route Noise Symposium
program to derive linear aircraft models [NASA-TP-2835] p 65 N89-16437	Evaluation of the ride quality of a light twin engine	[NASA-CP-3067] p 67 N90-24853 ALABAMA
Transonic Symposium: Theory, Application, and	airplane using a ride quality meter	The MSFC/UAH Data Management Symposium
Experiment, Volume 1, Part 1	[NASA-TP-2913] p.2 N89-22568	[NASA-CP-2040] p 62 N78-74659
(NASA-CP-3020-VOL-1-PT-1) p.9 N89-20925 A closed-form trim solution yielding minimum trim drag	Comparison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed	ALBEDO Surface bidirectional reflectance properties of two
for airplanes with multiple longitudinal-control effectors	wind tunnel acoustic treatment	southwestern Arizona deserts for wavelengths between
[NASA-TP-2907] p 20 N89-23468 Computational Methods for Structural Mechanics and	[NASA-TP-2996] p 22 N90-19242 FAA/NASA En Route Noise Symposium	0.4 and 2.2 micrometers [NASA-TP-2643] p 48 N87-22281
Dynamics	[NASA-CP-3067] p 67 N90-24853	Atlas of albedo and absorbed solar radiation derived
[NASA-CP-3034-PT-2] p 46 N89-24654	AIRCRAFT PERFORMANCE	from Nimbus 6 earth radiation budget data set, July 1975
Recent Advances in Multidisciplinary Analysis and Optimization, part 1	Wind Shear/Turbulence Inputs to Flight Simulation and Systems Certification	to May 1978 [NASA-RP-1230] p.57 N90-14741
[NASA-CP-3031-PT-1] p 15 N89-25146	[NASA-CP-2474] p 1 N87-25267	ALGAE
Recent Advances in Multidisciplinary Analysis and Optimization, part 2	Development and flight test experiences with a	Controlled Ecological Life Support System: Regenerative Life Support Systems in Space
[NASA-CP-3031-PT-2] p 15 N89-25173	flight-crucial digital control system [NASA-TP-2857] p 20 N89-24327	[NASA-CP-2480] p 60 N88-12251
Recent Advances in Multidisciplinary Analysis and	Longitudinal stability and control characteristics of the	ALGORITHMS
Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201	Quiet Short-Haul Research Aircraft (QSRA) [NASA-TP-2965] p.20 N90-17639	An algorithm for surface smoothing with rational splines
Low-speed, high-lift aerodynamic characteristics of	AIRCRAFT SAFETY	[NASA-TP-2708] p 65 N87-22447
slender, hypersonic accelerator-type configurations [NASA-TP-2945] p 10 N90-10830	Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs	Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite
Research in Natural Laminar Flow and Laminar-Flow	and Space Programs INASA-CP-24681 p 55 N87-22341	[NASA-TP-2723] p 55 N87-26491
Control, part 2	AIRCRAFT SPIN	Frontiers of Massively Parallel Scientific Computation
[NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow	Flight investigation of the effect of tail configuration on stall, spin, and recovery characteristics of a low-wing	[NASA-CP-2478] p 62 N87-26531 Advances in contact algorithms and their application to

general aviation research airplane [NASA-TP-2644]

p 10 N90-12539

Control, part 3 INASA-CP-2487-PT-31

Universal test fixture for monolithic mm-wave integrated	ALUMINUM GRAPHITE COMPOSITES	Technology for large space systems: A bibliography with
circuits calibrated with an augmented TRD algorithm	Effects of thermal cycling on graphie-fiber-reinforced	Indexes (supplement 17) I NASA-SP-7046(17) p 22 N87-29576
[NASA-TP-2875] p 34 N89-17767	6061 aluminum [NASA-TP-2612] p 28 N87-10184	ANTIMATTER
Nimbus-7 ERB Solar Analysis Tape (ESAT) user's quide	ALUMINUM OXIDES	Possible complementary cosmic-ray systems: Nuclei
[NASA-RP-1211] p 79 N89-30151	Oxidation characteristics of Ti-14Al-21Nb ingot alloy	and antinuclei
Advanced detection, isolation, and accommodation of	[NASA-TP-3012] p 31 N90-25206	[NASA-TP-2741] p 68 N87-24977
sensor failures in turbofan engines: Real-time	ANALOG DATA Analog signal conditioning for flight-test	Annihilation in Gases and Galaxies [NASA-CP-3058] p. 66 N90-18957
microcomputer implementation INASA-TP-2925) p 20 N90-15112	instrumentation	[NASA-CP-3058] p 66 N90-18957 ANTIPARTICLES
[NASA-TP-2925] p 20 N90-15112 An upwind-biased, point-implicit relaxation algorithm for	[NASA-RP-1159] p 17 N87-29533	Possible complementary cosmic-ray systems: Nuclei
viscous, compressible perfect-gas flows	ANGLE OF ATTACK	and antinuclei
[NASA-TP-2953] p 38 N90-17042	Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack	[NASA-TP-2741] p 68 N87-24977
ALIGNMENT	up to 65 degrees	APOLLO FLIGHTS
Development and evaluation of an airplane electronic	[NASA-TP-2733] p 5 N87-23592	Where no man has gone before: A history of Apcllo lunar exploration missions
display format aligned with the inertial velocity vector [NASA-TP-2648] p 16 N87-13438	Subsonic longitudinal and lateral-directional	[NASA-SP-4214] p 81 N89-25946
ALKYL COMPOUNDS	characteristics of a forward-swept-wing fighter configuration at angles of attack up to 47 deg	APOLLO PROJECT
Surface catalytic degradation study of two linear	[NASA-TP-2727] p 6 N87-26874	Where no man has gone before: A history of Apollo
perfluoropolyalkylethers at 345 C	Qualitative evaluation of a flush air data system at	lunar exploration missions
[NASA-TP-2774] p 27 N88-12543	transonic speeds and high angles of attack	[NASA-SP-4214] p 81 N89-25946
Reaction of perfluoroalkylpolyethers (PFPE) with 440C	[NASA-TP-2716] p 14 N87-29497	Where no man has gone before: A history of Apollo
steel in vacuum under sliding conditions at room temperature	Analysis of flight data from a High-Incidence Research Model by system identification methods	lunar exploration missions
[NASA-TP-2883] p 31 N89-26091	[NASA-TP-2940] p 20 N90-10074	[NASA-SP-4214] p 81 N89-25946
ALL SKY PHOTOGRAPHY	ANGULAR DISTRIBUTION	APPLICATIONS PROGRAMS (COMPUTERS)
Infrared astronomical satellite (IRAS) catalogs and	Angular radiation models for Earth-atmosphere system.	Predicted effect of dynamic load on pitting fatigue life
atlases. Volume 1: Explanatory supplement	Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677	for low-contact-ratio spur gears [NASA-TP-2610] p 41 N87-18095
[NASA-RP-1190-VOL-1] p 76 N89-14194	[NASA-RP-1184] p 56 N88-27677 ANISOTROPIC SHELLS	Sixth Annual Users' Conference Transportable
Infrared astronomical satellite (IRAS) catalogs and atlases. Volume 5: The point source catalog declination	Modeling and analysis of the space shuttle nose-gear	Applications Executive (TAE)
range -30 deg greater than delta greater than -50 deg	tire with semianalytic finite elements	[NASA-CP-2463] p 62 N87-23156
[NASA-RP-1190-VOL-5] p 76 N89-14195	[NASA-TP-2977] p 42 N90-19595	SURE reliability analysis: Program and mathematics
Infrared astronomical satellite (IRAS) catalogs and	ANNIHILATION REACTIONS	(NASA-TP-2764) p 65 N88-17380
atlases. Volume 4: The point source catalog declination	Annihilation in Gases and Galaxies [NASA-CP-3058] p 66 N90-18957	Numerical simulation of scramjet inlet flow fields
range 0 deg greater than delta greater than -30 deg [NASA-RP-1190-VOL-4] p 76 N89-14196	ANNUAL VARIATIONS	[NASA-TP-2517] p 8 N88-23735
Infrared astronomical satellite (IRAS) catalogs and	Arctic Sea ice, 1973-1976: Satellite passive-microwave	Applications of the hybrid automated reliability predictor: Revised edition
atlases. Volume 2: The point source catalog declination	observations	[NASA-TP-2760-REV] p 63 N90-11454
range 90 deg greater than delta greater than 30 deg	[NASA-SP-489] p 58 N87-24870 Atlas of wide-field-of-view outgoing longwave radiation	Fifty year canon of lunar eclipses: 1986-2035
[NASA-RP-1190-VOL-2] p 76 N89-14197	derived from Nimbus 7 Earth radiation budget data set -	[NASA-RP-1216] p 75 N90-18342
Infrared astronomical satellite (IRAS) catalogs and atlases. Volume 6: The point source catalog declination	November 1978 to October 1985	Satellite radar altimetry over ice. Volume 2: Users guide
range -50 deg greater than delta greater than -90 deg	[NASA-RP-1186] p 55 N88-10451	for Greenland elevation data from Seasat INASA-RP-1233-VOL-21 p.54 N90-20563
(NASA-RP-1190-VOL-6) p 76 N89-14198	ANNULAR FLOW	
intrared astronomical satellite (IRAS) catalogs and	Three component laser anemometer measurements in an annular cascade of core turbine vanes with contoured	APPROACH  Effect of motion cues during complex curved approach
atlases. Volume 7: The small scale structure catalog (NASA-RP-1190-VOL-7) p 76 N89-14199	end wall	and landing tasks: A piloted simulation study
[NASA-RP-1190-VOL-7] p 76 N89-14199 Infrared astronomical satellite (IRAS) catalogs and	[NASA TP-2846] p 8 N89-10844	[NASA-TP-2773] p 14 N88-12480
attases. Volume 3: The point source catalog declination	ANTARCTIC REGIONS	APPROACH CONTROL
range 30 deg greater than delta greater than 0 deg	The 1987 Airborne Antarctic Ozone Experiment: The	A simulation evaluation of a pilot interface with an
[NASA-RP-1190-VOL-3] p 77 N89-14201	Nimbus-7 TOMS data atlas (NASA-RP-1201) p 49 N88-20714	automatic terminal approach system [NASA-TP-2669] p 16 N87-19393
ALTERNATING CURRENT  An electrochemical study of corrosion protection by	Polar Ozone Workshop. Abstracts	APPROXIMATION
primer-topcoat systems on 4130 steel with ac impedance	[NASA-CP-10014] p 51 N89-14503	On minimizing the number of calculations in
and dc methods	The 1988 Antarctic ozone monitoring Nimbus-7 TOMS	design-by-analysis codes
[NASA-TP-2820] p 30 N89-19406	data atlas INASA-RP-12251 p 57 N89-28983	[NASA-TP-2706] p.5 N87-23586 Nonlinear programming extensions to rational function
ALTITUDE	[NASA-RP-1225] p 57 N89-28983 Satellite radar altimetry over ice. Volume 1: Processing	approximation methods for unsteady aerodynamic forces
Effect of ephemens errors on the accuracy of the computation of the tangent point attitude of a solar	and corrections of Seasat data over Greenland	[NASA-TP-2776] p 15 N88-24623
scanning ray as measured by the SAGE 1 and 2	[NASA-RP-1233-VOL-1] p 54 N90-20562	Three-dimensional multigrid algorithms for the flux-split
instruments	Satellite radar altimetry over ice. Volume 4: Users' guide	Euler equations
[NASA-TP-2866] p 65 N89-16415	for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4] p 54 N90-20564	[NASA-TP-2829] p 65 N89-12316 Effect of ephemeris errors on the accuracy of the
ALTITUDE SIMULATION  Detailed flow surveys of turning vanes designed for a	SeaRISE: A Multidisciplinary Research Initiative to	computation of the tangent point altitude of a solar
0.1-scale model of NASA Lewis Research Center's	Predict Rapid Changes in Global Sea Level Caused by	scanning ray as measured by the SAGE 1 and 2
proposed altitude wind tunnel	Collapse of Marine Ice Sheets	instruments (NASA-TP-2866) p 65 N89-16415
[NASA TP-2680] p 21 N87-20295	[NASA-CP-3075] p 48 N90-22824	(NASA-TP-2866) p 65 N89-16415 An approximate method for calculating
Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale	Nimbus-7 TOMS Antarctic ozone atlas: August through November, 1989	three-dimensional inviscid hypersonic flow fields
model of NASA Lewis Research Center's proposed altitude	[NASA-RP-1237] p 58 N90-23837	[NASA-TP-3018] p 39 N90-27066
wind tunnel	ANTENNA DESIGN	ARC WELDING
(NASA-TP-2681) p 21 N88-17686	A simplified approach to axisymmetric dual-reflector	A generalized method for automatic downhand and wirefeed control of a welding robot and positioner
ALUMINUM	antenna design	[NASA-TP-2807] p 32 N88-17869
Shot peening for Ti SAL4V alloy compressor blades (NASA-TP-2711) p.43 N87-20566	[NASA-TP-2797] p 7 N88-16662 Measured and predicted root-mean-square errors in	ARCHITECTURE
Cosmic ray heavy ion LET mapping for aluminum, silicon,	square and triangular antenna mesh facets	Space Station Human Factors Research Review.
and tissue targets	[NASA-TP-2896] p 45 N89-17892	Volume 3: Space Station Habitability and Function:
[NASA-RP-1180] p 79 N87-25984	Earth Science Geostationary Platform Technology	Architectural Research [NASA-CP-242u-vOL-3] p 59 N88-19883
An examination of impact damage in glass-phenolic and aluminum honeycomb core composite panels	[NASA-CP-3040] p 24 N90-19249	ARCHITECTURE (COMPUTERS)
[NASA-TP-3042] p 29 N90-27876	Thermal-distortion analysis of an antenna strongback	Computer Sciences and Data Systems, volume 1
Effects of continuous and cyclic thermal exposures on	for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738	[NASA-CP-2459-VOL-1] p 62 N87-19931
boron- and borsic-reinforced 6061 aluminum composites	ANTENNA RADIATION PATTERNS	First Annual Workshop on Space Operations Automation and Robotics (SOAR \$7)
[NASA-TP-1063] p 28 N88-70029	A simplified approach to axisymmetric dual reflector	INASA-UP-2491] p 61 N88-17206
ALUMINUM ALLOYS  Ester oxidation on an aluminum surface using	antenna design	NASA Workshop on Computational Structural
chemiluminescence	[NASA-TP-2797] p 7 N88-16662	Mechanics 1987, part 1
[NASA-TP-2611] p 31 N87-18666	Measured and predicted root-mean-square errors in	[NASA-CP-10012-PT-1] p 46 N89-29773
The corrosion mechanisms for primer coated 2219-T87	square and triangular antenna mesh facets [NASA-TP-2896] p 45 N89-17892	NASA Workshop on Computational Structural Mechanics 1987, part 2
aluminum (NASA-TP-2715) p.30 N87-21076	ANTENNAS	[NASA-CP-10012-PT-2] p 46 N89-29789
[NASA-TP-2715] p 30 N87-210/6 Emittance, catalysis, and dynamic oxidation of	NASA/DOD Control/Structures Interaction Technology.	The 1990 Goddard Conference on Space Applications
Ti-14Al-21Nb	1986	of Artificial Intelligence INASA-CP-3068 I p 64 N90-22294
[NASA-TP-2955] p 31 N90-10248	[NASA-CP-2447-PT-1] p 24 N87-16014	[NASA-CP-3068] p 64 N90-22294

ARCTIC REGIONS Arctic Sea ice, 1973-1976: Satellite passive-microwave	Experiments in Planetary and Related Sciences and the Space Station	ATMOSPHERIC SOUNDING NASA/MSFC FY-85 Atmospheric Processes Research
observations	[NASA-CP-2494] p 72 N89-14998	Review
[NASA-SP-489] p 58 N87-24870	ASYMPTOTIC METHODS	[NASA-CP-2402] p 55 N87-13043
The 1989 Airborne Arctic Stratospheric Expedition Nimbus-7 TOMS data atlas	Asymptotic analysis of corona discharge from thin electrodes	Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152
[NASA-RP-1227] p 57 N89-27302	[NASA-TP-2645] p 68 N87-14998	ATMOSPHERIC TEMPERATURE
AREA	ATMOSPHERIC CHEMISTRY	SeaRISE: A Multidisciplinary Research Initiative to
Experimental thrust performance of a high-area-ratio rocket nozzle	The Jovian Atmospheres	Predict Rapid Changes in Global Sea Level Caused by Collapse of Marine Ice Sheets
[NASA-TP-2720] p 26 N87-20381	[NASA-CP-2441] p 77 N87-17598 Space Opportunities for Tropospheric Chemistry	[NASA-CP-3075] p 48 N90-22824
ARRAYS	Research	ATMOSPHERIC TURBULENCE
A lunar far-side very low frequency array [NASA-CP-3039] p 75 N90-10805	[NASA-CP-2450] p 51 N87-18248	Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs
ARTIFICIAL INTELLIGENCE	Scientific and Operational Requirements for TOMS	[NASA-CP-2468] p 55 N87-22341
The 1988 Goddard Conference on Space Applications	Data [NASA-CP-2497] p 47 N88-13774	ATOMIC BEAMS
of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330	Polar Ozone Workshop. Abstracts	Electron stimulated desorption of atomic oxygen from silver
Fourth Conference on Artificial Intelligence for Space	[NASA-CP-10014] p 51 N89-14503	[NASA-TP-2668] p 29 N87-18629
Applications	Global stratospheric change: Requirements for a	ATOMIC STRUCTURE
[NASA-CP-3013] p 63 N89-15549 Recent Advances in Multidisciplinary Analysis and	Very-High-Attitude Aircraft for Atmospheric Research [NASA-CP-10041] p 16 N90-14220	Nuclear techniques in studies of condensed matter
Optimization, part 2	ATMOSPHERIC CIRCULATION	[NASA-RP-1195] p 68 N88-13015 <b>ATTENUATION</b>
[NASA-CP-3031-PT-2] p 15 N89-25173	Comparison of satellite-derived dynamical quantities for	Propagation effects handbook for satellite systems
The 1989 Goudard Conference on Space Applications	the stratosphere of the Southern Hemisphere	design. A summary of propagation impairments on 10 to
of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578	NASA-CP-3044   p 53 N89-25540   ATMOSPHERIC COMPOSITION	100 GHz satellite links with techniques for system design
The 1990 Goddard Conference on Space Applications	Future directions for H sub x O sub y detection	[NASA-RP-1082(04)] p 34 N89-17060
of Artificial Intelligence	[NASA-CP-2448] p 51 N87-15528	AUGER SPECTROSCOPY
[NASA-CP-3068] p 64 N90-22294 Fifth Conference on Artificial Intelligence for Space	SAGE aerosol measurements. Volume 3: January 1,	Auger electron intensity variations in oxygen-exposed
Applications	1981 to November 18, 1981 (NASA-RP-1173) p 51 N87-17417	large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022
[NASA-CP-3073] p 63 N90-27275	Space Opportunities for Tropospheric Chemistry	An Auger electron spectroscopy study of
ARTIFICIAL SATELLITES	Research	surface-preparation contaminants
Compilation of methods in orbital mechanics and solar geometry	(NASA-CP-2450) p 51 N87-18248	[NASA-TP-2972] p 33 N90-16968 AUTOCORRELATION
[NASA-RP-1204] p 52 N89-10420	System study of the carbon dioxide observational	Spanwise measurements of vertical components of
ASCENT TRAJECTORIES	platform system (CO-OPS): Project overview [NASA-TP-2696] p 23 N87-18588	atmospheric turbulence
A study to evaluate STS heads-up ascent trajectory performance employing a minimum-Hamiltonian	Spacecraft Fire Safety	[NASA-TP-2963] p 58 N90-19718 AUTOMATIC CONTROL
optimization strategy	[NASA-CP-2476] p 24 N88-12520	A simulation evaluation of a pilot interface with an
[NASA-TP-2793] p 23 N88-15820	Description of data on the Nimbus 7 LIMS map archive	automatic terminal approach system
ASPHALT	tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 56 N88-14572	[NASA-TP-2669] p 16 N87-19393
Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various	A rapid method for the computation of equilibrium	First Annual Workshop on Space Operations Automation and Robotics (SOAR 87)
runway surface types and conditions. A summary of test	chemical composition of air to 15000 K	[NASA-CP-2491] p 61 N88-17206
results from joint FAA/NASA Runway Friction Program	[NASA-TP-2792] p 30 N88-16830	Development and flight test of an experimental
[NASA-TP-2917] p 16 N90-15902 ASTROMETRY	Forty-eight-inch lidar aerosol measurements taken at the	maneuver autopilot for a highly maneuverable aircraft
Atlas of galaxies useful for measuring the cosmological	Langley Research Center, May 1974 to December 1987 [NASA-RP-1209] p 52 N88-29234	(NASA-TP-2618) p 15 N88-21153 Second Conference on Artificial Intelligence for Space
distance scale	Polar Ozone Workshop. Abstracts	Applications
[NASA-SP-496] p 74 N89-12513	[NASA-CP-10014] p 51 N89-14503	[NASA-CP-3007] p 63 N88-29351
ASTRONAUTICS Astronautics and aeronautics, 1985: A chronology	An assessment model for atmospheric composition	Simulation evaluation of TIMER, a time-based, terminal
[NASA-SP-4025] p 81 N89-26803	[NASA-CP-3023] p 57 N89-20588	air traffic, flow-management concept [NASA-TP-2870] p 13 N89-15901
ASTRONAUTS	Nimbus-7 data product summary {NASA-RP-1215  p 48 N89-22152	Automatic classification of spectra from the Infrared
Improved model for solar cosmic ray exposure in manned Earth orbital flights	A high-resolution atlas of the infrared spectrum of the	Astronomical Satellite (IRAS)
[NASA-TP-2987] p 80 N90-25031	sun and the earth atmosphere from space. A compilation	(NASA-RP-1217) p 75 N90-10807
ASTRONOMICAL CATALOGS	of ATMOS spectra of the region from 650 to 4800 cm-1 (2.3 to 16 microns). Volume 2: Stratosphere and	Flight deck automation: Promises and realities [NASA-CP-10036] p 17 N90-13384
Infrared source cross-index, first edition [NASA-RP-1182] p 73 N87-22573	mesosphere, 650 to 3350 cm-1	Third Annual Workshop on Space Operations
Fifty year canon of solar eclipses: 1986 - 2035	[NASA-RP-1224-VOL-2] p 53 N89-28969	Automation and Robotics (SOAR 1989)
{NASA-RP-1178-REV} p 73 N87-25906	A high-resolution atlas of the infrared spectrum of the	[NASA-CP-3059] p 62 N90-25503
Catalog of infrared observations, Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 73 N88-15738	Sun and the Earth atmosphere from space: A compilation of ATMOS spectra of the region from 650 to 4800 cm	Fifth Conference on Artificial Intelligence for Space Applications
[NASA-RP-1196-PT-1-ED-2] p 73 N88-15738 Catalog of infrared observations. Part 2: Appendixes	(2.3 to 16 micron). Volume 1: The Sun	[NASA-CP-3073] p 63 N90-27275
[NASA-RP-1196-PT-2-ED-2] p 74 N88-16615	(NASA-RP-1224-VOL-1) p 53 N90-13893	AUTOMATIC FLIGHT CONTROL
Far infrared supplement: Catalog of infrared observations, second edition	Present state of knowledge of the upper atmosphere 1990: An assessment report	Piloted simulation study of the effects of an automated
[NASA-RP-1205] p 74 N88-30545	[NASA-RP-1242] p 54 N90-28929	trim system on flight characteristics of a light twin-engine airplane with one engine inoperative
Fifty year canon of lunar eclipses: 1986-2035	ATMOSPHERIC DENSITY	[NASA-TP-2633] p.3 N87-10843
[NASA-RP-1216] p 75 N90-18342	Upper and Middle Atmospheric Density Modeling	AUTOMATIC PILOTS
ASTRONOMICAL OBSERVATORIES Future Astronomical Observatories on the Moon	Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665	A simulation evaluation of a pilot interface with an
[NASA-CP-2489] p 74 N89-15810	ATMOSPHERIC ELECTRICITY	automatic terminal approach system [NASA-TP-2669] p 16 N87-19393
ASTRONOMICAL PHOTOGRAPHY	NASA/MSFC FY-85 Atmospheric Processes Research	Development and flight test of an experimental
Atlas of galaxies useful for measuring the cosmological distance scale	Review	maneuver autopilot for a highly maneuverable aircraft
[NASA-SP-496] p 74 N89-12513	[NASA-CP-2402] p 55 N87-13043 ATMOSPHERIC ENTRY SIMULATION	[NASA-TP-2618] p 15 N88-21153
ASTRONOMICAL PHOTOMETRY	The effect of interplanetary trajectory options on a	AVIATION METEOROLOGY Doppler Radar Detection of Wind Shear
Second Workshop on Improvements to Photometry	mained Mars aerobrake configuration	[NASA-CP-2435] p 12 N87-10054
[NASA-CP-10015] p /4 N89-13310 ASTRONOMY	[NASA-TP-3019] p 24 N90-26036 ATMOSPHERIC MODELS	Meteorological and Environmental Inputs to Aviation
Atlas of Comet Halley 1910 II	Upper and Middle Atmospheric Density Modeling	Systems
INASA SP-4881 p 75 N87 30235	Requirements for Spacecraft Design and Operations	(NASA-CP-2498) p 56 N88-25135 AVIONICS
NASA thesaurus: Astronomy vocabulary (NASA-SP-7069) p 74 N88-24553	[NASA-CP-2460] p 52 N87-20665 Atmospheric Turbulence Relative to Aviation, Missile,	Joint University Program for Air Transportation
Catalog of open clusters and associated interstellar	and Space Programs	Research, 1983
matter	[NASA-CP-2468] p 55 N87-22341	[NASA-CP-2451] p 1 N87-18520
(NASA-RP-1202) p 76 N88-29652	Two-Dimensional Intercomparison of Stratospheric	Joint University Program for Air Transportation Research, 1984
Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470	Models [NASA-CP-3042] p 53 N90-11405	NASA-CP-2452  p.1 N87-22604
ASTROPHYSICS	Present state of knowledge of the upper atmosphere	Wind Shear/Turbulence Inputs to Flight Simulation and
Essays in Space Science	1990: An assessment report	Systems Certification
[NASA-CP-2464] p 72 N87-24247	[NASA-RP-1242] p 54 N90-28929	[NASA-CP-2474] p 1 N87-25267

SUBJECT INDEX		BIOINSTRUMENTATION
Joint University Program for Air Transportation Research, 1986	Mixed finite element models for free vibrations of thin-walled beams	NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 35)
[NASA-CP-2502] p.2 N88-23715 Joint University Program for Air Transportation	[NASA-TP-2868] p 45 N89-19579 Loads analysis and testing of flight configuration solid	[NASA-SP-7039(35)-SECT-1] p 71 N89-25775 Technology for large space systems: A bibliography with
Research, 1987 [NASA-CP-3028] p 2 N89-19230	rocket motor outer boot ring segments [NASA-TP-3028] p 47 N90-25366	indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037
Joint University Program for Air Transportation Research, 1988-1989	BEARINGS Computer-aided design analysis of 57-mm,	Management: A bibliography for NASA managers [NASA-SP-7500(23)] p 69 N89-26766
[NASA-CP-3063] p 2 N90-20921 Space shuttle avionics system	angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 41 N88-18933	NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 35)
[NASA-SP-504] p 24 N90-25160 Space Transportation Avionics Technology Symposium.	The 22nd Aerospace Mechanisms Symposium [NASA-CP-2506] p 44 N88-21468	[NASA-SP-7039(35)-SECT-2] p 71 N89-29264
Volume 1: Executive summary	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2	Aeronautical engineering: A continuing bibliography with indexes (supplement 242)
AXIAL FLOW	[NASA-CP-2437-VOL-2] p 27 N89-12626 Rotordynamic Instability Problems in High-Performance	[NASA-SP-7037(242)] p 2 N89-29304 Earth resources: A continuing bibliography with indexes
Laser anemometer measurements in a transonic axial-flow fan rotor	Turbomachinery, 1988 [NASA-CP-3026] p 41 N89-22891	(issue 62)  NASA-SP-7041(62)  p 50 N89-29825
[NASA-TP-2879] p 38 N90-11245 AXISYMMETRIC BODIES	BED REST  Joint US/USSR study: Comparison of effects of	Aerospace medicine and biology: A continuing bibliography with indexes (supplement 327)
Static internal performance of single-expansion-ramp nozzles with thrust-vectoring capability up to 60 deg	horizontal and head-down bed rest [NASA-TP-3037] p 60 N90-28965	[NASA-SP-7011(327)] p 60 N89-29951 NASA scientific and technical publications: A catalog
[NASA-TP-2364] p.3 N87-10839 Effects of empennage surface location on aerodynamic	BENDING  Dynamic characteristics of a vibrating beam with periodic	of special publications, reference publications, conference publications, and technical papers, 1988
characteristics of a twin-engine afterbody model with nonaxisymmetric nozzles	variation in bending stiffness [NASA-TP-2697] p 44 N88-23988	[NASA-SP-7063(03)] p 71 N90-10782 Earth resources: A continuing bibliography with indexes
[NASA-TP-2392] p 14 N87-17693 Revised NASA axially symmetric ring model for	Loads analysis and testing of flight configuration solid rocket motor outer boot ring segments	(issue 63) [NASA-SP-7041(63)] p 50 N90-12091
coupled-cavity traveling-wave tubes [NASA-TP-2675] p 35 N87-22923	[NASA-TP-3028] p 47 N90-25366 Buckling and postbuckling behavior of square	Working with people to improve productivity and quality:
Effect of a trade between boattail angle and wedge size on the performance of a nonaxisymmetric wedge nozzle	compression-loaded graphite-epoxy plates with circular cutouts	A bibliography with indexes, 1984-1988 (NASA-SP-7078) p 69 N90-12385
[NASA-TP-2717] p 5 N87-23593	[NASA-TP-3007] p 29 N90-26077 BENDING VIBRATION	Management: A bibliography for NASA managers [NASA-SP-7500(24)] p 69 N90-24174
Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring	Dynamic characteristics of a vibrating beam with periodic variation in bending stiffness	Space station systems: A bibliography with indexes (supplement 10)
[NASA-TP-2800] p 8 N88-20280  AXISYMMETRIC FLOW	[NASA-TP-2697] p 44 N88-23988 BIBLIOGRAPHIES	NASA-SP-7056(10)  p 26 N90-25171 NASA Patent Abstracts Bibliography: A continuing
Effects of afterbody boattail design and empennage arrangement on aeropropulsive characteristics of a	Aerospace medicine and biology: A cumulative index to the 1986 issues (supplement 293)	bibliography. Section 1: Abstracts (supplement 37) (NASA-SP-7039(37)-SECT-1) p 71 N90-25698
twin-engine fighter model at transonic speeds [NASA-TP-2704] p 4 N87-21873	[NASA-SP-7011(293)] p 59 N87-18976 Management: A bibliography for NASA managers	Technology for large space systems: A bibliography with indexes (supplement 22)
Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds	(supplement 21) [NASA-SP-7500(21)] p 69 N87-20833	[NASA-SP-7046(22)] p 26 N90-26056 NASA Patent Abstracts Bibliography: A continuing
[NASA-TP-2753] p 6 N88-10771	NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 31)	bibliography. Section 2: Indexes (supplement 37) [NASA-SP-7039(37)-SECT-2] p.71 N90-26700
В	NASA-SP-7039(31)-Sect-1 p 70 N87-25023 Space station systems: A bibliography with indexes	Information resources management, 1984-1989: A bibliography with indexes
BACKGROUND NOISE	(supplement 4) I NASA-SP-7056(04) I p 25 N87-26073	[NASA-SP-7079] p 71 N90-27548
BACKGROUND NOISE  Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120	[NASA-SP-7056(04)] p. 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing	[NASA-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255)
Effects of background noise on total noise annoyance	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689	[NASĀ-ŚP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASĀ-SP-7037(255)] p 2 N90-27648 Spatial interferometry in optical astronomy
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120 BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54)	[NASĀ-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)] p 2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 Aerospace medicine and biology: A continuing
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING  Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALANCE	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54)	[NASĀ-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASĀ-SP-7037(255)] p 2 N90-27648 Spatial interferometry in optical astronomy [NASĀ-RP-1245] p 75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASĀ-SP-7011(340)] p 60 N90-28963
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALANCE Effect of control surface mass unbalance on the stability of a closed-toop active control system	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613	[NASĀ-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)] p 2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p 60 N90-28963 BIDIRECTIONAL REFLECTANCE Surface bidirectional reflectance properties of two
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALANCE Effect of control surface mass unbalance on the stability of a closed-toop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 17)	[NASĀ-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)] p 2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p 60 N90-28963 BIDIRECTIONAL REFLECTANCE Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALANCE Effect of control surface mass unbalance on the stability of a closed-toop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography, Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 Aerospace medicine and biology: A continuing	[NASA-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)] p 2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p 60 N90-28963  BIDIRECTIONAL REFLECTANCE Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers [NASA-TP-2643] p 48 N87-22281 Effects of aerosols and surface shadowing on
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALANCE Effect of control surface mass unbalance on the stability of a closed-toop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients [NASA-TP-2614]  BALLOON-BORNE INSTRUMENTS	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302) [NASA-SP-7011(302)] p 59 N87-30041	[NASĀ-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)] p 2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p 60 N90-28963 BIDIRECTIONAL REFLECTANCE Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers [NASA-TP-2643] p 48 N87-22281 Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts [NASA-TP-2756] p 49 N87-28162
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALAMCE Effect of control surface mass unbalance on the stability of a closed-toop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients [NASA-TP-2614] p 7 N88-19412  BALLOON-BORNE INSTRUMENTS A general-purpose balloon-borne pointing system for solar scientific instruments	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302)	[NASĀ-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)] p 2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p 60 N90-28963 BIDIRECTIONAL REFLECTANCE Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers [NASA-TP-2643] p 48 N87-22281 Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts [NASA-TP-2756] p 49 N87-28162 Summary of along-track data from the Earth radiation budget satellite for several major desert regions
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALANCE Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients [NASA-TP-2614] p 7 N88-19412  BALLOON-BORNE INSTRUMENTS A general-purpose balloon-borne pointing system for solar scientific instruments [NASA-TP-3013] p 33 N90-21219  BARRIER LAYERS	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography, Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302) [NASA-SP-7011(302)] p 59 N87-30041 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32)	[NASA-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)] p 2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p 60 N90-28963  BIDIRECTIONAL REFLECTANCE Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers [NASA-TP-2643] p 48 N87-22281 Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts [NASA-TP-2756] p 49 N87-28162 Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p 56 N88-20772 Angular radiation models for Earth-atmosphere system.
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-1234] p 53 N90-17227  BALANCE Effect of control surface mass unbalance on the stability of a closed-toop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients [NASA-TP-2614] p 7 N88-19412  BALLOON-BORNE INSTRUMENTS A general-purpose balloon-borne pointing system for solar scientific instruments [NASA-TP-3013] p 33 N90-21219	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302) [NASA-SP-701302]] p 59 N87-30041 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732 Catalog of infrared observations. Part 1: Data	[NASA-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)] p 2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p 60 N90-28963 BIDIRECTIONAL REFLECTANCE  Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengeths between 0.4 and 2.2 micrometers [NASA-TP-2643] p 48 N87-22281 Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts [NASA-TP-2756] p 49 N87-28162 Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALANCE Effect of control surface mass unbalance on the stability of a closed-toop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients [NASA-TP-2614] p 7 N88-19412  BALLOON-BORNE INSTRUMENTS A general-purpose balloon-borne pointing system for solar scientific instruments [NASA-TP-3013] p 33 N90-21219  BARRIER LAYERS Thermal Barrier Coatings. Abstracts and figures [NASA-CP-10019] p 31 N89-13642  BARYONS BRYNTRN: A baryon transport model	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography, Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302) [NASA-SP-7011(302)] p 59 N87-30041 NASA Patent Abstracts Bibliography: A continuing bibliography, Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732 Catalog of infrared observations. Part 1: Data [NASA-PP-1196-PT-1-ED-2] p 73 N88-15738 Aerospace medicine and biology: A cumulative index	[NASĀ-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)} p 2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p 60 N90-28963  BIDIRECTIONAL REFLECTANCE Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers [NASA-TP-2643] p 48 N87-22281 Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts [NASA-TP-2756] p 49 N87-28162 Summary of along-track data from the Earth radiation budget satellite for several major desert regions {NASA-RP-1197} p 56 N88-20772 Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677 Summary of along-track data from the earth radiation budget satellite for several representative ocean regions
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALANCE Effect of control surface mass unbalance on the stability of a closed-toop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients [NASA-TP-2614] p 7 N88-19412  BALLOON-BORNE INSTRUMENTS A general-purpose balloon-borne pointing system for solar scientific instruments [NASA-TP-3013] p 33 N90-21219  BARRIER LAYERS Thermal Barrier Coatings. Abstracts and figures [NASA-CP-10019] p 31 N89-13642  BARYONS BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  BASE FLOW	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography, Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302) [NASA-SP-7011(302)] p 59 N87-30041 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(22)-SECT-1] p 70 N88-15732 Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 73 N88-15738 Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306) [NASA-SP-7011(306)] p 60 N88-18180	[NASA-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)] p 2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p 60 N90-28963  BIDIRECTIONAL REFLECTANCE  Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers [NASA-TP-2643] p 48 N87-22281 Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts [NASA-TP-2756] p 49 N87-28162 Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p 56 N88-20772 Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677 Summary of along-track data from the earth radiation budget satellite for several representative ocean regions [NASA-RP-1196] p 56 N89-14634  BINARY DATA
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALANCE Effect of control surface mass unbalance on the stability of a closed-ioop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients [NASA-TP-2614] p 7 N88-19412  BALLOON-BORNE INSTRUMENTS A general-purpose balloon-borne pointing system for solar scientific instruments [NASA-TP-3013] p 33 N90-21219  BARRIER LAYERS Thermal Barrier Coatings. Abstracts and figures [NASA-CP-10019] p 31 N89-13642  BARYONS BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  BASE FLOW Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7037(217)] p 22 N87-29576 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302) [NASA-SP-7011(302)] p 59 N87-30041 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-703(22)-SECT-1] p 70 N88-15732 Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 73 N88-15738 Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306) [NASA-SP-7011(306)] p 60 N88-18180 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 32)	[NASA-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)] p 2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p 60 N90-28963 BIDIRECTIONAL REFLECTANCE Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers [NASA-TP-2643] p 48 N87-22281 Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts [NASA-TP-2756] p 49 N87-28162 Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677 Summary of along-track data from the earth radiation budget satellite for several representative ocean regions [NASA-RP-1206] p 56 N89-14634 BINARY DATA FORTRAN program for x ray photoelectron spectroscopy data reformatting
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALANCE Effect of control surface mass unbalance on the stability of a closed-toop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients [NASA-TP-2614] p 7 N88-19412  BALLOON-BORNE INSTRUMENTS A general-purpose balloon-borne pointing system for solar scientific instruments [NASA-TP-3013] p 33 N90-21219  BARRIER LAYERS Thermal Barrier Coatings. Abstracts and figures [NASA-CP-10019] p 31 N89-13642  BARYONS BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  BASE FLOW Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5 [NASA-TP-2802] p 37 N88-18881	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography, Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7041(54)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302) [NASA-SP-7046(17)] p 59 N87-30041 NASA-Patent Abstracts Bibliography: A continuing bibliography Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732 Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 73 N88-15738 Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306) [NASA-SP-7011(306)] p 60 N88-18180 NASA Patent Abstracts Bibliography: A continuing bibliography, Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 70 N88-18511 Aeronautical engineering: A cumulative index to a continuing bibliography [NASA-SP-7039(22)] p 7 N88-19416	[NASĀ-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)] p 2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p 60 N90-28963  BIDIRECTIONAL REFLECTANCE Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers [NASA-TP-2643] p 48 N87-22281 Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts [NASA-TP-2756] p 49 N87-28162 Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p 56 N88-20772 Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677 Summary of along-track data from the earth radiation budget satellite for several representative ocean regions [NASA-RP-1206] p 56 N89-14634  BINARY DATA FORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALANCE Effect of control surface mass unbalance on the stability of a closed-toop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients [NASA-TP-2614] p 7 N88-19412  BALLOON-BORNE INSTRUMENTS A general-purpose balloon-borne pointing system for solar scientific instruments [NASA-TP-3013] p 33 N90-21219  BARRIER LAYERS Thermal Barrier Coatings. Abstracts and figures [NASA-CP-10019] p 31 N89-13642  BARYONS BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  BASE FLOW Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5 [NASA-TP-2802] p 37 N88-18881  BASE PRESSURE Flight and wind-tunnel measurements showing base	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7037(217)] p 22 N87-29576 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302) [NASA-SP-7011(302)] p 59 N87-30041 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(22)-SECT-1] p 70 N88-15732 Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 73 N88-15738 Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306) [NASA-SP-7011(306)] p 60 N88-18180 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 70 N88-1810 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 70 N88-18511 Aeronautical engineering: A cumulative index to a continuing bibliography	[NASA-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)] p 2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p 60 N90-28963  BIDIRECTIONAL REFLECTANCE  Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers [NASA-TP-2643] p 48 N87-22281 Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts [NASA-TP-2756] p 49 N87-28162 Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p 56 N88-20772 Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677 Summary of along-track data from the earth radiation budget satellite for several representative ocean regions [NASA-RP-1206] p 56 N89-14634  BINARY DATA FORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348  BIOASTRONAUTICS Report of the 1st Planning Workshop for CELSS Flight Experimentation
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALAMCE Effect of control surface mass unbalance on the stability of a closed-ioop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients [NASA-TP-2614] p 7 N88-19412  BALLOON-BORNE INSTRUMENTS A general-purpose balloon-borne pointing system for solar scientific instruments [NASA-TP-3013] p 33 N90-21219  BARRIER LAYERS Thermal Barrier Coatings. Abstracts and figures [NASA-CP-10019] p 31 N89-13642  BARYONS BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  BASE FLOW Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5 [NASA-TP-2802] p 37 N88-18881  BASE PRESSURE Flight and wind-tunnel measurements showing base drag reduction provided by a trailing disk for high Reynolds number turbulent flow for subsonic and transonic Mach	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7037(217)] p 22 N87-29576 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302) [NASA-SP-7011(302)] p 59 N87-30041 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-703(22)-SECT-1] p 70 N88-15732 Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 73 N88-15738 Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306) [NASA-SP-7011(306)] p 60 N88-18180 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-703(32)-SECT-2] p 70 N88-18181 NASA-SP-703(32)-SECT-2] p 70 N88-18511 Aeronautical engineering: A cumulative index to a continuing bibliography [NASA-SP-7037(222)] p 7 N88-19416 Management: A bibliography for NASA manageres [NASA-SP-7500(22)] p 69 N88-21867	[NASĀ-SP-7079] p.71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)] p.2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p.75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p.60 N90-28963  BIDIRECTIONAL REFLECTANCE Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers [NASA-TP-2643] p.48 N87-2281 Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts [NASA-TP-2643] p.49 N87-28162 Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p.56 N88-20772 Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p.56 N88-27677 Summary of along-track data from the earth radiation budget satellite for several representative ocean regions [NASA-RP-106] p.56 N89-14634  BINARY DATA FORTIAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p.69 N90-12348  BIOASTRONAUTICS Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p.60 N89-13898 Aerospace medicine and biology: A continuing
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALANCE Effect of control surface mass unbalance on the stability of a closed-toop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients [NASA-TP-2614] p 7 N88-19412  BALLOON-BORNE INSTRUMENTS A general-purpose balloon-borne pointing system for solar scientific instruments [NASA-TP-3013] p 33 N90-21219  BARRIER LAYERS Thermal Barrier Coatings. Abstracts and figures [NASA-CP-10019] p 31 N89-13642  BARYONS BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  BASE FLOW Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5 [NASA-TP-2802] p 37 N88-18881  BASE PRESSURE Flight and wind-tunnel measurements showing base drag reduction provided by a trailing disk for high Reynolds number turbulent flow for subsonic and transonic Mach numbers [NASA-TP-2638] p 37 N88-14299	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography, Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7037(217)] p 22 N87-29576 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302) [NASA-SP-7011(302)] p 59 N87-30041 NASA Patent Abstracts Bibliography: A continuing bibliography Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732 Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 73 N88-15738 Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306) [NASA-SP-7011(306)] p 60 N88-18180 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 70 N88-18511 Aeronautical engineering: A cumulative index to a continuing bibliography [NASA-SP-7037(222)] p 7 N88-19416 Management: A bibliography for NASA managers [NASA-SP-7500(22)] p 69 N88-21867 Earth resources: A continuing bibliography with indexes (suse 57)	[NASĀ-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)} p 2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p 60 N90-28963  BIDIRECTIONAL REFLECTANCE Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers [NASA-TP-2643] p 48 N87-22281 Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts [NASA-TP-2643] p 49 N87-28162 Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p 56 N88-20772 Anguar radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677 Summary of along-track data from the earth radiation budget satellite for several representative ocean regions [NASA-RP-1184] p 56 N89-14634 BINARY DATA FORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-RP-206] p 69 N90-12348 BINARY DATA FORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-RP-2070] p 69 N90-12348 BIOASTRONAUTICS Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 327) [NASA-SP-7011(327)] p 60 N89-29951
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALANCE Effect of control surface mass unbalance on the stability of a closed-ioop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients [NASA-TP-2614] p 7 N88-19412  BALLOON-BORNE INSTRUMENTS A general-purpose balloon-borne pointing system for solar scientific instruments [NASA-TP-3013] p 33 N90-21219  BARRIER LAYERS Thermal Barrier Coatings. Abstracts and figures [NASA-CP-10019] p 31 N89-13642  BARYONS BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  BASE FLOW Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5 [NASA-TP-2802] p 37 N88-18881  BASE PRESSURE Flight and wind-tunnel measurements showing base drag reduction provided by a trailing disk for high Reynolds number turbulent flow for subsonic and transonic Mach numbers [NASA-TP-2808] p 37 N88-14299  BEACON EXPLORER A Satellite radar altimetry over ice. Volume 4: Users' guide	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-70146(17)] p 22 N87-29576 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302) [NASA-SP-7014(302)] p 59 N87-30041 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7013(202)] p 70 N88-15732 Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 73 N88-15738 Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306) [NASA-SP-7011(306)] p 60 N88-18180 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 30) [NASA-SP-7039(32)-SECT-2] p 70 N88-18511 Aeronautical engineering: A cumulative index to a continuing bibliography [NASA-SP-7037(222)] p 7 N88-19416 Management: A bibliography for NASA managers [NASA-SP-7041(57)] p 49 N88-23314 Aeronautical engineering: A continuing bibliography with indexes (issue 57) [NASA-SP-7041(57)] p 49 N88-23314 Aeronautical engineering: A continuing bibliography with	[NASA-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)] p 2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p 60 N90-28963  BIDIRECTIONAL REFLECTANCE  Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers [NASA-TP-2643] p 48 N87-22281 Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts [NASA-TP-2756] p 49 N87-28162 Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p 56 N88-20772 Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677 Summary of along-track data from the earth radiation budget satellite for several representative ocean regions [NASA-RP-1206] p 56 N89-14634  BINARY DATA FORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348  BIOASTRONAUTICS Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 327)
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALAMCE  Effect of control surface mass unbalance on the stability of a closed-toop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES  Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients [NASA-TP-2614] p 7 N88-19412  BALLOON-BORNE INSTRUMENTS  A general-purpose balloon-borne pointing system for solar scientific instruments [NASA-TP-3013] p 33 N90-21219  BARRIER LAYERS Thermal Barrier Coatings. Abstracts and figures [NASA-CP-10019] p 31 N89-13642  BARYONS BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  BASE FLOW Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5 [NASA-TP-2802] p 37 N88-18881  BASE PRESSURE Flight and wind-tunnel measurements showing base drag reduction provided by a trailing disk for high Reynolds number urbulent flow for subsonic and transonic Mach numbers [NASA-TP-2638] p 37 N88-14299  BEACON EXPLORER A	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302) [NASA-SP-7011(302)] p 59 N87-30041 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732 Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 73 N88-15738 Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306) [NASA-SP-7031(306)] p 60 N88-18180 NASA-Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(22)-SECT-2] p 70 N88-18511 Aeronautical engineering: A cumulative index to a continuing bibliography [NASA-SP-7037(222)] p 7 N88-19416 Management: A bibliography for NASA manageres [NASA-SP-7004(57)] p 69 N88-23314 Aeronautical engineering: A continuing bibliography with indexes (issue 57) [NASA-SP-7037(229)] p 9 N88-23314 Aeronautical engineering: A continuing bibliography with indexes 'NASA-SP-7037(229)] p 2 N88-2314	[NASA-SP-7079] p.71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)] p.2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p.75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p.60 N90-28963  BIDIRECTIONAL REFLECTANCE  Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers [NASA-TP-2643] p.48 N87-22281 Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts [NASA-TP-2756] p.49 N87-28162 Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p.56 N88-20772 Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p.56 N88-27677 Summary of along-track data from the earth radiation budget satellite for several representative ocean regions [NASA-RP-1206] p.56 N89-14634  BINARY DATA FORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p.69 N90-12348  BIOASTRONAUTICS Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p.60 N89-13898 Experimentation [NASA-SP-7011(327)] p.60 N89-29951 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340)
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALANCE  Effect of control surface mass unbalance on the stability of a closed-ioop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES  Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients [NASA-TP-2614] p 7 N88-19412  BALLOON-BORNE INSTRUMENTS  A general-purpose balloon-borne pointing system for solar scientific instruments [NASA-TP-3013] p 33 N90-21219  BARRIER LAYERS  Thermal Barrier Coatings. Abstracts and figures [NASA-CP-10019] p 31 N89-13642  BARYONS  BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  BASE FLOW  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5 [NASA-TP-2802] p 37 N88-18881  BASE PRESSURE  Flight and wind-tunnel measurements showing base drag reduction provided by a trailing disk for high Reynolds number turbulent flow for subsonic and transonic Mach numbers [NASA-TP-2638] p 37 N88-14299  BEACON EXPLORER A  Satellite radar attimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4] p 54 N90-20564  BEAMS  Derivation of a tappered p-version beam finite element	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography, Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7037(217)] p 22 N87-29576 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302) [NASA-SP-7011(302)] p 59 N87-30041 NASA Patent Abstracts Bibliography: A continuing bibliography Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732 Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 73 N88-15738 Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306) [NASA-SP-7013(306)] p 60 N88-18180 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 70 N88-18511 Aeronautical engineering: A cumulative index to a continuing bibliography [NASA-SP-7037(222)] p 7 N88-19416 Management: A bibliography for NASA managers [NASA-SP-7041(57)] p 49 N88-23314 Aeronautical engineering: A continuing bibliography with indexes [NASA-SP-7037(229)] p 49 N88-23314 Aeronautical engineering: A continuing bibliography with indexes [NASA-SP-7037(229)] p 49 N88-23314 Aeronautical engineering: A continuing bibliography with indexes [NASA-SP-7037(229)] p 50 N88-27163 Technology for large space systems: A bibliography with indexes [NASA-SP-7037(229)] p 50 N88-27163 Technology for large space systems: A bibliography with indexes [NASA-SP-7037(229)] p 50 N88-27163	[NASA-SP-7079] p 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)] p 2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p 60 N90-28963  BIDIRECTIONAL REFLECTANCE Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers [NASA-TP-2643] p 48 N87-2281 Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts [NASA-TP-2643] p 49 N87-28162 Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p 56 N88-20772 Angular radiation models for Earth-atmosphere system Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-2767 Summary of along-track data from the earth radiation budget satellite for several representative ocean regions [NASA-RP-1206] p 56 N89-14634  BINARY DATA FORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348  BINARY DATA FORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 60 N89-13688 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 327) [NASA-SP-7011(327)] p 60 N89-29951 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p 60 N90-28963
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALANCE Effect of control surface mass unbalance on the stability of a closed-ioop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients [NASA-TP-2614] p 7 N88-19412  BALLOON-BORNE INSTRUMENTS A general-purpose balloon-borne pointing system for solar scientific instruments [NASA-TP-3013] p 33 N90-21219  BARRIER LAYERS Thermal Barrier Coatings. Abstracts and figures [NASA-CP-10019] p 31 N89-13642  BARYONS BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  BASE FLOW Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5 [NASA-TP-2802] p 37 N88-18881  BASE PRESSURE Flight and wind-tunnel measurements showing base drag reduction provided by a trailing disk for high Reynolds number turbulent flow for subsonic and transonic Mach numbers [NASA-TP-2638] p 37 N88-14299  BEACON EXPLORER A  Satellite radar altimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat [NASA-TP-2631] p 46 N89-26255  BEAMS Derivation of a tappered p-version beam finite element [NASA-TP-281]  BEAMS Derivation of a tappered p-version beam finite element [NASA-TP-281]  BEAMS (SUPPORTS)	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography, Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 177) [NASA-SP-7046(17)] p 22 N87-29576 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302) [NASA-SP-7011(302)] p 59 N87-30041 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732 Catalog of infrared observations. Part 1: Data [NASA-PP-71196-PT-1-ED-2] p 73 N88-15738 Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306) [NASA-SP-7031(306)] p 60 N88-18180 NASA-Portol1(306)] p 60 N88-18180 NASA-Portol1(306)] p 70 N88-18511 Aeronautical engineering: A cumulative index to a continuing bibliography [NASA-SP-7039(32)-SECT-2] p 70 N88-18511 Aeronautical engineering: A cumulative index to a continuing bibliography [NASA-SP-7039(22)] p 7 N88-19416 Management: A bibliography for NASA managers [NASA-SP-7037(222)] p 69 N88-23314 Aeronautical engineering: A continuing bibliography with indexes (issue 57) [NASA-SP-7037(229]] p 2 N88-23314 Aeronautical engineering: A continuing bibliography with indexes (inasa-SP-7037(229)] p 2 N88-2314 Aeronautical engineering: A continuing bibliography with indexes (inasa-SP-7037(229)] p 2 N88-27163 Technology for large space systems: A bibliography with indexes (inasa-SP-7046(18)] p 20 N88-27214 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 18) [NASA-SP-7031(315)] p 60 N88-30281	[NASĀ-SP-7079] p.71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)} p.2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p.75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p.60 N90-28963  BIDIRECTIONAL REFLECTANCE Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers [NASA-TP-2643] p.48 N87-22281 Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts [NASA-TP-2643] p.49 N87-28162 Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p.56 N88-20772 Anguar radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p.56 N88-27677 Summary of along-track data from the earth radiation budget satellite for several representative ocean regions [NASA-RP-1184] p.56 N89-14634 BINARY DATA FORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-RP-1206] p.56 N89-14634 BINARY DATA FORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-RP-2757] p.69 N89-13898 Acontinuing DASA-RP-7011(327)] p.60 N89-13898 Acontinuing DASA-RP-7011(327)] p.60 N89-29951 Aerospace medicine and biology: A continuing Dibliography with indexes (supplement 327) INASA-SP-7011(340)] p.60 N89-29951 Aerospace medicine and biology: A continuing Dibliography with indexes (supplement 320) INASA-SP-7011(340)] p.60 N89-29951 Aerospace medicine and biology: A continuing Dibliography with indexes (supplement 340) INASA-SP-7011(340)] p.60 N90-28963
Effects of background noise on total noise annoyance [NASA-TP-2630] p 66 N87-14120  BACKSCATTERING Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227  BALAMCE  Effect of control surface mass unbalance on the stability of a closed-toop active control system [NASA-TP-2952] p 47 N90-12042  BALLISTIC TRAJECTORIES  Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients [NASA-TP-2614] p 7 N88-19412  BALLOON-BORNE INSTRUMENTS  A general-purpose balloon-borne pointing system for solar scientific instruments [NASA-TP-3013] p 33 N90-21219  BARRIER LAYERS Thermal Barrier Coatings: Abstracts and figures [NASA-CP-10019] p 31 N89-13642  BARYONS BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  BASE FLOW Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5 [NASA-TP-2802] p 37 N88-18881  BASE PRESSURE  Flight and wind-tunnel measurements showing base drag reduction provided by a trailing disk for high Reynolds number urbulent flow for subsonic and transonic Mach numbers [NASA-TP-2638] p 37 N88-14299  BEACON EXPLORER A  Satellite radar altimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4] p 54 N90-20564  BEAMS  Derivation of a tappered p-version beam finite element [NASA-TP-2931] p 46 N89-26255	[NASA-SP-7056(04)] p 25 N87-26073 NASA Patent Abstracts Bibliography: A continuing bibliography, Section 2: Indexes (supplement 31) [NASA-SP-7039(31)-SECT-2] p 70 N87-26689 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeronautical engineering: A continuing bibliography with indexes (supplement 217) [NASA-SP-7037(217)] p 1 N87-27613 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7037(217)] p 22 N87-29576 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302) [NASA-SP-7011(302)] p 59 N87-30041 NASA Patent Abstracts Bibliography: A continuing bibliography Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732 Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 73 N88-15738 Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306) [NASA-SP-7013(306)] p 60 N88-18180 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 70 N88-18511 Aeronautical engineering: A cumulative index to a continuing bibliography [NASA-SP-7037(222)] p 7 N88-19416 Management: A bibliography for NASA managers [NASA-SP-7041(57)] p 49 N88-23314 Aeronautical engineering: A continuing bibliography with indexes (iSuse 57) [NASA-SP-7037(229)] p 69 N88-23314 Aeronautical engineering: A continuing bibliography with indexes (iNASA-SP-7037(229)] p 2 N88-27163 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7044(618)] p 22 N88-27214 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 315)	[NASA-SP-7079] p. 71 N90-27548 Aeronautical engineering: A continuing bibliography with indexes (supplement 255) [NASA-SP-7037(255)] p. 2 N90-27648 Spatial interferometry in optical astronomy [NASA-RP-1245] p. 75 N90-28470 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p. 60 N90-28963  BIDIRECTIONAL REFLECTANCE  Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers [NASA-TP-2643] p. 48 N87-22281  Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts [NASA-TP-2643] p. 49 N87-28162  Surmany of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p. 56 N88-20772  Angular radiation models for Earth-atmosphere system. Volume 2: Shortwave radiation [NASA-RP-1184] p. 56 N88-27677  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions [NASA-RP-1206] p. 56 N89-14634  BINARY DATA  FORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p. 69 N90-12348  BIOASTRONAUTICS  Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p. 60 N89-13898  Aerospace medicine and biology: A continuing bibliography with indexes (supplement 327)  INASA-SP-7011(327)] p. 60 N89-29951  Aerospace medicine and biology: A continuing bibliography with indexes (supplement 340)  INASA-SP-7011(340)] p. 60 N90-28963  BIOCHEMISTRY  Joint US/USSR study: Companson of effects of honzontal and head-down bed rest INASA-TP-3037] p. 60 N90-28965

BIOLOGICAL EFFECTS		
	BOATTAILS	BOUNDARY LAYERS
Aerospace medicine and biology: A cumulative index	Effects of afterbody boattail design and empennage	Aerothermal evaluation of a spherically blunted body
to the 1986 issues (supplement 293)	arrangement on aeropropulsive characteristics of a	with a trapezoidal cross section in the Langley 8-foot
(NASA-SP-7011(293)) p 59 N87-18976	twin-engine fighter model at transonic speeds	high-temperature tunnel
Aerospace medicine and biology: A continuing bibliography with indexes (supplement 302)	[NASA-TP-2704] p.4 N87-21873	[NASA-TP-2641] p 36 N87-18782
[NASA-SP-7011(302)] p 59 N87-30041	Effect of a trade between boattail angle and wedge size on the performance of a nonaxisymmetric wedge nozzle	NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic
Aerospace medicine and biology: A cumulative index	(NASA-TP-2717) p 5 N87-23593	cryogenic tunnel
to a continuing bibliography (supplement 306)	BODIES OF REVOLUTION	[NASA-TP-2890] p 9 N89-17568
[NASA-SP-7011(306)] p 60 N88-18180	Theory for computing the field scattered from a smooth	Airfoil self-noise and prediction
Aerospace medicine and biology: A continuing	inflected surface	[NASA-RP-1218] p 67 N89-25673
bibliography with indexes (supplement 315) [NASA-SF 7011(315)] p 60 N88-30281	(NASA-TP-2632) p 68 N87-13264	BOUNDARY LUBRICATION
[NASA-SF 7011(315)] p 60 N88-30281 Aerospace medicine and biology: A continuing	Drag measurements on a laminar-flow body of revolution	Liquid lubrication in space [NASA-RP-1240] p 42 N90-28063
bibliography with indexes (supplement 327)	in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p.9. N89-19232	BOUNDARY VALUE PROBLEMS
[NASA-SP-7011(327)] p 60 N89-29951	BODY-WING CONFIGURATIONS	Numerical simulation of channel flow transition,
Aerospace medicine and biology: A continuing	Low-speed, high-lift aerodynamic characteristics of	resolution requirements and structure of the hairpin
bibliography with indexes (supplement 340)	slender, hypersonic accelerator-type configurations	vortex
[NASA-SP-7011(340)] p 60 N90-28963	[NASA-TP-2945] p 10 N90-10830	[NASA-TP-2667] p.4 N87-19351
BIOLOGICAL EVOLUTION  Exobiology and Future Mars Missions	BOLTED JOINTS	BRAKING
[NASA-CP-10027] p 59 N89-26334	Lightweight structural design of a bolted case joint for	Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail
BIOMETRICS	the space shuttle solid rocket motor {NASA-TP-2851} p 25 N89-12580	brake torque system
Mental-State Estimation, 1987	BOLTZMANN TRANSPORT EQUATION	[NASA-TP-2401] p 4 N87-17668
[NASA-CP-2504] p 60 N88-23370	A second-order accurate kinetic-theory-based method	BRAZING
BIOPROCESSING	for inviscid compressible flows	Design, fabrication, and performance of brazed, graphite
Space Bioreactor Science Workshop	[NASA-TP-2613] p 36 N87-18783	electrode, multistage depressed collectors with 500-W.
[NASA-CP-2485] p 58 N88-17168	BONDING	continuous wave, 4.8- to 9.6-GHz traveling-wave tubes
BIOREACTORS	Effect of LID (Registered) processing on the	[NASA-TP-2904] p 35 N89-21171
Space Bioreactor Science Workshop [NASA-CP-2485] p 58 N88-17168	microstructure and mechanical properties of Ti-6Al-4V and	BRIGHTNESS
BIOTECHNOLOGY	Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials {NASA-TP-2677} p 30 N87-18644	Atlas of galaxies useful for measuring the cosmological distance scale
Space Bioreactor Science Workshop	[NASA-TP-2677] p 30 N87-18644 BOOSTER ROCKET ENGINES	[NASA-SP-496] p 74 N89-12513
[NASA-CP-2485] p 58 N88-17168	Advanced Earth-to-Orbit Propulsion Technology 1986,	BRIGHTNESS TEMPERATURE
BIT ERROR RATE	volume 2	Polar microwave brightness temperatures from
Bit-error-rate testing of high-power 30-GHz traveling	[NASA-CP-2437-VOL-2] p 27 N89-12626	Nimbus-7 SMMR: Time series of daily and monthly maps
wave tubes for ground-terminal applications	BORON	from 1978 to 1987
[NASA-TP-2635] p 33 N87-17971	Effects of continuous and cyclic thermal exposures on	[NASA-RP-1223] p 48 N89-26275
Unique bit-error-rate measurement system for satellite	boron- and borsic-reinforced 6061 aluminum composites	BUCKLING
communication systems [NASA-TP-2699] p 33 N87-20448	[NASA-TP-1063] p 28 N88-70029	Three-dimensional analysis of a postbuckled embedded delamination
Digitally modulated bit error rate measurement system	BORSIC (TRADENAME)  Effects of continuous and cyclic thermal exposures on	[NASA-TP-2823] p 44 N88-26684
for microwave component evaluation	boron- and borsic-reinforced 6061 aluminum composites	Research in structures, structural dynamics and
[NASA-TP-2912] p 23 N89-28545	[NASA-TP-1063] p 28 N88-70029	materials, 1989
BLACK HOLES (ASTRONOMY)	BOUNDARY LAYER CONTROL	[NASA-CP-10024] p 46 N89-24626
Relativistic Gravitational Experiments in Space	The NASA Langley Laminar-Flow-Control (LFC)	Application of Newton's method to the postbuckling of
(NASA-CP-3046) p 77 N90-19940	experiment on a swept, supercritical airfoil: Design	rings under pressure loadings
BLADE SLAP NOISE  Correlation of helicopter impulsive noise from	overview	[NASA-TP-2941] p 46 N89-29811
blade-vortex interaction with rotor mean inflow	[NASA-TP-2809] p.8 N88-21117	Buckling and postbuckling behavior of square
[NASA-TP-2650] p 66 N87-18399	Research in Natural Laminar Flow and Laminar-Flow Control, part 1	compression-loaded graphite-epoxy plates with circular
Helicopter main-rotor noise: Determination of source	[NASA-CP-2487-PT-1] p 10 N90-12503	Cutouts
contributions using scaled model data	Research in Natural Laminar Flow and Laminar-Flow	[NASA-TP-3007] p 29 N90-26077
[NASA-TP-2825] p 67 N88-26907	Control, part 2	Modal interaction in postbuckled plates. Theory [NASA-TP-2943] p 47 N90-27121
BLADE TIPS	[NASA-CP-2487-PT-2] p 10 N90-12519	Buckling and postbuckling behavior of
Low-cost FM oscillator for capacitance type of blade	Research in Natural Laminar Flow and Laminar-Flow	compression-loaded isotropic plates with cutouts
tip clearance measurement system	Control, part 3	[NASA-TP-3024] p 47 N90-28859
[NASA-TP-2746] p 17 N87-24481	[NASA-CP-2487-PT-3] p 10 N90-12539	[NASA-TP-3024] p 47 N90-28859 BURST TESTS
[NASA-TP-2746] p. 17 N87-24481 Tip aerodynamics and acoustics test: A report and data	[NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow	
[NASA-TP-2746] p 17 N87-24481	[NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system	BURST TESTS
[NASA-TP-2746] p. 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey	[NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system	BURST TESTS Hydroburst test of a carbon-carbon involute exit cone
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations	[NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627	BURST TESTS Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 24 N88-14112
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test. A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882	[NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model [NASA-TP-2990] p 11 N90-20046	BURST TESTS Hydroburst test of a carbon-carbon involute exit cone
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882 BLADE-VORTEX INTERACTION	[NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model [NASA-TP-2990] p 11 N90-20046 BOUNDARY LAYER FLOW	BURST TESTS Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  D 24 N88-14112
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION Correlation of helicopter impulsive noise from	INASA-CP-2487-PT-3  p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model [NASA-TP-2990] p 11 N90-20046 BOUNDARY LAYER FLOW In-flight surface oil-flow photographs with comparisons	BURST TESTS Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] D 24 N88-14112  C C-140 AIRCRAFT
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882 BLADE-VORTEX INTERACTION	[NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model [NASA-TP-2990] p 11 N90-20046 BOUNDARY LAYER FLOW In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data	BURST TESTS Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test. A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow	INASA-CP-2487-PT-3  p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model [NASA-TP-2990] p 11 N90-20046 BOUNDARY LAYER FLOW In-flight surface oil-flow photographs with comparisons	BURST TESTS Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 24 N88-14112  C  C-140 AIRCRAFT Simulated-airline-service flight tests of laminar-flow
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION  Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399	[NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model [NASA-TP-2990] p 11 N90-20046 BOUNDARY LAYER FLOW In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data [NASA-TP-2395] p 4 N87-20966	BURST TESTS Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  C-140 AIRCRAFT Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations	INASA-CP-2487-PT-31 p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model [NASA-TP-2990] p 11 N90-20046 BOUNDARY LAYER FLOW In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data [NASA-TP-2395] p 4 N87-20966 A spectral collocation solution to the compressible	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] D 24 N88-14112  C  C-140 AIRCRAFT Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882 BLADE-VORTEX INTERACTION Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations Scale-model acoustics and free-wake analysis results	NASA-CP-2487-PT-3  p 10 N90-12539   Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system   NASA-TP-2966  p 16 N90-17627   Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model   NASA-TP-2990  p 11 N90-20046   BOUNDARY LAYER FLOW   In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data   NASA-TP-2395  p 4 N87-20966   A spectral collocation solution to the compressible stability eigenvalue problem   NASA-TP-2858  p 9 N89-12543   BOUNDARY LAYER SEPARATION	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 24 N88-14112  C  C-140 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627  CALIBRATING  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537 Advancing-side directivity and retireating-side interactions of model rotor blade-vortex interaction noise	NASA-CP-2487-PT-3  p 10 N90-12539   Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system   NASA-TP-2966  p 16 N90-17627   Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model   NASA-TP-2990  p 11 N90-20046   BOUNDARY LAYER FLOW   In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data   NASA-TP-2935  p 4 N87-20966   A spectral collocation solution to the compressible stability eigenvalue problem   NASA-TP-2858  p 9 N89-12543   BOUNDARY LAYER SEPARATION   Narion self-noise and prediction	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  C-140 AIRCRAFT  Simulated-arrine-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  Calibrating  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  p. 55 N87-26491
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations: Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537 Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N88-22710	NASA-CP-2487-PT-3  p 10 N90-12539   Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system   NASA-TP-2966  p 16 N90-17627   Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model   NASA-TP-2990  p 11 N90-20046   BOUNDARY LAYER FLOW   In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data   NASA-TP-2395  p 4 N87-20966   A spectral collocation solution to the compressible stability eigenvalue problem   NASA-TP-2858  p 9 N89-12543   BOUNDARY LAYER SEPARATION   Airdoil self-noise and prediction   NASA-RP-1218  p 67 N89-25673	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  C-140 AIRCRAFT Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system. [NASA-TP-2966]  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION  Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399  Helicopter blade-vortex interaction locations Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537  Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N88-22710  Airfoll self-noise and prediction	NASA-CP-2487-PT-3  p 10 N90-12539   Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system   NASA-TP-2966  p 16 N90-17627   Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model   NASA-TP-2990  p 11 N90-20046   BOUNDARY LAYER FLOW   In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data   NASA-TP-2395  p 4 N87-20966   A spectral collocation solution to the compressible stability eigenvalue problem   NASA-TP-2888  p 9 N89-12543   BOUNDARY LAYER SEPARATION   Airfoil self-noise and prediction   NASA-RP-1218  p 67 N89-25673   BOUNDARY LAYER STABILITY	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  C-140 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  CALIBRATING  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION  Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations Scale-model acoustics and free-wake analysis results [NASA-TP-2558] p 4 N87-18537 Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N88-22710 Arriot self-noise and prediction [NASA-RP-1218] p 67 N89-25673	NASA-CP-2487-PT-3  p 10 N90-12539   Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system   NASA-TP-2966  p 16 N90-17627   Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model   NASA-TP-2990  p 11 N90-20046   BOUNDARY LAYER FLOW   In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data   NASA-TP-2395  p 4 N87-20966   A spectral collocation solution to the compressible stability eigenvalue problem   NASA-TP-2858  p 9 N89-12543   BOUNDARY LAYER SEPARATION   Airdoil self-noise and prediction   NASA-RP-1218  p 67 N89-25673	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  C-140 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  Page 16 N90-17627  CALIBRATING  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2550] p 66 N87-18399 Helicopter blade-vortex interaction locations: Scale-model acoustics and free-wake analysis results [NASA-TP-2558] p 4 N87-18537 Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N88-22710 Anfold self-noise and prediction [NASA-RP-1218] p 67 N89-25673 Rotor induced-inflow-ratio measurements and CAMRAD	INASA-CP-2487-PT-3  p 10 N90-12539	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  C-140 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  Calibrating  Calibrating  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384]  p. 37 N87-29778
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION  Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537 Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N88-22710 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 Rotor induced-inflow-ratio measurements and CAMRAD calculations	INASA-CP-2487-PT-3  p 10 N90-12539   Simulated-artine-service flight tests of laminar-flow control with perforated-surface suction system   INASA-TP-2966  p 16 N90-17627   Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model   INASA-TP-2990  p 11 N90-20046   INASA-TP-2990  p 11 N90-20046   INASA-TP-2990  p 11 N90-20046   INASA-TP-2990  p 14 N87-20966   A spectral collocation and boundary-layer data   INASA-TP-2935  p 4 N87-20966   A spectral collocation solution to the compressible stability eigenvalue problem   INASA-TP-2858  p 9 N89-12543   BOUNDARY LAYER SEPARATION   Airfoil self-noise and prediction   INASA-RP-1218  p 67 N89-25673   BOUNDARY LAYER STABILITY   Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex   INASA-TP-2667  p 4 N87-19351	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  C-140 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  Page 16 N90-17627  CALIBRATING  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION  Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537 Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N88-22710 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882	Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model [NASA-TP-2990] p 11 N90-20046  BOUNDARY LAYER FLOW In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data [NASA-TP-2995] p 4 N87-20966 A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543  BOUNDARY LAYER SEPARATION Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  BOUNDARY LAYER STABILITY Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex [NASA-TP-2667] p 4 N87-19351 Research in Natural Laminar Flow and Laminar-Flow	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  C-140 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  CALIBRATING  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384]  Universal test fixture for monolithic mm-wave integrated
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION  Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537 Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N88-22710 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 Rotor induced-inflow-ratio measurements and CAMRAD calculations	NASA-CP-2487-PT-3  p 10 N90-12539   Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system   NASA-TP-2966  p 16 N90-17627   Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model   NASA-TP-2990  p 11 N90-20046   BOUNDARY LAYER FLOW   In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data   NASA-TP-2395  p 4 N87-20966   A spectral collocation solution to the compressible stability eigenvalue problem   NASA-TP-2858  p 9 N89-12543   BOUNDARY LAYER SEPARATION   Airfoil self-noise and prediction   NASA-RP-1218  p 67 N89-25673   BOUNDARY LAYER STABILITY   Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex   NASA-TP-2667  P 4 N87-19351   Research in Natural Laminar Flow and Laminar-Flow Control, part 3	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  C-140 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  Calibrating  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384]  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented i PD algonthm [NASA-TP-2875]  Evaluation of a strain-gage load calibration on a
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION  Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399  Helicopter blade-vortex interaction locations: Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537  Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise (NASA-TP-2784] p 67 N88-22710  Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADES  Preliminary structural design of composite main rotor blades for minimum weight	INASA-CP-2487-PT-3  p 10 N90-12539   Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system   INASA-TP-2966  p 16 N90-17627   Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model   INASA-TP-2990  p 11 N90-20046   INASA-TP-2990  p 11 N90-20046   INASA-TP-2990  p 11 N90-20046   INASA-TP-2990  p 14 N87-20966   INASA-TP-2955  p 4 N87-20966   A spectral collocation solution to the compressible stability eigenvalue problem   INASA-TP-2858  p 9 N89-12543   BOUNDARY LAYER SEPARATION   Airfoil self-noise and prediction   INASA-RP-1218  p 67 N89-25673   BOUNDARY LAYER STABILITY   Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex   INASA-TP-2667  p 4 N87-19351   Research in Natural Laminar Flow and Laminar-Flow Control, part 3   INASA-CP-2487-PT-3  p 10 N90-12539	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  C-140 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  P 16 N90-17627  CALIBRATING  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384]  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented I RD algorithm [NASA-TP-2875]  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure at elevated temperature
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION  Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations: Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537 Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N88-22710 Anfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADES  Pretiminary structural design of composite main rotor blades for minimum weight [NASA-TP-2730] p 28 N87-25435	NASA-CP-2487-PT-3  p 10 N90-12539   Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system   NASA-TP-2966  p 16 N90-17627   Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model   NASA-TP-2990  p 11 N90-20046   BOUNDARY LAYER FLOW   In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data   NASA-TP-2395  p 4 N87-20966   A spectral collocation solution to the compressible stability eigenvalue problem   NASA-TP-2858  p 9 N89-12543   BOUNDARY LAYER SEPARATION   Airfoil self-noise and prediction   NASA-RP-1218  p 67 N89-25673   BOUNDARY LAYER STABILITY   Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex   NASA-TP-2667  P 4 N87-19351   Research in Natural Laminar Flow and Laminar-Flow Control, part 3	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  C-140 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  P16 N90-17627  CALIBRATING  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2364]  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented IRD algorithm [NASA-TP-2875]  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure at elevated temperature [NASA-TP-2921]  P46 N89-28034
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations: Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537 Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N88-22710 Airfoil self-noise and prediction [NASA-TP-218] p 67 N89-25673 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADES Pretiminary structural design of composite main rotor blades for minimum weight [NASA-TP-2730] p 28 N87-25435  BLUNT BODIES	Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model [NASA-TP-2990] p 11 N90-20046  BOUNDARY LAYER FLOW In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data [NASA-TP-2995] p 4 N87-20966 A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2658] p 9 N89-12543  BOUNDARY LAYER SEPARATION Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  BOUNDARY LAYER STABILITY Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex [NASA-TP-2667] p 4 N87-19351 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539  BOUNDARY LAYER TRANSITION	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  C-140 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  CALIBRATING  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384]  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented I RD algorithm [NASA-TP-2875]  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure at elevated temperature [NASA-TP-2921]  Nimbus-7 ERB Solar Analys.s Tape (ESAT) user's
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test. A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION  Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537 Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N88-22710 Arroit self-noise and prediction [NASA-TP-118] p 67 N89-25673 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADES Pretiminary structural design of composite main rotor blades for minimum weight [NASA-TP-2730] p 28 N87-25435  BLUNT BODIES Drag measurements of blunt stores tangentially mounted	Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model [NASA-TP-2990] p 11 N90-20046  BOUNDARY LAYER FLOW In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data [NASA-TP-2935] p 4 N87-20966 A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2658] p 9 N89-12543  BOUNDARY LAYER SEPARATION Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  BOUNDARY LAYER STABILITY Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex [NASA-TP-2667] p 4 N87-19351 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-248F-PT-3] p 10 N90-12539  BOUNDARY LAYER TRANSITION Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C-40 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  CALIBRATING  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384]  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented IRD algorithm [NASA-TP-2875]  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure at elevated temperature [NASA-TP-2921]  Nimbus-7 ERB Solar Analys.s Tape (ESAT) user's guide
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION  Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537 Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N88-22710 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADES  Pretiminary structural design of composite main rotor blades for minimum weight [NASA-TP-2730] p 28 N87-25435  BLUNT BODIES  Drag measurements of blunt stores tangentially mounted on a flat plate at supersonic speeds	INASA-CP-2487-PT-3  p 10 N90-12539   Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system   INASA-TP-2966  p 16 N90-17627   Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model   INASA-TP-2990  p 11 N90-20046   BOUNDARY LAYER FLOW   In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data   INASA-TP-2395  p 4 N87-20966   A spectral collocation solution to the compressible stability eigenvalue problem   INASA-TP-2858  p 9 N89-12543   BOUNDARY LAYER SEPARATION   Airdoil self-noise and prediction   INASA-RP-1218  p 67 N89-25673   BOUNDARY LAYER STABILITY   Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex   INASA-TP-2667  p 4 N87-19351   BOUNDARY LAYER TRANSITION   Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex   INASA-TP-2667  p 4 N87-19351   INASA-TP-2667  p 4 N87-19351   INASA-TP-2667  p 4 N87-19351	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C-140 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  Calibrating  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384]  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented I RD algorithm [NASA-TP-2875]  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure at elevated temperature [NASA-TP-2921]  Nimbus-7 ERB Solar Analys.s Tape (ESAT) user's guide [NASA-RP-1211]
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations: Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537 Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N88-22710 Anfold self-noise and prediction [NASA-RP-1218] p 67 N89-25673 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADES Preliminary structural design of composite main rotor blades for minimum weight [NASA-TP-2730] p 28 N87-25435  BLUNT BODIES  Drag measurements of blunt stores tangentially mounted on a flat plate at supersonic speeds [NASA-TP-2742] p 6 N87-27626	INASA-CP-2487-PT-3  p 10 N90-12539   Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system   INASA-TP-2966  p 16 N90-17627   Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model   INASA-TP-2990  p 11 N90-20046   INASA-TP-2990  p 11 N90-20046   INASA-TP-2990  p 11 N90-20046   INASA-TP-2990  p 11 N90-20046   INASA-TP-2955  p 4 N87-20966   A spectral collocation solution to the compressible stability eigenvalue problem   INASA-TP-2858  p 9 N89-12543   BOUNDARY LAYER SEPARATION   Airfoil self-noise and prediction   INASA-TP-2858  p 67 N89-25673   BOUNDARY LAYER STABILITY   Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex   INASA-TP-2667  p 4 N87-19351   Research in Natural Laminar Flow and Laminar-Flow Control, part 3   INASA-CP-2487-PT-3  p 10 N90-12539   BOUNDARY LAYER TRANSITION   Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex   INASA-TP-2667  p 4 N87-19351   Research in Natural Laminar Flow and Laminar-Flow control, part 3   INASA-TP-2667  p 4 N87-19351   Research in Natural Laminar Flow and Laminar-Flow	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  C-140 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  CalibraTiNG  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384]  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented IRD algorithm [NASA-TP-2875]  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure at elevated temperature [NASA-TP-2921]  Nimbus-7 ERB Solar Analys.s Tape (ESAT) user's guide [NASA-RP-1211]  Introduction to total- and partial-pressure measurements
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882 BLADE-VORTEX INTERACTION Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537 Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2764] p 67 N88-22710 Airfoil self-noise and prediction [NASA-TP-1218] p 67 N89-25673 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882 BLADES Pretiminary structural design of composite main rotor blades for minimum weight [NASA-TP-2730] BLADES Drag measurements of blunt stores tangentially mounted on a flat plate at supersonic speeds [NASA-TP-2742] p 6 N87-27626 Measured and predicted aerodynamic coefficients and	Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model [NASA-TP-2990] p 11 N90-20046  BOUNDARY LAYER FLOW In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data [NASA-TP-2935] p 4 N87-20966 A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543  BOUNDARY LAYER SEPARATION Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  BOUNDARY LAYER STABILITY Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex [NASA-TP-2667] p 4 N87-19351 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-TP-2667] p 10 N90-12539  BOUNDARY LAYER TRANSITION Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex [NASA-TP-2667] p 10 N90-12539  BOUNDARY LAYER TRANSITION Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex [NASA-TP-2667] p 10 N90-12539  BOUNDARY LAYER TRANSITION Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex [NASA-TP-2667] p 4 N87-19351 Research in Natural Laminar Flow and Laminar-Flow Control, part 1	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C-140 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  Calibrating  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384]  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented I RD algorithm [NASA-TP-2875]  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure at elevated temperature [NASA-TP-2921]  Nimbus-7 ERB Solar Analys.s Tape (ESAT) user's guide [NASA-RP-1211]
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations: Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537 Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N88-22710 Anfold self-noise and prediction [NASA-RP-1218] p 67 N89-25673 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADES Preliminary structural design of composite main rotor blades for minimum weight [NASA-TP-2730] p 28 N87-25435  BLUNT BODIES  Drag measurements of blunt stores tangentially mounted on a flat plate at supersonic speeds [NASA-TP-2742] p 6 N87-27626	Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model [NASA-TP-2990] p 11 N90-20046  BOUNDARY LAYER FLOW In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data [NASA-TP-2935] p 4 N87-20966 A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543  BOUNDARY LAYER SEPARATION Airdoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  BOUNDARY LAYER STABILITY Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex [NASA-TP-2667] p 4 N87-19351 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539  BOUNDARY LAYER TRANSITION Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex [NASA-TP-2667] p 4 N87-19351 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 Research in Natural Laminar Flow and Laminar-Flow Control, part 1	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C-40 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  CALIBRATING  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384]  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented I RD algorithm [NASA-TP-2875]  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure at elevated temperature [NASA-TP-2921]  Nimbus-7 ERB Solar Analys.s Tape (ESAT) user's guide [NASA-RP-1211]  Introduction to total- and partial-pressure measurements in vacuum systems
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION  Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399  Helicopter blade-vortex interaction locations: Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537  Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise (NASA-TP-2784] p 67 N89-25710  Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2730] p 11 N90-15882  BLADES  Preliminary structural design of composite main rotor blades for minimum weight [NASA-TP-2730] p 28 N87-25435  BLUNT BODIES  Drag measurements of blunt stores tangentially mounted on a flat plate at supersonic speeds [NASA-TP-2742] p 6 N87-27626  Measured and predicted aerodynamic coefficients and shock shapes for Aeroassist Flight Experiment (AFE)	Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model [NASA-TP-2990] p 11 N90-20046  BOUNDARY LAYER FLOW In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data [NASA-TP-2935] p 4 N87-20966 A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543  BOUNDARY LAYER SEPARATION Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  BOUNDARY LAYER STABILITY Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex [NASA-TP-2667] p 4 N87-19351 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-TP-2667] p 10 N90-12539  BOUNDARY LAYER TRANSITION Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex [NASA-TP-2667] p 10 N90-12539  BOUNDARY LAYER TRANSITION Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex [NASA-TP-2667] p 10 N90-12539  BOUNDARY LAYER TRANSITION Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex [NASA-TP-2667] p 4 N87-19351 Research in Natural Laminar Flow and Laminar-Flow Control, part 1	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  C-140 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  CALIBRATING  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2874]  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented IRD algorithm [NASA-TP-2875]  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure at elevated temperature [NASA-TP-2921]  Nimbus-7 ERB Solar Analys.s Tape (ESAT) user's guide [NASA-RP-1211]  Introduction to total- and partial-pressure measurements in vacuum systems [NASA-RP-1219]  Automatic classification of spectra from the Infrared Astronomical Satellite (IRAS)
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION  Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537 Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N88-22710 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2730] p 11 N90-15882  BLADES  Prefirminary structural design of composite main rotor blades for minimum weight [NASA-TP-2730] p 28 N87-25435  BLUNT BODIES  Drag measurements of blunt stores tangentially mounted on a flat plate at supersonic speeds [NASA-TP-2742] p 6 N87-27626  Measured and predicted aerodynamic coefficients and shock shapes for Aeroassist Flight Experiment (AFE) configuration [NASA-TP-2956] p 11 N90-14185	Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model [NASA-TP-2990] p 11 N90-20046  BOUNDARY LAYER FLOW In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data [NASA-TP-2935] p 4 N87-20966 A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543  BOUNDARY LAYER SEPARATION Airdoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  BOUNDARY LAYER STABILITY Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex [NASA-TP-2667] p 4 N87-19351 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539  BOUNDARY LAYER TRANSITION Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex [NASA-TP-2667] p 4 N87-19351 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 INASA-CP-2487-PT-1  p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 INASA-CP-2487-PT-2  p 10 N90-12519	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C-40 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  CALIBRATING  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384]  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented i RD algorithm [NASA-TP-2875]  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure at elevated temperature [NASA-TP-2921]  Nimbus-7 ERB Solar Analys.s Tape (ESAT) user's guide [NASA-RP-1211]  Introduction to total- and partial-pressure measurements in vacuum systems [NASA-RP-1219]  Automatic classification of spectra from the Infrared Astronomical Satellite (IRAS) [NASA-RP-1217]  p 75 N90-10807
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations: Scale-model acoustics and free-wake analysis results [NASA-TP-2558] p 4 N87-18537 Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N89-25673 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADES Preliminary structural design of composite main rotor blades for minimum weight [NASA-TP-2730] p 28 N87-25435  BLUNT BODIES Drag measurements of blunt stores tangentially mounted on a flat plate at supersonic speeds [NASA-TP-2742] p 6 N87-27626 Measured and predicted aerodynamic coefficients and shock shapes for Aeroassist Flight Experiment (AFE) configuration [NASA-TP-2956] p 11 N90-14185  BO-105 HELICOPTER Helicopter main-rotor noise: Determination of source	Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system  [NASA-TP-2966]	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  C-140 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-284]  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented i RD algonthm [NASA-TP-2875]  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure at elevated temperature [NASA-TP-2921]  Nimbus-7 ERB Solar Analys.s Tape (ESAT) user's guide [NASA-RP-1211]  Introduction to total- and partial-pressure measurements in vacuum systems [NASA-RP-1219]  Automatic classification of spectra from the Infrared Astronomical Satellite (IRAS) [NASA-RP-1217]  Evaluation of various thrust calculation techniques on
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882 BLADE-VORTEX INTERACTION Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations: Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537 Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N88-22710 Airfoil self-noise and prediction [NASA-TP-2784] p 67 N89-25673 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882 BLADES Pretiminary structural design of composite main rotor blades for minimum weight [NASA-TP-2730] p 28 N87-25435 BLUNT BODIES  Drag measurements of blunt stores tangentially mounted on a flat plate at supersonic speeds [NASA-TP-2742] p 6 N87-27626 Measured and predicted aerodynamic coefficients and shock shapes for Aeroassist Flight Experiment (AFE) configuration [NASA-TP-2956] p 11 N90-14185 BO-105 HELICOPTER Helicopter main-rotor noise: Determination of source contributions using scaled model data	Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system  [NASA-TP-2966] p 16 N90-17627  Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model  [NASA-TP-2990] p 11 N90-20046  BOUNDARY LAYER FLOW  In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data  [NASA-TP-2935] p 4 N87-20966  A spectral collocation solution to the compressible stability eigenvalue problem  [NASA-TP-2858] p 9 N89-12543  BOUNDARY LAYER SEPARATION  Airfoil self-noise and prediction  [NASA-TP-2687] p 67 N89-25673  BOUNDARY LAYER STABILITY  Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex  [NASA-TP-2667] p 4 N87-19351  Research in Natural Laminar Flow and Laminar-Flow Control, part 3  [NASA-CP-2487-PT-3] p 10 N90-12539  BOUNDARY LAYER TRANSITION  Numerical simulation of channel flow transition, resolution requirements and structure of the hairpin vortex  [NASA-TP-2667] p 4 N87-19351  Research in Natural Laminar Flow and Laminar-Flow Control, part 1  [NASA-CP-2487-PT-1] p 10 N90-12503  Research in Natural Laminar Flow and Laminar-Flow Control, part 2  [NASA-CP-2487-PT-2] p 10 N90-12503  Research in Natural Laminar Flow and Laminar-Flow Control, part 2  [NASA-CP-2487-PT-2] p 10 N90-12519  Research in Natural Laminar Flow and Laminar-Flow Control, part 2	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  C-140 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  Calibrating  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384]  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented IRD algorithm [NASA-TP-2875]  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure at elevated temperature [NASA-TP-2971]  Nimbus-7 ERB Solar Analys.s Tape (ESAT) user's guide [NASA-RP-1211]  p 79 N89-30151 Introduction to total- and partial-pressure measurements in vacuum systems [NASA-RP-1219]  Automatic classification of spectra from the Infrared Astronomical Satellite (IRAS) [NASA-RP-1217]  Evaluation of various thrust calculation techniques on an F404 engine
[NASA-TP-2746] p 17 N87-24481 Tip aerodynamics and acoustics test: A report and data survey [NASA-RP-1179] p 9 N89-17579 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADE-VORTEX INTERACTION Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399 Helicopter blade-vortex interaction locations: Scale-model acoustics and free-wake analysis results [NASA-TP-2558] p 4 N87-18537 Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N89-25673 Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2946] p 11 N90-15882  BLADES Preliminary structural design of composite main rotor blades for minimum weight [NASA-TP-2730] p 28 N87-25435  BLUNT BODIES Drag measurements of blunt stores tangentially mounted on a flat plate at supersonic speeds [NASA-TP-2742] p 6 N87-27626 Measured and predicted aerodynamic coefficients and shock shapes for Aeroassist Flight Experiment (AFE) configuration [NASA-TP-2956] p 11 N90-14185  BO-105 HELICOPTER Helicopter main-rotor noise: Determination of source	Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system  [NASA-TP-2966]	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  C-140 AIRCRAFT  Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966]  P 16 N90-17627  CALIBRATING  Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723]  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384]  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented i RD algorithm [NASA-TP-2875]  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure at elevated temperature [NASA-TP-2921]  Nimbus-7 ERB Solar Analys.3 Tape (ESAT) user's guide [NASA-RP-1211]  Introduction to total- and partial-pressure measurements in vacuum systems [NASA-RP-1219]  Automatic classification of spectra from the Infrared Astronomical Satellite (IRAS) [NASA-RP-1217]  F 75 N90-10807  Evaluation of various thrust calculation techniques on

CALORIMETERS	CATALOGS	Ceramics Analysis and Reliability Evaluation of
High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion	Catalog of open clusters and associated interstellar matter	Structures (CARES). Users and programmers manual [NASA-TP-2916] p 47 N90-28099
[NASA-TP-2862] p 27 N89-15979	NASA-RP-1202  p 76 N88-29652	[NASA-TP-2916] p 47 N90-28099 CERTIFICATION
CAMBER	Infrared astronomical satellite (IRAS) catalogs and	Laminar Flow Aircraft Certification
Pressure measurements on a thick cambered and	atlases. Volume 1: Explanatory supplement	[NASA-CP-2413] p 8 N88-23737
twisted 58 deg delta wing at high subsonic speeds	[NASA-RP-1190-VOL-1] p 76 N89-14194	CHANNEL FLOW
[NASA-TP-2713] p 6 N87-27643	Infrared astronomical satellite (IRAS) catalogs and	Numerical simulation of channel flow transition,
CAMBERED WINGS	atlases. Volume 5: The point source catalog declination	resolution requirements and structure of the hairpin
Supersonic, nonlinear, attached-flow wing design for	range -30 deg greater than delta greater than -50 deg	vortex
high lift with experimental validation	[NASA-RP-1190-VOL-5] p 76 N89-14195 Infrared astronomical satellite (IRAS) catalogs and	[NASA-TP-2667] p.4 N87-19351
[NASA-TP-2336] p 3 N87-10042	atlases. Volume 4: The point source catalog declination	Interactions of Tollmien-Schlichting waves and Dean
Aerodynamic characteristics of wings designed with a	range 0 deg greater than delta greater than -30 deg	vortices. Comparison of direct numerical simulation and
combined-theory method to cruise at a Mach number of 4.5	[NASA-RP-1190-VOL-4] p 76 N89-14196	a weakly nonlinear theory (NASA-TP-2919) p. 10 N89-25118
(NASA-TP-2799) p 7 N88-19420	Infrared astronomical satellite (IRAS) catalogs and	[NASA-TP-2919] p 10 N89-25118 CHARGED PARTICLES
CAMERAS	atlases. Volume 2: The point source catalog declination	First International Conference on Laboratory Research
Remote Sensing in Polarized Light	range 90 deg greater than delta greater than 30 deg	for Planetary Almospheres
[NASA-CP-3014] p 72 N89-14189	[NASA-RP-1190-VOL-2] p 76 N89-14197	[NASA-CP-3077] p 78 N90-26744
CANARD CONFIGURATIONS	Infrared astronomical satellite (IRAS) catalogs and	CHEMICAL COMPOSITION
Wind-tunnel investigation of the flight characteristics of	atlases. Volume 6: The point source catalog declination range -50 deg greater than delta greater than -90 deg	Nuclear techniques in studies of condensed matter
a canard general-aviation airplane configuration	[NASA-RP-1190-VOL-6] p 76 N89-14198	[NASA-RP-1195] p 68 N88-13015
[NASA-TP-2623] p 3 N87-10039	Infrared astronomical satellite (IRAS) catalogs and	A rapid method for the computation of equilibrium
Wind-tunnel investigation at supersonic speeds of a	atlases. Volume 7: The small scale structure catalog	chemical composition of air to 15000 K
remote-controlled canard missile with a free-rolling-tail	[NASA-RP-1190-VOL-7] p 76 N89-14199	[NASA-TP-2792] p 30 N88-16830
brake torque system	Infrared astronomical satellite (IRAS) catalogs and	CHEMICAL EQUILIBRIUM
[NASA-TP-2401] p.4 N87-17668	atlases. Volume 3: The point source catalog declination	A rapid method for the computation of equilibrium
Validation of a computer code for analysis of subsonic	range 30 deg greater than delta greater than 0 deg	chemical composition of air to 15000 K
aerodynamic performance of wings with flaps in combination with a canard or horizontal tail and an	[NASA-RP-1190-VOL-3] p 77 N89-14201 CATALOGS (PUBLICATIONS)	[NASA-TP-2792] p 30 N88-16830
application to optimization	NASA scientific and technical publications: A catalog	Conservation equations and physical models for
[NASA-TP-2961] p 11 N90-14187	of Special Publications, Reference Publications.	hypersonic air flows in thermal and chemical nonequilibrium
Effect of tail size reductions on longitudinal aerodynamic	Conference Publications, and Technical Papers,	[NASA-TP-2867] p 38 N89-16115
characteristics of a three surface F-15 model with	1977-1986	CHEMICAL EVOLUTION
nonaxisymmetric nozzles	[NASA-SP-7063(01)] p 70 N87-30218	Exobiology and Future Mars Missions
[NASA-TP-3036] p 11 N90-25938	NASA scientific and technical publications: A catalog	[NASA-CP-10027] p 59 N89-26334
CARBON	of Special Publications, Reference Publications,	CHEMICAL REACTIONS
Traveling-wave-tube efficiency improvement by a	Conference Publications, and Technical Papers, 1987	Aeropropulsion '87, Session 3: Internal Fluid Mechanics
low-cost technique for deposition of carbon on multistage	[NASA-SP-7063(02)] p 70 N88-22830	Research
depressed collector	NASA scientific and technical publications: A catalog of special publications, reference publications, conference	[NASA-CP-10003-SESS-3] p 18 N88-15790
[NASA-TP-2719] p 35 N87-21239	publications, and technical papers, 1988	An analytical study of the hydrogen-air reaction
Carbon in the Galaxy: Studies from Earth and Space INASA-CP 3051! p 73 N90-27562	[NASA-SP-7063(03)] p 71 N90-10782	mechanism with application to scramjet combustion
CARBON DIOXIDE	Mars landing site catalog	[NASA-TP-2791] p 30 N88-15846
System study of the carbon dioxide observational	[NASA-RP-1238] p 78 N90-27607	CHEMILUMINESCENCE
platform system (CO-OPS): Project overview	CATALYSIS	Ester oxidation on an aluminum surface using
[NASA-TP-2696] p 23 N87-18588	Surface catalytic degradation study of two linear	chemiluminescence
Commentary on interstellar matter associated with 18	perfluoropolyalkylethers at 345 C	[NASA-TP-2611] p 31 N87-18666
open clusters	[NASA-TP-2774] p 27 N88-12543	CHRONOLOGY Astronautics and aeronautics, 1978: A chronology
[NASA-RP-1229] p 77 N89-27612	Emittance, catalysis, and dynamic oxidation of	[NASA-SP-4023] p 80 N88-14062
CARBON DIOXIDE LASERS	Ti-14Al-21Nb	Astronautics and aeronautics, 1985: A chronology
Closed-Cycle, Frequency-Stable CO2 Laser Technology	[NASA-TP-2955] p 31 N90-10248	[NASA-SP-4025] p 81 N89-26803
[NASA-CP-2456] p 40 N87-20522	CATALYSTS	CINEMATOGRAPHY
Low-Temperature CO-Oxidation Catalysts for Long-Life	Low-Temperature CO-Oxidation Catalysts for Long-Life	Evaluation of diffuse-illumination holographic
CO2 Lasers	CO2 Lasers [NASA-CP-3076] p 40 N90-24586	cinematography in a flutter cascade
[NASA-CP-3076] p 40 N90-24586	CATALYTIC ACTIVITY	[NASA-TP-2593] p 39 N87-13731
Mode-medium instability and its correction with a	Low-Temperature CO-Oxidation Catalysts for Long-Life	CIRCULAR CYLINDERS
Gaussian reflectivity mirror	CO2 Lasers	Application of turbulence modeling to predict surface
[NASA-TP-3023] p 68 N90-25673 CARBON FIBERS	[NASA-CP-3076] p 40 N90-24586	heat transfer in stagnation flow region of circular cylinder [NASA-TP-2758] p 37 N87-27161
Effects of thermal cycling on graphie-fiber-reinforced	CAVITIES	CIRCULATION CONTROL AIRFOILS
6061 aluminum	Space shuttle main engine high pressure fuel pump aft	Large-scale static investigation of
[NASA-TP-2612] p 28 N87-10184	platform seal cavity flow analysis	circulation-control-wing concepts applied to upper
Instrumented impact and residual tensile strength testing	(NASA-TP-2685) p 36 N87-17000	surface-blowing aircraft
of eight-ply carbon eopoxy specimens	Experimental cavity pressure distributions at supersonic	[NASA-TP-2684] p 13 N87-15959
[NASA-TP-2981] p 29 N90-16007	speeds	Proceedings of the Circulation-Control Workshop,
Low velocity instrumented impact testing of four new	(NASA-TP-2683) p.5 N87-22626	1986
damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198	Revised NASA axially symmetric ring model for coupled-cavity traveling-wave tubes	[NASA-CP-2432] p 7 N88-17586 CIRCULATION CONTROL ROTORS
CARBON TETRAFLUORIDE	[NASA-TP-2675] p 35 N87-22923	Proceedings of the Circulation-Control Workshop,
Description and calibration of the Langley Hypersonic	CAVITY RESONATORS	1986
CF4 tunnel: A facility for simulating low gamma flow as	Measured and calculated acoustic attenuation rates of	[NASA-CP-2432] p 7 N88-17586
occurs for a real gas	tuned resonator arrays for two surface impedance	CIRRUS CLOUDS
[NASA-TP-2384] p 37 N87-29778	distribution models with flow	FIRE Science Results 1989
CARBON-CARBON COMPOSITES	[NASA-TP-2766] p 67 N88-17440	[NASA-CP-3079] p 58 N90-28224
Hydroburst test of a carbon-carbon involute exit cone	CELESTIAL MECHANICS	CLASSIFICATIONS
[NASA-TP-2556] p 24 N88-14112	Fifty year canon of solar eclipses: 1986 - 2035	Automatic classification of spectra from the Infrared Astronomical Satellite (IRAS)
CARDIOVASCULAR SYSTEM Proceedings of a conference on Cardiovascular	(NASA-RP-1178-REV) p 73 N87-25906	NASA-RP-1217   p 75 N90-10807
Bioinstrumentation	CELLS (BIOLOGY)	CLEANING
[NASA-CP-10022] p 59 N89-17937	Space Bioreactor Science Workshop	Fourteenth Space Simulation Conference: Testing for
CARGO AIRCRAFT	[NASA-CP-2485] p 58 N88-17168	a Permanent Presence in Space
General equilibrium characteristics of a dual-lift	Cells in Space [NASA-CP-10034] p 61 N90-13939	[NASA-CP-2446] p 25 N88-10829
helicopter system	CEPSTRAL ANALYSIS	An Auger electron spectroscopy study of
[NASA-TP-2615] p 2 N88-19407	Power cepstrum technique with application to model	surface-preparation contaminants
CASCADE FLOW	helicopter acoustic data	[NASA-TP-2972] p 33 N90-16968 CLIMATE
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a	[NASA-TP-2586] p 66 N87-17479	Five year global dataset: NMC operational analyses
secondary-nozzle thrust reverser	CERAMICS	(1978 to 1982)
(NASA-TP-2834) p 8 N88-29752	Aeropropulsion '87. Session 1: Aeropropulsion Materials	[NASA-RP-1194] p 55 N87-29996
Three component laser anemometer measurements in	Research	Atlas of wide-field-of-view outgoing longwave radiation
an annular cascade of core turbine vanes with contoured	[NASA-CP-10003-SESS-1] p 18 N88-16697	derived from Nimbus 7 Earth radiation budget data set -
4 14		November 1079 to Ostober 1005
end wall [NASA-TP-2846] p.8 N89-10844	Structural Ceramics (NASA-CP-2427) p 31 N88-23872	November 1978 to October 1985 [NASA-RP-1186] p 55 N88-10451

LIMATE CHANGE SUBJECT INDEX

		000000, 11.02,
LIMATE CHANGE	COMBUSTIBLE FLOW	Sapping features of the Colorado Plateau: A comparative
SeaRISE: A Multidisciplinary Research Initiative to	Automated Reduction of Data from Images and	planetary geology field guide
Predict Rapid Changes in Global Sea Level Caused by	Holograms	[NASA-SP-491] p 49 N89-10401
Collapse of Marine Ice Sheets [NASA-CP-3075] p 48 N90-22824	[NASA-CP-2477] p 6 N87-29432 COMBUSTION	COMPATIBILITY  Compatability of dispersion-strengthened platinum with
CLIMATOLOGY	NASA-Chinese Aeronautical Establishment (CAE)	resistojet propellante
FIRE Science Results 1989	Symposium	[NASA-TP-2765] p 27 N88-12538
[NASA-CP-3079] p 58 N90-28224 CLOSED CYCLES	(NASA-CP-2433) p 17 N87-20267	COMPONENT RELIABILITY
Closed-Cycle, Frequency-Stable CO2 Laser	An analytical study of the hydrogen-air reaction	Electronics reliability and measurement technology [NASA-CP-2472] p 42 N87-27204
Technology	mechanism with application to scramjet combustion [NASA-TP-2791] p 30 N88-15846	Effects of variables upon pyrotechnically induced shock
[NASA-CP-2456] p 40 N87-20522	Turbine Engine Hot Section Technology, 1987	response spectra, part 2
CLOSED ECOLOGICAL SYSTEMS  Controlled Ecological Life Support System:	(NASA CP-2493) p 45 N89-17298	[NASA-TP-2872] p 45 N89-13814
Controlled Ecological Life Support System: Regenerative Life Support Systems in Space	COMBUSTION CHAMBERS	COMPOSITE MATERIALS  Preliminary structural design of composite main rotor
[NASA-CP-2480] p 60 N88-12251	Conventionally cast and forged copper alloy for	blades for minimum weight
Controlled Ecological Life Support System. Design,	high-heat-flux thrust chambers [NASA-TP-2694] p 30 N87-16902	[NASA-TP-2730] p 28 N87-25435
Development, and Use of a Ground-Based Plant Growth  Module	Turbine Engine Hot Section Technology, 1985	The effects of simulated space environmental
[NASA-CP-2479] p 60 N88-13852	[NASA-CP-2405] p 43 N88-11140	parameters on six commercially available composite materials
Report of the 1st Planning Workshop for CELSS Flight	High-pressure calorimeter chamber tests for liquid	[NASA-TP-2906] p 29 N89-19385
Experimentation	oxygen/kerosene (LOX/RP-1) rocket combustion	Effects of continuous and cyclic thermal exposures on
[NASA-CP-10020] p 60 N89-13898 CLOUDS	[NASA-TP-2862] p 27 N89-15979 COMBUSTION PHYSICS	boron- and borsic-reinforced 6061 aluminum composites {NASA-TP-1063} p 28 N88-70029
SAM 2 data user's quide	Spacecraft Fire Safety	{NASA-TP-1063} p 28 N88-70029 COMPOSITE STRUCTURES
[NASA-RP-1200] p 52 N88-25094	[NASA-CP-2476] p 24 N88-12520	The ACEE program and basic composites research at
Gas-Grain Simulation Facility: Fundamental studies of	Mixing and Demixing Processes in Multiphase Flows	Langley Research Center (1975 to 1986); Summary and
particle formation and interactions. Volume 1: Executive	With Application to Propulsion Systems	bibliography [NASA-RP-1177] p 28 N87-29612
summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022	[NASA-CP-3006] p 37 N89-11153	[NASA-RP-1177] p.28 N87-29612 Research in structures, structural dynamics and
Gas-Grain Simulation Facility: Fundamental studies of	Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682	materials, 1989
particle formation and interactions. Volume 2: Abstracts,	COMBUSTION PRODUCTS	[NASA-CP-10024] p 46 N89-24626
candidate experiments and feasibility study	Finite-rate water condensation in combustion-heated	A Protection And Detection Surface (PADS) for damage
[NASA-CP-10026-VOL-2] p 59 N89-24023 CLOUDS (METEOROLOGY)	wind tunnels	tolerance [NASA-TP-3011] p 29 N90-27788
The Jovian Atmospheres	[NASA-TP-2833] p 22 N88-28075	COMPRESSIBLE FLOW
[NASA-CP-2441] p 77 N87-17598	COMBUSTION TEMPERATURE  Determination of combustion gas temperatures by	A spectral collocation solution to the compressible
FIRE Science Results 1989	infrared radiometry in sooting and nonsooting flames	stability eigenvalue problem
[NASA-CP-3079] p 58 N90-28224 COALESCING	[NASA-TF-2900] p 38 N89-25409	[NASA-TP-2858] p.9 N89-12543 An upwind-biased, point-implicit relaxation algorithm for
Development testing of large volume water sprays for	COMBUSTION WIND TUNNELS	viscous, compressible perfect-gas flows
warm fog dispersal	Finite-rate water condensation in combustion-heated	(NASA-TP-2953) p 38 N90-17042
[NASA-TP-2607] p 24 N87-12585	wind tunnels [NASA-TP-2833] p 22 N88-28075	COMPRESSION LOADS
COANDA EFFECT Proceedings of the Circulation-Control Workshop,	COMET HEADS	Buckling and postbuckling behavior of square compression-loaded graphite-epoxy plates with circular
1986	Atlas of Comet Halley 1910 II	cutouts
[NASA-CP-2432] p 7 N88-17586	[NASA-SP-488] p 75 N87-30235	(NASA-TP-3007) p 29 N90-26077
COBALT	COMET NUCLEI	COMPRESSIVE STRENGTH
Investigation of the effects of cobalt ions on epoxy properties	Atlas of Comet Halley 1910 II (NASA-SP-488) p 75 N87-30235	Properties of two composite materials made of
[NASA-TP-2639] p 31 N87-12680	COMET TAILS	toughened epoxy resin and high-strain graphite fiber [NASA-TP-2826] p 28 N88-25480
COCKPIT SIMULATORS	Atlas of Comet Halley 1910 II	COMPRESSOR BLADES
Jet transport flight operations using cockpit display of traffic information during instrument meteorological	[NASA-SP-488] p 75 N87-30235	Shot peening for Ti-6Al-4V alloy compressor blades
conditions: Simulation evaluation	COMETARY ATMOSPHERES Infrared Observations of Comets Halley and Wilson and	[NASA-TP-2711] p 43 N87-20566
[NASA-TP-2567] p 12 N87-29469	Properties of the Grains	COMPRESSORS
COCKPITS	[NASA-CP-3004] p 74 N89-13330	Design of 9.271-pressure-ratio 5-stage core compressor and overall performance for first 3 stages
Effects of combining vertical and horizontal information	COMETS	[NASA-TP-2597] p 17 N87-17699
into a primary flight display [NASA TP-2783] p 17 N88-12487	Carbon in the Galaxy: Studies from Earth and Space [NASA-CP-3061] p 73 N90-27562	Rotordynamic Instability Problems in High-Performance
Flight deck automation: Promises and realities	COMMAND AND CONTROL	Turbomachinery, 1988
[NASA-CP-10036] p 17 N90-13384	Conceptual design of a synchronous Mars	[NASA-CP-3026] p 41 N89-22891 COMPUTATION
CODING  Bules Code Medulation (PCM) speeder bandbook for	telecommunications satellite	Calculation and accuracy of ERBE scanner
Pulse Code Modulation (PCM) encoder handbook for Ayd.n Vector MMP-600 series system	[NASA-TP-2942] p 78 N90-10814 COMMUNICATION NETWORKS	measurement locations
[NASA-RP-1171] p 33 N87-11916	Unique bit-error-rate measurement system for satellite	[NASA-TP-2670] p 72 N87-28471
Lewis inverse design code (LINDES): Users manual	communication systems	A rapid method for the computation of equilibrium
[NASA-TP-2676] p.4 N87-20238 Experiments in encoding multilevel images as	[NASA-TP-2699] p 33 N87-20448	chemical composition of air to 15000 K [NASA-TP-2792] p 30 N88-16830
Experiments in encoding multilevel images as quadtrees	Satellite-matrix-switched, time-division-multiple-access network simulator	A closed-form trim solution yielding minimum trim drag
[NASA-TP-2722] p 65 N87-28367	[NASA-TP-2944] p 34 N90-11915	for airplanes with multiple longitudinal-control effectors
A transonic-small-disturbance wing design	COMMUNICATION SATELLITES	[NASA-TP-2907] p 20 N89-23468
methodology	Propagation effects on satellite systems at frequencies	Computational Methods for Structural Mechanics and
[NASA-TP-2806] p.7 N88-17614 A performance index approach to aerodynamic design	below 10 GHz: A handbook for satellite systems design [NASA-RP-1108/2] p 34 N88-14226	Dynamics, part 1 {NASA-CP-3034-PT-1} p.46 N89-24638
with the use of analysis codes only	Fifteenth Space Simulation Conference: Support the	A review of high-speed, convective, heat-transfer
[NASA-TP-2805] p.7 N88-18552	Highway to Space Through Testing	computation methods
Visual Information Processing for Television and	[NASA-CP-3015] p 25 N89-12582	[NASA-TP-2914] p 38 N89-27116
Telerobotics INASA-CP-30531 p.40 N90-16204	Digitally modulated bit error rate measurement system for microwave component evaluation	COMPUTATIONAL ASTROPHYSICS
COEFFICIENTS	[NASA-TP-2912] p 23 N89-28545	Supercomputing in Aerospace [NASA-CP-2454] p.5 N87-25998
Cornering characteristics of the main-gear tire of the	Conceptual design of a synchronous Mars	[NASA-CP-2454] p 5 N87-25998  COMPUTATIONAL CHEMISTRY
space shuttle orbiter [NASA-TP-2790] p 14 N88-18583	telecommunications satellite	Supercomputing in Aerospace
COMERENT ELECTROMAGNETIC RADIATION	[NASA-TP-2942] p 78 N90-10814 Satellite-matrix-switched, time-division-multiple-access	[NASA-CP-2454] p 5 N87-25998
LANDSAT-4 and LANDSAT-5 multispectral scanner	network simulator	COMPUTATIONAL FLUID DYNAMICS
coherent noise characterization and removal	[NASA-TP-2944] p 34 N90-11915	Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and
[NASA-TP-2595-REV] p 49 N89-12114  COLLISION PARAMETERS	COMMUTER AIRCRAFT	emulating routines (CASPER): Theory and implementation
Doubly differential cross sections for galactic heavy-ion	Low-speed wind-tunnel investigation of the flight dynamic characteristics of an advanced turboprop	[NASA-TP-2418] p.4 N87-17669
fragmentation	business/commuter aircraft configuration	Numerical simulation of channel flow transition,
[NASA-TP-2659] p 68 N87-17487	[NASA-TP-2982] p 20 N90-19239	resolution requirements and structure of the hairpin
COLORADO	COMPARISON  Calculation of viacous effects on transpose flow for	vortex [NASA-TP-2667] p.4 N87-19351
Sapping features of the Colorado Plateau: A comparative planetary geology field guide	Calculation of viscous effects on transonic flow for oscillating airfoils and comparisons with experiment	Supercomputing in Aerospace
[NASA-SP-491] p 49 N89-10401	[NASA-TP-2731] p 6 N87-27622	[NASA-CP-2454] p.5 N87-25998

Simplified curve fits for the thermodynamic properties	COMPUTER ASSISTED INSTRUCTION	Computer code for predicting coolant flow and heat
of equilibrium air INASA-RP-11811 p.36 N87-26309	Second Annual Workshop on Space Operations	transfer in turbomachinery
[NASA-RP-1181] p 36 N87-26309 Langley Symposium on Aerodynamics, volume 1	Automation and Robotics (SOAR 1988) [NASA-CP-3019] p 61 N89-19817	[NASA-TP-2985] p 18 N90-27722
[NASA-CP-2397] p.1 N88-14926	National Educators' Workshop: Update 1989 Standard	Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model
NASA/Army Rotorcraft Technology. Volume 1:	Experiments in Engineering Materials Science and	[NASA-TP-3017] p 42 N90-28066
Aerodynamics, and Dynamics and Aeroelasticity	Technology	Ceramics Analysis and Reliability Evaluation of
[NASA-CP-2495-VOL-1] p 1 N88-16625	[NASA-CP-3074] p 28 N90-24350 COMPUTER GRAPHICS	Structures (CARES) Users and programmers manual
Numerical simulation of scramjet inlet flow fields	Frontiers of Massively Parallel Scientific Computation	[NASA-TP-2916] p 47 N90-28099 Comparison of dose estimates using the buildup-factor
[NASA-TP-2517] p.8 N88-23735	[NASA-CP-2478] p 62 N87-26531	method and a Baryon transport code (BRYNTRN) with
Three-dimensional multigrid algorithms for the flux-split Euler equations	A general solution to the silhouette problem	Monte Carlo results
[NASA-TP-2829] p 65 N89-12316	[NASA-TP-2695] p 61 N88-14629	[NASA-TP-3021] p 80 N90-29290
Transonic Unsteady Aerodynamics and Aeroelasticity	Interactive orbital proximity operations planning system	COMPUTER SYSTEMS PERFORMANCE
1987, part 1	[NASA-TP-2839] p 61 N89-18039	Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478] p 62 N87-26531
[NASA-CP-3022-PT-1] p 9 N89-19234	Graphics Technology in Space Applications (GTSA	COMPUTER SYSTEMS PROGRAMS
Transonic Symposium: Theory, Application, and	1989)	Sixth Annual Users' Conference Transportable
Experiment, Volume 1, Part 1 [NASA-CP-3020-VOL-1-PT-1] p 9 N89-20925	[NASA-CP-3045] p 62 N90-20651	Applications Executive (TAE)
Transonic Symposium: Theory, Application, and	Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918	[NASA-CP-2463] p 62 N87-23156
Experiment, volume 1, part 2	Determination of depth-viewing volumes for stereo	NASA Workshop on Computational Structural Mechanics 1987, part 2
[NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942	three-dimensional graphic displays	[NASA-CP-10012-PT-2] p 46 N89-29789
Recent Advances in Multidisciplinary Analysis and	[NASA-TP-2999] p 61 N90-22965	COMPUTER TECHNIQUES
Optimization, part 1	Sensor performance analysis	Fifteenth NASTRAN (R) Users' Colloquium
[NASA-CP-3001-PT-1] p 15 N89-25146	[NASA-RP-1241] p 50 N90-23780 COMPUTER NETWORKS	[NASA-CP-2481] p 43 N87-27231
A procedure for computing surface wave trajectories on	Proceedings of the 5th Annual Users' Conference	Lewis Structures Technology, 1988. Volume 1: Structural Dynamics
an inhomogeneous surface [NASA-TP-2929] p 10 N89-26811	[NASA-CP-2399] p 62 N87-10720	[NASA-CP-3003-VOL-1] p 44 N88-23226
Research in Natural Laminar Flow and Laminar-Flow	COMPUTER PROGRAMMING	An economical semi-analytical orbit theory for
Control, part 2	Some path-following techniques for solution of nonlinear	micro-computer applications
[NASA-CP-2487-PT-2] p 10 N90-12519	equations and comparison with parametric differentiation [NASA-TP-2654] p 64 N87-14054	[NASA-TP-2811] p 66 N89-14052
COMPUTATIONAL GRIDS	COMPUTER PROGRAMS	Joint University Program for Air Transportation Research, 1987
Supercomputing in Aerospace	Third Conference on Artificial Intelligence for Space	[NASA-CP-3028] p 2 N89-19230
[NASA-CP-2454] p 5 N87-25998	Applications, part 1	Second Annual Workshop on Space Operations
A spectral collocation solution to the compressible stability eigenvalue problem	[NASA-CP-2492-Pt-1] p 62 N88-16360	Automation and Robotics (SOAR 1988)
[NASA-TP-2858] p 9 N89-12543	A transonic-small-disturbance wing design methodology	[NASA-CP-3019] p 61 N89-19817
Satellite radar altimetry over ice. Volume 4: Users' guide	[NASA-TP-2806] p 7 N88-17614	The Fault Tree Compiler (FTC): Program and mathematics
for Antarctica elevation data from Seasat	A performance index approach to aerodynamic design	[NASA-TP-2915] p 64 N89-24815
[NASA-RP-1233-VOL-4] p 54 N90-20564	with the use of analysis codes only	NASA Workshop on Computational Structural
A time-accurate adaptive gnd method and the numerical	[NASA-TP-2805] p 7 N88-18552	Mechanics 1987, part 3
simulation of a shock-vortex interaction	CARE 3 User's Workshop	[NASA-CP-10012-PT-3] p 46 N89-29799
[NASA-TP-2998] p 61 N90-21524 COMPUTER AIDED DESIGN	[NASA-CP-10011] p 61 N88-21646 User's manual for LINEAR, a FORTRAN program to	Applications of the hybrid automated reliability predictor:
Recent Experiences in Multidisciplinary Analysis and	derive linear aircraft models	Revised edition [NASA-TP-2760-REV] p 63 N90-11454
Optimization, part 1	[NASA-TP-2768] p 65 N88-21740	COMPUTER VISION
[NASA-CP-2327-PT-1] p 13 N87-11717	Analysis and testing of the SURE program	Second Conference on Artificial Intelligence for Space
Recent Experiences in Multidisciplinary Analysis and	[NASA-TP-2817] p 65 N88-22653	Applications
Optimization, part 2	Third Conference on Artificial Intelligence for Space	[NASA-CP-3007] p 63 N88-29351
Optimization, part 2 [NASA-CP-2327-PT-2] p 13 N87-11750	Third Conference on Artificial Intelligence for Space Applications, part 2	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the
Optimization, part 2	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188	[NASA-CP-3007] p 63 N88-29351
Optimization, part 2 [NASA-CP-2327-PT-2] p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p 43 N87-27231 First Annual Workshop on Space Operations Automation	Third Conference on Artificial Intelligence for Space Applications, part 2	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications
Optimization. part 2 [NASA-CP-2327-PT-2] p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87)	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence
Optimization, part 2 [NASA-CP-2327-PT-2] p.13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p.43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p.61 N88-17206	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188  Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578
Optimization, part 2 {NASA-CP-2327-PT-2} p. 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium {NASA-CP-2481} p. 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p. 61 N88-17206 A generalized method for automatic downhand and	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and
Optimization, part 2 [NASA-CP-2327-PT-2] p.13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p.43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p.61 N88-17206	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p.63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p.8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p.63 N89-11407	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578
Optimization, part 2 {NASA-CP-2327-PT-2} p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium {NASA-CP-2481} p 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) {NASA-CP-2491} p 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner {NASA-TP-2807} p 32 N88-17869 Computer-aided design analysis of 57-mm,	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION
Optimization, part 2 {NASA-CP-2327-PT-2} p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium {NASA-CP-2481} p 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p. 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p. 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p. 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p. 63 N89-12237	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem
Optimization, part 2 [NASA-CP-2927-PT-2] p. 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p. 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p. 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p. 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p. 41 N88-18933	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and
Optimization, part 2 {NASA-CP-2327-PT-2} p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium {NASA-CP-2481} p 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p. 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p. 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p. 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p. 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p. 80 N89-17562 Integrated tools for control-system analysis	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation
Optimization, part 2 {NASA-CP-2327-PT-2} p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium {NASA-CP-2481} p 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) {NASA-CP-2491} p 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner {NASA-TP-2807} p 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings {NASA-TP-2816} Second Conference on Artificial Intelligence for Space	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p. 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p. 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p. 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p. 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p. 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2885] p. 20 N89-19309	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and
Optimization, part 2 {NASA-CP-2327-PT-2} p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium {NASA-CP-2481} p 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) {NASA-CP-2491} p 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner {NASA-TP-2807} p 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings {NASA-TP-2816} p 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications {NASA-CP-3007} p 63 N88-29351 Comparison study of gear dynamic computer programs	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2883] p 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309 Comparison study of gear dynamic computer programs	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 41 N87-18821
Optimization, part 2 {NASA-CP-2327-PT-2} p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium {NASA-CP-2481} p 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner {NASA-TP-2807} p 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309 Comparison study of gear dynamic computer programs at NASA Lewis Research Center	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 41 N87-18821 Supercomputing in Aerospace
Optimization, part 2 [NASA-CP-2327-PT-2] p. 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p. 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p. 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p. 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p. 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p. 63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p. 41 N89-21243	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 41 N87-18821 Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998
Optimization, part 2 {NASA-CP-2327-PT-2} p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium {NASA-CP-2481} p 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner {NASA-TP-2807} p 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309 Comparison study of gear dynamic computer programs at NASA Lewis Research Center	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 41 N87-18821 Supercomputing in Aerospace
Optimization, part 2 {NASA-CP-2327-PT-2} p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium {NASA-CP-2481} p 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243 A knowledge-based tool for multilevel decomposition of	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple Ininged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-291] p 41 N89-21243 The Fault Tree Compiler (FTC): Program and	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 41 N87-18821 Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation
Optimization, part 2 [NASA-CP-2327-PT-2] p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243 A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23181 Recent Advances in Multidisciplinary Analysis and	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243 The Fault Tree Compiler (FTC): Program and mathematics	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 41 N87-18821 Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478] p 62 N87-25531 The 1988 Goddard Conference on Space Applications of Artificial Intelligence
Optimization, part 2 {NASA-CP-2327-PT-2} p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium {NASA-CP-2481} p 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) {NASA-CP-2491} p 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner {NASA-TP-2807} p 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings {NASA-TP-2816} p 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications {NASA-CP-3007} p 63 N88-29351 Comparison study of gear dynamic computer programs at NASA-CP-3001} p 41 N89-21243 A knowledge-based tool for multilevel decomposition of a complex design problem {NASA-TP-2903} p 63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 1	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2881] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2883] p 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243 The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] p 64 N89-24815 CORTRAN program for x ray photoelectron spectroscopy data reformatting	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478] p 5 N87-25998 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330
Optimization, part 2 [NASA-CP-2327-PT-2] p. 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p. 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p. 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p. 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p. 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p. 63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p. 41 N89-21243 A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p. 63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 1 [NASA-CP-3031-PT-1] p. 15 N89-25146	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243 The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] p 64 N89-24815 CORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 41 N87-18821 Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation INASA-CP-2478] p 62 N87-25531 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 Transonic Symposium: Theory, Application, and
Optimization, part 2 [NASA-CP-2327-PT-2] p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243 A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 1 [NASA-CP-3031-PT-1] p 15 N89-25146 Recent Advances in Multidisciplinary Analysis and	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024  OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407  Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237  BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243  The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] p 64 N89-24815  CORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348 Validation of a computer code for analysis of subsonic	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478] p 62 N87-25531 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2
Optimization, part 2 [NASA-CP-2327-PT-2] p. 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p. 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p. 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p. 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p. 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p. 63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p. 41 N89-21243 A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p. 63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 1 [NASA-CP-3031-PT-1] p. 15 N89-25146	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple Ininged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2887] p 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2915] p 41 N89-21243 The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] p 64 N89-24815 CORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348 Validation of a computer code for analysis of subsonic aerodynamic performance of wings with flaps in	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 41 N87-18821 Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation (NASA-CP-2478) p 62 N87-25531 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942 Comparison of predicted and measured temperatures
Optimization, part 2 [NASA-CP-2327-PT-2] p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243 A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] p 15 N89-25174 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] p 15 N89-25173 Recent Advances in Multidisciplinary Analysis and	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024  OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407  Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237  BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243  The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] p 64 N89-24815  CORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348 Validation of a computer code for analysis of subsonic	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-CP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 41 N87-18821 Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478] p 62 N87-25531 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942 Comparison of predicted and measured temperatures of UH-60A helicopter transmission
Optimization, part 2 {NASA-CP-2327-PT-2} p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium {NASA-CP-2481} p 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-TP-2907] p 63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243 A knowfedge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 1 [NASA-CP-3031-PT-1] Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] Recent Advances in Multidisciplinary Analysis and Optimization, part 3	Third Conference on Artificial Intelligence for Space Applications, part 2  [NASA-CP-2492-PT-2] p 63 N88-24188  Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings  [NASA-TP-2828] p 8 N89-10024  OEXP Analysis Tools Workshop  [NASA-CP-10013] p 63 N89-11407  Analysis of positron lifetime spectra in polymers  [NASA-TP-2853] p 63 N89-12237  BRYNTRN: A baryon transport model  [NASA-TP-2887] p 80 N89-17562  Integrated tools for control-system analysis  [NASA-TP-2885] p 20 N89-19309  Comparison study of gear dynamic computer programs at NASA Lewis Research Center  [NASA-TP-2911] p 41 N89-21243  The Fault Tree Compiler (FTC): Program and mathematics  [NASA-TP-2915] p 64 N89-24815  CORTRAN program for x ray photoelectron spectroscopy data reformatting  [NASA-TP-2957] p 69 N90-12348  Validation of a computer code for analysis of subsonic aerodynamic performance of wings with flaps in combination with a canard or horizontal tail and an application to optimization  [NASA-TP-2961] p 11 N90-14187	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation (NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation (NASA-CP-2478] p 62 N87-26531 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942 Comparison of predicted and measured temperatures of UH-60A helicopter transmission [NASA-TP-2911] p 1 N89-24607
Optimization, part 2 [NASA-CP-2327-PT-2] p. 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p. 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p. 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-CP-2807] p. 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p. 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p. 63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p. 41 N89-21243 A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p. 63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-1] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p. 15 N89-25101	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2887] p 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2887] p 20 N89-19309 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243 The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] p 64 N89-24815 CORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348 Validation of a computer code for analysis of subsonic aerodynamic performance of wings with flaps in combination with a canard or horizontal tail and an application to optimization [NASA-TP-2961] p 11 N90-14187 Surface flow and heating distributions on a cylinder in	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 41 N87-18821 Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation (NASA-CP-2478) p 62 N87-26531 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942 Comparison of predicted and measured temperatures of UH-60A helicopter transmission [NASA-TP-2911] p 41 N89-24607 Computational Methods for Structural Mechanics and
Optimization, part 2 {NASA-CP-2327-PT-2} p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium {NASA-CP-2481} p 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-TP-2907] p 63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243 A knowfedge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 1 [NASA-CP-3031-PT-1] Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] Recent Advances in Multidisciplinary Analysis and Optimization, part 3	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243 The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] p 64 N89-24815 CORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348 Validation of a computer code for analysis of subsonic aerodynamic performance of wings with flaps in combination with a canard or horizontal tail and an application to optimization [NASA-TP-2961] p 11 N90-14187 Surface flow and heating distributions on a cylinder in near wake of Aeroassist Flight Experiment (AFE)	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation (NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation (NASA-CP-2478] p 62 N87-26531 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942 Comparison of predicted and measured temperatures of UH-60A helicopter transmission [NASA-TP-2911] p 1 N89-24607
Optimization, part 2 [NASA-CP-2327-PT-2] p. 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p. 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p. 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-CP-2807] p. 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p. 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p. 63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p. 41 N89-21243 A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p. 63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 1 [NASA-CP-3031-PT-1] p. 15 N89-25146 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p. 15 N89-25201 NASA Workshop on Computational Structural Mechanics 1987, part 2 [NASA-CP-10012-PT-2] p. 46 N89-29789	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024  OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407  Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237  BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2911] p 41 N89-21243  The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] p 64 N89-24815  CORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348 Validation of a computer code for analysis of subsonic aerodynamic performance of wings with flaps in combination with a canard or horizontal tail and an application to optimization [NASA-TP-2961] p 11 N90-14187  Surface flow and heating distributions on a cylinder in near wake of Aeroassist Flight Experiment (AFE) configuration at incidence in Mach 10 Air	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 41 N87-18821 Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 Transonic Symposium: Theory. Application, and Experiment, volume 1, part 2 [NASA-CP-3009] p 9 N89-20942 Comparison of predicted and measured temperatures of UH-60A helicopter transmission [NASA-TP-2911] p 4 N89-24607 Computational Methods for Structural Mechanics and Dynamics, part 1 [NASA-CP-3034-PT-1] p 46 N89-24638 Computational Methods for Structural Mechanics and
Optimization, part 2 [NASA-CP-2327-PT-2] p.13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p.43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p.61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p.32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p.41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p.63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p.41 N89-21243 A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p.63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 1 [NASA-CP-3031-PT-1] p.15 N89-25146 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] p.15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] p.15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p.15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p.15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p.15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p.15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p.15 N89-25201 NASA Workshop on Computational Structural Mechanics 1987, part 2 [NASA-CP-3031-PT-2] p.46 N89-29789 Spent-beam refocusing analysis and multistage	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple Ininged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024  OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407  Analysis of positron lifetime spectra in polymers [NASA-TP-2887] p 63 N89-12237  BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  Integrated tools for control-system analysis [NASA-TP-2887] p 20 N89-19309  Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2911] p 41 N89-21243  The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] p 64 N89-24815  CORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348  Validation of a computer code for analysis of subsonic aerodynamic performance of wings with flaps in combination with a canard or horizontal tail and an application to optimization [NASA-TP-2961] p 11 N90-14187  Surface flow and heating distributions on a cylinder in near wake of Aeroassist Flight Experiment (AFE) configuration at incidence in Mach 10 Air	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478] p 62 N87-26531 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942 Comparison of predicted and measured temperatures of UH-60A helicopter transmission [NASA-TP-2911] p 41 N89-24607 Computational Methods for Structural Mechanics and Dynamics
Optimization, part 2 {NASA-CP-2327-PT-2} p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium {NASA-CP-2481} p 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 63 N88-29351 Comparison study of gear dynamic computer programs at NASA-Lewis Research Center [NASA-TP-2901] p 41 N89-21243 A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 1 [NASA-CP-3031-PT-1] p 15 N89-25146 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] p 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p 15 N89-25201 NASA Workshop on Computational Structural Mechanics 1987, part 2 [NASA-CP-10012-PT-2] p 46 N89-29789 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024  OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407  Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237  BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2911] p 41 N89-21243  The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] p 64 N89-24815  CORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348 Validation of a computer code for analysis of subsonic aerodynamic performance of wings with flaps in combination with a canard or horizontal tail and an application to optimization [NASA-TP-2961] p 11 N90-14187  Surface flow and heating distributions on a cylinder in near wake of Aeroassist Flight Experiment (AFE) configuration at incidence in Mach 10 Air	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-CP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation (NASA-CP-2478] p 62 N87-25931 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942 Comparison of predicted and measured temperatures of UH-60A helicopter transmission [NASA-TP-2911] p 41 N89-24607 Computational Methods for Structural Mechanics and Dynamics [NASA-CP-3034-PT-2] p 46 N89-24638 Computational Methods for Structural Mechanics and Dynamics [NASA-CP-3034-PT-2] p 46 N89-24654
Optimization, part 2 [NASA-CP-2327-PT-2] p. 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p. 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p. 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-CP-2807] p. 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p. 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p. 63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p. 41 N89-21243 A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p. 63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 1 [NASA-CP-3031-PT-1] p. 15 N89-25146 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p. 15 N89-25201 NASA Workshop on Computational Structural Mechanics 1987, part 2 [NASA-CP-10012-PT-2] p. 46 N89-29789 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W. 59- to 64-GHz coupled-cavity traveling-wave tube	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188  Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024  OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407  Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237  BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243  The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] p 64 N89-24815  CORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348  Validation of a computer code for analysis of subsonic aerodynamic performance of wings with flaps in combination with a canard or horizontal tail and an application to optimization [NASA-TP-2961] p 11 N90-14187  Surface flow and heating distributions on a cylinder in near wake of Aeroassist Flight Experiment (AFE) configuration at incidence in Mach 10 Air [NASA-TP-2961] p 38 N90-14493  Software Reuse Issues	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 41 N87-18821 Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation of Artificial Intelligence [NASA-CP-3030] p 64 N88-30330 Transonic Symposium: Theory. Applications of Artificial Intelligence [NASA-CP-3030] p 64 N88-30330 Transonic Symposium: Theory. Application, and Experiment, volume 1, part 2 [NASA-CP-3034-PT-1] p 9 N89-20942 Comparison of predicted and measured temperatures of UH-60A helicopter transmission [NASA-TP-2911] p 9 N89-20942 Computational Methods for Structural Mechanics and Dynamics, part 1 [NASA-CP-3034-PT-1] p 46 N89-24638 Computational Methods for Structural Mechanics and Dynamics [NASA-CP-3034-PT-2] p 46 N89-24638 Interactions of Tollmien-Schlichting waves and Dean
Optimization, part 2 {NASA-CP-2327-PT-2} p 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium {NASA-CP-2481} p 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 63 N88-29351 Comparison study of gear dynamic computer programs at NASA-Lewis Research Center [NASA-TP-2901] p 41 N89-21243 A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 1 [NASA-CP-3031-PT-1] p 15 N89-25146 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] p 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p 15 N89-25201 NASA Workshop on Computational Structural Mechanics 1987, part 2 [NASA-CP-10012-PT-2] p 46 N89-29789 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2887] p 90 N89-19309 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243 The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] p 64 N89-24815 CORTRAN program for x ray photoelectron spectroscopy data reformating [NASA-TP-2957] p 69 N90-12348 Validation of a computer code for analysis of subsonic aerodynamic performance of wings with flaps in combination with a canard or horizontal tail and an application to optimization [NASA-TP-2961] p 11 N90-14187 Surface flow and heating distributions on a cylinder in near wake of Aeroassist Flight Experiment (AFE) configuration at incidence in Mach 10 Air [NASA-TP-2957] p 63 N90-14493 Software Reuse Issues [NASA-CP-3057] p 63 N90-14789 Rotor induced-inflow-ratio measurements and CAMRAD calculations	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-CP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation (NASA-CP-2478] p 62 N87-25931 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942 Comparison of predicted and measured temperatures of UH-60A helicopter transmission [NASA-TP-2911] p 41 N89-24607 Computational Methods for Structural Mechanics and Dynamics [NASA-CP-3034-PT-2] p 46 N89-24638 Computational Methods for Structural Mechanics and Dynamics [NASA-CP-3034-PT-2] p 46 N89-24654
Optimization, part 2 [NASA-CP-2927-PT-2] p. 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p. 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p. 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-CP-2491] p. 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2807] p. 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p. 63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p. 41 N89-21243 A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p. 63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 1 [NASA-CP-3031-PT-1] p. 15 N89-25146 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p. 15 N89-25201 NASA Workshop on Computational Structural Mechanics 1987, part 2 [NASA-CP-10012-PT-2] p. 46 N89-29789 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] COMPUTER AIDED MANUFACTURING A generalized method for automatic downhand and	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243 The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] p 64 N89-24815 CORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348 Validation of a computer code for analysis of subsonic aerodynamic performance of wings with flaps in combination with a canard or horizontal tail and an application to optimization [NASA-TP-2961] p 11 N90-14187 Surface flow and heating distributions on a cylinder in near wake of Aeroassist Flight Experiment (AFE) configuration at incidence in Mach 10 Air [NASA-TP-2954] p 38 N90-14493 Software Reuse Issues [NASA-TP-2946] p 11 N90-15882	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 41 N87-18821 Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation of Artificial Intelligence [NASA-CP-2478] p 62 N87-26531 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 Transonic Symposium: Theory. Application, and Experiment, volume 1, part 2 [NASA-CP-3030-VOL-1-PT-2] p 9 N89-20942 Comparison of predicted and measured temperatures of UH-60A helicopter transmission [NASA-TP-2911] p 46 N89-24638 Computational Methods for Structural Mechanics and Dynamics, part 1 [NASA-CP-3034-PT-1] p 46 N89-24638 Computational Methods for Structural Mechanics and Dynamics [NASA-CP-3034-PT-2] p 46 N89-24638 Computational Methods for Structural Simulation and a weakly nonlinear theory [NASA-TP-2919] p 10 N89-25118
Optimization, part 2 [NASA-CP-2327-PT-2] p.13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p.43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p.61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-CP-2491] p.32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic furbopump bearings [NASA-TP-2807] p.41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p.63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p.41 N89-21243 A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p.63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 1 [NASA-CP-3031-PT-1] p.15 N89-25146 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] p.15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p.15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p.15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization. part 3 [NASA-CP-3031-PT-2] p.15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization. part 3 [NASA-CP-3031-PT-2] p.15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization. part 3 [NASA-CP-3031-PT-2] p.15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization. part 3 [NASA-CP-3031-PT-3] p.15 N89-25201 NASA Workshop on Computational Structural Mechanics 1987, part 2 [NASA-CP-3039] p.35 N90-27965 COMPUTER AIDED MANUFACTURING A generalized method for automatic downhand and wirefeed control of a welding robot and positioner	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024  OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407  Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237  BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-291] p 41 N89-21243  The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] p 64 N89-24815  CORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348  Validation of a computer code for analysis of subsonic aerodynamic performance of wings with flaps in combination with a canard or horizontal tail and an application to optimization [NASA-TP-2961] p 11 N90-14187  Surface flow and heating distributions on a cylinder in near wake of Aeroassist Flight Experiment (AFE) configuration at incidence in Mach 10 Air [NASA-TP-2954] p 38 N90-14493  Software Reuse Issues [NASA-CP-3057] p 63 N90-14789  Rotor induced-inflow-ratio measurements and CAMRAD calculations [NASA-TP-2966] p 11 N90-15882  Experimental and theoretical aerodynamic	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 41 N87-18821 Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478] p 62 N87-25591 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942 Comparison of predicted and measured temperatures of UH-60A helicopter transmission [NASA-CP-3034-PT-1] p 46 N89-24638 Computational Methods for Structural Mechanics and Dynamics, part 1 [NASA-CP-3034-PT-2] p 46 N89-24638 Computational Methods for Structural simulation and a weakly nonlinear theory [NASA-TP-2919] p 10 N89-25118 Recent Advances in Multidisciplinary Analysis and
Optimization, part 2 [NASA-CP-2327-PT-2] p. 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p. 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p. 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p. 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p. 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p. 63 N88-29351 Comparison study of gear dynamic computer programs at NASA-Lewis Research Center [NASA-TP-2901] p. 41 N89-21243 A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p. 63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 1 [NASA-CP-3031-PT-1] p. 15 N89-25146 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p. 15 N89-25201 NASA Workshop on Computational Structural Mechanics 1987, part 2 [NASA-CP-3031-PT-2] p. 46 N89-29789 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-2807] p. 35 N90-27965  COMPUTER AIDED MANUFACTURING A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p. 32 N88-17869	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple Ininged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2887] p 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2887] p 20 N89-19309 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2911] p 41 N89-21243 The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] p 64 N89-24815 CORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348 Validation of a computer code for analysis of subsonic aerodynamic performance of wings with flaps in combination with a canard or horizontal tail and an application to optimization [NASA-TP-2954] p 11 N90-14187 Surface flow and heating distributions on a cylinder in near wake of Aeroassist Flight Experiment (AFE) configuration at incidence in Mach 10 Air [NASA-TP-2954] p 38 N90-14493 Software Reuse Issues [NASA-TP-2946] p 10 N90-15882 Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-CP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478] p 62 N87-25931 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942 Comparison of predicted and measured temperatures of UH-60A helicopter transmission [NASA-TP-2911] p 46 N89-24637 Computational Methods for Structural Mechanics and Dynamics, part 1 [NASA-CP-3034-PT-1] p 46 N89-24638 Computational Methods for Structural Mechanics and Dynamics [NASA-CP-3034-PT-2] p 46 N89-24638 Computational Methods for Structural Simulation and a weakly nonlinear theory [NASA-TP-2919] p 10 N89-25118 Recent Advances in Multidisciplinary Analysis and Optimization, part 3
Optimization, part 2 [NASA-CP-2927-PT-2] p. 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p. 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p. 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-CP-2491] p. 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2807] p. 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p. 63 N88-29351 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p. 41 N89-21243 A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p. 63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 1 [NASA-CP-3031-PT-1] p. 15 N89-25146 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p. 15 N89-25201 NASA Workshop on Computational Structural Mechanics 1987, part 2 [NASA-CP-10012-PT-2] p. 46 N89-29789 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p. 35 N90-27965 COMPUTER AIDED MANUFACTURING A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2607] p. 32 N88-17869	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2901] p 41 N89-21243 The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] p 64 N89-24815 CORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348 Validation of a computer code for analysis of subsonic aerodynamic performance of wings with flaps in combination with a canard or horizontal tail and an application to optimization [NASA-TP-2961] p 11 N90-14187 Surface flow and heating distributions on a cylinder in near wake of Aeroassist Flight Experiment (AFE) configuration at incidence in Mach 10 Air [NASA-TP-2954] p 38 N90-14493 Software Reuse Issues [NASA-TP-2946] p 11 N90-15882 Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-TP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 41 N87-18821 Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation of Artificial Intelligence [NASA-CP-2478] p 62 N87-26531 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 Transonic Symposium: Theory. Application, and Experiment, volume 1, part 2 [NASA-CP-3030-VOL-1-PT-2] p 9 N89-20942 Comparison of predicted and measured temperatures of UH-60A helicopter transmission [NASA-TP-2911] p 46 N89-24638 Computational Methods for Structural Mechanics and Dynamics, part 1 [NASA-CP-3034-PT-1] p 46 N89-24638 Computational Methods for Structural Mechanics and Dynamics [NASA-CP-3034-PT-2] p 46 N89-24638 Computational Methods for Structural Simulation and a weakly nonlinear theory [NASA-TP-2919] p 10 N89-25118 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201
Optimization, part 2 [NASA-CP-2327-PT-2] p. 13 N87-11750 Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p. 43 N87-27231 First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p. 61 N88-17206 A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p. 32 N88-17869 Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p. 41 N88-18933 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p. 63 N88-29351 Comparison study of gear dynamic computer programs at NASA-Lewis Research Center [NASA-TP-2901] p. 41 N89-21243 A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p. 63 N89-23181 Recent Advances in Multidisciplinary Analysis and Optimization, part 1 [NASA-CP-3031-PT-1] p. 15 N89-25146 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 2 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p. 15 N89-25173 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-2] p. 15 N89-25201 NASA Workshop on Computational Structural Mechanics 1987, part 2 [NASA-CP-3031-PT-2] p. 46 N89-29789 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-2807] p. 35 N90-27965  COMPUTER AIDED MANUFACTURING A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p. 32 N88-17869	Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple Ininged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 Analysis of positron lifetime spectra in polymers [NASA-TP-2887] p 63 N89-12237 BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 Integrated tools for control-system analysis [NASA-TP-2887] p 20 N89-19309 Comparison study of gear dynamic computer programs at NASA Lewis Research Center [NASA-TP-2911] p 41 N89-21243 The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] p 64 N89-24815 CORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348 Validation of a computer code for analysis of subsonic aerodynamic performance of wings with flaps in combination with a canard or horizontal tail and an application to optimization [NASA-TP-2954] p 11 N90-14187 Surface flow and heating distributions on a cylinder in near wake of Aeroassist Flight Experiment (AFE) configuration at incidence in Mach 10 Air [NASA-TP-2954] p 38 N90-14493 Software Reuse Issues [NASA-TP-2946] p 10 N90-15882 Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model	[NASA-CP-3007] p 63 N88-29351 Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3033] p 64 N89-26578 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204  COMPUTERIZED SIMULATION Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and implementation [NASA-CP-2418] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2458] p 4 N87-17669 Tether Dynamics Simulation [NASA-CP-2454] p 5 N87-25998 Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478] p 62 N87-25931 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942 Comparison of predicted and measured temperatures of UH-60A helicopter transmission [NASA-TP-2911] p 46 N89-24637 Computational Methods for Structural Mechanics and Dynamics, part 1 [NASA-CP-3034-PT-1] p 46 N89-24638 Computational Methods for Structural Mechanics and Dynamics [NASA-CP-3034-PT-2] p 46 N89-24638 Computational Methods for Structural Simulation and a weakly nonlinear theory [NASA-TP-2919] p 10 N89-25118 Recent Advances in Multidisciplinary Analysis and Optimization, part 3

DMPUTERS	
NASA Workshop on Compu	tational Structural
Mechanics 1987, part 2 NASA-CP-10012-PT-2	p 46 N89-29789
Delivery performance of conveiterminal-area, time-based air traffic	ntional aircraft by
simulation evaluation [NASA-TP-2978]	
A time-accurate adaptive grid metho	od and the numerical
simulation of a shock-vortex interaction [NASA-TP-2998]	on p 61 N90-21524
MPUTERS A technique for evaluating the applic	ation of the pin-level
stuck-at fault model to VLSI circuits [NASA-TP-2738]	p 42 N87-28025
DNCRETES	•
Evaluation of two transport aircraft test vehicle friction measurements of	obtained for various
runway surface types and conditions results from joint FAA/NASA Runwi	
[NASA-TP 2917] ONCURRENT PROCESSING	p 16 N90-15902
Computer Sciences and Data Syste [NASA-CP-2459-VOL-1]	ems, volume 1 p 62 N87-19931
ONDENSING	•
Finite-rate water condensation in wind tunnels	combustion heated
(NASA-TP-2833) ONES	p 22 N8R-28075
Hydroburst test of a carbon-carbon [NASA-TP-2556]	n involute exit cone p 24 N88-14112
ONFERENCES  Doppler Radar Detection of Wind S	·
[NASA-CP-2435]	p 12 N87-10054
Thirteenth International Laser Rada [NASA-CP-2431]	p 39 N87-10263
The 1985 Goddard Space Flig Workshop	th Center Battery
[NASA-CP-2434] Turbine Engine Hot Section Technic	p 34 N87-11072
[NASA-CP-2339]	p 43 N87-11180
Recent Experiences in Multidiscip Optimization, part 1	
NASA-CP-2327-PT-11 NASA/DOD Control/Structures Inte	p 13 N87 11717 eraction Technology,
1986 (NASA-CP-2447-PT-1)	p 24 N87-16014
The 20th Aerospace Mechanics Sy [NASA-CP-2423-REV]	mposium p 43 N87-16321
	spheric Chemistry
[NASA-CP-2450]	p 51 N87-18248
Research, 1983	Air Transportation
[NASA-CP-2451] Energetic Phenomena on the Sun:	p 1 N87-18520 The Solar Maximum
Mission Flare Workshop Proceedings [NASA-CP-2439]	p 79 N87-19328
Computer Sciences and Data Syste [NASA-CP-2459-VOL-1]	
Computer Sciences and Data Syste [NASA-CP-2459-VOL-2]	ems, volume 2
The 1986 Get Away Speci	
Symposium (NASA-CP-2438)	p 22 N87-20302
Coronal and Prominence Plasmas [NASA-CP-2442]	p 79 N87-20871
Microgravity Fluid Management Syl {NASA-CP-2465}	mposium p 32 N87-21141
Rapid Fluctuations in Solar Flares [NASA-CP-2449]	p 79 N87-21785
Atmospheric Turbulence Relative	
and Space Programs  NASA-CP-2468	p 55 N87-22341
Structural Dynamics and Control In Structures	teraction of Flexible
[NASA-CP-2467-PT-2] Structural Integrity and Durability	p 23 N87-22729 of Reusable Space
Propulsion Systems [NASA-CP-2471]	p 26 N67-22766
Sixth Annual Users' Conference	
Applications Executive (TAE) [NASA-CP-2463]	p 62 N87-23156
Double Layers in Astrophysics [NASA-CP-2469]	p 72 N87-23313
Essays in Space Science [NASA-CP-2464]	p 72 N87-24247
Star Formation in Galaxies [NASA-CP-2466]	p 73 N87-24266
Supercomputing in Aerospace	p 5 N87-25998
[NASA-CP-2454] Space Photovoltaic Research and	Technology 1986.
High Efficiency, Space Environi Technology	
[NASA-CP-2475] Fifteenth NASTRAN (R) Users' Col	p 50 N87-26413 Hogulum
[NASA-CP-2481]	p 43 N87-27231

Joint Univ	ersity	Program	tor A	Air Tra	insportation
Research, 198 JNASA-CP-24	85	riogram	, ,		N87-27596
NASA scier		d techni	cal oubl		
of Special					
Conference	Publica			echnica	
1977-1986					
NASA-SP-70				p 70	N87-30218
Spacecraft					
IN ASA-CP-24				p 25	N88-10084
Fourteenth	Space :	Simulatio	n Confe	erence	Testing for
a Permanent I I NASA-CP-24		e in Spa	Ce	- 05	NOO 40000
Space Cons				p 25	N88-10829
NASA-CP-24				0.25	N88-10870
		rd Spar	re Flui	•	
Workshop	00000	по ора		n ocn	iei Dallery
NASA-CP-24	86)			p 35	N88-11021
Turbine Eng	jine Hot	Section	Techno	logy, 19	85
NASA-CP-24				p 43	N88-11140
Spacecraft		ety			
INASA-CP-24				p 24	N88-12520
The 58th S			tion Syr		
NASA-CP-24					N88-13609
Scientific a Data	ana Up	erationa	ii Hequii	rements	or IOMS
NASA-CP-24	971			p 47	N88-13774
Langley Syr		n on Aer	odvnami		
INASA CH-23	971		.,	p 1	N88-14926
Wind she		tection	Forwar	d-lool	g sensor
technology					
INASA-CP-10		_		p 12	N88-14970
Aeropropuls		Sessio	n 4 Ins	trumer	itation and
Controls Rese I NASA-CP-10		SS.41		p 18	N88-15794
Aeropropu			on 5 S		
Technology				3030,110	· · · · · · · · · · · · · · · · · · ·
INASA-CP-10	003-SE	SS-5)		p 18	N88-15800
Aeropropula	ion '87.	Session	16 Hig!	n-Speed	I Propulsion
Technology	0-				
INASA-CP-10			T	p 18	N88-15807
Cryogenic I Volume 1 Pre					
INASA-CP-10		m mater	ar ario (	p 37	N88-15924
Third Conf		on Artifi	icial Inte		
Applications, j					
INASA-CP-24			_		N88-16360
NASA/Arm		orcr .	Technol	ogy.	Volume 1:
Aerodynamics NASA-CP-24			and Aei		
NASA/Arm			nology	p 1 Volume	N88-16625
and Structure					
Dynamics and				,	
NASA-CP-24				p 1	N88-16632
Space Biore		icience V	Vorksho		
INASA-CP 24					N88-17168
First Annual and Robotics			pace Ope	erations	Automation
NASA-CP-24		0,,		p 61	N88-17206
Airborne v/		ar Detec	tion and		
First Combin					
Conference					
INASA-CP-10					N88-17616
The 58th S NASA-CP-24			tion Syr		
Cryogenic			ent Tect	ากอไอสพ	N88-18948 Workshop
		able D			Technology
Requirements					,
INASA-CP-10					N88-20599
Sixteenth N		N (A) Us	ers' Col		
INASA-CP-25				p 44	N88-20652
CARE 3 Us INASA-CP-10		rksnop		0.61	N88-21646
Lewis Struct		chnology	. 1988 \		
Integrity Fatig					
NASA-CP-30					N88-22408
NASA sciel					
of Special	Public	ations.	Refere	nce F	ublications.
Conference i		ons, an	u rechi		
NASA-SP-70 Lewis Struct		chooloo	, ;988 ·		N88-22830 1 Structural
Dynamics			,,		
(NASA-CP-30	03-VOL	-1]		p 44	N88-23226
Laminar Flo	W AIRCE		cation		
INASA-CP-24				p 8	N88-23737
Structural C		3		- 0-	NOO 00077
NASA-CP-24		rature 44	D25:1/0-		N88-23872
Noncontact NASA-CP-25		·aiure M	vasure⊓		N88-23895
Space Star		man Fa	ctors A		
Volume 1: EV					
(NASA-CP-24					N88-24145

Third Conference on Artificial Intelligence for Space

p 63 N88-24188

Applications, part 2 (NASA-CP-2492-PT-21

```
A Study of Space Station Contamination Effects ---
conference
INASA-CP-30021
                                    p 72 N88-25390
  Integrated Technology Rotor Methodology Assessment
 Workshop
|NASA-CP-10007|
                                     p 2 N88-27148
  The 1988 Goddard Conference on Space Applications
 of Artificial Intelligence
                                    p 64 N88-30330
INASA-CP-3009 I
  The 1987 Ground Vortex Workshop
  NASA-CP-10008| p 9 N89-10849
The 1988 Get Away Special Experimenter's
[NASA-CP-10008]
Symposium
[NASA-CP-3008]
  Mixing and Demixing Processes in Multiphase Flows
With Application to Propulsion Systems
[NASA-CP-3006]
                                   p 37 N89-11153
  Technology for Future NASA Missions Civil Space
Technology Initiative (CSTI) and Pathfinder
                                   p 22 N89-11760
[NASA-CP-3016]
Fifteenth Space Simulation Conference Support the 
Highway to Space Through Testing
[NASA-CP-3015]
                                    p 25 N89-12582
  Advanced Earth-to-Orbit Propulsion Technology 1986.
 volume 2
[NASA-CP-2437-VOL-2]
                                    p 27 N89-12626
  Turbine Engine Hot Section Technology 1986
                                    p 45 N89-12876
[NASA-CP-2444]
  Second Workshop on Improvements to Photometry
INASA-CP-10015)
                                    p 74 N89-13310
  Thermal Barrier Coatings. Abstracts and figures
                                    p 31 N89-13642
| NASA-CP-100191
  Report of the 1st Planning Workshop for CELSS Flight
Experimentation
                                    p 60 N89-13898
INASA-CP-100201
  Polar Ozone Workshop. Abstracts
[NASA-CP-10014]
                                    p 51 N89-14503
  Experiments in Planetary and Related Sciences and the
 Space Station
[NASA-CP-2494]
                                    p 72 N89-14998
  Turbine Engine Hot Section Technology, 1987
NASA-CP-2493] p 45 N89-17298
[NASA-CP-2493]
  Microgravity Combustion Diagnostics Workshop
                                    p 32 N89-17682
Proceedings of a conference on Cardiovascular
Bioinstrumentation
INASA-CP-100221
                                    p 59 N89-17997
  Proceedings of the Polar Processes on Mars
Workshop
[NASA-CP-10021]
                                    p 78 N89-18373
  Transonic Symposium. Theory, Application, and
Experiment, Volume 1, Part 1
[NASA-CP-3020-VOL-1-PT-1]
                                     p.9 N89-20925
  Proceedings of the Scientific Data Compression
Workshop
INASA-CP-30251
                                    p 63 N89-22332
  Rotordynamic Instability Problems in High-Performance
Turbomachinery, 1988
[NASA-CP-3026]
                                    p 41 N89-22891
  Seventeenth NASTRAN (R) Users' Colloquium
                                   p 45 N89-22940
INASA-CP-30291
  Space Electrochemical Research and Technology
Conference: Abstracts
[NASA-CP-10029]
                                    p 50 N89-22982
  NASA/SDIO Space Environmental Effects on Materials
Workshop, part 1
[NASA-CP-3035-PT-1]
                                    n 27 N89-23528
  The 23rd Aerospace Mechanisms Symposium
  NASA-CP-3032] p 46 N89-23892
Research in structures, structural dynamics and
[NASA-CP-3032]
 materials, 1989
(NASA-CP-10024)
                                    p 46 N89-24626
  Computational Methods for Structural Mechanics and
INASA-CP-3034-PT-11
                                    n.46 NR9-24638
  Computational Methods for Structural Mechanics and
INASA-CP-3034-PT-21
                                    p 46 N89-24654
Space Photovoltaic Research and Technology, 1988
High Ethic Incy, Space Environment, and Array
Technology
[NASA-CP-30]
  Recent Advinces in Multidisciplinary Analysis and
Optimization, part 1
INASA-CP-30_ PT-11
  Recent Advar in Multidisciplinary Analysis and
Optimization, part
NASA-CP-3031-PT-.
                                    p 15 N89-25173
  Recint Advances in
                          asciplinary Analysis and
Optimization, part 3
NASA-CP-3031-PT-31
                                    p 15 N89-25201
Exobiology and Future Mars Missions [NASA-CP-10027]
                                    p 59 N89-26334
  The 1989 Goddard Conference on Space Applications
of Artificial Intelligence
INASA-CP-30331
                                    p 64 N89-26578
```

SUBJECT INDEX		CONVERGENT NOZZLES
NASA Workshop on Computational Structural	Fifth Conference on Artificial Intelligence for Space	Control surface spanwise placement in active flutter
Mechanics 1987, part 1	Applications	suppression systems
[NASA-CP-10012-PT-1] p 46 N89-29773 NASA Workshop on Computational Structural	[NASA-CP-3073] p 63 N90-27275 Carbon in the Galaxy Studies from Earth and Space	[NASA-TP-2873] p 45 N89-16196
Mechanics 1987, part 2	[NASA-CP-3061] p 73 N90-27562	Effect of control surface mass unbalance on the stability of a closed-loop active control system
[NASA-CP-10012-PT-2] p 46 N89-29789	AMSAHTS 1990: Advances in Materials Science and	[NASA-TP-2952] p 47 N90-12042
NASA Workshop on Computational Structural	Applications of High Temperature Superconductors {NASA-CP-10043} p 29 N90-27792	CONTROL SYSTEMS DESIGN
Mechanics 1987, part 3 [NASA-CP-10012-PT-3] p 46 N89-29799	FIRE Science Results 1989	Piloted simulator study of allowable time delays in
Second Beamed Space-Power Workshop	[NASA-CP-3079] p 58 N90-28224	large-airplane response [NASA-TP-2652] p 19 N87-16849
[NASA-CP 3037] p 27 N90-10140	Advanced Earth-to-Orbit Propulsion Technology 1988,	Structural Dynamics and Control Interaction of Flexible
A lunar far-side very low frequency array	volume 1 [NASA-CP-3012-VOL-1] p 27 N90-28611	Structures
[NASA-CP-3039] p 75 N90-10805	The SFC/UAH Data Management Symposium	[NASA-CP-2467-PT-1] p 23 N87-22702
Two-Dimensional Intercomparison of Stratospheric Models	[NASA-CP-2040] p 62 N78-74659	Modeling digital control systems with MA-prefiltered measurements
[NASA-CP-3042] p 53 N90-11405	Flight Mechanics/Estimation Theory Symposium [NASA-CP-2002] p 22 N78-76855	[NASA-TP-2732] p 32 N87-22870
Research in Natural Laminar Flow and Laminar-Flow	CONFIDENCE LIMITS	NASA/DOD Control/Structures Interaction Technology,
Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503	Development of confidence limits by pivotal functions	1986  NASA-CP-2447-PT-2  p 25 N87-24495
[NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow	for estimating software reliability NASA-TP-2709  p 65 N87-23244	A new approach to state estimation in deterministic
Control, part 2	CONGRESSIONAL REPORTS	digital control systems
[NASA-CP-2487-PT-2] p 10 N90-12519	Present state of knowledge of the upper atmosphere	[NASA-TP-2745] p 32 N87-24585
Research in Natural Laminar Flow and Laminar-Flow	1990: An assessment report [NASA-RP-1242] p 54 N90-28929	Aeropropulsion '87. Session 2: Aeropropulsion Structures Research
Control, part 3 [NASA-CP-2487-PT 3] p 10 N90-12539	CONICAL BODIES	[NASA-CP-10003-SESS-2] p 18 N88-15785
Flight deck automation. Promises and realities	Discrete-vortex model for the symmetric-vortex flow on	Aeropropulsion '87. Session 4. Instrumentation and
[NASA-CP-10036] p 17 N90-13384	cones [NASA-TP-2989] p 11 N90-20946	Controls Research
Flight Mechanics/Estimation Theory Symposium, 1989 [NASA-CP-3050] p 23 N90-13413	CONICAL CAMBER	[NASA-CP-10003-SESS-4] p i.8 N88-15794 Further developments in exact state reconstruction in
Cells in Space	Study of lee-side flows over conically cambered delta	deterministic digital control systems
[NASA-CP-10034] p 61 N90-13939	INASA TRISECO PT 11	[NASA-TP-2812] p 32 N88-18751
Software Reuse Issues [NASA-CP-3057] p 63 N90-14789	[NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta	More on exact state reconstruction in deterministic digital control systems
Visual Information Processing for Television and	wings at supersonic speeds, part 2	[NASA-TP-2847] p 33 N88-28177
Telerobotics	[NASA-TP-2660-PT-2] p 5 N87-25301	integrated tools for control-system analysis
[NASA-CP-3053] p 40 N90-16204 CAST-10-2/DOA 2 Airfoil Studies Workshop Results	CONSERVATION EQUATIONS  Conservation equations and physical models for	[NASA-TP-2885] p 20 N89-19309
[NASA-CP-3052] p 22 N90-17647	hypersonic air flows in thermal and chemical	Development and flight test experiences with a flight-crucial digital control system
Solar-Terrestrial Science Strategy Workshop	nonequilibrium	[NASA-TP-2857] p 20 N89-24327
[NASA-CP-3048] p **3 N90-18329	[NASA-TP-2867] p 38 N89-16115 CONSOLIDATION	Further developments in modeling digital control
Earth Science Geostationary Platform 1 Johnology [NASA-CP-3040] p 24 N90-19249	Effects of combining vertical and horizontal information	systems with MA-prefiltered measurements [NASA-TP-2909] p 33 N89-24507
Space Electrochemical Research and Technology	into a primary flight display	Research in structures, structural dynamics and
(SERT), 1989	[NASA-TP-2783] p 17 N88-12487 CONSTITUTIVE EQUATIONS	materials, 1989
[NASA-CP-3056] p 50 N90-20454 Graphics hnology in Space Applications (GTSA	Nonlinear Constitutive Relations for High Temperature	[NASA-CP-10024] p 46 N69-24626 A new state reconstructor for digital controls systems
1989)	Applications, 1986	using weighted-average measurements
[NASA-CP-3045] p 62 N90-20651	[NASA-CP-10010] p 44 N88-21498 Constitutive Relationships and Models in Continuum	[NASA-TP-2936] p 33 N89-27039
Joint University Program for Air Transportation Research, 1988-1989	Theories of Multiphase Flows conferences	Joint University Program for Air Transportation Research, 1988-1989
[NASA-CP-3063] p 2 N90-20921	[NASA-CP-3047] p 38 N90-10385	[NASA-CP-3063] p.2 N90-20921
NASA/DOD Controls-utructures Interaction Technology	CONTACT LOADS	NASA/DOD Controls-Structures Interaction Technology
1989 [NASA-CP-3041] p 26 N90-21062	Mixed formulation for frictionless contact problems [NASA-TP-2897] p 45 N89-19580	1989  NASA-CP-3041  p 26 N90-21062
Free-Space Power Transmission	CONTAMINANTS	A general-purpose balloon-borne pointing system for
[NASA-CP-10016] p 27 N90-21795	A Study of Space Station Contamination Effects conference	solar scientific instruments
The 24th Aerospace Mechanisms Symposium [NASA-CF-3062] p 47 N90-22079	[NASA-CP-3002] p 72 N88-25390	[NASA-TP-3013] p 33 N90-21219 CONTROL THEORY
The 1990 Goddard Conference on Space Applications	An Auger electron spectroscopy study of	Joint University Program for Air Transportation
of / tificial Intelligence INASA-CP-30681 p.64 N90-22294	surface-preparation contaminants [NASA-TP-2972] p 33 N90-16968	Research, 1984 INASA-CP-24521 p. 1 N87-22604
Spatial Displays and Spatial Instruments	CONTINUOUS RADIATION	Joint University Program for Air Transportation
[NASA-CP-10032] p 61 N90-22918	Performance of a small, graphite electrode, multistage	Research, 1987
The Energetic Ginma-Ray Experiment Telescope	Jepressed collector with a 500-W, continuous wave, 4 8- to 9.6-GHz traveling wave tube	[NASA-CP-3028] p 2 N89-19230
(EGRET) Science Symposium [NASA-CP-3071] p 77 N90-23294	(NASA-TP-2788) p 35 N88 -5146	Recent Advances in Multidisciplinary Analysis and Optimization, part 3
National Educators' Workshop: Update 1989 Standard	Design, fabrication, and performance of brazed, graphite	[NASA-CP-3031-PT-3] p 15 N89-25201
Experiments in Engineering Materials Science and	electrode, multistage depressed collectors with 500-W, continuous wave, 4.8- to 9.6-GHz traveling-wave tubes	Joint University Program for Air Transportation
Technology [NASA-CP-3074] p 28 N90-24350	[NASA-TP-2904] p 35 N89-21171	Research, 1988-1989 [NASA-CP-3063] p.2 N90-20921
Low-Temperature CO-Oxidation Catalysts for Long-Life	CONTINUUM MECHANICS	CONTROLLABILITY
CO2 Lasers	Constitutive Relationships and Models in Continuum	Piloted-simulation study of effects of vortex flaps on
(NASA-CP-3076) p 40 N90-24586 Eighteenth NASTRAN (R) Users' Colloquium	Theories of Multiphase Flows conferences [NASA-CP-3047] p 38 N90-10385	low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922
[NASA-CP-3069] p 47 N90-24637	CONTINUUM MODELING	NASA/Army Rotorcraft Technology Volume 2 Materials
FAA/NASA En Route Noise Symposium	Continuum modeling of large lattice structures: Status and projections	and Structures, Propulsion and Drive Systems, Flight
[NASA-CP-3067] p 67 N90-24853 Geoscience and a Lunar Base: A Comprehensive Plan	INASA-TP-2767 p. 25 N88-14115	Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p.1 N88-16632
for Lunar Exploration	CONTOURS	CONTROLLERS
[NASA-CP-3070] p 78 N90-25030	Atlas of wide-field-of-view outgoing longwave radiation derived from Nimbus 6 Each radiation budget data set	Integrated tools for control-system analysis
Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989)	derived from Nimbus 6 Earth radiation budget data set.  July 1975 to June 1978	[NASA-TP-2885] p 20 N89-19309 CONVECTIVE FLOW
[NASA-CP-3059] p 62 N90-25503	[NASA-RP-1185] p 55 N87-26489	Preparative electrophoresis for space
Space Transportation Avionics Technology Symposium.	Spatial vision processes: From the optical image to the	[NASA-TP-2777] p 32 N88-10977
Volume 1. Executive summary [NASA-CP-3081-VOL-1] p 17 N90-25980	symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762	Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7
Proceedings of the LDEF Materials Data Analysis	CONTROL STABILITY	[NASA-TP-2778] p 32 N88-10978
Workshop	NASA/DOD Control/Structures Interaction Technology,	CONVECTIVE HEAT TRANSFER
[NASA-CP-10046] p.2.1 N90-26075	1986 [NASA-CP-2447-PT 2] p 25 N87-24495	A review of high-speed, convective, heat-fransfer computation methods
First International Conference on Laboratory Research for Planetary Atmospheres	CONTROL SURFACE 3	[NASA-TP-2914] p 38 N89-27116
[NASA-CP-3077] p 78 N90-26744	Steady and unsteady transonic pressure measurements	CONVERGENT NOZZLES
Earth Sciences Requirements for the Information	on a clipped delta wing for pitching and control-surface	Static performance of nonaxisymmetric nozzles with yaw
Sciences Experiment System [NASA-CP-3072] p 50 N90-27140	oscillations [NASA-TP-2594] p.8 N88-28895	thrust-vectoring vanes [NASA-TP-2813] p.8 N88-21118
, , , , , , , , , , , , , , , ,		p 2 100 cm

Static internal performance of a two-dimensional	
convergent-divergent nozzle with thrust vectoring	
[NASA-TP-2721] p 5 N87-24432	
Static performance of an axisymmetric nozzle with post-exit varies for multiaxis thrust vectoring	
[NASA-TP-2800] p 8 N88-20280	
Static performance of nonaxisymmetric nozzles with yaw	
thrust-vectoring vanes	
[NASA-TP-2813] p.8 N88-21118	
Static investigation of a two-dimensional convergent-divergent exhaust nozzle with multiaxis	
thrust-vectoring capability	
[NASA-TP-2973] p 11 N90-19193	
Internal performance of two nozzles utilizing gimbal	
concepts for thrust vectoring INASA-TP-2991I p. 11 N90-19200	
[NASA-TP-2991] p 11 N90-19200 COOL STARS	
The M-type stars	
[NASA-SP-492] p 75 N88-11592	
COPPER	
Traveling-wave-tube efficiency improvement by a	
low-cost technique for deposition of carbon on multistage depressed collector	
[NASA-TP-2719] p 35 N87-21239	
Thermoviscoplastic model with application to copper	
[NASA-TP-2845] p 45 N89-16183	
Tungsten fiber reinforced copper matrix composites. A review	
[NASA-TP-2924] p 29 N89-27796	
Secondary electron emission characteristics of	
molybdenum-masked, ion-textured OFHC copper	
[NASA-TP-2967] p 31 N90-15211	
COPPER ALLOYS	
Conventionally cast and forged copper alloy for high-heat-flux thrust chambers	
[NASA-TP-2694] p 30 N87-16902	
CORNER FLOW	
Effect of port corner geometry on the internal	
performance of a rotating-vane-type thrust reverser	
[NASA-TP-2624] p.3 N87-12541 Experimental evaluation of two turning vane designs for	
fan drive corner of 0.1-scale model of NASA Lewis	
fan drive corner of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel	
Research Center's proposed altitude wind tunnel [NASA-TP-2646] p 21 N87-18576	
Research Center's proposed altitude wind tunnel [NASA-TP-2646] p 21 N87-18576 Experimental evaluation of turning vane designs for	
Research Center's proposed altitude wind tunnel [NASA-TP-2646] p.21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale	
Research Center's proposed altitude wind tunnel [NASA-TP-2646] p. 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude	
Research Center's proposed altitude wind tunnel [NASA-TP-2646] p.21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale	
Research Center's proposed altitude wind tunnel [NASA-TP-2646] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 01-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686 CORROSION	
Research Center's proposed altitude wind tunnel [NASA-TP-2646] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0 1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686  CORROSION Structural Ceramics	
Research Center's proposed altitude wind tunnel [NASA-TP-2646] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686 CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872	
Research Center's proposed altitude wind tunnel [NASA-TP-2646] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0 1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686  CORROSION Structural Ceramics	
Research Center's proposed altitude wind tunnel [NASA-TP-2646] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686 CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740 CORROSION RESISTANCE	
Research Center's proposed altitude wind tunner [NASA-TP-2646] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunner [NASA-TP-2681] p 21 N88-17686  CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740  CORROSION RESISTANCE The corrosion mechanisms for primer coated 2219-787	
Research Center's proposed altitude wind tunnel [NASA-TP-2646] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 01-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686  CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740  CORROSION RESISTANCE The corrosion mechanisms for primer coated 2219-T87 aluminum	
Research Center's proposed altitude wind tunnel [NASA-TP-2661] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686 CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740 CORROSION RESISTANCE  The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715] p 30 N87-21076	
Research Center's proposed altitude wind tunnel [NASA-TP-2646] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 01-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686  CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740  CORROSION RESISTANCE The corrosion mechanisms for primer coated 2219-T87 aluminum	
Research Center's proposed altitude wind tunnel [NASA-TP-2646] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686 CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740 CORROSION RESISTANCE The corrosion mechanisms for primer coated 2219-787 altiumnum [NASA-TP-2715] p 30 N87-21076 COSMIC DUST Infrared Observations of Comets Halley and Wilson and Properties of the Grains	
Research Center's proposed altitude wind tunner [NASA-TP-2646] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 01-scale model of NASA-Lewis Research Center's proposed altitude wind tunner [NASA-TP-2681] p 21 N88-17686  CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740  CORROSION RESISTANCE The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715] p 30 N87-21076  COSMIC DUST Infrared Observations of Comets Halley and Wilson and Properties of the Grains [NASA-CP-3004] p 74 N89-13330	
Research Center's proposed altitude wind tunnel [NASA-TP-2646] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686  CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740  CORROSION RESISTANCE The corrosion rechanisms for primer coated 2219-787 aluminum [NASA-TP-2715] p 30 N87-21076  COSMIC DUST Infrared Observations of Comets Halley and Wilson and Properties of the Grams [NASA-CP-3004] p 74 N89-13330 Gas-Grain Simulation Facility Fundamental studies of	
Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686 CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740 CORROSION RESISTANCE The corrosion mechanisms for primer coated 2219-787 aluminum [NASA-TP-2715] p 30 N87-21076 COSMIC DUST Infrared Observations of Comets Halley and Wilson and Properties of the Grains [NASA-CP-3004] p 74 N89-13330 Gas-Grain Simulation Facility. Fundamental studies of particle formation and interactions Volume 1 Executive	
Research Center's proposed altitude wind tunnel [NASA-TP-2646] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686  CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740  CORROSION RESISTANCE The corrosion rechanisms for primer coated 2219-787 aluminum [NASA-TP-2715] p 30 N87-21076  COSMIC DUST Infrared Observations of Comets Halley and Wilson and Properties of the Grams [NASA-CP-3004] p 74 N89-13330 Gas-Grain Simulation Facility Fundamental studies of	
Research Center's proposed altitude wind tunnel [NASA-TP-2646] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686 CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740 CORROSION RESISTANCE The corrosion mechanisms for primer coated 2219-787 aluminum [NASA-TP-2715] p 30 N87-21076 CORNIC DUST Infrared Observations of Comets Halley and Wilson and Properties of the Grains [NASA-CP-3004] p 74 N89-13330 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 1 Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility Fundamental studies of	
Research Center's proposed altitude wind tunnel [NASA-TP-2661] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686  CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740  CORROSION RESISTANCE The corrosion mechanisms for primer coated 2219-787 aluminum [NASA-TP-2715] p 30 N87-21076  COSMIC DUST Infrared Observations of Comets Halley and Wilson and Properties of the Grains [NASA-CP-3004] p 74 N89-13330 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 1 Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 2 Abstracts.	
Research Center's proposed altitude wind tunnel [NASA-TP-2646] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 01-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686  CORROSION  Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740  CORROSION RESISTANCE  The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715] p 30 N87-21076  COSMIC DUST  Infrared Observations of Comets Halley and Wilson and Properties of the Grains [NASA-CP-3004] p 74 N89-13330  Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 1 Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022  Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 2 Abstracts. candidate experiments and leasibility study	
Research Center's proposed altitude wind tunnel [NASA-TP-2666] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686 CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740 CORROSION RESISTANCE The corrosion mechanisms for primer coated 2219-T87 alumnum [NASA-TP-2715] p 30 N87-21076 CORNIC DUST Infrared Observations of Comets Halley and Wilson and Properties of the Grains [NASA-CP-3004] p 74 N89-13330 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 1 Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 2 Abstracts. candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023	
Research Center's proposed altitude wind tunnel [NASA-TP-2666] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686 CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740 CORROSION RESISTANCE The corrosion mechanisms for primer coated 2219-787 aluminum [NASA-TP-2715] p 30 N87-21076 CORNIC DUST Infrared Observations of Comets Halley and Wilson and Properties of the Grains [NASA-CP-3004] p 74 N89-13330 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 1 Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24023 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 2 Abstracts. candidate experiments and teasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Planetary geosciences, 1988	
Research Center's proposed altitude wind tunnel [NASA-TP-2661] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686  CORROSION  Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740  CORROSION RESISTANCE  The corrosion mechanisms for primer coated 2219-787 aluminum [NASA-TP-2715] p 30 N87-21076  COSMIC DUST Infrared Observations of Comets Halley and Wilson and Properties of the Grains [NASA-CP-3004] p 74 N89-13330 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 1 Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 2 Abstracts. candidate experiments and teasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Planetary geosciences. 1988 [NASA-SP-498] p 48 N89-26274	
Research Center's proposed altitude wind tunnel [NASA-TP-2666] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686 CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740 CORROSION RESISTANCE The corrosion mechanisms for primer coated 2219-787 aluminum [NASA-TP-2715] p 30 N87-21076 CORNIC DUST Infrared Observations of Comets Halley and Wilson and Properties of the Grains [NASA-CP-3004] p 74 N89-13330 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 1 Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24023 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 2 Abstracts. candidate experiments and teasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Planetary geosciences, 1988	
Research Center's proposed altitude wind tunnel [NASA-TP-2666] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686 CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740 CORROSION RESISTANCE The corrosion mechanisms for primer coated 2219-787 aluminum [NASA-TP-2715] p 30 N87-21076 COSMIC DUST Infrared Observations of Comets Halley and Wilson and Properties of the Grains [NASA-CP-3004] p 74 N89-13330 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 1 Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 2 Abstracts. candidate experiments and teasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Planetary geosciences, 1988 [NASA-SP-498] p 48 N89-26274 COSMIC RAYS Essays in Space Science [NASA-CP-24641 p 72 N87-24247	
Research Center's proposed altitude wind tunnel [NASA-TP:2646] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP:2681] p 21 N88-17686  CORROSION Structural Ceramics [NASA-CP:2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740  CORROSION RESISTANCE The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP:2715] p 30 N87-21076  CORNIC DUST Infrared Observations of Comets Halley and Wilson and Properties of the Grains [NASA-CP:3004] p 74 N89-13330 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 1 Executive summary and overview [NASA-CP:0026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 2 Abstracts. candidate experiments and teasibility study [NASA-CP:10026-VOL-2] p 59 N89-24023 Planetary geosciences. 1988 [NASA-SP-498] p 48 N89-26274  COSMIC RAYS Essays in Space Science [NASA-CP:24641] p 72 N87-24247  COSMOLOGY	
Research Center's proposed altitude wind tunnel [NASA-TP-2661] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 21 N88-17686 CORROSION Structural Ceramics [NASA-CP-2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740 CORROSION RESISTANCE The corrosion mechanisms for primer coated 2219-787 altiminum [NASA-TP-2715] p 30 N87-21076 CORNIC DUST Infrared Observations of Comets Halley and Wilson and Properties of the Grains [NASA-CP-3004] p 74 N89-13330 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 1 Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 2 Abstracts. Candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Planetary geosciences. 1988 [NASA-SP-498] p 48 N89-26274 COSMIC RAYS Essays in Space Science [NASA-CP-24641 p 72 N87-24247 COSMIC DGY Infrared astronomical satellite (IRAS) catalogs and	
Research Center's proposed altitude wind tunnel [NASA-TP:2646] p 21 N87-18576 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP:2681] p 21 N88-17686  CORROSION Structural Ceramics [NASA-CP:2427] p 31 N88-23872 Fastener design manual [NASA-RP-1228] p 42 N90-18740  CORROSION RESISTANCE The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP:2715] p 30 N87-21076  CORNIC DUST Infrared Observations of Comets Halley and Wilson and Properties of the Grains [NASA-CP:3004] p 74 N89-13330 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 1 Executive summary and overview [NASA-CP:0026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility Fundamental studies of particle formation and interactions Volume 2 Abstracts. candidate experiments and teasibility study [NASA-CP:10026-VOL-2] p 59 N89-24023 Planetary geosciences. 1988 [NASA-SP-498] p 48 N89-26274  COSMIC RAYS Essays in Space Science [NASA-CP:24641] p 72 N87-24247  COSMOLOGY	

Infrared astronomical satellite (IRAS) catalogs and

Weak-wave analysis of shock interaction with a

Revised NASA axially symmetric ring model for

p 76 N89-14199

p 42 N90-19593

p 8 N89-10020

p 35 N87-22923

atlases. Volume 7. The small scale structure catalog

[NASA-RP-1190-VOL-7]

Theory of gearing

COUNTERFLOW

(NASA-TP-2848)

INASA-TP-26751

COUPLED MODES

shpstream

COUNTER-ROTATING WHEELS

coupled-cavity traveling-wave tubes

COUPLING Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude p 21 N88-17686 INASA-TP-26811 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover INASA-TP-30021 p 12 N90-28503 COVARIANCE The estimation error covariance matrix for the ideal state reconstructor with measurement noise INASA-TP-28811 p 63 N89-13994 CRACKS Stress intensity and crack displacement for small edge cracks [NASA-TP-2801] p 44 N88-17095 CRASHWORTHINESS Evaluation of energy absorption of new concepts of aircraft composite subfloor intersections p 16 N90-26823 INASA-TP-29511 **CREEP PROPERTIES** Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697 **CREW PROCEDURES (INFLIGHT)** Payload crew utilization for spacelab missions [NASA-TP-2976] p 24 N90-14256 CRITICAL PATH METHOD Some path-following techniques for solution of nonlinear equations and comparison with parametric differentiation NASA-TP-2654 p 64 N87-14054 **CROP GROWTH** Controlled Ecological Life Support System, Design, Development, and Use of a Ground-Based Plan Growth Module INASA-CP-24791 p 60 N88-13852 **CROSS CORRELATION** Spanwise measurements of vertical components of atmospheric turbulence INASA-TP-29631 p 58 N90-19718 CROSSLINKING Degradation and crosslinking of perfluoroalkyl polyethers under X-ray irradiation in ultrahigh vacuu [NASA-TP-2910] p 31 N89-2110 p 31 N89-21103 CRUCIFORM WINGS Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees INASA-TP-27331 p 5 N87-23592 CRYOGENIC COOLING Cryogenic Fluid Management Technology Workshop Volume 1 Presentation material and discussion
INASA-CP-10001] p 37 N88-15924 [NASA-CP-10001] Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) (NASA-CP-2407) p 75 N88-20235 CRYOGENIC FLUID STORAGE Cryogenic Fluid Management Technology Workshop. Volume 1: Presentation material and discussion INASA-CP-100011 p 37 N88-15924 **CRYOGENIC FLUIDS** Cryogenic Fluid Management Technology Workshop e 1. Presentation material and discussion JNASA-CP-100011 p 37 N88-15924 design analysis of 57-mm, Computer-aided angular-contact, cryogenic turbopump bearings INASA-TP-28161 p 41 N88-18933 Cryogenic Fluid Management Technology Workshop Volume 2 Roundtable Discussion of Technology Technology Requirements INASA-CP-100091 p 37 N88-20599 CRYOGENIC ROCKET PROPELLANTS Cryogenic Fluid Management Technology Workshop 1 Presentation material and discussion p 37 N88-15924 INASA-CP-100011 CRYOGENIC TEMPERATURE Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump INASA-TP-3005 p 18 N90-23403 CRYOGENIC WIND TUNNELS Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel p 21 N87-28570 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic INASA-TP-28901 p.9 N89-17568 Hot-jet simulation in cryogenic wind tunnels INASA-RP-12201 p 15 N89-23448 CRYOGENICS Cryogenic Fluid Management Technology Workshop 1 Presentation material and discussion Nimbus-7 TOMS data atlas INASA-RP-12271 INASA-CP-100011 p 37 N88-15924

```
CRYSTAL DISLOCATIONS
  Indentation plasticity and fracture in silicon (NASA-TP-2863) p 30
                                     p 30 N89-10996
CRYSTAL GROWTH
    Growth of solid solution single crystals
                                    p 32 N88-14212
  INASA-TP-27871
    Raman intensity as a probe of concentration near a
  crystal growing in solution INASA-TP-28651
                                     p 39 N89-16139
CRYSTAL LATTICES
    Hydrogen trapping and the interaction of hydrogen with
  metals
  [NASA-TP-2744]
                                     p 30 N87-25463
CRYSTALLOGRAPHY
    Auger electron intensity variations in oxygen-exposed
  large grain polycrystalline silver
  INASA-TP-29301
                                     p 67 N89-30022
CITES
    Effect of motion cues during complex curved approach
  and landing tasks: A piloted simulation study
                                    p 14 N88-12480
  INASA-TP-27731
    Stereopsis cueing effects on hover-in-turbulence
  performance in a simulated rotorcraft
  NASA-TP-29801
                                     p 17 N90-21004
CULTURE TECHNIQUES
    Space Bioreactor Science Workshop
  INASA-CP-24851
                                     p 58 N88-17168
CURRENT DENSITY
   Performance of textured carbon on copper electrode
  multistage depressed collectors with medium-power
  traveling wave tubes
                                     n.34 N87-17990
CURVATURE
  Theory of gearing
[NASA-RP-1212]
                                     p 42 N90-19593
CURVE FITTING
    Simplified curve fits for the thermodynamic properties
  of equilibrium air
                                     p 36 N87-26309
CURVED BEAMS
    Mixed formulation for frictionless contact problems
                                     p 45 N89-19580
  [NASA-TP-2897]
CURVES
    Theory of gearing
  [NASA-RP-1212]
                                     p 42 N90-19593
CYCLIC LOADS
    Cyclic loads tests of carbon involute solid rocket motor
  outer boot ring segments
  INASA-TP-28841
                                     p 45 N89-16192
    Effects of continuous and cyclic thermal exposures on
  boron- and borsic-reinforced 6061 aluminum composites
  [NASA-TP-1063]
                                     p 28 N88-70029
CYCLOHEXANE
  Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36
                                    p 36 N87-18035
CYCLOTRON RESONANCE DEVICES
    Free-Space Power Transmission
                                     p 27 N90-21795
  INASA-CP-100161
CYLINDRICAL BODIES
    Straight cylindrical seal for high-performance
  turbomachines
                                     p 36 N87-23936
  [NASA-TP-1850]
    Surface flow and heating distributions on a cylinder in
  near wake of Aeroassist Flight Experiment (AFE)
  configuration at incidence in Mach 10 Air
                                     p 38 N90-14493
  INASA-TP-29541
CYLINDRICAL SHELLS
    Application of Newton's method to the postbuckling of
  rings under pressure loadings
  INASA-TP-2941
                                     p 46 N89-29811
                         D
DAMAGE ASSESSMENT
    Low velocity instrumented impact testing of four new
  damage tolerant carbon/epoxy composite systems
  [NASA-TP-3029]
                                     p 29 N90-25198
DAMPERS
    Rotordynamic Instability Problems in High-Performance
  Turbomachinery, 1988
INASA-CP-30261
                                     p 41 N89-22891
DATA ACQUISITION
    Analog signal
                      conditioning
                                             flight-test
  instrumentation
  [NASA-RP-1159]
                                     p 17 N87-29533
    Five year global dataset NMC operational analyses
  (1978 to 1982)
  NASA-RP-11941
                                     p 55 NR7-29996
    Outgassing data for selecting spacecraft materials
                                    p 28 N88-10117
  [NASA-RP-1124]
```

The 1989 Airborne Arctic Stratospheric Expedition

p.57 N89-27302

		DIGITAL COMMAND STSTEMS
The Langley 14- by 22-foot subsonic tunnel: Description,	DATA TRANSMISSION	DESERTS
flow characteristics, and guide for users	A simulator investigation of the use of digital data link	Surface bidirectional reflectance properties of two
[NASA-TP-3008] p 12 N90-27649	for pilot/ATC communications in a single pilot operation	southwestern Arizona deserts for wavelengths between
DATA BASE MANAGEMENT SYSTEMS	[NASA-TP-2837] p 13 N89-11726	0.4 and 2.2 micrometers
Third Conference on Artificial Intelligence for Space	Proceedings of the Scientific Data Compression	[NASA-TP-2643] p 48 N87-22281
Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360	Workshop [NASA-CP-3025] p 63 N89-22332	Effects of aerosols and surface shadowing on
[NASA-CP-2492-Pt-1] p 62 N88-16360 Catalog of open clusters and associated interstellar	Digitally modulated bit error rate measurement system	bidirectional reflectance measurements of deserts [NASA-TP-2756] p 49 N87-28162
matter	for microwave component evaluation	Summary of along-track data from the Earth radiation
[NASA-RP-1202] p 76 N88-29652	[NASA-TP-2912] p 23 N89-28545	budget satellite for several major desert regions
DATA BASES	DECISION MAKING	[NASA-RP-1197] p 56 N88-20772
Catalog of infrared observations. Part 1: Data	National Educators' Workshop: Update 1989 Standard	DESIGN ANALYSIS
[NASA-RP-1196-PT-1-ED-2] p 73 N88-15738	Experiments in Engineering Materials Science and	Recent Experiences in Multidisciplinary Analysis and
The NASA scientific and technical information system:	Technology [NASA-CP-3074] p 28 N90-24350	Optimization, part 1
Its scope and coverage	DECLINATION	[NASA-CP-2327-PT-1] p 13 N87-11717
[NASA-SP-7065] p 71 N89-15779	Infrared astronomical satellite (IRAS) catalogs and	Applicability of linearized-theory attached-flow methods
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562	atlases. Volume 6: The point source catalog declination	to design and analysis of flap systems at low speeds for thin swept wings with sharp leading edges
Two-Dimensional Intercomparison of Stratospheric	range -50 deg greater than delta greater than -90 deg	[NASA-TP-2653] p.3 N87-15174
Models	[NASA-RP-1190-VOL-6] p 76 N89-14198	Design of 9.271-pressure-ratio 5-stage core compressor
[NASA-CP-3042] p 53 N90-11405	DECOUPLING	and overall performance for first 3 stages
Satellite radar altimetry over ice. Volume 1: Processing	A piloted evaluation of an oblique-wing research aircraft motion simulation with decoupling control laws	[NASA-TP-2597] p 17 N87-17699
and corrections of Seasat data over Greenland	[NASA-TP-2874] p 20 N89-15930	Lewis inverse design code (LINDES): Users manual
[NASA-RP-1233-VOL-1] p 54 N90-20562	DEFLECTION	(NASA-TP-2676) p 4 N87-20238
Satellite radar altimetry over ice. Volume 2: Users' guide	Optical measurement of propeller blade deflections	Design, fabrication and performance of small, graphite
for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563	[NASA-TP-2841] p 39 N88-28286	electrode, multistage depressed collectors with 200-W, CW, 8- to 18-GHz traveling-wave tubes
[NASA-RP-1233-VOL-2] p 54 N90-20563 Satellite radar altimetry over ice. Volume 4: Users' guide	DEFLECTORS	[NASA-TP-2693] p 35 N87-20474
for Antarctica elevation data from Seasat	Static internal performance of a nonaxisymmetric varied	Structural Dynamics and Control Interaction of Flexible
[NASA-RP-1233-VOL-4] p 54 N90-20564	thrust reverser with flow splay capability	Structures
Proceedings of the LDEF Materials Data Analysis	[NASA-TP-2933] p 10 N89-27634	[NASA-CP-2467-PT-2] p 23 N87-22729
Workshop	DEFORMATION  Mixed formulation for frictionless contact problems	On minimizing the number of calculations in
[NASA-CP-10046] p 28 N90-26075	INASA-TP-28971 p 45 N89-19580	design-by-analysis codes
DATA COMPRESSION  Experiments in encoding multilevel images as	Application of Newton's method to the postbuckling of	[NASA-TP-2706] p 5 N87-23586
quadtrees in encoding multilever images as	rings under pressure loadings	Aeropropulsion '87. Session 2: Aeropropulsion
[NASA-TP-2722] p 65 N87-28367	[NASA-TP-2941] p 46 N89-29811	Structures Research
Proceedings of the Scientific Data Compression	DEGRADATION	[NASA-CP-10003-SESS-2] p 18 N88-15785 A transonic-small-disturbance wing design
Workshop	Surface catalytic degradation study of two linear	A transonic-small-disturbance wing design methodology
[NASA-CP-3025] p 63 N89-22332	perfluoropolyalkylethers at 345 C	[NASA-TP-2806] p 7 N88-17614
DATA LINKS	[NASA-TP-2774] p 27 N88-12543	A performance index approach to aerodynamic design
A piloted simulation study of data link ATC message exchange	DEGREES OF FREEDOM Optimized resolved rate control of	with the use of analysis codes only
[NASA-TP-2859] p 13 N89-15900	seven-degree-of-freedom Laboratory Telerobotic	[NASA-TP-2805] p 7 N88-18552
DATA MANAGEMENT	Manipulator (LTM) with application to three-dimensional	Aerodynamic characteristics of wings designed with a
Computer Sciences and Data Systems, volume 1	graphics simulation	combined-theory method to cruise at a Mach number of
[NASA-CP-2459-VOL-1] p 62 N87-19931	[NASA-TP-2938] p 64 N90-10618	4.5
Proceedings of the Scientific Data Compression	DELAMINATING	[NASA-TP-2799] p 7 N88-19420
Workshop [NASA-CP-3025] p 63 N89-22332	Three-dimensional analysis of a postbuckled embedded	Rotorcraft flight-propulsion control integration: An eclectic design concept
The 1989 Goddard Conference on Space Applications	delamination [NASA-TP-2823] p 44 N88-26684	[NASA-TP-2815] p 19 N88-19475
of Artificial Intelligence	DELTA WINGS	Recent Advances in Multidisciplinary Analysis and
[NASA-CP-3033] p 64 N89-26578	investigation of leading-edge flap performance on delta	Optimization, part 2
The MSFC/UAH Data Management Symposium		[NASA-CP-3031-PT-2] p 15 N89-25173
		[14A0A-01-0001-1-1-2] p 15 1403-25113
[NASA-CP-2040] p 62 N78-74659	and double-delta wings at supersonic speeds [NASA-TP-2656] p.4 N87-20233	Recent Advances in Multidisciplinary Analysis and
DATA PROCESSING	and double-delta wings at supersonic speeds	Recent Advances in Multidisciplinary Analysis and Optimization, part 3
DATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201
DATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p.15 N89-25201 Fastener design manual
DATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis	and double-delta wings at supersonic speeds [NASA-TP-2656] p. 4. N87-20233  Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1. [NASA-TP-2660-PT-1] p. 5. N87-23597  Study of lee-side flows over conically cambered Delta.	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740
DATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p.33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage
DATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p 55 N87-13043	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740
PATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p 55 N87-13043 Earth resources: A continuing bibliography with indexes	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz
DATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p.33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p.55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54)	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube
PATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p 55 N87-13043 Earth resources: A continuing bibliography with indexes	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from
DATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W. 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver
DATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p 56 N89-14648	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W. 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629
PATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p. 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p. 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p. 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION  Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION
PATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems.
DATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p 79 N89-30151	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION  Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION
PATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p 79 N89-30151 Satellite radar aftimetry over ice: Volume 2: Users' guide	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2711] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems. First Combined Manufacturers' and Technologists'
DATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p 79 N89-30151	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems. First Combined Manufacturers and Technologists' Conference [NASA-CP-10006] p 12 N88-17616  DIAGNOSIS
PATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p 79 N89-30151 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1230-VOL-2] p 54 N90-20563  DATA PROCESSING EQUIPMENT	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59 to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers and Technologists' Conference [NASA-CP-10006] p 12 N88-17616  DIAGMOSIS Microgravity Combustion Diagnostics Workshop
PATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p 79 N89-30151 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563  DATA PROCESSING EQUIPMENT Earth Sciences Requirements for the Information	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 8 N88-28895  DEPLOYMENT The 21st Aerospace Mechanisms Symposium	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers and Technologists' Conference [NASA-CP-10006] p 12 N88-17616  DIAGNOSIS Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682
PATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p 79 N89-30151 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563  DATA PROCESSING EQUIPMENT Earth Sciences Requirements for the Information Sciences Experiment System	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 8 N88-28895  DEPLOYMENT The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems. First Combined Manufacturers and Technologists' Conference [NASA-CP-10006] p 12 N88-17616  DIAGNOSIS Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682  DICTIONARIES
Parta PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1231] p 79 N89-30151 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-123-VOL-2] p 54 N90-20563  DATA PROCESSING EQUIPMENT Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 59 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 8 N88-28895  DEPLOYMENT The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems. First Combined Manufacturers and Technologists Conference [NASA-CP-10006] p 12 N88-17616  DIACNOSIS Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682  DICTIOMARIES NASA thesaurus Volume 3 Definitions
PATA PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p 79 N89-30151 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563 DATA PROCESSING EQUIPMENT Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140 DATA REDUCTION	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 8 N88-28895  DEPLOYMENT  The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] Workshop on Technology Development Issues for the Large Deployable Reflector (LDR)	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems. First Combined Manufacturers and Technologists' Conference [NASA-CP-10006] p 12 N88-17616  DIAGNOSIS Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682  DICTIONARIES
Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p. 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p. 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p. 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1231-VOL-2] p. 79 N89-30151 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1232-VOL-2] p. 54 N90-20563 DATA PROCESSING EQUIPMENT  Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p. 50 N90-27140 DATA REDUCTION Pulse Code Modulation (PCM) data storage and analysis using a microcomputer	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 8 N88-28895  DEPLOYMENT The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems. First Combined Manufacturers and Technologists' Conference [NASA-CP-10006] p 12 N88-17616  DIAGNOSIS Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682  DICTIONARIES NASA thesaurus Volume 3: Definitions [NASA-SP-7064-VOL-3] p 70 N89-13301  DIFFERENTIAL EQUATIONS Some path-following techniques for solution of nonlinear
Para PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p 79 N89-30151 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563  DATA PROCESSING EQUIPMENT Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  DATA REDUCTION Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p 33 N87-12718	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for prtching and control-surface oscillations [NASA-TP-2794] p 8 N88-28895  DEPLOYMENT The 21st Aerospace Mechanisms Symposium [NASA-CP-2407] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 The 23rd Aerospace Mechanisms Symposium	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965 DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629 DETECTION Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers and Technologists' Conference [NASA-CP-10006] p 12 N88-17616 DIAGNOSIS Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682 DICTIONARIES NASA thesaurus Volume 3: Definitions [NASA-SP-7064-VOL-3] p 70 N89-13301 DIFFERENTIAL EQUATIONS Some path-following techniques for solution of nonlinear equations and comparison with parametric differentiation
Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p. 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p. 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p. 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p. 79 N89-30151 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p. 54 N90-20563 DATA PROCESSING EQUIPMENT Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p. 50 N90-27140 DATA REDUCTION Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 A synchronous data analyzer for the Minimum Delay	and double-delta wings at supersonic speeds [NASA-TP-2656]	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 12 N88-17616  DIAGMOSIS Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682  DICTIONARIES NASA thesaurus Volume 3: Definitions [NASA-SP-7064-VOL-3] p 70 N89-13301  DIFFERENTIAL EQUATIONS Some path-following techniques for solution of nonlinear equations and comparison with parametric differentiation [NASA-TP-2654] p 64 N87-14054
Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p. 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p. 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p. 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p. 79 N89-30151 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1231-VOL-2] p. 54 N90-20563 DATA PROCESSING EQUIPMENT  Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p. 50 N90-27140 DATA REDUCTION Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 A synclironous data analyzer for the Minimum Delay Data Format (MDDF) and Launch Trajectory Acquisition	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for prtching and control-surface oscillations [NASA-TP-2794] p 8 N88-28895  DEPLOYMENT The 21st Aerospace Mechanisms Symposium [NASA-CP-2407] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 The 23rd Aerospace Mechanisms Symposium	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems. First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 12 N88-17616  DIAGNOSIS Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682  DICTIONARIES NASA thesaurus Volume 3: Definitions [NASA-CP-7064-VOL-3] p 70 N89-13301  DIFFERENTIAL EQUATIONS Some path-following techniques for solution of nonlinear equations and comparison with parametric differentiation [NASA-TP-2654] p 64 N87-14054  DIFFUSION
Para PROCESSING Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p. 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p. 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p. 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p. 79 N89-30151 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p. 54 N90-20563  DATA PROCESSING EQUIPMENT Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p. 50 N90-27140  DATA REDUCTION Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 A synchronous data analyzer for the Minimum Delay Data Format (MDDF) and Launch Trajectory Acquisition System (LTAS)	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 8 N88-28895  DEPLOYMENT  The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-3032] p 75 N88-20235 The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  DEPOSITION	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers and Technologists' Conference [NASA-CP-10006] p 12 N88-17616  DIAGNOSIS Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682  DICTIONARIES NASA thesaurus Volume 3: Definitions [NASA-SP-7064-VOL-3] p 70 N89-13301  DIFFERENTIAL EQUATIONS Some path-following techniques for solution of nonlinear equations and comparison with parametric differentiation [NASA-TP-2654] p 64 N87-14054  DIFFUSION Effect of LID (Registered) processing on the
Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p. 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p. 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p. 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p. 79 N89-30151 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1231-VOL-2] p. 54 N90-20563 DATA PROCESSING EQUIPMENT  Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p. 50 N90-27140 DATA REDUCTION Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 A synclironous data analyzer for the Minimum Delay Data Format (MDDF) and Launch Trajectory Acquisition	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 8 N88-28895  DEPLOYMENT  The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-3032] p 46 N89-23892  DEPOSITION  Traveling-wave-tube efficiency improvement by a low-cost technique for deposition of carbon on multistage depressed collector	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems. First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 12 N88-17616  DIAGNOSIS Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682  DICTIONARIES NASA thesaurus Volume 3: Definitions [NASA-CP-7064-VOL-3] p 70 N89-13301  DIFFERENTIAL EQUATIONS Some path-following techniques for solution of nonlinear equations and comparison with parametric differentiation [NASA-TP-2654] p 64 N87-14054  DIFFUSION
Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p. 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p. 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p. 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p. 79 N89-30151 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p. 54 N90-20563 DATA PROCESSING EQUIPMENT Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p. 50 N90-27140 DATA REDUCTION Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 A synchronous data analyzer for the Minimum Delay Data Format (MDDF) and Launch Trajectory Acquisition System (LTAS) [NASA-TP-2743] p. 34 N87-24590	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 8 N88-28895  DEPLOYMENT The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-3032] p 75 N88-20235 The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  DEPOSITION Traveling-wave-tube efficiency improvement by a low-cost technique for deposition of carbon on multistage depressed collector [NASA-TP-2719] p 35 N87-21239	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers and Technologists' Conference [NASA-CP-10006] p 12 N88-17616  DIAGNOSIS Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682  DICTIONARIES NASA thesaurus Volume 3: Definitions [NASA-SP-7064-VOL-3] p 70 N89-13301  DIFFERENTIAL EQUATIONS Some path-following techniques for solution of nonlinear equations and comparison with parametric differentiation (NASA-TP-2654) p 64 N87-14054  DIFFUSION Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-25n-4Zr-2Mo titanium forl-gauge materials [NASA-TP-2677] p 30 N87-18644
Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p. 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p. 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p. 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p. 79 N89-30151 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p. 54 N90-20563 DATA PROCESSING EQUIPMENT Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p. 50 N90-27140 DATA REDUCTION Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 A synchronous data analyzer for the Minimum Delay Data Format (MDDF) and Launch Trajectory Acquisition System (LTAS) [NASA-TP-2743] p. 34 N87-24590 DATA STORAGE Pulse Code Modulation (PCM) data storage and analysis using a microcomputer (LTAS) [NASA-TP-2743] p. 34 N87-24590 DATA STORAGE Pulse Code Modulation (PCM) data storage and analysis using a microcomputer (LTAS) [NASA-TP-2743] p. 34 N87-24590 DATA STORAGE Pulse Code Modulation (PCM) data storage and analysis using a microcomputer (PCM) data st	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2794] p 8 N88-28895  DEPLOYMENT The 21st Aerospace Mechanisms Symposium [NASA-CP-2407] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-3032] p 46 N89-23892  DEPOSITION Traveling-wave-tube efficiency improvement by a low-cost technique for deposition of carbon on multistage depressed collector [NASA-TP-2719] p 35 N87-21239 Influence of the deposition conditions on radiofrequency	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems. First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 12 N88-17616  DIAGNOSIS Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682  DICTIOMARIES NASA thesaurus Volume 3: Definitions [NASA-SP-7064-VOL-3] p 70 N89-13301  DIFFERENTIAL EQUATIONS Some path-following techniques for solution of nonlinear equations and comparison with parametric differentiation [NASA-TP-2654] p 64 N87-14054  DIFFUSION  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2671] DIFFUSION FLAMES
Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p. 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p. 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p. 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p. 79 N89-30151 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1231-VOL-2] p. 54 N90-20563 DATA PROCESSING EQUIPMENT  Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p. 50 N90-27140 DATA REDUCTION Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 N87-12718 P. 34 N87-24590 DATA STORAGE  Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2743] p. 34 N87-24590 DATA STORAGE  Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2660-PT-2] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2747] p 7 N88-17615 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for priching and control-surface oscillations [NASA-TP-2594] p 8 N88-28895  DEPLOYMENT  The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  DEPOSITION  Traveling-wave-tube efficiency improvement by a low-cost technique for deposition of carbon on multistage depressed collector [NASA-TP-2719] Influence of the deposition conditions on radiofrequency magnetron sputtered MoS2 films	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems. First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 12 N88-17616  DIAGNOSIS Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682  DICTIONARIES NASA thesaurus Volume 3: Definitions [NASA-SP-7064-VOL-3] p 70 N89-13301  DIFFERENTIAL EQUATIONS Some path-following techniques for solution of nonlinear equations and comparison with parametric differentiation (NASA-TP-2654)  DIFFUSION Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  DIFFUSION FLAMES Velocity profiles in laminar diffusion flames
Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p. 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p. 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p. 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p. 79 N89-30151 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1231-VOL-2] p. 54 N90-20563 DATA PROCESSING EQUIPMENT  Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p. 50 N90-27140 DATA REDUCTION  Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 A synchronous data analyzer for the Minimum Delay Data Format (MDDF) and Launch Trajectory Acquisition System (LTAS) [NASA-TP-2629] p. 34 N87-24590 DATA STORAGE  Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-24590 DATA STORAGE  Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 Computer Sciences and Data Systems, volume 2	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 8 N88-28895  DEPLOYMENT  The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-3032] p 75 N88-20235 The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  DEPOSITION  Traveling-wave-tube efficiency improvement by a low-cost technique for deposition of carbon on multistage depressed collector [NASA-TP-2719] p 35 N87-21239 Influence of the deposition conditions on radiofrequency magnetized MoS2 films [NASA-TP-2994] p 33 N90-21210	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers and Technologists' Conference [NASA-CP-10006] p 12 N88-17616  DIAGNOSIS Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682  DICTIONARIES NASA thesaurus Volume 3: Definitions [NASA-SP-7064-VOL-3] p 70 N89-13301  DIFFERENTIAL EQUATIONS Some path-following techniques for solution of nonlinear equations and comparison with parametric differentiation (NASA-TP-2654) p 64 N87-14054  DIFFUSION Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo titanium fol-gauge materials [NASA-TP-2677] p 30 N87-18644  DIFFUSION FLAMES Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035
Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p. 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p. 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p. 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p. 79 N89-30151 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p. 54 N90-20563 DATA PROCESSING EQUIPMENT Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p. 50 N90-27140 DATA REDUCTION Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 A synchronous data analyzer for the Minimum Delay Data Format (MDDF) and Launch Trajectory Acquisition System (LTAS) [NASA-TP-2743] p. 34 N87-24590 DATA STORAGE Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 P. 34 N87-24590 DATA STORAGE Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 P. 34 N87-24590 DATA STORAGE Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 P. 34 N87-24590 DATA STORAGE Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 P. 34 N87-24590 DATA STORAGE Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 P. 34 N87-24590 DATA STORAGE Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 P. 34 N87-24590 DATA STORAGE P	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2794] p 8 N88-28895  DEPLOYMENT The 21st Aerospace Mechanisms Symposium [NASA-CP-2407] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  DEPOSITION Traveling-wave-tube efficiency improvement by a low-cost technique for deposition of carbon on multistage depressed collector [NASA-TP-2719] p 35 N87-21239 Influence of the deposition conditions on radiofrequency magnetron sputtered MoS2 films [NASA-TP-2994] p 23 N90-21210	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems. First Combined Manufacturers and Technologists' Conference [NASA-CP-10006] p 12 N88-17616  DIAGNOSIS Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682  DICTIONARIES NASA thesaurus Volume 3: Definitions [NASA-SP-7064-VOL-3] p 70 N89-13301  DIFFERENTIAL EQUATIONS Some path-following techniques for solution of nonlinear equations and comparison with parametric differentiation [NASA-TP-2654] p 64 N87-14054  DIFFUSION Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2656] p 30 N87-18634  DIFFUSION FLAMES Velocity profiles in laminar diffusion flames [NASA-TP-2696] p 36 N87-18035
Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 NASA/MSFC FY-85 Atmospheric Processes Research Review [NASA-CP-2402] p. 55 N87-13043 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p. 49 N87-27315 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p. 56 N89-14648 Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p. 79 N89-30151 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1231-VOL-2] p. 54 N90-20563 DATA PROCESSING EQUIPMENT  Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p. 50 N90-27140 DATA REDUCTION  Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 A synchronous data analyzer for the Minimum Delay Data Format (MDDF) and Launch Trajectory Acquisition System (LTAS) [NASA-TP-2629] p. 34 N87-24590 DATA STORAGE  Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-24590 DATA STORAGE  Pulse Code Modulation (PCM) data storage and analysis using a microcomputer [NASA-TP-2629] p. 33 N87-12718 Computer Sciences and Data Systems, volume 2	and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233 Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Supersonic aerodynamics of delta wings [NASA-TP-2771] p 7 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 8 N88-28895  DEPLOYMENT  The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-3032] p 75 N88-20235 The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  DEPOSITION  Traveling-wave-tube efficiency improvement by a low-cost technique for deposition of carbon on multistage depressed collector [NASA-TP-2719] p 35 N87-21239 Influence of the deposition conditions on radiofrequency magnetized MoS2 films [NASA-TP-2994] p 33 N90-21210	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Fastener design manual [NASA-RP-1228] p 42 N90-18740 Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz coupled-cavity traveling-wave tube [NASA-TP-3039] p 35 N90-27965  DESORPTION Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  DETECTION Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers and Technologists' Conference [NASA-CP-10006] p 12 N88-17616  DIAGNOSIS Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682  DICTIONARIES NASA thesaurus Volume 3: Definitions [NASA-SP-7064-VOL-3] p 70 N89-13301  DIFFERENTIAL EQUATIONS Some path-following techniques for solution of nonlinear equations and comparison with parametric differentiation (NASA-TP-2654) p 64 N87-14054  DIFFUSION Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo titanium fol-gauge materials [NASA-TP-2677] p 30 N87-18644  DIFFUSION FLAMES Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035

**DIGITAL DATA DIGITAL DATA** DISPLACEMENT MEASUREMENT Flight and wind-tunnel measurements showing base A simulator investigation of the use of digital data link for pilot/ATC communications in a single pilot operation Optical measurement of propeller blade deflections drag reduction provided by a trailing disk for high Reynolds INASA-TP-28411 p 39 N88-28286 number turbulent flow for subsonic and transonic Machp 13 N89-11726 DISPLAY DEVICES numbers Digitally modulated bit error rate measurement system INASA-TP-2638) p 37 N88-14299 Development and evaluation of an airplane electronic for microwave component evaluation DRAINAGE PATTERNS splay format aligned with the inertial velocity vector NASA-TP-2912 p 23 N89-28545 p 16 N87-13438 Sapping features of the Colorado Piateau. A comparative | NASA-TP-2648 | **DIGITAL ELECTRONICS** planetary geology field guide I NASA-SP-491 I Jet transport flight operations using cockpit display of Advanced detection, isolation, and accommodation of sensor failures in turbofan engines. Real-time p 49 N89-10401 traffic information during instrument meteorological DROPS (LIQUIDS) conditions: Simulation evaluation microcomputer implementation Liquid drop stability for protein crystal growth in p 12 N87-29469 INASA-TP-25671 [NASA-TP-2925] p 20 N90-15112 microgravity [NASA-TP-2724] Effects of combining vertical and horizontal information DIGITAL FILTERS p 58 N87-20727 into a primary flight display Modeling digital control systems with MA-prefiltered p 17 N88-12487 NASA-TP-2783 measurements Aeropropulsion '87. Session 3: Internal Fluid Mechanics A general solution to the silhouette problem (NASA-TP-2732) o 32 N87-22870 Research [NAŠA-TP-2695] p 61 N88-14629 Further developments in modeling digital control systems with MA-prefiltered measurements NASA-CP-10003-SESS-31 Simulator evaluation of a display for a Takeoff DURABILITY [NASA-TP-2909] Performance Monitoring System p 33 N89-24507 Spectroscopic comparison of effects of electron p 20 N89-23469 [NASA-TP-2908] DIGITAL SYSTEMS adiation on mechanical properties of two polyimides A simulation evaluation of the engine monitoring and Modeling digital control systems with MA-prefiltered [NASA-TP-2663] p 27 N87-18611 control system display Structural Integrity and Durability of Reusable Space INASA-TP-27321 p 32 N87-22870 INASA TP-29601 p 17 N90-18393 A new approach to state estimation in deterministic Graphics Technology in Space Applications (GTSA [NASA-CP-2471] p 26 N87-22766 digital control systems DUST INASA-TP-27451 p 32 N87-24585 [NASA-CP-3045] p 62 N90-20651 Effects of aerosols and surface shadowing on Further developments in exact state reconstruction in Stereopsis cueing effects on hover-in-turbulence bidirectional reflectance measurements of deserts deterministic digital control systems p 49 N87-28162 performance in a simulated rotorcraft INASA-TP-28121 p 32 N88-18751 DYNAMIC CHARACTERISTICS (NASA-TP-2980) p 17 N90-21004 More on exact state reconstruction in deterministic digital Dynamic analysis of multimesh-gear helicopter Spatial Displays and Spatial Instruments transmissions p 61 N90-22918 [NASA-CP-10032] INASA-TP-28471 o 33 N88-28177 NASA-TP-27891 p 41 N88-17045 DISTANCE Singular perturbations and time scales in the design of Dynamic characteristics of a vibrating beam with periodic Atlas of galaxies useful for measuring the cosmological digital flight control systems variation in bending stiffness p 19 N89-12569 INASA-TP-28441 INASA-TP-26971 p 44 N88-23988 INASA-SP-4961 p 74 N89-12513 Flight control systems development and flight test Time-Variable Phenomena in the Jovian System DISTRIBUTED PROCESSING rience with the HiMAT research vehicles [NASA-SP-494] p 78 N89-28474 Computer Sciences and Data Systems, volume 1 INASA-TP-28221 n 20 N89-15929 Low-speed wind-tunnel investigation of the flight p 62 N87-19931 [NASA-CP-2459-VOL-1] Development and flight test experiences with a dynamic characteristics of an advanced turboprop Computer Sciences and Data Systems, volume 2 flight-crucial digital control system business/commuter aircraft configuration [NASA-CP-2459-VOL-2] p 62 N87-19932 INASA-TP-28571 p 20 N89-24327 INASA-TP-29821 p 20 N90-19239 Further developments in modeling digital control First Annual Workshop on Space Operations Automation DYNAMIC CONTROL systems with MA-prefiltered measurements [NASA-TP-2909] p 33 and Robotics (SOAR 87) Analysis of flight data from a High-Incidence Research p 61 N88-17206 p 33 N89-24507 Model by system identification methods [NASA-TP-2940] DIGITAL TECHNIQUES DOCUMENTATION p 20 N90-10074 Automated Reduction of Data from Images and NASA scientific and technical publications: A catalog DYNAMIC LOADS of Special Publications, Reference Publications, Conference Publications, and Technical Papers, **Holograms** Predicted effect of dynamic load on pitting fatigue life for low-contact-ratio spur gears [NASA-CP-2477] p 6 N87-29432 Digital enhancement of flow field images 1977-1986 [NASA-TP-2610] p 41 N87-18095 [NASA-TP-2770] p 62 N88-20833 (NASA-SP-7063(01)) p 70 N87-30218 Langley Aircraft Landing Dynamics Facility [NASA-RP-1189] p 21 N87-29544 A new state reconstructor for digital controls systems NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 70 N88-22830 using weighted-average measurements INASA-TP-29361 DYNAMIC MODELS p 33 N89-27039 Derivation and definition of a linear aircraft model DIHEDRAL ANGLE p 19 N89-15123 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly DYNAMIC PRESSURE **DOCUMENTS** Aerodynamic pressures and heating rates on surfaces between split elevons at Mach 6.6 The NASA scientific and technical information system: swept wing [NASA-TP-2918] Its scope and coverage [NASA-SP-7065] p 10 N89-25117 p 37 N89-12822 [NASA-TP-2855] p 71 N89-15779 DIRECT CURRENT Method for experimental determination of flutter speed **DOMAINS** An electrochemical study of corrosion protection by by parameter identification Frequency domain laser velocimeter signal processor p 15 N89-26844 primer-topcoat systems on 4130 steel with ac impedance INASA-TP-29231 A new signal processing scheme [NASA-TP-2735] and dc methods DYNAMIC RESPONSE p 40 N87-27994 [NASA-TP-2820] p 30 N89-19406 Shape sensitivity analysis of wing static aeroelastic DOPED CRYSTALS DIRECTIONAL CONTROL characteristics Indentation plasticity and fracture in silicon p 15 N88-22031 Development and evaluation of an airplane electronic p 30 N89-10996 INASA-TP-28631 DYNAMIC STABILITY display format aligned with the inertial velocity vector DOPPLER RADAR INASA-TP-26481 p 16 N87-13438 Three-step cylindrical seal for high-performance Doppler Radar Detection of Wind Shear turbomachines DIRECTIONAL STABILITY NASA-CP-24351 p 12 N87-10054 [NASA-TP-1849] p 36 N87-24639 Effects of the installation and operation of jet-exhaust NASA/MSFC FY-85 Atmospheric Processes Research Rotordynamic Instability Problems in High-Performance yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane Turbomachinery, 1988 [NASA-CP-2402] p 55 N87-13043 INASA-CP-30261 p 41 N89-22891 (NASA-TP-2769) p 6 N88-12455 Wind shear detection. Forward-looking sensor DYNAMIC STRUCTURAL ANALYSIS DIRECTIVITY Combined aerodynamic and structural dynamic problem Surface bidirectional reflectance properties of two INASA-CP-100041 p 12 N88-14970 emulating routines (CASPER): southwestern Arizona deserts for wavelengths between implementation Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' 0.4 and 2.2 micrometers INASA-TP-2418 (NASA-TP-2643) Conference Sensitivity Analysis in Engineering [NASA-CP-2457] DISCRETE FUNCTIONS p 12 N88-17616 p 43 N87-18855 [NASA-CP-10006] A transient response method for linear coupled DRAG Modeling of joints for the dynamic analysis of truss substructures Effects of afterbody boattail design and empennage structures p 23 N90-13444 INASA-TP-26611 p 43 N87-20567 arrangement on aeropropulsive characteristics of a twin-engine fighter model at transonic speeds Space station structures and dynamics test program Compatability of dispersion-strengthened platinum with INASA-TP-27041 p 4 N87-21873 INASA-TP-27101 p.43 N87-20568 resistojet propellants Influence of base modifications on in-flight base drag Structural Dynamics and Control Interaction of Flexible |NASA-TP-2765| p 27 N88-12538 in the presence of jet exhaust for Mach numbers from Structures

07 to 15

INASA-TP-28021

NASA-TP-28951

DRAG REDUCTION

INASA-TP-26781

DRAG MEASUREMENT

Theory and

p 4 N87-17669

p 23 N87-22702

p 23 N87-22729

p.26 N87-22766

p 28 N87-25435

INASA-CP-2467-PT-11

NASA-CP-2467-PT-21

blades for minimum weight

Propulsion Systems

INASA-CP-2471

INASA-TP-27301

Structures

p 37 N88-18881

p 9 N89-19232

p 14 N87-20990

Drag measurements on a laminar-flow body of revolution

in the 13-inch magnetic suspension and balance system

Summary of studies to reduce wing-mounted propfan

nstallation drag on an M = 0.8 transport

Structural Dynamics and Control Interaction of Flexible

Structural Integrity and Durability of Reusable Space

Preliminary structural design of composite main rotor

DISPLACEMENT

[NASA-TP-2801]

materials 1989

INASA-TP-29371

INASA-CP-100241

for finite element analysis

cracks

Stress intensity and crack displacement for small edge

Research in structures, structural dynamics and

Integrated force method versus displacement method

p 44 N88-17095

p 46 N89-24626

p 47 N90-18081

SUBJECT INDEX		ELECTRODES
The 58th Shock and Vibration Symposium, volume 1 [NASA-CP-2488-VOL-1] p 43 N88-13609	Limb-darkening functions as derived from along-track operation of the ERBE scanning radiometer for January	ELASTIC DEFORMATION Stress intensity and crack displacement for small edge
The 58th Shock and Vibration Symposium, volume 2 (NASA-CP-2488-VOL-2) p 44 N88-18948	1985 [NASA-RP-1214] p 56 N69-17374 Angular radiation models for earth-atmosphere system.	cracks [NASA-TP-2801] p 44 N68-17095
Lewis Structures Technology, 1988. Volume 2: Structural Mechanics [NASA-CP-3003-VOL-2] p 44 N88-22382	Volume 2: Longwave radiation [NASA-RP-1184-VOL-2] p 57 N89-20587	ELASTIC PROPERTIES  Weld stresses beyond elastic limit: Materials discontinuity
[NASA-CP-3003-VOL-2] p 44 N86-22382 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST	Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152	[NASA-TP-2935] p 46 N89-27214 ELASTIC SCATTERING
[NASA-CP-3003-VOL-3] p 44 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural	Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide	Eikonal solutions to optical model coupled-channel equations
Dynamics [NASA-CP-3003-VOL-1] p 44 N88-23226	[NASA-RP-1211] p 79 N89-30151 Atlas of albedo and absorbed solar radiation derived	[NASA-TP-2830] p 68 N88-30402 ELECTRIC BATTERIES
SRM propellant and polymer materials structural test program	from Nimbus 6 earth radiation budget data set, July 1975 to May 1978 [NASA-RP-1230] p 57 N90-14741	Space Electrochemical Research and Technology (SERT)
(NASA-TP-2821) p 44 N88-25013 Partitioning strategy for efficient nonlinear finite element	Atlas of albedo and absorbed solar radiation derived from Nimbus 7 Earth radiation budget data set, November	[NASA-CP-2484] p 50 N87-29914 Space Electrochemical Research and Technology
dynamic analysis or multiprocessor computers [NASA-TP-2850] p 45 N89-16170	1978 to October 1985 [NASA-RP-1231] p 57 N90-17233	(SERT), 1989 [NASA-CP-3056] p 50 N90-20454
Research in structures, structural dynamics and materials, 1989	EARTH RADIATION BUDGET EXPERIMENT Calculation and accuracy of ERBE scanner	ELECTRIC CORONA  Asymptotic analysis of corona discharge from thin electrodes
[NASA-CP-10024] p 46 N89-24626 Computational Methods for Structural Mechanics and	measurement locations [NASA-TP-2670] p 72 N87-28471	[NASA-TP-2645] p 68 N87-14998 ELECTRIC DISCHARGES
Dynamics [NASA-CP-3034-PT-2] p 46 N89-24654	Atlas of wide-field-of-view outgoing longwave radiation derived from Nimbus 7 Earth radiation budget data set -	Asymptotic analysis of corona discharge from thin electrodes
DYNAMIC TESTS Space station structures and dynamics test program [NASA-TP-2710] p 43 N87-20568	November 1978 to October 1985 [NASA-RP-1186] p 55 N88-10451	[NASA-TP-2645] p 68 N87-14998 ELECTRIC ENERGY STORAGE
DYNAMICS EXPLORER 1 SATELLITE  Calibration of the spin-scan ozone imager aboard the	Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p.56 N88-20772	Space Electrochemical Research and Technology (SERT), 1989
dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491	[NASA-RP-1197] p 56 N88-20772 Summary of along-track data from the earth radiation budget satellite for several representative ocean regions	(NASA-CP-3056) p 50 N90-20454 ELECTRIC FIELDS
<u>_</u>	[NASA-RP-1206] p 56 N89-14634  Angular radiation models for earth-atmosphere system.	Double Layers in Astrophysics [NASA-CP-2469] p 72 N87-23313
E	Volume 2: Longwave radiation [NASA-RP-1184-VOL-2] p.57 N89-20587	ELECTRIC GENERATORS  Laser production and heating of plasma for MHD
Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral	EARTH RESOURCES Earth resources: A continuing bibliography with indexes	application (NASA-TP-2798) p 68 N88-18443  ELECTRICAL RESISTIVITY
scan solar irradiance and Earth radiance product user's guide [NASA-RP-1199] p 48 N88-17096	(issue 54) [NASA-SP-7041(54)] p 49 N87-27315	Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7
Atlas of albedo and absorbed solar radiation derived from Nimbus 7 Earth radiation budget data set, November	Earth resources: A continuing bibliography with indexes (issue 57)	[NASA-TP-2778] p 32 N88-10978 ELECTRO-OPTICS
1978 to October 1985 (NASA-RP-1231) p 57 N90-17233	[NASA-SP-7041(57)] p 49 N88-23314 Earth resources: A continuing bibliography with indexes	Sensor performance analysis [NASA-RP-1241] p 50 N90-23780
EARTH ATMOSPHERE Calculation and accuracy of ERBE scanner	(issue 62) [NASA-SP-7041(62)] p 50 N89-29825	ELECTROCATALYSTS Space Electrochemical Research and Technology
measurement locations [NASA-TP-2670] p 72 N87-28471	Earth resources: A continuing bibliography with indexes (issue 63) [NASA-SP-7041(63)] p 50 N90-12091	(SERT) [NASA-CP-2484] p 50 N87-29914
An assessment model for atmospheric composition [NASA-CP-3023] p 57 N89-20588	ECOLOGY Exobiology and Future Mars Missions	Space Electrochemical Research and Technology Conference: Abstracts [NASA-CP-10029] p 50 N89-22982
A high-resolution atlas of the infrared spectrum of the Sun and the Earth atmosphere from space: A compilation	[NASA-CP-10027] p 59 N89-26334 EDDY CURRENTS	Space Electrochemical Research and Technology (SERT), 1989
of ATMOS spectra of the region from 650 to 4800 cm (2.3 to 16 micron). Volume 1: The Sun [NASA-RP-1224-VOL-1] p 53 N90-13893	Technique for temperature compensation of eddy-current proximity probes	[NASA-CP-3056] p 50 N90-20454 ELECTROCHEMICAL CORROSION
EARTH CRUST  Crustal Dynamics Project: Catalogue of site	[NASA-TP-2880] p 39 N89-15380 Parametric study of power absorption from	An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance
information [NASA-RP-1198] p 52 N88-19037	electromagnetic waves by small ferrite spheres [NASA-TP-2949] p 66 N90-12282	and dc methods [NASA-TP-2820] p 30 N89-19406
EARTH LIMB Description of data on the Nimbus 7 LIMS map archive	EDGES Stress intensity and crack displacement for small edge cracks	Space Electrochemical Research and Technology
tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 56 N88-14572	[NASA-TP-2801] p 44 N88-17095 Spatial vision processes: From the optical image to the	(SERT) (NASA-CP-2484) p 50 N87-29914 The 1986 Goddard Space Flight Center Battery
EARTH OBSERVATIONS (FROM SPACE) Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189	symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762	Workshop [NASA-CP-2486] p 35 N88-11021
Polar Ozone Workshop. Abstracts [NASA-CP-10014] p.51 N89-14503	EDUCATION National Educators' Workshop: Update 1989 Standard	Space Electrochemical Research and Technology Conference: Abstracts
EARTH OBSERVING SYSTEM (EOS)  Earth Sciences Requirements for the Information	Experiments in Engineering Materials Science and Technology	[NASA-CP-10029] p 50 N89-22982 Space Electrochemical Research and Technology
Sciences Experiment System [NASA-CP-3072] p 50 N90-27140	[NASA-CP-3074] p 28 N90-24350  EFFECTIVE PERCEIVED NOISE LEVELS  Effects of background noise on total noise annoyance	(SERT), 1989 [NASA-CP-3056] p 50 N90-20454
EARTH ORBITAL ENVIRONMENTS A Study of Space Station Contamination Effects	[NASA-TP-2630] p 66 N87-14120 EIGENVALUES	National Educators' Workshop: Update 1989 Standard Experiments in Engineering Materials Science and
conference [NASA-CP-3002] p 72 N88-25390	Sensitivity Analysis in Engineering [NASA-CP-2457] p 43 N87-18855	Technology [NASA-CP-3074] p 28 N90-24350  ELECTRODE MATERIALS
The effects of simulated space environmental parameters on six commercially available composite materials	ElKONAL EQUATION Elkonal solutions to optical model coupled-channel	Design, fabrication, and performance of brazed, graphite electrode, multistage depressed collectors with 500-W,
[NASA-TP-2906] p 29 N89-19385 NASA/SDIO Space Environmental Effects on Materials	equations [NASA-TP-2830] p 68 N88-30402	continuous wave, 4.8- to 9.6-GHz traveling-wave tubes [NASA-TP-2904] p 35 N89-21171
Workstop, part 1 (NASA-CP-3035-PT-1) p 27 N89-23528	Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103	Space Electrochemical Research and Technology (SERT), 1989
EARTH RADIATION BUDGET Attas of wide-field-of-view outgoing longwave radiation	EJECTION Calculation of two-neutron multiplicity in photonuclear reactions	[NASA-CP-3056] p 50 N90-20454  ELECTRODES  Asymptotic analysis of corona discharge from thin
derived from Nimbus 6 Earth radiation budget data set, July 1975 to June 1978 [NASA-RP-1185] p 55 N87-26489	[NASA-TP-2968] p 68 N90-14890 EL NINO	electrodes   p 68 N87-14998
Attas of wide-field-of-view outgoing longwave radiation derived from Nimbus 7 Earth radiation budget data set	On the statistics of El Nino occurrences and the relationship of El Nino to volcanic and solar/geomagnetic	Performance of textured carbon on copper electrode multistage depressed collectors with medium-power
November 1978 to October 1985 [NASA-RP-1186] p 55 N88-10451	activity [NASA-TP-2948] p 79 N90-12456	traveling wave tubes [NASA-TP-2865] p 34 N87-17990

_		
Design, fabrication and performance of small, graphite electrode, multistage depressed collectors with 200-W,	ELECTRON SPECTROSCOPY	ENGINE AIRFRAME INTEGRATION
CW, 8- to 18-GHz traveling-wave tubes	FORTRAN program for x ray photoelectron spectroscopy data reformatting	An experimental investigation of an advanced turboprop installation on a swept wing at subsonic and transonic
[NASA-TP-2693] p 35 N87-20474	[NASA-TP-2957] p 69 N90-12348	speeds
Traveling-wave-tube efficiency improvement by a low-cost technique for deposition of carbon on multistage	An Auger electron spectroscopy study of	[NASA-TP-2729] p 6 N87-26883 ENGINE CONTROL
depressed collector	surface-preparation contaminants [NASA-TP-2972] p 33 N90-16968	Advanced detection, isolation and accommodation of
[NASA-TP-2719] p 35 N87-21239	ELECTRONIC CONTROL	sensor failures: Real-time evaluation
Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-	Advanced detection, isolation, and accommodation of	[NASA-TP-2740] p 19 N87-25331
to 9.6-GHz traveling wave tube	sensor failures in turbofan engines: Real-time microcomputer implementation	ENGINE COOLANTS  Computer code for predicting coolant flow and heat
[NASA-TP-2788] p 35 N88-15146	[NASA-TP-2925] p 20 N90-15112	transfer in turbomachinery
Performance of a multistage depressed collector with machined titanium electrodes	ELECTRONIC EQUIPMENT	[NASA-TP-2985] p 18 N90-27722 ENGINE DESIGN
[NASA-TP-2891] p 35 N89-15337	Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector	Aeropropulsion '87. Session 5: Subsonic Propulsion
Space Electrochemical Research and Technology	[NASA-TP-2648] p 16 N87-13438	Technology
Conference: Abstracts	ELECTROPHORESIS	[NASA-CP-10003-SESS-5] p 18 N88-15800
[NASA-CP-10029] p 50 N89-22982 ELECTRODYNAMICS	Preparative electrophoresis for space [NASA-TP-2777] p 32 N88-10977	NASA/Army Rotorcraft Technology, Volume 2, Materials and Structures, Propulsion and Drive Systems, Flight
Tether Dynamics Simulation	Continuous flow electrophoresis system experiments on	Dynamics and Control, and Acoustics
[NASA-CP-2458] p 41 N87-18821	shuttle flights STS-6 and STS-7	[NASA-CP-2495-VOL-2] p 1 N88-16632 Aeropropulsion '87, Session 1; Aeropropulsion Materials
New methods and results for quantification of	[NASA-TP-2778] p 32 N88-10978 ELECTROPOLISHING	Research
fightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871	An Auger electron spectroscopy study of	[NASA-CP-10003-SESS-1] p 18 N88-16697
Continuous flow electrophoresis system experiments on	surface-preparation contaminants	ENGINE FAILURE
shuttle flights STS-6 and STS-7	[NASA-TP-2972] p 33 N90-16968 ELEVONS	Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine
[NASA-TP-2778] p 32 N88-10978 ELECTROHYDRODYNAMICS	Aerodynamic pressures and heating rates on surfaces	airplane with one engine inoperative
Preparative electrophoresis for space	between split elevons at Mach 6.6	[NASA-TP-2633] p 3 N87-10843
[NASA-TP-2777] p 32 N88-10977	[NASA-TP-2855] p 37 N89-12822 ELLIPTIC DIFFERENTIAL EQUATIONS	Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation
ELECTROKINETICS	Solution of elliptic partial differential equations by fast	[NASA-TP-2740] p 19 N87-25331
Preparative electrophoresis for space [NASA-TP-2777] p 32 N88-10977	Poisson solvers using a local relaxation factor. 2: Two-step	Probabilistic risk analysis of flying the space shuttle with
ELECTROMAGNETIC NOISE	method (NASA-TP-2530) p 64 N87-14918	and without fuel turbine discharge temperature redline protection
LANDSAT-4 and LANDSAT-5 multispectral scanner	ELLIPTIC FUNCTIONS	[NASA-TP-2759] p 65 N87-27474
coherent noise characterization and removal	Solution of elliptic partial differential equations by fast	ENGINE INLETS
[NASA-TP-2595-REV] p 49 N89-12114	Poisson solvers using a local relaxation factor. 2: Two-step	Measurements of flow rate and trajectory of aircraft tire-generated water spray
ELECTROMAGNETIC RADIATION  Theory for computing the field scattered from a smooth	method [NASA-TP-2530] p 64 N87-14918	[NASA-TP-2718] p 14 N87-24458
inflected surface	ELLIPTICAL CYLINDERS	ENGINE MONITORING INSTRUMENTS
[NASA-TP-2632] p 68 N87-13264	Propagation of sound waves in tubes of noncircular cross	A simulation evaluation of the engine monitoring and
Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium	section [NASA-TP-2601] p.3 N87-14284	control system display [NASA-TP-2960] p 17 N90-18393
arsenide microstrip lines	EMBEDDING	ENGINE NOISE
[NASA-TP-2899] p 35 N89-21169	Efficient solutions to the Euler equations for supersonic	Measured and calculated acoustic attenuation rates of
Parametric study of power absorption from	flow with embedded subsonic regions	tuned resonator arrays for two surface impedance distribution models with flow
electromagnetic waves by small ferrite spheres [NASA-TP-2949] p 66 N90-12282	[NASA-TP-2523] p 3 N87-15183 EMISSION SPECTRA	[NASA-TP-2766] p 67 N88-17440
ELECTROMAGNETISM	Commentary on interstellar matter associated with 18	Annoyance caused by advanced turboprop aircraft
Earth Science Geostationary Platform Technology	open clusters	flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p 67 N88-17441
[NASA-CP-3040] p 24 N90-19249	[NASA-RP-1229] p 77 N89-27612 EMITTANCE	ENGINE PARTS
Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump	Emittance, catalysis, and dynamic oxidation of	Aeropropulsion '87, Session 1: Aeropropulsion Materials
rotors	Ti-14Al-21Nb	Research [NASA-CP-10003-SESS-1] p 18 N88-16697
[NASA-TP-3005] p 18 N90-23403	[NASA-TP-2955] p 31 N90-10248 END EFFECTORS	ENGINE TESTING LABORATORIES
ELECTRON BEAMS	Third Annual Workshop on Space Operations	Aeronautical facilities assessment
Analytical and experimental performance of a dual-mode traveling wave tube and multistage depressed collector	Automation and Robotics (SOAR 1989)	[NASA-RP-1146] p 21 N87-10876 ENGINE TESTS
[NASA-TP-2752] p 35 N87-25532	[NASA-CP-3059] p 62 N90-25503 ENERGY ABSORPTION	Comparison of theoretical and experimental thrust
ELECTRON BOMBARDMENT	Low-energy gamma ray attenuation characteristics of	performance of a 1030:1 area ratio rocket nozzle at a
Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper	aviation fuels	chamber pressure of 2413 kN/m2 (350 psia) [NASA-TP-2725] p 26 N87-25423
[NASA-TP-2967] p 31 N90-15211	[NASA-TP-2974] p 63 N90-18882 ENERGY CONSERVATION	Efficiency testing of a helicopter transmission planetary
ELECTRON EMISSION	Ground-based time-guidance algorithm for control of	reduction stage
Performance of textured carbon on copper electrode	airplanes in a time-metered air traffic control environment:	[NASA-TP-2795] p 41 N88-15224 Thrust-reverser flow investigation on a twir-engine
multistage depressed collectors with medium-power traveling wave tubes	A piloted simulation study [NASA-TP-2616] p 16 N87-10864	transport
[NASA-TP-2665] p 34 N87-17990	Advanced turboprop project	[NASA-TP-2856] p 9 N89-14213
Calculation of secondary electron trajectories in	[NASA-SP-495] p 18 N89-12565	Advanced detection, isolation, and accommodation of sensor failures in turbofan engines: Real-time
multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991	ENERGY CONVERSION Second Bearned Space-Power Workshop	microcomputer implementation
Electron stimulated desorption of atomic oxygen from	[NASA-CP-3037] p 27 N90-10140	[NASA-TP-2925] p 20 N90-15112
silver	ENERGY CONVERSION EFFICIENCY	Evaluation of various thrust calculation techniques on an F404 engine
[NASA-TP-2668] p 29 N87-18629	Laser-powered MHD generators for space application [NASA-TP-2621] p 68 N87-10764	[NASA-TP-3001] p 16 N90-25134
Secondary electron emission characteristics of untreated and ion-textured titanium	Space Photovoltaic Research and Technology 1986.	ENTROPY
[NASA-TP-2902] p 30 N89-17650	High Efficiency, Space Environment, and Array	On the Maxwellian distribution, symmetric form, and entropy conservation for the Euler equations
Design, fabrication, and performance of brazed, graphite	Technology [NASA-CP-2475] p 50 N87-26413	[NASA-TP-2583] p 35 N87-11963
electrode, multistage depressed collectors with 500-W.	Laser production and heating of plasma for MHD	ENVIRONMENT EFFECTS
continuous wave, 4.8- to 9.6-GHz traveling-wave tubes [NASA-TP-2904] p 35 N89-21171	application	Proceedings of the LDEF Materials Data Analysis
ELECTRON FLUX DENSITY	[NASA-TP-2798] p 68 N88-18443 ENERGY STORAGE	Workshop [NASA-CP-10046] p 28 N90-26075
Auger electron intensity variations in oxygen-exposed	The 1985 Goddard Space Flight Center Battery	ENVIRONMENTAL MONITORING
large grain polycrystalline silver	Workshop	Space Station Induced Monitoring
[NASA-TP-2930] p 67 N89-30022 ELECTRON RADIATION	[NASA-CP-2434] p 34 N87-11072 Space Electrochemical Research and Technology	[NASA-CP-3021] p 73 N89-15790 An assessment model for atmospheric composition
Spectroscopic comparison of effects of electron	Conference: Abstracts	[NASA-CP-3023] p 57 N89-20588
radiation on mechanical properties of two polyimides	(NASA-CP-10029) p 50 N89-22982	Nimbus-7 TOMS Antarctic ozone atlas: August through
[NASA-TP-2663] p 27 N87-18611	ENERGY TRANSFER  Double Lavers in Astrophysics	November, 1989 (NASA-RP-1237) p 58 N90-23837
Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on	Oouble Layers in Astrophysics [NASA-CP-2469] p 72 N87-23313	EPHEMERIDES
polyetherimides	BRYNTRN: A baryon transport model	Fifty year canon of solar eclipses: 1986 - 2035
[NASA-TP-2928] p 31 N89-25332	[NASA-TP-2887] p 80 N99-17562	[NASA-RP-1178-REV] p 73 N87-25906

SUBJECT INDEX		EXTRATERRESTRIAL RADIATION
Compilation of methods in orbital mechanics and solar	ETHYL ALCOHOL	Aerospace medicine and biology: A cumulative index
geometry	Velocity profiles in laminar diffusion flames	to a continuing bibliography (supplement 306)
[NASA-RP-1204] p 52 N89-10420	[NASA-TP-2596] p 36 N87-18035	[NASA-SP-7011(306)] p 60 N88-18180
Effect of ephemeris errors on the accuracy of the computation of the tangent point altitude of a solar	On the Maxwellian distribution, symmetric form, and	Aerospace medicine and biology: A continuing
scanning ray as measured by the SAGE 1 and 2	entropy conservation for the Euler equations	bibliography with indexes (supplement 315) [NASA-SP-7011(315)] p 60 N88-30281
instruments	[NASA-TP-2583] p 35 N87-11963	Exobiology and Future Mars Missions
[NASA-TP-2866] p 65 N89-16415	Efficient solutions to the Euler equations for supersonic flow with embedded subsonic regions	[NASA-CP-10027] p 59 N89-26334
Fifty year canon of lunar eclipses: 1986-2035 [NASA-RP-1216] p 75 N90-18342	[NASA-TP-2523] p.3 N87-15183	Aerospace medicine and biology: A continuing
EPOXY COMPOUNDS	A second-order accurate kinetic-theory-based method	bibliography with indexes (supplement 327) [NASA-SP-7011(327)] p 60 N89-29951
Analysis of positron lifetime spectra in polymers	for inviscid compressible flows	Aerospace medicine and biology: A continuing
[NASA-TP-2853] p 63 N89-12237 EPOXY MATRIX COMPOSITES	[NASA-TP-2613] p 36 N87-18783 Three-dimensional multigrid algorithms for the flux-split	bibliography with indexes (supplement 340)
Instrumented impact and residual tensile strength testing	Euler equations	[NASA-SP-7011(340)] p 60 N90-28963
of eight-ply carbon eopoxy specimens	[NASA-TP-2829] p 65 N89-12316	EXPERIMENT DESIGN Investigation of leading-edge flap performance on delta
[NASA-TP-2981] p 29 N90-16007 Low velocity instrumented impact testing of four new	An approximate method for calculating three-dimensional inviscid hypersonic flow fields	and double-delta wings at supersonic speeds
damage tolerant carbon/epoxy composite systems	[NASA-TP-3018] p 39 N90-27066	[NASA-TP-2656] p 4 N87-20233
[NASA-TP-3029] p 29 N90-25198	EUROPEAN SPACE AGENCY	Controlled Ecological Life Support System. Design,
EPOXY RESINS	Spacelab: An international success story [NASA-SP-487] p 72 N88-19375	Development, and Use of a Ground-Based Plant Growth Module
Investigation of the effects of cobalt ions on epoxy properties	EVACUATING (VACUUM)	[NASA-CP-2479] p 60 N88-13852
[NASA-TP-2639] p 31 N87-12680	Experimental evaluation of blockage ratio and plenum	Cells in Space
Properties of two composite materials made of	evacuation system flow effects on pressure distribution	[NASA-CP-10034] p 61 N90-13939
toughened epoxy resin and high-strain graphite fiber [NASA-TP-2826] p 28 N88-25480	for bodies of revolution in 0.1 scale model test section of NASA Lewis Research Center's proposed altitude wind	National Educators' Workshop: Update 1989 Standard Experiments in Engineering Materials Science and
EQUATIONS OF MOTION	tunnel	Technology
Nonlinear programming extensions to rational function	[NASA-TP-2702] p 21 N87-22694	[NASA-CP-3074] p 28 N90-24350
approximation methods for unsteady aerodynamic forces [NASA-TP-2776] p 15 N88-24623	EVALUATION  Experimental evaluation of blockage ratio and plenum	EXPERIMENTATION
Benchmark solutions for the galactic ion transport	evacuation system flow effects on pressure distribution	Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack
equations: Energy and spatially dependent problems	for bodies of revolution in 0.1 scale model test section	up to 65 degrees
[NASA-TP-2878] p 79 N89-16714	of NASA Lewis Research Center's proposed altitude wind tunnel	[NASA-TP-2733] p 5 N87-23592
EQUATIONS OF STATE  Further developments in exact state reconstruction in	[NASA-TP-2702] p 21 N87-22694	EXPERT SYSTEMS Computer Sciences and Data Systems, volume 1
deterministic digital control systems	A technique for evaluating the application of the pin-level	[NASA-CP-2459-VOL-1] p 62 N87-19931
[NASA-TP-2812] p 32 N88-18751	stuck-at fault model to VLSI circuits	Third Conference on Artificial Intelligence for Space
Derivation and definition of a linear aircraft model [NASA-RP-1207] p 19 N89-15123	[NASA-TP-2738] p 42 N87-28025 A study to evaluate STS heads-up ascent trajectory	Applications, part 1
EQUILIBRIUM	performance employing a minimum-Hamiltonian	[NASA-CP-2492-Pt-1] p 62 N88-16360 First Annual Workshop on Space Operations Automation
General equilibrium characteristics of a dual-lift	optimization strategy	and Robotics (SOAR 87)
helicopter system !NASA-TP-2615  p.2 N88-19407	[NASA-TP-2793] p 23 N88-15820	[NASA-CP-2491] p 61 N88-17206
NASA-TP-2615 p 2 N88-19407 EQUILIBRIUM EQUATIONS	Present state of knowledge of the upper atmosphere 1988: An assessment report	Third Conference on Artificial Intelligence for Space Applications, part 2
Integrated force method versus displacement method	[NASA-RP-1208] p 52 N88-29233	[NASA-CP-2492-PT-2] p 63 N88-24188
for finite element analysis	Technique for temperature compensation of	Second Conference on Artificial Intelligence for Space
[NASA-TP-2937] p 47 N90-18081 EQUILIBRIUM FLOW	eddy-current proximity probes [NASA-TP-2880] p 39 N89-15380	Applications [NASA-CP-3007] p 63 N88-29351
Simplified curve fits for the thermodynamic properties	Simulation evaluation of TIMER, a time-based, terminal	The 1988 Goddard Conference on Space Applications
of equilibrium air	air traffic, flow-management concept	of Artificial Intelligence
[NASA-RP-1181] p 36 N87-26309 EQUIPMENT SPECIFICATIONS	(NASA-TP-2870) p 13 N89-15901	[NASA-CP-3009] p 64 N88-30330 Fourth Conference on Artificial Intelligence for Space
Earth Sciences Requirements for the Information	A piloted evaluation of an oblique-wing research aircraft	Applications
Sciences Experiment System	motion simulation with decoupling control laws [NASA-TP-2874] p 20 N89-15930	[NASA-CP-3013] p 63 N89-15549
NASA-CP-3072   p 50 N90-27140   ERROR ANALYSIS	EVOLUTION (DEVELOPMENT)	Second Annual Workshop on Space Operations Automation and Robotics (SOAR 1988)
Preliminary estimates of radiosonde thermistor errors	Evolution, calibration, and operational characteristics of	[NASA-CP-3019] p 61 N89-19817
[NASA-TP-2637] p 55 N87-12086	the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel	Recent Advances in Multidisciplinary Analysis and
Low-cost FM oscillator for capacitance type of blade tip clearance measurement system	[NASA-TP-2749] p 21 N87-28570	Optimization, part 1 [NASA-CP-3031-PT-1] p 15 N89-25146
[NASA-TP-2746] p 17 N87-24481	EXCITATION	The 1989 Goddard Conference on Space Applications
A technique for evaluating the application of the pin-level	Calculation of two-neutron multiplicity in photonuclear	of Artificial Intelligence
stuck-at fault model to VLSI circuits INASA-TP-27381 p 42 N87-28025	reactions [NASA-TP-2968] p 68 N90-14890	[NASA-CP-3033] p 64 N89-26578
(NASA-TP-2738) p 42 N87-28025 Analysis and testing of the SURE program	The effectiveness of vane-aileron excitation in the	Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989)
[NASA-TP-2817] p 65 N88-22653	experimental determination of flutter speed by parameter	[NASA-CP-3059] p 62 N90-25503
The estimation error covariance matrix for the ideal state	identification [NASA-TP-2971] p 16 N90-15100	EXPLORER SATELLITES
reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994	EXHAUST FLOW SIMULATION	Into the thermosphere: The atmosphere explorers [NASA-SP-490] p 52 N88-18084
Satellite radar altimetry over ice. Volume 1: Processing	Hot-jet simulation in cryogenic wind tunnels	EXPLORER 51 SATELLITE
and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562	[NASA-RP-1220] p 15 N89-23448	Into the thermosphere: The atmosphere explorers
[NASA-RP-1233-VOL-1] p 54 N90-20562 Foundations of measurement and instrumentation	EXHAUST GASES The 1987 Ground Vortex Workshop	[NASA-SP-490] p 52 N88-18084 EXPLORER 54 SATELLITE
(NASA-RP-1222) p 40 N90-21351	[NASA-CP-10008] p 9 N89-10849	Into the thermosphere: The atmosphere explorers
ERRORS	EXHAUST NOZZLES	[NASA-SP-490] p 52 N88-18084
Investigation of the misfueling of reciprocating piston aircraft engines	Experimental evaluation of heat transfer on a 1030:1	Into the thermosphere: The atmosphere explorers
[NASA-TP-2803] p 12 N88-21144	area ratio rocket nozzle [NASA-TP-2726] p 27 N87-25424	(NASA-SP-490) p 52 N88-18084
ESTERS	Hydroburst test of a carbon-carbon involute exit cone	EXPOSURE
Ester oxidation on an aluminum surface using chemiluminescence	[NASA-TP-2556] p 24 N88-14112	Improved model for solar cosmic ray exposure in manned Earth orbital flights
[NASA-TP-2611] p 31 N87-18666	Static investigation of a two-dimensional	[NASA-TP-2987] p 80 N90-25031
ESTIMATES	convergent-divergent exhaust nozzle with multiaxis thrust-vectoring capability	EXTERNAL STORES
Flight Mechanics/Estimation Theory Symposium 1988 [NASA-CP-3011] p 23 N89-15934	[NASA-TP-2973] p 11 N90-19193	Drag measurements of blunt stores tangentially mounted on a flat plate at supersonic speeds
ESTIMATING	Exhaust nozzles for propulsion systems with emphasis	[NASA-TP-2742] p 6 N87-27626
Mental-State Estimation, 1987	on supersonic cruise aircraft [NASA-RP-1235] p 18 N90-21037	EXTRATERRESTRIAL ENVIRONMENTS
[NASA-CP-2504] p 60 N88-23370 Diode laser satellite systems for beamed power	EXOBIOLOGY	NASA/SDIO Space Environmental Effects on Materials Workshop, part 2
transmission	Aerospace medicine and biology: A cumulative index	(NASA-CP-3035-PT-2) p 28 N89-23547
[NASA-TP-2992] p 40 N90-24585	to the 1986 issues (supplement 293) (NASA-SP-7011(293)) p 59 N87-18976	EXTRATERRESTRIAL RADIATION
ETHERS Surface catalytic degradation study of two linear	(NASA-SP-7011(293)) p 59 N87-18976 Aerospace medicine and biology: A continuing	Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with
perfluoropolyalkylethers at 345 C	bibliography with indexes (supplement 302)	Monte Carlo results
[NASA-TP-2774] p 27 N88-12543	[NASA-SP-7011(302)] p 59 N87-30041	[NASA-TP-3021] p 80 N90-29290

EXTRAVEHICULAR ACTIVITY	EATIGUE (MATERIALE)	NASA Lagge Light Confloring Advanced Technology
Space Construction	FATIGUE (MATERIALS)  Predicted effect of dynamic load on pitting fatigue life	NASA Laser Light Scattering Advanced Technology Development Workshop, 1988
[NASA-CP-2490] p 25 N88-10870 Space Station Human Factors Research Review.	for low-contact-ratio spur gears	[NASA-CP-10033] p 4J N90-17085
Volume 1: EVA Research and Development	[NASA-TP-2610] p 41 N87-18095 Structural Integrity and Durability of Reusable Space	FIELD OF VIEW  Atlas of wide-field-of-view outgoing longwave radiation
[NASA-CP-2426-VOL-1] p 59 N88-24145	Propulsion Systems	derived from Nimbus 6 Earth radiation budget data set,
F	[NASA-CP-2471] p 26 N87-22766 Aeropropulsion '87. Session 1: Aeropropulsion Materials	July 1975 to June 1976 [NASA-RP-1185] p 55 N87-26489
F	Research	FIGHTER AIRCRAFT
FSTARS	[NASA-CP-10003-SESS-1] p 18 N88-16697	Interference effects of thrust reversing on horizontal tail effectiveness of twin-engine fighter aircraft at Mach
FGK stars and T Tauri stars: Monograph series on nonthermal phenomena in stellar atmospheres	Lewis Structures Technology, 1988. Volume 2: Structural Mechanics	numbers from 0.15 to 0.90
[NASA-SP-502] p 77 N90-18344	[NASA-CP-3003-VOL-2] p 44 N88-22382	[NASA-TP-2350] p 19 N87-10870 Subsonic maneuver capability of a supersonic cruise
F-106 AIRCRAFT Wind-tunnel free-flight investigation of a 0.15-scale	Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876	fighter wing concept
model of the F-106B airplane with vortex flaps	FATIGUE LIFE	[NASA-TP-2642] p 3 N87-15184 Effects of empennage surface location on aerodynamic
[NASA-TP-2700] p 4 N87-21855	Life prediction of thermomechanical fatigue using total	characteristics of a twin-engine afterbody model with
New methods and results for quantification of lightning-aircraft electrodynamics	strain version of strainrange partitioning (SRP): A proposal	nonaxisymmetric nozzles [NASA-TP-2392] p 14 N87-17693
[NASA-TP-2737] p 4 N87-21871	[NASA-TP-2779] p 44 N88-15263	Effects of afterbody boattail design and empennage
Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters	FAULT TOLERANCE Advanced detection, isolation and accommodation of	arrangement on aeropropulsive characteristics of a
[NASA-TP-2818] p.8 N88-23760	sensor failures: Real-time evaluation	twin-engine fighter model at transonic speeds [NASA-TP-2704] p.4 N87-21873
F-14 AIRCRAFT Effects of the installation and operation of jet-exhaust	[NASA-TP-2740] p 19 N87-25331	Multiaxis control power from thrust vectoring for a
yaw vanes on the longitudinal and lateral-directional	Joint University Program for Air Transportation Research, 1985	supersonic fighter aircraft model at Mach 0.20 to 2.47 [NASA-TP-2712] p 5 N87-24433
characteristics of the F-14 airplane [NASA-TP-2769] p 6 N88-12455	[NASA-CP-2453] p 1 N87-27596	Steady and unsteady aerodynamic forces from the
[NASA-TP-2769] p 6 N88-12455 F-15 AIRCRAFT	A technique for evaluating the application of the pin-level	SOUSSA surface-panel method for a fighter wing with tip missile and comparison with experiment and PANAIR
Dynamic ground-effect measurements on the F-15 STOL	stuck-at fault model to VLSI circuits [NASA-TP-2738] p 42 N87-28025	[NASA-TP-2736] p 5 N87-26032
and Maneuver Technology Demonstrator (S/MTD) configuration	SURE reliability analysis: Program and mathematics	Subsonic longitudinal and lateral-directional
(NASA-TP-3000) p 11 N90-22531	[NASA-TP-2764] p 65 N88-17380	characteristics of a forward-swept-wing fighter configuration at angles of attack up to 47 deg
Effect of tail size reductions on longitudinal aerodynamic characteristics of a three surface F-15 model with	CARE 3 User's Workshop [NASA-CP-10011] p 61 N88-21646	[NASA-TP-2727] p 6 N87-26874
nonaxisymmetric nozzles	Analysis and testing of the SURE program	Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic
[NASA-TP-3036] p 11 N90-25938 F-16 AIRCRAFT	[NASA-TP-2817] p 65 N88-22653	speeds
Development and flight test experiences with a	The Fault Tree Compiler (FTC): Program and mathematics	[NASA-TP-2588] p 6 N88-10765 FILM COOLING
flight-crucial digital control system	[NASA-TP-2915] p 64 N89-24815	Jet model for slot film cooling with effect of free-stream
[NASA-TP-2857] p 20 N89-24327 FABRICATION	Applications of the hybrid automated reliability predictor: Revised edition	and coolant turbulence [NASA-TP-2655] p 36 N87-18034
Design, fabrication and performance of small, graphite	[NASA-TP-2760-REV] p 63 N90-11454	Gas-jet and tangent-slot film cooling tests of a 12.5 deg
electrode, multistage depressed collectors with 200-W, CW, 8- to 18-GHz traveling-wave tubes	The 1990 Goddard Conference on Space Applications	cone at Mach number of 6.7
[NASA-TP-2693] p 35 N87-20474	of Artificial Intelligence {NASA-CP-3068} p 64 N90-22294	[NASA-TP-2786] p 39 N90-28806 FINENESS RATIO
FABRICS Measured and predicted root-mean-square errors in	FAULT TREES	Planform effects on the supersonic aerodynamics of
square and triangular antenna mesh facets	The Fault Tree Compiler (FTC): Program and mathematics	multibody configurations [NASA-TP-2762] p 6 N88-12454
[NASA-TP-2896] p 45 N89-17892 The interlaminar fracture toughness of woven	(NASA-TP-2915) p 64 N89-24815	FINITE ELEMENT METHOD
graphite/epoxy composites	FEASIBILITY ANALYSIS  Analysis of quasi-hybrid solid rocket booster concepts	Exploiting symmetries in the modeling and analysis of tires
[NASA-TP-2950] p 29 N90-10179	for advanced earth-to-orbit vehicles	[NASA-TP-2649] p 13 N87-17690
FABRY-PEROT INTERFEROMETERS Three component laser anemometer measurements in	[NASA-TP-2751] p 27 N87-25425	Fifteenth NASTRAN (R) Users' Colloquium
an annular cascade of core turbine vanes with contoured	Evaluation of a scale-model experiment to investigate long-range acoustic propagation	[NASA-CP-2481] p 43 N87-27231 Finite-element reentry heat-transfer analysis of space
end wall [NASA-TP-2846] p 8 N89-10844	[NASA-TP-2748] p 66 N88-11450	shuttle Orbiter
FAILURE	FEEDBACK CONTROL  Effect of control surface mass unbalance on the stability	[NASA-TP-2657] p 37 N87-29795 Measured and calculated acoustic attenuation rates of
A Protection And Detection Surface (PADS) for damage tolerance	of a closed-loop active control system	tuned resonator arrays for two surface impedance
[NASA-TP-3011] p 29 N90-27788	[NASA-TP-2952] p 47 N90-12042 Advanced detection, isolation, and accommodation of	distribution models with flow
FAILURE ANALYSIS	sensor failures in turbofan engines: Real-time	[NASA-TP-2766] p 67 N88-17440 The 58th Shock and Vibration Symposium, volume 2
Development of confidence limits by pivotal functions for estimating software reliability	microcomputer implementation [NASA-TP-2925] p 20 N90-15112	[NASA-CP-2488-VOL-2] p 44 N88-18948
[NASA-TP-2709] p 65 N87-23244	FERRITES	Three-dimensional analysis of a postbuckled embedded delamination
The 1986 Goddard Space Flight Center Battery Workshop	Parametric study of power absorption from electromagnetic waves by small ferrite spheres	[NASA-TP-2823] p 44 N88-26684
[NASA-CP-2486] p 35 N88-11021	(NASA-TP-2949) p 66 N90-12282	Partitioning strategy for efficient nonlinear finite element
Thermal Barrier Coatings, Abstracts and figures [NASA-CP-10019] p.31 N89-13642	FIBER COMPOSITES  Cyclic loads tests of carbon involute solid rocket motor	dynamic analysis on multiprocessor computers [NASA-TP-2850] p 45 N89-16170
The 1989 Goddard Conference on Space Applications	outer boot ring segments	Turbine Engine Hot Section Technology, 1987
of Artificial Intelligence	[NASA-TP-2884] p 45 N89-16192	[NASA-CP-2493] p 45 N89-17298
[NASA-CP-3033] p 64 N89-26578  Loads analysis and testing of flight configuration solid	The effects of simulated space environmental parameters on six commercially available composite	Mixed finite element models for free vibrations of thin-walled beams
rocket motor outer boot ring segments	materials	[NASA-TP-2868] p 45 N89-19579
[NASA-TP-3028] p 47 N90-25366	[NASA-TP-2906] p 29 N89-19385 Tungsten fiber reinforced copper matrix composites: A	Mixed formulation for frictionless contact problems [NASA-TP-2897] p 45 N89-19580
FAILURE MODES  Modal interaction in postbuckled plates. Theory	review	Seventeenth NASTRAN (R) Users' Colloquium
[NASA-TP-2943] p 47 N90-27121	[NASA-TP-2924] p 29 N89-27796 Heat treatment study of the SiC/Ti-15-3 composite	[NASA-CP-3029] p 45 N89-22940
Ceramics Analysis and Reliability Evaluation of Structures (CARES). Users and programmers manual	system	Derivation of a tappered p-version beam finite element [NASA-TP-2931] p 46 N89-26255
(NASA-TP-2916) p 47 N90-28099	[NASA-TP-2970] p 29 N90-19302 National Educators' Workshop: Update 1989 Standard	NASA Workshop on Computational Structural
FAN BLADES	Experiments in Engineering Materials Science and	Mechanics 1987, part 1 [NASA-CP-10012-PT-1] p 46 N89-29773
Laser anemometer measurements in a transonic axial-flow fan rotor	Technology [NASA-CP-3074] p 28 N90-24350	NASA Workshop on Computational Structural
[NASA-TP-2879] p 38 N90-11245	FIBER OPTICS	Mechanics 1987, part 2
FAR INFRARED RADIATION Far infrared supplement: Catalog of infrared	Computer Sciences and Data Systems, volume 2	[NASA-CP-10012-PT-2] p 46 N89-29789 NASA Workshop on Computational Structural
observations, second edition	[NASA-CP-2459-VOL-2] p 62 N87-19932 Aeropropulsion '87. Session 4: Instrumentation and	Mechanics 1987, part 3
[NASA-RP-1205] p 74 N88-30545	Controls Research	[NASA-CP-10012-PT-3] p 46 N89-29799
FASTENERS Fastener design manual	[NASA-CP-10003-SESS-4] p 18 N88-15794 Second Workshop on Improvements to Photometry	Integrated force method versus displacement method for finite element analysis
[NASA-RP-1228] p 42 N90-18740	[NASA-CP-10015] p 74 N89-13310	[NASA-TP-2937] p 47 N90-18081

SOBJECT INDEX		rtigni iesis
Modeling and analysis of the space shuttle nose-gear	Low-speed wind-tunnel investigation of the flight	Comparison of flying qualities derived from in-flight and
tire with semianalytic finite elements	dynamic characteristics of an advanced turboprop	ground-based simulators for a jet-transport airplane for the
[NASA-TP-2977] p 42 N90-19595	business/commuter aircraft configuration	approach and landing pilot tasks
Eighteenth NASTRAN (R) Users' Colloquium [NASA-CP-3069] p 47 N90-24637	[NASA-TP-2982] p 20 N90-19239 FLIGHT CONTROL	[NASA-TP-2962] p 20 N90-11757
FINS	Joint University Program for Air Transportation	Stereopsis cueing effects on hover-in-turbulence performance in a simulated rotorcraft
Wind-tunnel investigation at supersonic speeds of a	Research, 1983	[NASA-TP-2980] p 17 N90-21004
remote-controlled canard missile with a free-rolling-tail	[NASA-CP-2451] p 1 N87-18520	FLIGHT SIMULATORS
brake torque system [NASA-TP-2401] p.4 N87-17668	Joint University Program for Air Transportation Research, 1985	Aeronautical facilities assessment [NASA-RP-1146] p 21 N87-10876
[NASA-TP-2401] p 4 N87-17668 FIRE EXTINGUISHERS	[NASA-CP-2453] p 1 N87-27596	Piloted simulator study of allowable time delays in
Spacecraft Fire Safety	NASA/Army Rotorcraft Technology. Volume 1:	large-airplane response
[NASA-CP-2476] p 24 N88-12520	Aerodynamics, and Dynamics and Aeroelasticity	[NASA-TP-2652] p 19 N87-16849
FIRES	[NASA-CP-2495-VOL-1] p 1 N88-16625 Singular perturbations and time scales in the design of	FLIGHT TESTS
Spacecraft Fire Safety	digital flight control systems	In-flight total forces, moments and static aeroelastic characteristics of an oblique-wing research airplane
{NASA-CP-2476} p 24 N88-12520 FLAME TEMPERATURE	[NASA-TP-2844] p 19 N89-12569	[NASA-TP-2224] p 19 N87-10103
Determination of combustion gas temperatures by	Flight control systems development and flight test	Development and evaluation of an airplane electronic
infrared radiometry in sooting and nonsooting flames	experience with the HiMAT research vehicles [NASA-TP-2822] p 20 N89-15929	display format aligned with the inertial velocity vector [NASA-TP-2648] p 16 N87-13438
[NASA-TP-2900] p 38 N89-25409	Modal control of an oblique wing aircraft	New methods and results for quantification of
FLAMMABILITY Spaces of Fire Safety	(NASA-TP-2898) p 20 N89-16845	lightning-aircraft electrodynamics
Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520	Development and flight test experiences with a	[NASA-TP-2737] p 4 N87-21871
FLAPPING HINGES	flight-crucial digital control system [NASA-TP-2857] p 20 N89-24327	Flight investigation of the effects of an outboard wing-leading-edge modification on stall/spin
Validation of a pair of computer codes for estimation	Comparison of flying qualities derived from in-flight and	characteristics of a low-wing, single-engine, T-tail light
and optimization of subsonic aerodynamic performance	ground-based simulators for a jet-transport airplane for the	airplane
of simple hinged-flap systems for thin swept wings	approach and landing pilot tasks	[NASA-TP-2691] p 14 N87-23614
[NASA-TP-2828] p 8 N89-10024 FLAPS (CONTROL SURFACES)	[NASA-TP-2962] p 20 N90-11757	Application of parameter estimation to aircraft stability and control: The output-error approach
Applicability of linearized-theory attached-flow methods	FLIGHT CREWS  Cockpit Resource Management Training	[NASA-RP-1168] p 14 N87-29499
to design and analysis of flap systems at low speeds for	[NASA-CP-2455] p 12 N87-22634	Analog signal conditioning for flight-test
thin swept wings with sharp leading edges	Delivery performance of conventional aircraft by	instrumentation
[NASA-TP-2653] p 3 N87-15174 An experimental investigation of the flap-lag-torsion	terminal-area, time-based air traffic control: A real-time	[NASA-RP-1159] p 17 N87-29533 Comparison of wind tunnel and flight test afterbody and
aeroelastic stability of a small-scale hingeless helicopter	simulation evaluation	nozzle pressures for a twin-jet fighter aircraft at transonic
rotor in hover	[NASA-TP-2978] p 13 N90-18378 FLIGHT HAZARDS	speeds
[NASA-TP-2546] p 7 N88-20257	Piloted-simulation evaluation of escape guidance for	[NASA-TP-2588] p 6 N88-10765
Validation of a computer code for analysis of subsonic aerodynamic performance of wings with flaps in	microburst wind shear encounters	The 1986 Goddard Space Flight Center Battery Workshop
combination with a canard or horizontal tail and an	[NASA-TP-2886] p 17 N89-16820	[NASA-CP-2486] p 35 N88-11021
application to optimization	FLIGHT INSTRUMENTS	Flight and wind-tunnel measurements showing base
[NASA-TP-2961] p 11 N90-14187	A simulation evaluation of the engine monitoring and control system display	drag reduction provided by a trailing disk for high Reynolds
FLAT PLATES  Drag measurements of blunt stores tangentially mounted	[NASA-TP-2960] p 17 N90-18393	number turbulent flow for subsonic and transonic Mach numbers
on a flat plate at supersonic speeds	FLIGHT MANAGEMENT SYSTEMS	[NASA-TP-2638] p 37 N88-14299
[NASA-TP-2742] p 6 N87-27626	Ground-based time-guidance algorithm for control of	NASA/Army Rotorcraft Technology. Volume 3: Systems
FLEXIBLE BODIES	airplanes in a time-metered air traffic control environment:	Integration, Research Aircraft, and Industry
Structural Dynamics and Control Interaction of Flexible Structures	A piloted simulation study [NASA-TP-2616] p 16 N87-10864	[NASA-CP-2495-VOL-3] p 1 N88-16650 Influence of base modifications on in-flight base drag
[NASA-CP-2467-PT-1] p 23 N87-22702	FLIGHT MECHANICS	in the presence of jet exhaust for Mach numbers from
Structural Dynamics and Control Interaction of Flexible	Derivation and definition of a linear aircraft model	0.7 to 1.5
Structures (NASA-CP-2467-PT-2) p 23 N87-22729	[NASA-RP-1207] p 19 N89-15123	[NASA-TP-2802] p 37 N88-18881
[NASA-CP-2467-PT-2] p 23 N87-22729 Nonlinear programming extensions to rational function	Flight Mechanics/Estimation Theory Symposium 1988 {NASA-CP-3011} p 23 N89-15934	A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the
approximation methods for unsteady aerodynamic forces	Flight Mechanics/Estimation Theory Symposium, 1989	Rotorcraft and Powered-Lift Flight Projects Division,
[NASA-TP-2776] p 15 N88-24623	[NASA-CP-3050] p 23 N90-13413	1970-1985
NASA/DOD Controls-Structures Interaction Technology 1989	Flight Mechanics/Estimation Theory Symposium	[NASA-RP-1187] p 14 N88-19467 A review of technologies applicable to low-speed flight
[NASA-CP-3041] p 26 N90-21062	[NASA-CP-2002] p 22 N78-76855	of high-performance aircraft investigated in the Langley
FLEXIBLE SPACECRAFT	FLIGHT SAFETY Wind Shear/Turbulence Inputs to Flight Simulation and	14- x 22-foot subsonic tunnel
NASA/DOD Control/Structures Interaction Technology,	Systems Certification	[NASA-TP-2796] p 7 N88-20264
1986 [NASA-CP-2447-PT-1] p 24 N87-16014	[NASA-CP-2474] p 1 N87-25267	Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft
The 20th Aerospace Mechanics Symposium	Meteorological and Environmental Inputs to Aviation	[NASA-TP-2618] p 15 N88-21153
[NASA-CP-2423-REV] p 43 N87-16321	Systems	Flight control systems development and flight test
Recent Advances in Multidisciplinary Analysis and	[NASA-CP-2498] p 56 N88-25105	experience with the HiMAT research vehicles
Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201	Practices in adequate structural design [NASA-TP-2893] p 24 N89-18504	[ NASA-TP-2822 ] p 20 N89-15929 A piloted evaluation of an oblique-wing research aircraft
FLIGHT CHARACTERISTICS	FLIGHT SIMULATION	motion simulation with decoupling control laws
Wind-tunnel investigation of the flight characteristics of	Ground-based time-guidance algorithm for control of	[NASA-TP-2874] p 20 N89-15930
a canard general-aviation airplane configuration	airplanes in a time-metered air traffic control environment:	Tip aerodynamics and acoustics test: A report and data
[NASA-TP-2623] p.3 N87-10039 Piloted simulator study of allowable time delays in	A piloted simulation study [NASA-TP-2616] p 16 N87-10864	survey [NASA-RP-1179] p 9 N89-17579
large-airplane response	Cockpit Resource Management Training	Transonic Symposium: Theory, Application, and
[NASA-TP-2652] p 19 N87-16849	[NASA-CP-2455] p 12 N87-22634	Experiment, Volume 1, Part 1
Flight characteristics of the AD-1 oblique-wing research	Wind Shear/Turbulence Inputs to Flight Simulation and	[NASA-CP-3020-VOL-1-PT-1] p 9 N89-20925
aircraft [NASA-TP-2223] p 19 N87-18570	Systems Certification	Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model
Handling qualities of a wide-body transport airplane	[NASA-CP-2474] p 1 N87-25267	[NASA-TP-2832] p 10 N89-24264
utilizing Pitch Active Control Systems (PACS) for relaxed	Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane	Method for experimental determination of flutter speed
static stability application	(NASA-TP-2747) p 19 N87-26922	by parameter identification
[NASA-TP-2482] p 19 N88-14987 Analysis of flight data from a High-Incidence Research	Handling qualities of a wide-body transport airplane	[NASA-TP-2923] p 15 N89-26844 Longitudinal stability and control characteristics of the
Model by system identification methods	utilizing Pitch Active Control Systems (PACS) for relaxed	Quiet Short-Haul Research Aircraft (QSRA)
[NASA-TP-2940] p 20 N90-10074	static stability application {NASA-TP-2482} p 19 N88-14987	[NASA-TP-2965] p 20 N90-17639
Comparison of flying qualities derived from in-flight and	A piloted simulation study of data link ATC message	Low-speed wind-tunnel investigation of the flight
ground-based simulators for a jet-transport airplane for the approach and landing pilot tasks	exchange	dynamic characteristics of an advanced turboprop- business/commuter aircraft configuration
[NASA-TP-2962] p.20 N90-11757	[NASA-TP-2859] p 13 N89-15900	[NASA-TP-2982] p 20 N90-19239
Global stratospheric change: Requirements for a	A piloted evaluation of an oblique-wing research aircraft	Evaluation of various thrust calculation techniques on
Very-High-Attitude Aircraft for Atmospheric Research	motion simulation with decoupling control laws [NASA-TP-2874] p 20 N89-15930	an F404 engine
[NASA-CP-10041] p 16 N90-14220 Longitudinal stability and control characteristics of the	[NASA-TP-2874] p 20 N89-15930 Piloted-simulation evaluation of escape guidance for	[NASA-TP-3001] p 16 N90-25134 Supercritical wing technology: A report on flight
Quiet Short-Haul Research Aircraft (QSRA)	microburst wind shear encounters	evaluations
[NASA-TP-2965] p 20 N90-17639	(NASA-TP-2886) p 17 N89-16820	[NASA-SP-301] p.2 N77-85474

**FLIGHT TRAINING** SUBJECT INDEX

FLIGHT TRAINING	In-flight surface oil-flow photographs with comparisons	User's manual for interactive LINEAR: A FORTRAN
Cockpit Resource Management Training	to pressure distribution and boundary-layer data	program to derive linear aircraft models
{NASA-CP-2455} p 12 N87-22634 FLIR DETECTORS	[NASA-TP-2395] p 4 N87-20966	[NASA-TP-2835] p 65 N89-16437
Wind shear detection. Forward-looking sensor	Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2	FORTRAN program for x ray photoelectron spectroscopy data reformatting
technology	[NASA-TP-2660-PT-2] p 5 N87-25301	[NASA-TP-2957] p 69 N90-12348
[NASA-CP-10004] p 12 N88-14970	Digital enhancement of flow field images	FOSSILS
FLOORS	[NASA-TP-2770] p 62 N88-20833	Exobiology and Future Mars Missions
Evaluation of energy absorption of new concepts of aircraft composite subfloor intersections	FLUENCE	[NASA-CP-10027] p 59 N89-26334
[NASA-TP-2951] p 16 N90-26823	Improved model for solar cosmic ray exposure in manned	FRACTURE MECHANICS  Structural Integrity and Durability of Reusable Space
FLOW CHARACTERISTICS	Earth orbital flights [NASA-TP-2987] p 80 N90-25031	Propulsion Systems
The Langley 14- by 22-foot subsonic tunnel: Description,	FLUID DYNAMICS	[NASA-CP-2471] p 26 N87-22766
flow characteristics, and guide for users [NASA-TP-3008] p 12 N90-27649	NASA-Chinese Aeronautical Establishment (CAE)	NASA/Army Rotorcraft Technology. Volume 2: Materials
FLOW DEFLECTION	Symposium	and Structures, Propulsion and Drive Systems, Flight
Static internal performance of a nonaxisymmetric vaned	[NASA-CP-2433] p 17 N87-20267	Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p.1 N88-16632
thrust reverser with flow splay capability	Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems	Lewis Structures Technology, 1988. Volume 2: Structural
[NASA-TP-2933] p 10 N89-27634 FLOW DISTRIBUTION	{NASA-CP-3006} p 37 N89-11153	Mechanics
Design of 9.271-pressure-ratio 5-stage core compressor	FLUID FLOW	[NASA-CP-3003-VOL-2] p 44 N88-22382
and overall performance for first 3 stages	Experimental cavity pressure distributions at supersonic	Lewis Structures Technology, 1988. Volume 3: Structural
[NASA-TP-2597] p 17 N87-17699	speeds {NASA-TP-2683} p 5 N87-22626	Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 44 N88-22408
Aerothermal evaluation of a spherically blunted body with a trapezoidal cross section in the Langley 8-foot	[NASA-TP-2683] p 5 N87-22626  FLUID MANAGEMENT	Structural Ceramics
high-temperature tunnel	Microgravity Fluid Management Symposium	[NASA-CP-2427] p 31 N88-23872
[NASA-TP-2641] p 36 N87-18782	[NASA-CP-2465] p 32 N87-21141	Advanced Earth-to-Orbit Propulsion Technology 1986,
Detailed flow surveys of turning vanes designed for a	Cryogenic Fluid Management Technology Workshop.	volume 2
0.1-scale model of NASA Lewis Research Center's	Volume 2: Roundtable Discussion of Technology	[NASA-CP-2437-VOL-2] p 27 N89-12626
proposed altitude wind tunnel [NASA-TP-2680] p 21 N87-20295	Requirements	Turbine Engine Hot Section Technology 1986
Study of lee-side flows over conically cambered delta	[NASA-CP-10009] p 37 N88-20599 Workshop on Two-Phase Fluid Behavior in a Space	[NASA-CP-2444] p 45 N89-12876
wings at supersonic speeds, part 1	Environment	Turbine Engine Hot Section Technology, 1987 [NASA-CP-2493] p 45 N89-17298
[NASA-TP-2660-PT-1] p 5 N87-23597	[NASA-CP-3043] p 38 N89-26184	FRACTURE STRENGTH
Study of fee-side flows over conically cambered Delta	FLUID MECHANICS	Indentation plasticity and fracture in silicon
wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301	Aeropropulsion '87. Session 3: Internal Fluid Mechanics	[NASA-TP-2863] p 30 N89-10996
Qualitative evaluation of a flush air data system at	Research	The interlaminar fracture toughness of woven
transonic speeds and high angles of attack	[NASA-CP-10003-SESS-3] p 18 N88-15790 Aeropropulsion '87. Session 4: Instrumentation and	graphite/epoxy composites
[NASA-TP-2716] p 14 N87-29497	Controls Research	[NASA-TP-2950] p 29 N90-10179
A spectral collocation solution to the compressible	[NASA-CP-10003-SESS-4] p 18 N88-15794	FREE ELECTRON LASERS Free-Space Power Transmission
stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543	Aeropropulsion '87. Session 5: Subsonic Propulsion	[NASA-CP-10016] p 27 N90-21795
Transonic Unsteady Aerodynamics and Aeroelasticity	Technology	FREE FLIGHT
1987, part 2	[NASA-CP-10003-SESS-5] p 18 N88-15800	Wind-tunnel free-flight investigation of a 0.15-scale
[NASA-CP-3022-PT-2] p 9 N89-19247	Aeropropulsion '87. Session 6: High-Speed Propulsion	model of the F-106B airplane with vortex flaps
CAST-10-2/DOA 2 Airfoil Studies Workshop Results [NASA-CP-3052] p 22 N90-17647	Technology [NASA-CP-10003-SESS-6] p 18 N88-15807	[NASA-TP-2700] p 4 N87-21855
Spanwise measurements of vertical components of	FLUTTER PLOT TO THE PROPERTY OF THE PROPERTY O	FREE FLOW Helicopter blade-vortex interaction locations:
atmospheric turbulence	Effects of winglet on transonic flutter characteristics of	Scale-model acoustics and free-wake analysis results
[NASA-TP-2963] p 58 N90-19718	a cantilevered twin-engine-transport wing model	[NASA-TP-2658] p 4 N87-18537
Laser-velocimeter-measured flow field around an	[NASA-TP-2627] p 43 N87-13789	Thrust-reverser flow investigation on a twin-engine
advanced, swept, eight-blade propeller at Mach 0.8 [NASA-TP-2462] p 2 N90-20942	Method for experimental determination of flutter speed by parameter identification	transport
Discrete-vortex model for the symmetric-vortex flow on	[NASA-TP-2923] p 15 N89-26844	(NASA-TP-2856) p 9 N89-14213 Surface flow and heating distributions on a cylinder in
cones	Effect of control surface mass unbalance on the stability	near wake of Aeroassist Flight Experiment (AFE)
[NASA-TP-2989] p 11 N90-20946	of a closed-loop active control system	configuration at incidence in Mach 10 Air
An approximate method for calculating three-dimensional inviscid hypersonic flow fields	[NASA-TP-2952] p 47 N90-12042	(NASA-TP-2954) p 38 N90-14493
[NASA-TP-3018] p 39 N90-27066	The effectiveness of vane-aileron excitation in the experimental determination of flutter speed by parameter	FREE VIBRATION
Computer code for predicting coolant flow and heat	identification	Mixed finite element models for free vibrations of thin-walled beams
transfer in turbomachinery	[NASA-TP-2971] p 16 N90-15100	[NASA-TP-2868] p 45 N89-19579
[NASA-TP-2985] p 18 N90-27722 FLOW MEASUREMENT	FLUTTER ANALYSIS	FREQUENCIES
Three component laser anemometer measurements in	Control surface spanwise placement in active flutter suppression systems	Frequency domain laser velocimeter signal processor:
an annular cascade of core turbine vanes with contoured	[NASA-TP-2873] p 45 N89-16196	A new signal processing scheme
end wall	Transonic Unsteady Aerodynamics and Aeroelasticity	[NASA-TP-2735] p 40 N87-27994 FREQUENCY MODULATION
[NASA-TP-2846] p.8 N89-10844 Rotor induced-inflow-ratio measurements and CAMRAD	1987, part 1	Low-cost FM oscillator for capacitance type of blade
calculations	[NASA-CP-3022-PT-1] p 9 N89-19234 FLUX VECTOR SPLITTING	tip clearance measurement system
[NASA-TP-2946] p 11 N90-15882	Three-dimensional multigrid algorithms for the flux-split	[NASA-TP-2746] p 17 N87-24481
FLOW STABILITY	Euler equations	FREQUENCY STABILITY
A spectral collocation solution to the compressible	[NASA-TP-2829] p 65 N89-12316	Closed-Cycle, Frequency-Stable CO2 Laser
stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543	FOG DISPERSAL	Technology [NASA-CP-2456] p 40 N87-20522
Research in Natural Laminar Flow and Laminar-Flow	Development testing of large volume water sprays for warm fog dispersal	FRICTION
Control, part 1	[NASA-TP-2607] p 24 N87-12585	Advances in contact algorithms and their application to
[NASA-CP-2487-PT-1] p 10 N90-12503	FOOD	tires
FLOW VELOCITY	Controlled Ecological Life Support System. Design,	[NASA-TP-2781] p 44 N88-21456
Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for	Development, and Use of a Ground-Based Plant Growth Module	FRICTION FACTOR  Mixed formulation for frictionless contact problems
NASA Lewis Research Center's altitude wind tunnel	[NASA-CP-2479] p 60 N88-13852	INASA-TP-2897 p 45 N89-19580
[NASA-TP-2666] p 21 N87-17717	FOREST MANAGEMENT	FRICTION MEASUREMENT
Jet model for slot film cooling with effect of free-stream	Earth resources: A continuing bibliography with indexes	Evaluation of two transport aircraft and several ground
and coolant turbulence [NASA-TP-2655] p 36 N87-18034	(issue 57)   NASA-SP-7041(57)   p 49 N88-23314	test vehicle friction measurements obtained for various
Measurements of flow rate and trajectory of aircraft	[NASA-SP-7041(57)] p 49 N88-23314 FORMAT	runway surface types and conditions. A summary of test
tire-generated water spray	Proceedings of the 5th Annual Users' Conference	results from joint FAA/NASA Runway Friction Program [NASA-TP-2917] p 16 N90-15902
[NASA-TP-2718] p 14 N87-24458	(NASA-CP-2399) p 62 N87-10720	FUEL COMBUSTION
Laser anemometer measurements in a transonic	FORTRAN program for x ray photoelectron	Mixing and Demixing Processes in Multiphase Flows
axial-flow fan rotor [NASA-TP-2879] p 38 N90-11245	spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12348	With Application to Propulsion Systems
FLOW VISUALIZATION	FORTRAN	[NASA-CP-3006] p 37 N89-11153
Evaluation of diffuse-illumination holographic	User's manual for LINEAR, a FORTRAN program to	Advanced Earth-to-Orbit Propulsion Technology 1986,
cinematography in a flutter cascade	derive linear aircraft models	volume 2
[NASA-TP-2593] p 39 N87-13731	[NASA-TP-2768] p 65 N88-21740	[NASA-CP-2437-VOL-2] p 27 N89-12626

SUBJECT INDEX		GLASS LASERS
FUEL CONSUMPTION	GAMMA RAY OBSERVATORY	Flight investigation of the effect of tail configuration on
Ground-based time-guidance algorithm for control of	The Energetic Gamma-Ray Experiment Telescope	stall, spin, and recovery characteristics of a low-wing
airplanes in a time-metered air traffic control environment:  A piloted simulation study	(EGRET) Science Symposium {NASA-CP-3071} p 77 N90-23294	general aviation research airplane (NASA-TP-2644) p 13 N87-16815
[NASA-TP-2616] p 16 N87-10864	GAMMA RAY TELESCOPES	A simulation evaluation of a pilot interface with an
Advanced turboprop project	The Energetic Gamma-Ray Experiment Telescope	automatic terminal approach system
[NASA-SP-495] p 18 N89-12565	(EGRET) Science Symposium [NASA-CP-3071] p 77 N90-23294	[NASA-TP-2669] p 16 N87-19393
FUEL CONTAMINATION  Contamination of liquid oxygen by pressurized gaseous	GAMMA RAYS	Low-speed aerodynamic characteristics of a twin-engine general aviation configuration with aft-fuselage-mounted
nitrogen	Low-energy gamma ray attenuation characteristics of	pusher propellers
(NASA-TP-2894) p 38 N89-19499	aviation fuels [NASA-TP-2974] p 63 N90-18882	NASA-TP-27631 p 6 N87-29462
FUEL PUMPS	GAS DETECTORS	Wind-tunnel investigation of a full-scale general aviation
Space shuttle main engine high pressure fuel pump aft platform seal cavity flow analysis	A simplified method for determining heat of combustion	airplane equipped with an advanced natural laminar flow wing
[NASA-TP-2685] p 36 N87-17000	of natural gas	[NASA-TP-2772] p 6 N88-10009
Three-step labyrinth seal for high-performance	[NASA-TP-2682] p 39 N87-20514 GAS DYNAMICS	Investigation of the misfueling of reciprocating piston
turbomachines	The Jovian Atmospheres	aircraft engines [NASA-TP-2803] p 12 N88-21144
[NASA-TP-1848] p 36 N87-23921 Straight cylindrical seal for high-performance	[NASA-CP-2441] p 77 N87-17598	GEOCENTRIC COORDINATES
turbomachines	Preliminary design of turbopumps and related machinery	Ten year planatary ephemeris, 1986-1995
[NASA-TP-1850] p 36 N87-23936	[NASA-RP-1170] p.3 N87-17665	[NASA-RP-1176] p 73 N87-14219
Three-step cylindrical seal for high-performance	GAS EXCHANGE	Compilation of methods in orbital mechanics and solar geometry
turbomachines [NASA-TP-1849] p 36 N87-24639	Controlled Ecological Life Support System: Regenerative Life Support Systems in Space	[NASA-RP-1204] p 52 N89-10420
FUEL SYSTEMS	[NASA-CP-2480] p 60 N88-12251	GEOCHEMISTRY
Low-energy gamma ray attenuation characteristics of	GAS FLOW	Planetary geosciences, 1988
aviation fuels [NASA-TP-2974] p 63 N90-18882	An upwind-biased, point-implicit relaxation algorithm for viscous, compressible perfect-gas flows	[NASA-SP-498] p 48 N89-26274  GEODETIC SURVEYS
FUSELAGES	[NASA-TP-2953] p 38 N90-17042	Crustal Dynamics Project: Catalogue of site
Measurements of pressures on the fail and aft fuselage	GAS GIANT PLANETS	information
of an airplane model during rotary motions at spin	The Jovian Atmospheres [NASA-CP-2441] p 77 N87-17598	[NASA-RP-1198] p 52 N88-19037
attitudes (NASA-TP-2939) p.10 N90-10829	GAS JETS	GEODYNAMICS  Crustal Dynamics Project: Catalogue of site
Fuselage design for a specified Mach-sliced area	Gas-jet and tangent-slot film cooling tests of a 12.5 deg	information
distribution	cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806	[NASA-RP-1198] p 52 N88-19037
(NASA-TP-2975) p 16 N90-18385	GAS TEMPERATURE	GEOLOGY
_	Determination of combustion gas temperatures by	Geoscience and a Lunar Base: A Comprehensive Plan for Lunar Exploration
G	infrared radiometry in sooting and nonsooting flames	[NASA-CP-3070] p 78 N90-25030
	[NASA-TP-2900] p 38 N89-25409 GAS TURBINE ENGINES	GEOMAGNETISM
G STARS FGK stars and T Tauri stars: Monograph series on	Turbine Engine Hot Section Technology, 1985	On the statistics of El Nino occurrences and the relationship of El Nino to volcanic and solar/geomagnetic
nonthermal phenomena in stellar atmospheres	[NASA-CP-2405] p 43 N88-11140	activity
[NASA-SP-502] p 77 N90-18344	Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876	[NASA-TP-2948] p 79 N90-12456
GALACTIC COSMIC RAYS	Turbine Engine Hot Section Technology, 1987	GEOMORPHOLOGY
Possible complementary cosmic-ray systems: Nuclei and antinuclei	[NASA-CP-2493] p 45 N89-17298	Geomorphology from space: A global overview of regional landforms
[NASA-TP-2741] p 68 N87-24977	GAS TURBINES Thermal Barrier Coatings. Abstracts and figures	[NASA-SP-486] p 47 N87-18139
Cosmic ray heavy ion LET mapping for aluminum, silicon,	[NASA-CP-10019] p 31 N89-13642	Sapping features of the Colorado Plateau: A comparative
and tissue targets (NASA-RP-1180) p 79 N87-25984	GAS-GAS INTERACTIONS	planetary geology field guide I NASA-SP-491 I p 49 N89-10401
[NASA-RP-1180] p 79 N87-25984 A general formalism for phase space calculations	Contamination of liquid oxygen by pressurized gaseous nitrogen	[NASA-SP-491] p 49 N89-10401  GEOPHYSICS
[NASA-TP-2843] p 66 N89-14053	[NASA-TP-2894] p 38 N89-19499	NASA/MSFC FY-85 Atmospheric Processes Research
Radiation exposure for manned Mars surface missions	GAS-METAL INTERACTIONS	Review
[NASA-TP-2979] p 80 N90-18357	Hydrogen trapping and the interaction of hydrogen with metals	[NASA-CP-2402] p 55 N87-13043 Planetary geosciences, 1988
The Energetic Gamma-Ray Experiment Telescope (EGRET) Science Symposium	[NASA-TP-2744] p 30 N87-25463	[NASA-SP-498] p 48 N89-26274
[NASA-CP-3071] p 77 N90-23294	GASEOUS DIFFUSION	Geoscience and a Lunar Base: A Comprehensive Plan
GALACTIC RADIATION	Contamination of liquid oxygen by pressurized gaseous nitrogen	for Lunar Exploration [NASA-CP-3070] p 78 N90-25030
Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems	[NASA-TP-2894] p 38 N89-19499	GEOPOTENTIAL HEIGHT
{NASA-TP-2878} p 79 N89-16714	GASES	Comparison of satellite-derived dynamical quantities for
The Energetic Gamma-Ray Experiment Telescope	Space Opportunities for Tropospheric Chemistry Research	the stratosphere of the Southern Hemisphere INASA-CP-3044   p 53 N89-25540
(EGRET) Science Symposium [NASA-CP-3071] p 77 N90-23294	[NASA-CP-2450] p 51 N87-18248	[NASA-CP-3044] p 53 N89-25540 GEOSYNCHRONOUS ORBITS
GALACTIC STRUCTURE	GAUSSIAN ELIMINATION	Thermal-distortion analysis of an antenna strongback
Star Formation in Galaxies	Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers	for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738
[NASA-CP-2466] p 73 N87-24266 The Energetic Gamma-Ray Experiment Telescope	[NASA-TP-2892] p 64 N89-17422	GET AWAY SPECIALS (STS)
(EGRET) Science Symposium	GEAR TEETH	The 1986 Get Away Special Experimenter's
[NASA-CP-3071] p 77 N90-23294 GALAXIES	Gear tooth stress measurements on the UH-60A helicopter transmission	Symposium (NASA-CP-2438) p 22 N87-20302
Doubly differential cross sections for galactic heavy-ion	[NASA-TP-2698] p 41 N87-22235	The 1987 Get Away Special Experimenter's
fragmentation	Theory of gearing	Symposium
[NASA-TP-2659] p 68 N87-17487	[NASA-RP-1212] p 42 N90-19593 GEARS	[NASA-CP-2500] p 22 N88-17691 The 1988 Get Away Special Experimenter's
Star Formation in Galaxies [NASA-CP-2466] p 73 N87-24266	Predicted effect of dynamic load on pitting fatigue life	Symposium
Atlas of galaxies useful for measuring the cosmological	for low-contact-ratio spur gears	[NASA-CP-3008] p 22 N89-10902
distance scale	[NASA-TP-2610] p 41 N87-18095 Efficiency testing of a helicopter transmission planetary	GIMBALS Internal performance of two nozzles utilizing gimbal
[NASA-SP-496] p 74 N89-12513  GALILEO PROBE	reduction stage	concepts for thrust vectoring
Galileo probe parachute test program: Wake properties	[NASA-TP-2795] p 41 N88-15224	[NASA-TP-2991] p 11 N90-19200
of the Galileo probe at Mach numbers from 0.25 to 0.95	Dynamic analysis of multimesh-gear helicopter transmissions	GLACIERS Surface topography of the Greenland Ice Sheet from
[NASA-RP-1130] p 37 N88-18884  GAMMA RAY ABSORPTION	[NASA-TP-2789] p 41 N88-17045	satellite radar altimetry
Low-energy gamma ray attenuation characteristics of	Comparison study of gear dynamic computer programs	[NASA-SP-503] p 54 N90-22850
aviation fuels	at NASA Lewis Research Center (NASA-TP-2901) p 41 N89-21243	GLASS FIBER REINFORCED PLASTICS  An examination of impact damage in glass-phenolic and
{NASA-TP-2974} p 63 N90-18882 <b>GAMMA RAY ASTRONOMY</b>	Theory of gearing	aluminum honeycomb core composite panels
Essays in Space Science	[NASA-RP-1212] p 42 N90-19593	[NASA-TP-3042] p 29 N90-27876
[NASA-CP-2464] p 72 N87-24247	GENERAL AVIATION AIRCRAFT Wind translational of the flight characteristics of	GLASS LASERS Analysis of Nd3 + :glass, solar-pumped, high-powr laser
The Energetic Gamma-Ray Experiment Telescope (EGRET) Science Symposium	Wind-tunnel investigation of the flight characteristics of a canard general-aviation airplane configuration	systems
[NASA-CP-3071] p 77 N90-23294	[NASA-TP-2623] p 3 N87-10039	[NASA-TP-2905] p 40 N89-17855

OBAL BOCITIONING CVCTCM	A	
Joint University Program for Air Transportation	Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a	HANDBOOKS Propagation effects handbook for satellite systems
Research, 1985	secondary-nozzle thrust reverser	design. A summary of propagation impairments on 10 to
[NASA-CP-2453] p 1 N87-27596 DVERNMENT/INDUSTRY RELATIONS	[NASA-TP-2834] p.8 N88-29752	100 GHz satellite links with techniques for system design
The 1986 Get Away Special Experimenter's	The 1987 Ground Vortex Workshop [NASA-CP-10008] p 9 N89-10849	[NASA-RP-1082(04)] p 34 N89-17060
Symposium	Thrust-reverser flow investigation on a twin-engine	Grammar, punctuation, and capitalization: A handbook
[NASA-CP-2438] p 22 N87-20302 RAIN BOUNDARIES	transport	for technical writers and editors [NASA-SP-7084] p.71 N90-26710
Permeation of oxygen through high purity, large grain	(NASA-TP-2856) p.9 N89-14213 Dynamic ground-effect measurements on the F-15 STOL	HARDNESS
silver	and Maneuver Technology Demonstrator (S/MTD)	Indentation plasticity and fracture in silicon
[NASA-TP-2755] p 30 N87-27024 <b>RAINS</b>	configuration	[NASA-TP-2863] p 30 N89-10996 HEAD DOWN TILT
Gas-Grain Simulation Facility: Fundamental studies of	[NASA-TP-3000] p 11 N90-22531	Joint US/USSR study: Comparison of effects of
particle formation and interactions. Volume 1: Executive	The Langley 14- by 22-foot subsonic tunnel: Description, flow characteristics, and guide for users	horizontal and head-down bed rest
summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022	(NASA-TP-3008) p 12 N90-27649	[NASA-TP-3037] p 60 N90-28965 HEAT FLUX
Gas-Grain Simulation Facility: Fundamental studies of	GROUND STATIONS	Conventionally cast and forged copper alloy for
particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study	Crustal Dynamics Project: Catalogue of site information	high-heat-flux thrust chambers [NASA-TP-2694] p 30 N87-16902
[NASA-CP-10026-VOL-2] p 59 N89-24023	[NASA-RP-1198] p 52 N88-19037	Experimental evaluation of heat transfer on a 1030:1
RAMMARS	GROUND SUPPORT EQUIPMENT	area ratio rocket nozzle
Grammar, punctuation, and capitalization: A handbook for technical writers and editors	The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 47 N90-22079	[NASA-TP-2726] p 27 N87-25424 Measurement of local high-level, transient surface heal
[NASA-SP-7084] p 71 N90-26710	GROUND SUPPORT SYSTEMS	flux
RAPHITE	Proceedings of a conference on Cardiovascular	[NASA-TP-2840] p 39 N88-30099
Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-	Bioinstrumentation [NASA-CP-10022] p 59 N89-17997	HEAT OF COMBUSTION  A simplified method for determining heat of combustion
to 9.6-GHz traveling wave tube	GROUND TESTS	of natural gas
[NASA-TP-2788] p 35 N88-15146	Large-scale static investigation of	[NASA-TP-2682] p 39 N87-20514
Properties of two composite materials made of	circulation-control-wing concepts applied to upper surface-blowing aircraft	HEAT TRANSFER  Aerothermal evaluation of a spherically blunted body
toughened epoxy resin and high-strain graphite fiber	[NASA-TP-2684] p 13 N87-15959	with a trapezoidal cross section in the Langley 8-foo
[NASA-TP-2826] p 28 N88-25480 The interlaminar fracture toughness of woven	Applications and requirements for real-time simulators	high-temperature tunnel (NASA-TP-2641) p 36 N87-18782
The interlaminar fracture toughness of woven graphite/epoxy composites	in ground-test facilities [NASA-TP-2672] p 64 N87-23202	[NASA-TP-2641] p 36 N87-18782 Experimental evaluation of heat transfer on a 1030:1
[NASA-TP-2950] p 29 N90-10179	Evaluation of two transport aircraft and several ground	area ratio rocket nozzle
Buckling and postbuckling behavior of square compression-loaded graphite-epoxy plates with circular	test vehicle friction measurements obtained for various	[NASA-TP-2726] p 27 N87-25424 Application of turbulence modeling to predict surface
cutouts	runway surface types and conditions. A summary of test	heat transfer in stagnation flow region of circular cylinder
[NASA-TP-3007] p 29 N90-26077	results from joint FAA/NASA Runway Friction Program [NASA-TP-2917] p 16 N90-15902	[NASA-TP-2758] p 37 N87-27161
An examination of impact damage in glass-phenolic and aluminum honeycomb core composite panels	NASA/DOD Controls-Structures Interaction Technology	Fifteenth Space Simulation Conference: Support the Highway to Space Through Testing
[NASA-TP-3042] p 29 N90-27876	1989	[NASA-CP-3015] p 25 N89-12582
RAVITATIONAL EFFECTS	[NASA-CP-3041] p 26 N90-21062 Dynamic ground-effect measurements on the F-15 STOL	Turbine Engine Hot Section Technology 1986
Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7	and Maneuver Technology Demonstrator (S/MTD)	[NASA-CP-2444] p 45 N89-12876
[NASA-TP-2778] p 32 N88-10978	configuration	Turbine Engine Hot Section Technology, 1987 [NASA-CP-2493] p 45 N89-17298
Gas-Grain Simulation Facility: Fundamental studies of	[NASA-TP-3000] p 11 N90-22531  GROUND WATER	Workshop on Two-Phase Fluid Behavior in a Space
particle formation and interactions. Volume 1: Executive summary and overview	Sapping features of the Colorado Plateau: A comparative	Environment
[NASA-CP-10026-VOL-1] p 59 N89-24022	planetary geology field guide	[NASA-CP-3043] p 38 N89-26184 Surface flow and heating distributions on a cylinder in
Cells in Space [NASA-CP-10034] p 61 N90-13939	[NASA-SP-491] p 49 N89-10401  GROUP DYNAMICS	near wake of Aeroassist Flight Experiment (AFE)
Development and approach to low-frequency	Cockpit Resource Management Training	configuration at incidence in Mach 10 Air
microgravity isolation systems	[NASA-CP-2455] p 12 N87-22634	[NASA-TP-2954] p 38 N90-14493 Computer code for predicting coolant flow and heal
[NASA-TP-2984] p 33 N90-28754 <b>3RAVITATIONAL PHYSIOLOGY</b>	GUIDANCE (MOTION)  Joint University Program for Air Transportation	transfer in turbomachinery
Cells in Space	Research, 1987	[NASA-TP-2985] p 18 N90-27722
[NASA-CP-10034] p 61 N90-13939 3RAVITATIONAL WAVES	(NASA-CP-3028) p 2 N89-19230	Gas-jet and tangent-slot film cooling tests of a 12.5 deg cone at Mach number of 6.7
Relativistic Gravitational Experiments in Space	GUIDE VANES  Detailed flow surveys of turning vanes designed for a	[NASA-TP-2786] p 39 N90-28806
[NASA-CP-3046] p 77 N90-19940	0.1-scale model of NASA Lewis Research Center's	HEAT TRANSFER COEFFICIENTS
Experiments in encoding multilevel images as	proposed altitude wind tunnel	Finite-element reentry heat-transfer analysis of space shuttle Orbiter
quadirees	[NASA-TP-2680] p 21 N87-20295 Experimental evaluation of turning vane designs for	[NASA-TP-2657] p 37 N87-29795
[NASA-TP-2722] p 65 N87-28367	high-speed and coupled fan-drive corners of 0.1-scale	HEAT TREATMENT
SRAZING FLOW  Measured and calculated acoustic attenuation rates of	model of NASA Lewis Research Center's proposed altitude	Outgassing data for selecting spacecraft materials [NASA-RP-1124] p 28 N88-10117
tuned resonator arrays for two surface impedance	wind tunnel [NASA-TP-2681] p 21 N88-17686	
distribution models with flow	GUSTS	Aerodynamic pressure and heating-rate distributions in
[NASA-TP-2766] p 67 N88-17440 3REENLAND	Spanwise measurements of vertical components of	tile gaps around chine regions with pressure gradients at a Mach number of 6.6
Satellite radar altimetry over ice. Volume 1: Processing	atmospheric turbulence INASA-TP-29631 p.58 N90-19718	[NASA-TP-2988] p 38 N90-23670
and corrections of Seasat data over Greenland	GYROSCOPES	HEAVY IONS
[NASA-RP-1233-VOL-1] p 54 N90-20562 Satellite radar attimetry over ice. Volume 2: Users' guide	Further developments in modeling digital control	Doubly differential cross sections for galactic heavy-ion
for Greenland elevation data from Seasat	systems with MA-prefiltered measurements [NASA-TP-2909] p 33 N89-24507	fragmentation [NASA-TP-2659] p 68 N87-17487
[NASA-RP-1233-VOL-2] p 54 N90-20563	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Possible complementary cosmic-ray systems: Nuclei
Surface topography of the Greenland Ice Sheet from satellite radar altimetry	Н	and antinuclei
[NASA-SP-503] p 54 N90-22850		[NASA-TP-2741] p 68 N87-24977
3RID GENERATION (MATHEMATICS) Transonic Symposium: Theory, Application, and	HALF LIFE	Eikonal solutions to optical model coupled-channel equations
Experiment, Volume 1, Part 1	Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237	[NASA-TP-2830] p 68 N88-30402
[NASA-CP-3020-VOL-1-PT-1] p 9 N89-20925	HALLEY'S COMET	Benchmark solutions for the galactic ion transport
Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2	Atlas of Comet Halley 1910 II	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714
[NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942	[NASA-SP-488] p 75 N87-30235 Infrared Observations of Comets Halley and Wilson and	HEAVY LIFT HELICOPTERS
A time-accurate adaptive grid method and the numerical	Properties of the Grains	General equilibrium characteristics of a dual-lift
simulation of a shock-vortex interaction [NASA-TP-2998] p 61 N90-21524	[NASA-CP-3004] p 74 N89-13330	helicopter system {NASA-TP-2615} p.2 N88-19407
3ROUND EFFECT (AERODYNAMICS)	HAMILTONIAN FUNCTIONS A study to evaluate STS heads-up ascent trajectory	HELICOPTER ENGINES
Proceedings of the 1985 NASA Ames Research Center's	performance employing a minimum-Hamiltonian	Efficiency testing of a helicopter transmission planetary
Ground-Effects Workshop	optimization strategy  NASA-TP-2793  p 23 N88-15820	reduction stage [NASA-TP-2795] p 41 N88-15224
[NASA-CP-2462] p 5 N87-24410		

Dynamic analysis of multimesh-gear helicopter	Fluctuating pressures measured beneath a	HOVERING STABILITY
transmissions	high-temperature, turbulent boundary layer on a flat plate	The effects of structural flap-lag and pitch-lag coupling
[NASA-TP-2789] p 41 N88-17045	at Mach number of 5	on soft inplane hingeless rotor stability in hover
HELICOPTER PERFORMANCE	(NASA-TP-2947) p 67 N90-10680	[NASA-TP-3002] p 12 N90-28503
Transonic flow analysis for rotors. Part 2:	HIGH TEMPERATURE ENVIRONMENTS Finite-rate water condensation in combustion-heated	HUMAN FACTORS ENGINEERING
Three-dimensional, unsteady, full-potential calculation [NASA-TP-2375-PT-2] p.3 N87-10841	wind tunnels	Space Station Human Factors Research Review Volume 3: Space Station Habitability and Function
NASA/Army Rotorcraft Technology, Volume 3; Systems	[NASA-TP-2833] p 22 N88-28075	Architectural Research
Integration, Research Aircraft, and Industry	Evaluation of a strain-gage load calibration on a	(NASA-CP-2426-VOL-3) p 59 N88-19883
[NASA-CP-2495-VOL-3] p 1 N88-16650	low-aspect-ratio wing structure at elevated temperature	Space Station Human Factors Research Review
HELICOPTER PROPELLER DRIVE	[NASA-TP-2921] p 46 N89-28034	Volume 1: EVA Research and Development
Comparison of predicted and measured temperatures	HIGH TEMPERATURE SUPERCONDUCTORS	[NASA-CP-2426-VOL-1] p 59 N88-24145
of UH-60A helicopter transmission	AMSAHTS 1990: Advances in Materials Science and	Space Station Human Factors Research Review
[NASA-TP-2911] p 41 N89-24607	Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792	Volume 4: Inhouse Advanced Development and
HELICOPTER WAKES	HIGHLY MANEUVERABLE AIRCRAFT	Research [NASA-CP-2426-VOL-4] p 59 N88-24148
Rotor induced-inflow-ratio measurements and CAMRAD	Forward-swept wing configuration designed for high	Second Annual Workshop on Space Operations
calculations {NASA-TP-2946} p.11 N90-15882	maneuverability by use of a transonic computational	Automation and Robotics (SOAR 1988)
HELICOPTERS	method	[NASA-CP-3019] p 61 N89-19817
Testing of UH-60A helicopter transmission in NASA	[NASA-TP-2628] p 3 N87-11702	Third Annual Workshop on Space Operations
Lewis 2240-kW (3000-hp) facility	Development and flight test of an experimental	Automation and Robotics (SOAR 1989)
[NASA-TP-2626] p 41 N87-10391	maneuver autopilot for a highly maneuverable aircraft (NASA-TP-2618) p 15 N88-21153	[NASA-CP-3059] p 62 N90-25503 HUMAN PERFORMANCE
Recent Experiences in Multidisciplinary Analysis and	Flight control systems development and flight test	Mental-State Estimation, 1987
Optimization, part 2	experience with the HiMAT research vehicles	[NASA-CP-2504] p 60 N88-23370
[NASA-CP-2327-PT-2] p 13 N87-11750	[NASA-TP-2822] p 20 N89-15929	HUMAN TOLERANCES
Power cepstrum technique with application to model	HISTORIES	Annoyance response to simulated advanced turboprop
helicopter acoustic data	Evolution, calibration, and operational characteristics of	aircraft interior noise containing tonal beats
[NASA-TP-2586] p 66 N87-17479	the two-dimensional test section of the Langley 0.3-meter	[NASA-TP-2689] p 66 N87-2416
Helicopter blade-vortex interaction locations: Scale-model acoustics and free-wake analysis results	transonic cryogenic tunnel {NASA-TP-2749} p 21 N87-28570	Annoyance caused by advanced turboprop aircraf
[NASA-TP-2658] p.4 N87-18537	NASA historical data book. Volume 1: NASA resources	flyover noise: Counter-rotating-propeller configuration [NASA-TP-3027] p 67 N90-29166
Vibration characteristics of OH-58A helicopter main rotor	1958-1968	HYBRID PROPELLANT ROCKET ENGINES
transmission	[NASA-SP-4012-VOL-1] p 80 N88-25428	Analysis of quasi-hybrid solid rocket booster concepts
[NASA-TP-2705] p 41 N87-20555	NASA historical data book. Volume 2: Programs and	for advanced earth-to-orbit vehicles
Preliminary structural design of composite main rotor	projects 1958-1968	[NASA-TP-2751] p 27 N87-25425
blades for minimum weight	[NASA-SP-4012-VOL-2] p 80 N88-25429 NASA historical data book, Volume 3: Programs and	HYDRAULIC EQUIPMENT
[NASA-TP-2730] p 28 N87-25435 NASA/Army Rotorcraft Technology, Volume 1:	projects 1969-1978	The 20th Aerospace Mechanics Symposium
Aerodynamics, and Dynamics and Aeroelasticity	[NASA-SP-4012-VOL-3] p 81 N88-25430	[NASA-CP-2423-REV] p 43 N87-16321 HYDRODYNAMICS
[NASA-CP-2495-VOL-1] p 1 N88-16625	Where no man has gone before: A history of Apollo	Preliminary design of turbocumps and related
NASA/Army Rotorcraft Technology. Volume 2: Materials	lunar exploration missions	machinery
and Structures, Propulsion and Drive Systems, Flight	[NASA-SP-4214] p 81 N89-25946	[NASA-RP-1170] p.3 N87-17665
Dynamics and Control, and Acoustics	Astronautics and aeronautics, 1985: A chronology	Hydroburst test of a carbon-carbon involute exit cone
[NASA-CP-2495-VOL-2] p 1 N88-16632	[NASA-SP-4025] p 81 N89-26803	[NASA-TP-2556] p 24 N88-14112
An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter	Orders of magnitude: A history of the NACA and NASA, 1915-1990	A procedure for computing surface wave trajectories or
rotor in hover	[NASA-SP-4406] p.81 N89-26805	an inhomogeneous surface [NASA-TP-2929] p 10 N89-2681
[NASA-TP-2546] p 7 N88-20257	HODOGRAPHS	HYDROGEN
Tip aerodynamics and acoustics test: A report and data	Lewis inverse design code (LINDES): Users manual	The Jovian Atmospheres
survey	[NASA-TP-2676] p 4 N87-20238	[NASA-CP-2441] p 77 N87-17590
[NASA-RP-1179] p 9 N89-17579	HOLOGRAPHIC INTERFEROMETRY	Hydrogen trapping and the interaction of hydrogen with
HELIUM ISOTOPES	Evaluation of diffuse-illumination holographic	metals
Lunar Helium-3 and Fusion Power [NASA-CP-10018] p 69 N89-14842	cinematography in a flutter cascade [NASA-TP-2593] p 39 N87-13731	[NASA-TP-2744] p 30 N87-25463 HYDROGEN EMBRITTLEMENT
HEPTANES	Automated Reduction of Data from Images and	Advanced Earth-to-Orbit Propulsion Technology 1986
Velocity profiles in laminar diffusion flames	Holograms	volume 2
[NASA-TP-2596] p 36 N87-18035	(NASA-CP-2477) p 6 N87-29432	[NASA-CP-2437-VOL-2] p 27 N89-12620
HIGH POWER LASERS	HOLOGRAPHY	HYDROGEN FUELS
Analysis of Nd3 + :glass, solar-pumped, high-powr laser	Evaluation of diffuse-illumination holographic	Effect of Reynolds number variation on aerodynamics
systems	cinematography in a flutter cascade [NASA-TP-2593] p 39 N87-13731	of a hydrogen-fueled transport concept at Mach 6
[NASA-TP-2905] p 40 N89-17855	[NASA-TP-2593] p 39 N87-13731 HONEYCOMB CORES	[NASA-TP-2728] p 5 N87-26031
Mode-medium instability and its correction with a Gaussian reflectivity mirror	An examination of impact damage in glass-phenolic and	HYDROGEN OXYGEN ENGINES  An analytical study of the hydrogen-air reaction
[NASA-TP-3023] p 68 N90-25673	aluminum honeycomb core composite panels	mechanism with application to scramiet combustion
HIGH PRESSURE	[NASA-TP-3042] p 29 N90-27876	[NASA-TP-2791] p 30 N88-15846
Space shuttle main engine high pressure fuel pump aft	HONEYCOMB STRUCTURES	Advanced Earth-to-Orbit Propulsion Technology 1986
platform seal cavity flow analysis	Experimental evaluation of honeycomb/screen	volume 2
[NASA-TP-2685] p 36 N87-17000	configurations and short contraction section for NASA	[NASA-CP-2437-VOL-2] p 27 N89-12626
High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion	Lewis Research Center's altitude wind tunnel	HYDROGEN OXYGEN FUEL CELLS  Space Electrochemical Research and Technology
[NASA-TP-2862] p 27 N89-15979	[NASA-TP-2692] p 21 N87-23662	Conference: Abstracts
Aerodynamic pressure and heating-rate distributions in	HORIZONTAL ORIENTATION	[NASA-CP-10029] p 50 N89-22982
tile gaps around chine regions with pressure gradients at	Effects of combining vertical and horizontal information into a primary flight display	Space Electrochemical Research and Technology
a Mach number of 6.6	[NASA-TP-2783] p 17 N88-12487	(SERT), 1989
[NASA-TP-2988] p 38 N90-23670	HORIZONTAL TAIL SURFACES	(NASA-CP-3056) p 50 N90-20454
HIGH RESOLUTION	Validation of a computer code for analysis of subsonic	HYDROGEN PEROXIDE
Theoretical Problems in High Resolution Solar Physics,	aerodynamic performance of wings with flaps in	Future directions for H sub x O sub y detection
2 [NASA-CP-2483] p 79 N88-11609	combination with a canard or horizontal tail and an	[NASA-CP-2448] p 51 N87-15528 HYDROXYL RADICALS
HIGH SPEED	application to optimization	Future directions for H sub x O sub y detection
Summary of studies to reduce wing-mounted propfan	[NASA-TP-2961] p 11 N90-14187	[NASA-CP-2448] p 51 N87-15528
installation drag on an M = 0.8 transport	HOVERING An experimental investigation of the flandag torsion	HYPERSONIC AIRCRAFT
(NASA-TP-2678) p 14 N87-20990	An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter	Effect of Reynolds number variation on aerodynamics
Experimental evaluation of turning vane designs for	rotor in hover	of a hydrogen-fueled transport concept at Mach 6
high-speed and coupled fan-drive corners of 0.1-scale	[NASA-TP-2546] p 7 N88-20257	[NASA-TP-2728] p 5 N87-26031 Aeropropulsion '87. Session 6: High-Speed Propulsion
model of NASA Lewis Research Center's proposed altitude wind tunnel	Effect of advanced rotorcraft airfoil sections on the hover	Technology
[NASA-TP-2681] p 21 N88-17686	performance of a small-scale rotor model	[NASA-CP-10003-SESS-6] p 18 N88-15807
HIGH TEMPERATURE	[NASA-TP-2832] p 10 N89-24264	Aerothermal tests of quilted dome models on a flat plate
Conventionally cast and forged copper alloy for	Stereopsis cueing effects on hover-in-turbulence	at a Mach number of 6.5
high-heat-flux thrust chambers	performance in a simulated rotorcraft	[NASA-TP-2804] p 37 N88-22325
[NASA-TP-2694] p 30 N87-16902	[NASA-TP-2980] p 17 N90-21004	HYPERSONIC FLIGHT
A rapid method for the computation of equilibrium	The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover	Aerodynamic pressures and heating rates on surfaces heaven split elevent at Mach 6.6.
chemical composition of air to 15000 K [NASA-TP-2792] p 30 N88-16830	[NASA-TP-3002] p 12 N90-28503	between split elevons at Mach 6.6 (NASA-TP-2855) p 37 N89-12822
,	, p =	

p 37 N89-12822

NAC DOCUMENT OF THE PARTY OF TH		
TYPERSONIC FLOW	Spatial Displays and Spatial Instruments	NASA scientific and technical publications: A catalog
Simplified curve fits for the thermodynamic properties	[NASA-CP 10032] p 61 N90-22918	of Special Publications, Reference Publications,
of equilibrium air	IMAGE ENHANCEMENT	Conference Publications, and Technical Papers, 1987
[NASA-RP-1181] p 36 N87-26309	A general solution to the silhouette problem	NASA-SP-7063(02)  p 70 N88-22830
Conservation equations and physical models for	[NASA-TP-2695] p 61 N88-14629	Infrared astronomical satellite (IRAS) catalogs and
hypersonic air flows in thermal and chemical	Digital enhancement of flow field images	atlases. Volume 1: Explanatory supplement
nonequilibrium [NASA-TP-2867] p 38 N89-16115	[NASA-TP-2770] p 62 N88-20833	[NASA-RP-1190-VOL-1] p 76 N89-14194
Low-speed, high-lift aerodynamic characteristics of	IMAGE PROCESSING	Space station systems. A bibliography with indexes (supplement 7)
slender, hypersonic accelerator-type configurations	Proceedings of the 5th Annual Users' Conference	(supplement 7) [NASA-SP-7056(07)] p 25 N89-18522
[NASA-TP-2945] p 10 N90-10830	[NASA-CP-2399] p 62 N87-10720 Sixth Annual Users' Conference Transportable	Aeronautical engineering: A continuing bibliography with
Measured and predicted aerodynamic coefficients and	Applications Executive (TAE)	indexes (supplement 242)
shock shapes for Aeroassist Flight Experiment (AFE)	[NASA-CP-2463] p 62 N87-23156	[NASA-SP-7037(242)] p 2 N89-29304
configuration	Experiments in encoding multilevel images as	Earth resources: A continuing bibliography with indexes
[NASA-TP-2956] p 11 N90-14185	quadtrees	(issue 62)
An upwind-biased, point-implicit relaxation algorithm for	[NASA-TP-2722] p 65 N87-28367	[NASA-SP-7041(62)] p 50 N89-29825
viscous, compressible perfect-gas flows	A general solution to the silhouette problem	Aerospace medicine and biology: A continuing
[NASA-TP-2953] p 38 N90-17042	[NASA-TP-2695] p 61 N88-14629	bibliography with indexes (supplement 327)
An approximate method for calculating	Digital enhancement of flow field images	[NASA-SP-7011(327)] p 60 N89-29951
three-dimensional inviscid hypersonic flow fields [NASA-TP-3018] p 39 N90-27066	[NASA-TP-2770] p 62 N88-20833	NASA scientific and technical publications: A catalog
[NASA-TP-3018] p 39 N90-27066 IYPERSONIC SPEED	Sensitivity of F-106B leading-edge-vortex images to	of special publications, reference publications, conference
Mach 6 experimental and theoretical stability and	flight and vapor-screen parameters	publications, and technical papers, 1988 [NASA-SP-7063(03)] p 71 N90-10782
performance of a cruciform missile at angles of attack	[NASA-TP-2818] p. 8 N88-23760 The 1988 Goddard Conference on Space Applications	Earth resources: A continuing bibliography with indexes
up to 65 degrees	of Artificial Intelligence	(Issue 63)
[NASA-TP-2733] p 5 N87-23592	[NASA-CP-3009] p 64 N88-30330	[NASA-SP-7041(63)] p 50 N90-12091
Aerodynamic characteristics of wings designed with a	Spatial vision processes: From the optical image to the	NASA Thesaurus supplement: A four part cumulative
combined-theory method to cruise at a Mach number of	symbolic structures of contour information	supplement to the 1988 edition of the NASA Thesaurus
4.5	[NASA-TP-2838] p 39 N89-13762	(supplement 3)
[NASA-TP-2799] p 7 N88-19420	Proceedings of the Scientific Data Compression	[NASA-SP-7064-SUPPL-3] p 71 N90-22438
Aerodynamic pressure and heating-rate distributions in	Workshop	Space station systems: A bibliography with indexes
tile gaps around chine regions with pressure gradients at	[NASA-CP-3025] p 63 N89-22332	(supplement 10)
a Mach number of 6.6	The 1989 Goddard Conference on Space Applications	(NASA-SP-7056(10)) p 26 N90-25171
[NASA-TP-2988] p 38 N90-23670	of Artificial Intelligence	Aeronautical engineering: A continuing bibliography with
TYPERSONIC VEHICLES	[NASA-CP-3033] p 64 N89-26578	indexes (supplement 255)
Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5	IMAGE RECONSTRUCTION	[NASA-SP-7037(: 55)] p 2 N90-27648
[NASA-TP-2631] p 35 N87-13664	Visual Information Processing for Television and	Aerospace medicine and biology: A continuing
Measured and predicted aerodynamic coefficients and	Telerobotics [NASA-CP-3053] p.40 N90-16204	bibliography with indexes (supplement 340) [NASA-SP-7011(340)] p 60 N90-28963
shock shapes for Aeroassist Flight Experiment (AFE)	[NASA-CP-3053] p 40 N90-16204 IMAGING TECHNIQUES	INDUSTRIES
configuration	Remote Sensing in Polarized Light	Orders of magnitude: A history of the NACA and NASA,
[NASA-TP-2956] p.11 N90-14185	[NASA-CP-3014] p 72 N89-14189	1915-1990
TYPERSONIC WIND TUNNELS	Proceedings of the Scientific Data Compression	[NASA-SP-4406] p.81 N89-26805
Description and calibration of the Langley Hypersonic	Workshop	INELASTIC SCATTERING
CF4 tunnel: A facility for simulating low gamma flow as	[NASA-CP-3025] p 63 N89-22332	Eikonal solutions to optical model coupled-channel
occurs for a real gas	Visual Information Processing for Television and	equations
[NASA-TP-2384] p 37 N87-29778	Telerobotics	(NASA-TP-2830) p 68 N88-30402
Contamination of liquid oxygen by pressurized gaseous	[NASA-CP-3053] p 40 N90-16204	INERT ATMOSPHERE
nitrogen	Spatial interferometry in optical astronomy	Spacecraft Fire Safety
[NASA-TP-2894] p 38 N89-19499	[NASA-RP-1245] p 75 N90-28470	[NASA-CP-2476] p 24 N88-12520
HYPERVELOCITY PROJECTILES	IMPACT DAMAGE	INERTIA
Trajectory characteristics and heating of hypervelocity	IMPACT DAMAGE  Low velocity instrumented impact testing of four new	INERTIA  Effect of control surface mass unbalance on the stability
Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system
Trajectory characteristics and heating of hypervelocity	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198	INERTIA  Effect of control surface mass unbalance on the stability
Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042
Trajectory characteristics and heating of hypervelocity projectites having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  TYPOKINESIA  Joint US/USSR study Comparison of effects of horizontal and head-down bed rest	IMPACT DAMAGE Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 A Protection And Detection Surface (PADS) for damage	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042 INERTIAL NAVIGATION
Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412 HYPOKINESIA  Joint US/USSR study Companison of effects of horzontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029]  A Protection And Detection Surface (PADS) for damage tolerance	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438
Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients (NASA-TP-2614) p.7 N88-19412 (NASA-TP-2614) p.7 N88-19412 (NASA-TP-2614) p.7 N88-19412 (NASA-TP-2018) study Comparison of effects of honzontal and head-down bed rest (NASA-TP-3037) p.60 N90-28965 (NASA-TP-3037) p.60 N90-28965 (NASA-TP-3037)	IMPACT DAMAGE Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p.29 N90-25198 A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation
Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  TYPOKINESIA Joint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965  TYSTERESIS Parametric study of power absorption from	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198  A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788  An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042] p 29 N90-27876	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.
Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  Trajectory characteristics and head-down bed rest [NASA-TP-3037] p.60 N90-28965  Trajectory characteristics and head-down bed rest [NASA-TP-3037] p.60 N90-28965  Trajectory characteristics and head-down bed rest [NASA-TP-3037] p.60 N90-28965  Trajectory characteristics and head-down bed rest [NASA-TP-3037] p.60 N90-28965  Trajectory characteristics and heating of hypervelocity have been considered by the project of the project have been considered by the project of the project have been considered by the project have been considered by the project have been considered by the project by the project have been considered by the project by the project have been considered by the project by the project have been considered by the project	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198  A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788  An examination of impact damage in glass-phenolic and aluminum honeycomic core composite panels [NASA-TP-3042] p 29 N90-27876  IMPACT STRENGTH	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985 [NASA-CP-2453] p 1 N87-27596
Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  TYPOKINESIA Joint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965  TYSTERESIS Parametric study of power absorption from	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198  A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788  An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042] p 29 N90-27876  IMPACT STRENGTH  Instrumented impact and residual tensile strength testing	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an amplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985. [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES
Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  Trajectory characteristics and head-down bed rest [NASA-TP-3037] p.60 N90-28965  Trajectory characteristics and head-down bed rest [NASA-TP-3037] p.60 N90-28965  Trajectory characteristics and head-down bed rest [NASA-TP-3037] p.60 N90-28965  Trajectory characteristics and head-down bed rest [NASA-TP-3037] p.60 N90-28965  Trajectory characteristics and heating of hypervelocity have been considered by the project of the project have been considered by the project of the project have been considered by the project have been considered by the project have been considered by the project by the project have been considered by the project by the project have been considered by the project by the project have been considered by the project	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198  A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788  An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042] p 29 N90-27876  IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research. 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission
Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  Trajectory characteristics and head-down bed rest [NASA-TP-3037] p.60 N90-28965  Trajectory characteristics and head-down bed rest [NASA-TP-3037] p.60 N90-28965  Trajectory characteristics and head-down bed rest [NASA-TP-3037] p.60 N90-28965  Trajectory characteristics and head-down bed rest [NASA-TP-3037] p.60 N90-28965  Trajectory characteristics and heating of hypervelocity have been considered by the project of the project have been considered by the project of the project have been considered by the project have been considered by the project have been considered by the project by the project have been considered by the project by the project have been considered by the project by the project have been considered by the project	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198  A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788  An examination of impact damage in glass-phenolic and aluminum honeyconib core composite panels [NASA-TP-3042] p 29 N90-27876  IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2951] p 29 N90-16007	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985- [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission [NASA-CP-10016] p 27 N90-21795
Trajectory characteristics and heating of hypervelocity projectites having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  YPPOKINESIA  Joint US/USSR study Companison of effects of horizontal and head-down bed rest [NASA-TP-3037] p. 60 N90-28965  YYSTERESIS  Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p. 66 N90-12282	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198  A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788  An examination of impact damage in glass-phenolic and aluminum honeycomb core composite panels [NASA-TP-3042] p 29 N90-27876  IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2961] p 29 N90-16007  IMPACT TESTS	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an auplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985. [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission [NASA-CP-1016] p 27 N90-21795  INFORMATION DISSEMINATION
Trajectory characteristics and heating of hypervelocity projecties having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  HYPOKINESIA  Joint US/USSR study Companison of effects of horizontal and head-down bed rest [NASA-TP-3037] p. 60 N90-28965  HYSTERESIS  Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p. 66 N90-12282	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p. 29 N90-25198  A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p. 29 N90-27788  An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042] p. 29 N90-27876  IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-3981] p. 29 N90-16007  IMPACT TESTS  Instrumented impact and residual tensile strength testing in the strength in testing in the strength in the st	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985- [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission [NASA-CP-10016] p 27 N90-21795
Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  YPPOKINESIA p.7 N88-19412  YPPOKINESIA Joint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965  YSTERESIS parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p.66 N90-12282  CE Satellite radar altimetry over ice Volume 1 Processing	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198  A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788  An examination of impact damage in glass-phenolic and aluminum honeycomb core composite panels [NASA-TP-3042] p 29 N90-27876  IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2961] p 29 N90-16007  IMPACT TESTS	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector [NASA-TP-2648] p 16 N87-13438  Joint University Program for Air Transportation Research. 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATBLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A
Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients [NASA-TP-2614]  P7 N88-19412  TYPOKINESIA  Joint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037]  P3 F0 N90-28965  P3 F1 N90-28965  P4 F1 N90-28965  P4 F2 N90-28965  P5 N90-12882  CE  Satellite radar altimetry over ice. Volume 1. Processing and corrections of Seasat data over Greenland	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198  A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788  An examination of impact damage in glass-phenolic and aluminum honeyconib core composite panels: [NASA-TP-3042] p 29 N90-27876  IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007  IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes
Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  INPOKINESIA  Joint US/USSR study Companison of effects of horizontal and head-down bed rest [NASA-TP-3037] p. 60 N90-28965  INSA-TP-3037] p. 60 N90-28965  INSA-TP-2949] p. 66 N90-12282  CE  Satellite radar altimetry over ice: Volume 1 Processing and corrections of Seasal data over Greenland [NASA-RP-1233-VOL-1] p. 54 N90-20562	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198  A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788  An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042] p 29 N90-27876  IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-3981] p 29 N90-16007  IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes {NASA-SP-7079} p 71 N90-27548  INFORMATION MANAGEMENT  Information resources management, 1984-1989. A
Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412 HYPOKINESIA p.7 N88-19412 HYPOKINESIA Joint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965 HYSTERESIS Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p.66 N90-12282  CE Satellite radar altimetry over ice. Volume 1 Processing and corrections of Seasar data over Greenland [NASA-RP-1233-VOL-1] p.54 N90-20562 Satellite radar altimetry over ice. Volume 2 Users' guide.	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198  A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788  An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042] p 29 N90-27876  IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007  IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985- [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes  {NASA-SP-7079} p 71 N90-27548  INFORMATION MANAGEMENT  Information resources management, 1984-1989. A bibliography with indexes
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  TYPOKINESIA Joint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965  TYSTERESIS Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p.66 N90-12282  CCE Satellite radar altimetry over ice. Volume 1. Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p.54 N90-20562 Satellite radar altimetry over ice. Volume 2. Users guide for Greenland elevation data from Seasat.	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029]    A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011]    An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042]    D 29 N90-2788    IMPACT STRENGTH    Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981]    D 29 N90-16007    IMPACT TESTS    Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981]    Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029]    IMPEDANCE	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system [INASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector [NASA-TP-2648] p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.  [INASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission [INASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989 A bibliography with indexes [INASA-SP-7079] p 71 N90-27548  INFORMATION MANAGEMENT Information resources management, 1984-1989 A bibliography with indexes [INASA-SP-7079] p 71 N90-27548
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  HYPOKINESIA  Joint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p. 60 N90-28965  HYSTERESIS  Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p. 66 N90-12282  CE  Satellite radar altimetry over ice: Volume 1 Processing and corrections of Seasal data over Greenland [NASA-RP-1233-VOL-1] p. 54 N90-20562  Satellite radar altimetry over ice: Volume 2 Users' guide for Greenland elevation data from Seasal [NASA-RP-1233-VOL-2] p. 54 N90-20563	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198  A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788  An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042] p 29 N90-27876  IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-3981] p 29 N90-16007  IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-3981] p 29 N90-16007  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198  IMPEDANCE  An electrochemical study of corrosion protection by	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes {NASA-SP-7079}  INFORMATION MANAGEMENT  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION RETRIEVAL
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  TYPOKINESIA Joint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965  TYSTERESIS Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p.66 N90-12282  CCE Satellite radar altimetry over ice. Volume 1. Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p.54 N90-20562 Satellite radar altimetry over ice. Volume 2. Users guide for Greenland elevation data from Seasat.	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198  A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788  An examination of impact damage in glass-phenolic and aluminum honeyconib core composite panels [NASA-TP-3042] p 29 N90-27876  IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007  IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198  IMPEDANCE  An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985. [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION MANAGEMENT Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION MANAGEMENT Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION RETRIEVAL NASA thesaurus Volume 3 Definitions
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412 HYPOKINESIA p.7 N88-19412 HYPOKINESIA p.7 N88-19412 HYPOKINESIA p.7 N88-19412 HYPOKINESIA p.7 N88-19412 p.7 N88-19412 HYPOKINESIA p.7 N88-19412 p.7 N89-28965 p.7 N89-28966 p.7	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029]  A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011]  An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042]  INASA-TP-3042]  INASA-TP-3042]  INASA-TP-3042]  INASA-TP-3042]  INASA-TP-3042]  INASA-TP-3042]  INASA-TP-3042]  INASA-TP-3042]  INASA-TP-3041  INASA-TP-3081]  INASA-TP-3081]  INASA-TP-3081]  INASA-TP-3081]  Low velocity instrumented impact testing of eight-ply carbon eopoxy specimens [NASA-TP-3081]  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029]  INPEDANCE  An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985- [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION MANAGEMENT  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION RETRIEVAL  NASA thesaurus Volume 3 Definitions [NASA-SP-7064-VOL-3] p 70 N89-13301
Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  YPPOKINESIA Joint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965  YSTERESIS Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p.66 N90-12282  CCE Satellite radar altimetry over ice. Volume 1. Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p.54 N90-20562 Satellite radar altimetry over ice. Volume 2. Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p.54 N90-20563 Satellite radar altimetry over ice. Volume 4. Users' guide for Antarchica elevation data from Seasat Satellite radar altimetry over ice. Volume 4. Users' guide for Antarchica elevation data from Seasat	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198  A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788  An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042] p 29 N90-27876  IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007  IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198  IMPEDANCE  An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and de methods [NASA-TP-2820] p 30 N89-19406	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes {NASA-SP-7079} p 71 N90-27548  INFORMATION MANAGEMENT  Information resources management, 1984-1989. A bibliography with indexes {NASA-SP-7079} p 71 N90-27548  INFORMATION RETRIEVAL  NASA thesaurus Volume 3 Definitions  {NASA-SP-7064-VOL-3} p 70 N89-13301  NASA Thesaurus supplement. A four part cumulative.
Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  TYPOKINESIA Joint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965  TYSTERESIS Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p.66 N90-12282  CCE Satellite radar altimetry over ice. Volume 1. Processing and corrections of Seasal data over Greenland [NASA-RP-1233-VOL-1] p.54 N90-20562 Satellite radar altimetry over ice. Volume 2. Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p.54 N90-20563 Satellite radar altimetry over ice. Volume 4. Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-2] p.54 N90-20564 CCE ENVIRONMENTS SeaRISE: A Multidisciplinary Research Initiative to	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788 An examination of impact damage in glass-phenolic and alumnum honeyconib core composite panels [NASA-TP-3042] p 29 N90-27876 IMPACT STRENGTH Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 IMPEDANCE  An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-3820] p 30 N89-19406 IMPELLERS	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes  {NASA-SP-7079} p 71 N90-27548  INFORMATION MANAGEMENT  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7079] p 71 N90-27548  INFORMATION RETRIEVAL  NASA thesaurus Volume 3 Definitions  {NASA-SP-7064-VOL-3] p 70 N89-13301  NASA Thesaurus supplement A four part cumulative supplement to the 1988 edition of the NASA Thesaurus
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  TYPOKINESIA  Joint US/USSR study Companison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965  TYSTERESIS  Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p.66 N90-1282  CE  Satellite radar altimetry over ice. Volume 1. Processing and corrections of Seasal data over Greenland [NASA-RP-1233-VOL-1] p.54 N90-20562  Satellite radar altimetry over ice. Volume 2. Users: guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p.54 N90-20563  Satellite radar altimetry over ice. Volume 4. Users: guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-2] p.54 N90-20563  Satellite radar altimetry over ice. Volume 4. Users: guide for Antarctica elevation data from Seasat [NAS. 7-1233-VOL-4] p.54 N90-20564  CE ENVIRONMENTS  SeaRISE: A Multidisciplinary Research Initiative to Predict Rapid Changes in Global Sea Level Caused by	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029]  A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011]  An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042]  p 29 N90-2788  INASA-TP-3042]  p 29 N90-27876  IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981]  p 29 N90-16007  IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981]  p 29 N90-16007  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029]  p 29 N90-25198  IMPEDANCE  An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  p 30 N89-19406  IMPELLERS  Rotordynamic Instability Problems in High-Performance	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985. [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION MANAGEMENT Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION RETRIEVAL NASA thesaurus Volume 3 Definitions [NASA-SP-7064-VOL-3] p 70 N89-13301 NASA Thesaurus supplement. A four part cumulative supplement to the 1988 edition of the NASA Thesaurus (supplement to)
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  TYPOKINESIA  Joint US/USSR study Companison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965  TYSTERESIS  Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p.66 N90-12282  CE  Satellite radar altimetry over ice. Volume 1. Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p.54 N90-20562  Satellite radar altimetry over ice. Volume 2. Users guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p.54 N90-20563  Satellite radar altimetry over ice. Volume 4. Users guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4] p.54 N90-20564  CE ENVIRONMENTS  SeaRISE: A Multidisciplinary Research Initiative to Predict Rapid Changes in Global Sea Level Caused by Collapse of Marine Ice. Sheets	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788 An examination of impact damage in glass-phenolic and alumnum honeyconib core composite panels [NASA-TP-3042] p 29 N90-27876 IMPACT STRENGTH Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 IMPEDANCE  An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-3820] p 30 N89-19406 IMPELLERS	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952]
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients  [NASA-TP-2614] p.7 N88-19412  TYPOKINESIA  Joint US/USSR study Companison of effects of horizontal and head-down bed rest  [NASA-TP-3037] p.60 N90-28965  TYSTERESIS  Parametric study of power absorption from electromagnetic waves by small ferrite spheres  [NASA-TP-2949] p.66 N90-12282  CCE  Satellite radar altimetry over ice. Volume 1. Processing and corrections of Seasal data over Greenland  [NASA-RP-1233-VOL-1] p.54 N90-20562  Satellite radar altimetry over ice. Volume 2. Users' guide for Greenland elevation data from Seasat  [NASA-RP-1233-VOL-2] p.54 N90-20563  Satellite radar altimetry over ice. Volume 4. Users' guide for Antarctica elevation data from Seasat  [NASA-RP-1233-VOL-4] p.54 N90-20564  CCE ENVIRONMENTS  SeaRISE: A Multidisciplinary Research. Initiative to Predict Rapid Changes in Global Sea Level Caused by Collapse of Marine Ice. Sheets  [NASA-CP-3075] p.48 N90-22824	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029]  A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011]  An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042]  INASA-TP-3042]  INASA-TP-3041]  INASA-TP-3081]  INASA-TP-3081]  INASA-TP-3081]  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029]  INASA-TP-3029]  INPEDANCE  An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods  [NASA-TP-2820]  INASA-TP-2820]  INASA-TP-2820]  INASA-TP-3026   INPELLERS  Rotordynamic Instability Problems in High-Performance Turbomachinery, 1988  [NASA-CP-3026]  IN-FLIGHT MONITORING	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7079] p 71 N90-27548  INFORMATION MANAGEMENT  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7079] p 71 N90-27548  INFORMATION RETRIEVAL  NASA thesaurus Volume 3 Definitions  [NASA-SP-7064-VOL-3] p 70 N89-13301  NASA Thesaurus supplement A four part cumulative supplement to the 1988 edition of the NASA Thesaurus (supplement 3)  [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A linformation resources management, 1984-198
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  TYPOKINESIA  Joint US/USSR study Companison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965  TYSTERESIS  Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p.66 N90-1282  CE  Satellite radar altimetry over ice. Volume 1. Processing and corrections of Seasal data over Greenland [NASA-RP-1233-VOL-1] p.54 N90-20562  Satellite radar altimetry over ice. Volume 2. Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p.54 N90-20563  Satellite radar altimetry over ice. Volume 4. Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4] p.54 N90-20564  CE ENTIRONMENTS  SeaRISE: A Multidisciplinary Research Initiative to Predict Rapid Changes in Global Sea Level Caused by Collapse of Marine ice. Sheets [NASA-CP-3075] p.48 N90-22824  CE MAPPING	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788 An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042] p 29 N90-27876 IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-2981] p 29 N90-25198 IMPEDANCE  An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 IMPELLERS  Rotordynamic Instability Problems in High-Performance Turbomachinery, 1988 [NASA-CP-3026] p 41 N89-22891 IN-FLIGHT MONITORING	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes  {NASA-SP-7079} p 71 N90-27548  INFORMATION MANAGEMENT  Information resources management, 1984-1989 A bibliography with indexes  [NASA-SP-7079] p 71 N90-27548  INFORMATION RETRIEVAL  NASA thesaurus Volume 3 Definitions  {NASA-SP-7064-VOL-3} p 70 N89-13301  NASA Thesaurus supplement A four part cumulative supplement to the 1988 edition of the NASA Thesaurus (supplement 3)  [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989 A bibliography with indexes
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients  [NASA-TP-2614]	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788 An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042] p 29 N90-27876 IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 IMPEDANCE  An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 IMPELLERS  Rotordynamic Instability Problems in High-Performance Turbomachinery, 1988 [NASA-CP-3026] p 41 N89-22891 IM-FLIGHT MONITORING  In-flight surface oil-flic w photographs with comparisons to pressure distribution and boundary-layer data	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector [NASA-TP-2648] p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION MANAGEMENT  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION RETRIEVAL  NASA thesaurus Volume 3 Definitions  [NASA-SP-7064-VOL-3] p 70 N89-13301  NASA Thesaurus supplement A four part cumulative supplement to the 1988 edition of the NASA Thesaurus (supplement 3) [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548
Trajectory characteristics and heating of hypervelocity projectiles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  TYPOKINESIA Joint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965  TYSTERESIS Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p.66 N90-12282  CCE Satellite radar altimetry over ice. Volume 1. Processing and corrections of Seasal data over Greenland [NASA-RP-1233-VOL-1] p.54 N90-20562 Satellite radar altimetry over ice. Volume 2. Users guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p.54 N90-20563 Satellite radar altimetry over ice. Volume 4. Users guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4] p.54 N90-20564 CCE ENVIRONMENTS SeaRISE: A Multidisciplinary Research Initiative to Predict Rapid Changes in Global Sea Level Caused by Collapse of Marine Ice. Sheets [NASA-CP-3075] p.48 N90-22824  CCE MAPPING Arctic Sea ice, 1973-1976 Satellite passive-microwave observations	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029]   A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011]   An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042]   IMPACT STRENGTH   Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981]   IMPACT TESTS   Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981]   IMPACT TESTS   Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981]   INSA-TP-3081]   Description of passive systems [NASA-TP-3081]   Description of passive systems [NASA-TP-3029]   IMPEDANCE   An electrochemical study of corrosion protection by primer-topocal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]   Description passive systems on High-Performance Turbomachinery, 1988   NASA-TP-2820]   Description passive systems on High-Performance Turbomachinery, 1988   NASA-CP-3026]   Description passive systems on 41 N89-22891   IN-FLIGHT MONITORING   Description passive data   In-flight surface oil-fic w photographs with comparisons to pressure distribution and boundary-layer data   INASA-TP-2395]   Description passive systems on 4 N87-20966	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7079] p 71 N90-27548  INFORMATION RETRIEVAL  NASA thesaurus Volume 3 Definitions  [NASA-SP-7064-VOL-3] p 70 N89-13301  NASA Thesaurus supplement A four part cumulative supplement to the 1988 edition of the NASA Thesaurus (supplement 3)  [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7064-SUPPL-3] p 71 N90-22438  INFORMATION SYSTEMS
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  TYPOKINESIA  Joint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965  TYSTERESIS  Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p.66 N90-12282  CE  Satellite radar altimetry over ice. Volume 1. Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p.54 N90-20562  Satellite radar altimetry over ice. Volume 2. Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p.54 N90-20563  Satellite radar altimetry over ice. Volume 4. Users' guide for Antarctica elevation data from Seasat [NASA-P-1233-VOL-4] p.54 N90-20564  CE ENVIRONMENTS  SeaRISE: A Multidisciplinary Research Initiative to Predict Rapid Changes in Global Sea Level Caused by Collapse of Marine ice. Sheets [NASA-CP-3075] p.48 N90-22824  CE MAPPING  Arctic Sea ice, 1973-1976. Satellite passive-microwave observations [NASA-SP-489] p.58 N87-24870	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788 An examination of impact damage in glass-phenolic and aluminum honeycomic core composite panels [NASA-TP-3042] p 29 N90-27876 IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 IMPEDANCE  An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 IMPELLERS  Rotordynamic Instability Problems in High-Performance Turbomachinery, 1988 [NASA-CP-3026] p 41 N89-22891 IN-FLIGHT MONITORING  In-flight surface oil-flc w photographs with comparisons to pressure distribution and boundary-layer data [NASA-TP-20966] INDEXES (DOCUMENTATION)	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector [NASA-TP-2648] p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION MANAGEMENT  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION RETRIEVAL  NASA thesaurus Volume 3 Definitions  [NASA-SP-7064-VOL-3] p 70 N89-13301  NASA Thesaurus supplement A four part cumulative supplement to the 1988 edition of the NASA Thesaurus (supplement 3) [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  TYPOKINESIA  Joint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965  TYSTERESIS  Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p.66 N90-12282  CE  Satellite radar altimetry over ice. Volume 1. Processing and corrections of Seasal data over Greenland [NASA-RP-1233-VOL-1] p.54 N90-20562  Satellite radar altimetry over ice. Volume 2. Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p.54 N90-20563  Satellite radar altimetry over ice. Volume 4. Users' guide for Antarcitica elevation data from Seasat [NAS. 7-1233-VOL-2] p.54 N90-20564  CE EMPIRONMENTS  SeaRISE: A Multidisciplinary Research. Initiative to Predict Rapid Changes in Global Sea. Level. Caused by Collapse of Marine Ice. Sheets [NASA-CP-3075] p.48 N90-22824  CE MAPPING  Arctic Sea ice. 1973-1976. Satellite passive-microwave observations [NASA-SP-489] p.58 N87-24870  Polar microwave brightness temperatures.	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788 An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042] p 29 N90-27876 IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 IMPEDANCE  An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-3820] p 30 N89-19406 IMPELLERS  Rotordynamic Instability Problems in High-Performance Turbomachinery, 1988 [NASA-CP-3026] p 41 N89-22891 IN-FLIGHT MONITORING In flight surface oil-flic w photographs with comparisons to pressure distribution and boundary-layer data [NASA-TP-2395] p 4 N87-20966 INDEXES (DOCUMENTATION)  Technology for large space systems. A bibliography with	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes  {NASA-SP-7079} p 71 N90-27548  INFORMATION MANAGEMENT  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7079] p 71 N90-27548  INFORMATION RETRIEVAL  NASA thesaurus Volume 3 Definitions  [NASA-SP-7064-VOL-3] p 70 N89-13301  NASA Thesaurus supplement A four part cumulative supplement to the 1988 edition of the NASA Thesaurus (supplement a)  [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7079] p 71 N90-27548  INFORMATION SYSTEMS  Sirth Annual Users' Conference Transportable
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  TYPOKINESIA  Joint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965  TYSTERESIS  Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p.66 N90-12282  CE  Satellite radar altimetry over ice. Volume 1. Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p.54 N90-20562  Satellite radar altimetry over ice. Volume 2. Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p.54 N90-20563  Satellite radar altimetry over ice. Volume 4. Users' guide for Antarctica elevation data from Seasat [NASA-P-1233-VOL-4] p.54 N90-20564  CE ENVIRONMENTS  SeaRISE: A Multidisciplinary Research Initiative to Predict Rapid Changes in Global Sea Level Caused by Collapse of Marine ice. Sheets [NASA-CP-3075] p.48 N90-22824  CE MAPPING  Arctic Sea ice, 1973-1976. Satellite passive-microwave observations [NASA-SP-489] p.58 N87-24870	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029]	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector [NASA-TP-2648] p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATBLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7079] p 71 N90-27548  INFORMATION MANAGEMENT  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7079] p 71 N90-27548  INFORMATION RETRIEVAL  NASA thesaurus Volume 3 Definitions  [NASA-SP-7064-VOL-3] p 70 N89-13301  NASA Thesaurus supplement A four part cumulative supplement to the 1988 edition of the NASA Thesaurus (supplement a)  [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7079] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7079] p 71 N90-27548  Sixth Annual Users' Conference Transportable Applications Executive (TAE)
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412 HYPOKINESIA p.7 N88-19412 HYPOKINESIA Joint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965 HYSTERESIS Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p.66 N90-12282  CCE Satellite radar altimetry over ice. Volume 1 Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p.54 N90-20562 Satellite radar altimetry over ice. Volume 2 Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p.54 N90-20563 Satellite radar altimetry over ice. Volume 4 Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4] p.54 N90-20564 CCE ENVIRONMENTS  SeaRISE: A Multidisciplinary Research Initiative to Predict Rapid Changes in Global Sea Level Caused by Collapse of Marine Ice Sheets [NASA-CP-3075] p.48 N90-22824 CCE WAPPING  Arctic Sea ice, 1973-1976 Satellite passive-microwave observations [NASA-SP-489] p.58 N87-24870 Polar microwave brightness temperatures from Nimbus-7 SMMR. Time series of daily and monithly maps	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788 An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042] p 29 N90-27876 IMPACT STRENGTH Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 IMPEDANCE  An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 IMPELLERS  Rotordynamic Instability Problems in High-Performance Turbomachinery, 1988 [NASA-TP-2086] p 41 N89-22891 IN-FLIGHT MONITORING  In-flight surface oil-flic w photographs with comparisons to pressure distribution and boundary-layer data [NASA-TP-2395] p 4 N87-20966 INDEXES (DOCUMENTATION)  Technology for large space systems. A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint Universh Program for Air Transportation Research. 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATBLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management. 1984-1989. A bibliography with indexes {NASA-SP-7079} p 71 N90-27548  INFORMATION MANAGEMENT  Information resources management. 1984-1989. A bibliography with indexes {NASA-SP-7079} p 71 N90-27548  INFORMATION RETRIEVAL  NASA thesaurus Volume 3 Definitions  {NASA-SP-7064-VOL-3} p 70 N89-13301  NASA Thesaurus supplement A four part cumulative supplement to the 1988 edition of the NASA Thesaurus supplement (1984-1989) A bibliography with indexes [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION SYSTEMS  Sixth Annual Users' Conference Transportable Applications Executive (TAE) [NASA-CP-2463]
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  YPPOKINESIA Joint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965  YSTERESIS Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p.66 N90-12282  CCE Satellite radar altimetry over ice. Volume 1. Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p.54 N90-20562 Satellite radar altimetry over ice. Volume 2. Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p.54 N90-20563 Satellite radar altimetry over ice. Volume 4. Users' guide for Antarchica elevation data from Seasat [NASA-RP-1233-VOL-4] p.54 N90-20564  CE ENVIRONMENTS SeaRISE: A Multidisciplinary Research Initiative to Predict Rapid Changes in Global Sea Level Caused by Collapse of Marine lice. Sheets [NASA-CP-3075] p.48 N90-22824  CE MAPPING Arctic Sea ice. 1973-1976 Satellite passive-microwave observations [NASA-SP-489] p.58 N87-24870 Polar microwave brightness temperatures from Nimbus-7 SMMR: Time series of daily and monthly maps from 1378 to 1987	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788 An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042] p 29 N90-27876 IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 IMPEDANCE  An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 IMPELLERS  Rotordynamic Instability Problems in High-Performance Turbomachinery, 1988 [NASA-CP-3026] p 41 N89-22891 IN-FLIGHT MONITORING In-flight surface oil-flic w photographs with comparisons to pressure distribution and boundary-layer data [NASA-TP-2395] p 4 N87-20966 INDEXES (DOCUMENTATION)  Technology for large space systems. A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7079] p 71 N90-27548  INFORMATION MANAGEMENT  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7079] p 71 N90-27548  INFORMATION RETRIEVAL  NASA thesaurus Volume 3 Definitions  {NASA-SP-7064-VOL-3} p 70 N89-13301  NASA Thesaurus supplement A four part cumulative supplement to the 1988 edition of the NASA Thesaurus (supplement 3)  [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7064-SUPPL-3] p 71 N90-27548  INFORMATION SYSTEMS  Sirth Annual Users' Conference
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412  TYPOKINESIA  Joint US/USSR study Companison of effects of horizontal and head-down bed rest [NASA-TP-3037] p. 60 N90-28965  TYSTERESIS  Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p. 66 N90-1282  CE  Satellite radar altimetry over ice. Volume 1. Processing and corrections of Seasal data over Greenland [NASA-RP-1233-VOL-1] p. 54 N90-20562  Satellite radar altimetry over ice. Volume 2. Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p. 54 N90-20563  Satellite radar altimetry over ice. Volume 4. Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-2] p. 54 N90-20564  CE ENTIRONMENTS  SeaRISE: A Multidisciplinary Research Initiative to Predict Rapid Changes in Global Sea Level Caused by Collapse of Marine Ice. Sheets [NASA-CP-3075] p. 48 N90-22824  CE MAPPING  Arctic Sea ice, 1973-1976. Satellite passive-microwave observations [NASA-RP-489] p. 58 N87-24870  Polar microwave brightness temperatures from Nimbus-7 SMMR. Time series of daily and monthly maps from 1.778 to 1.987  [NASA-RP-1223] p. 48 N89-26275	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011] p 29 N90-27788 An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042] p 29 N90-27876 IMPACT STRENGTH  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 IMPACT TESTS  Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007 Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 IMPEDANCE  An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 IMPELLERS  Rotordynamic Instability Problems in High-Performance Turbomachinery, 1988 [NASA-CP-3026] p 41 N89-22891 IN-FLIGHT MONITORING In-flight surface oil-flic w photographs with comparisons to pressure distribution and boundary-layer data [NASA-TP-2395] p 4 N87-20966 INDEXES (DOCUMENTATION)  Technology for large space systems. A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 NASA scientific and technical publications.	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985. [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES Free-Space Power Transmission [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION MANAGEMENT Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-709] p 71 N90-27548  INFORMATION RETRIEVAL NASA thesaurus Volume 3 Definitions [NASA-SP-7064-VOL-3] p 70 N89-13301 NASA Thesaurus supplement A four part cumulative supplement to the 1988 edition of the NASA Thesaurus (supplement a) [NASA-SP-7064-SUPPL-3] p 71 N90-22438 Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7064-SUPPL-3] p 71 N90-22438 Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7064-SUPPL-3] p 71 N90-22438 Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7064-SUPPL-3] p 71 N90-22548  INFORMATION SYSTEMS Sixth Annual Users' Conference ··· Transportable Applications Executive (TAE) [NASA-CP-2463] p 62 N87-23156 The NASA scientific and technical information system its scope and coverage
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412 (NASA-TP-2614] p.7 N88-19412 (NASA-TP-2614] p.7 N88-19412 (NASA-TP-2614] p.7 N88-19412 (NASA-TP-3037] p.60 N90-28965 (NASA-TP-3037] p.60 N90-28965 (NASA-TP-3037] p.60 N90-28965 (NASA-TP-2949) p.66 N90-12282 (NASA-TP-2949) p.66 N90-12282 (NASA-TP-2949) p.66 N90-12282 (NASA-TP-2949) p.54 N90-20562 (NASA-RP-1233-VOL-1) p.54 N90-20563 (NASA-RP-1233-VOL-2) p.54 N90-20563 (NASA-RP-1233-VOL-2) p.54 N90-20563 (NASA-RP-1233-VOL-2) p.54 N90-20564 (NASA-RP-1233-VOL-2) p.55 N87-24870 (NASA-RP-1489) p.58 N87-24870 (NASA-RP-1489) p.58 N87-24870 (NASA-RP-1233-VOL-2) p.48 N89-26275 (NASA-R	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029]	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes {NASA-SP-7079} p 71 N90-27548  INFORMATION MANAGEMENT  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION RETRIEVAL  NASA thesaurus Volume 3 Definitions  [NASA-SP-7064-VOL-3] p 70 N89-13301  NASA Thesaurus supplement A four part cumulative supplement to the 1988 edition of the NASA Thesaurus (supplement to the 1988 edition of the NASA Thesaurus (supplement of the 1988 edi
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412 PPOKINESIA Doint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965 Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p.66 N90-12282  CE Satellite radar altimetry over ice. Volume 1 Processing and corrections of Seasar data over Greenland [NASA-RP-1233-VOL-1] p.54 N90-20562 Satellite radar altimetry over ice. Volume 2 Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p.54 N90-20563 Satellite radar altimetry over ice. Volume 4 Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4] p.54 N90-20564 CE.ENVIRONMENTS SeaRISE: A Multidisciplinary Research Initiative to Predict Rapid Changes in Global Sea. Level Caused by Collapse of Marine Ice. Sheets [NASA-CP-3075] p.48 N90-22824 CE.EMAPPING Arctic Sea ice. 1973-1976 Satellite passive-microwave observations [NASA-SP-489] p.58 N87-24870 Polar microwave brightness temperatures from Nimbus-7 SMMR: Time series of daily and monthly maps from 1978 to 1987 [NASA-RP-1223] p.48 N89-26275 Surface topography of the Greenland Ice. Sheet from satellite: Last attimetry [NASA-SP-503] p.54 N90-22850 MAGE ANALYSIS.	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029]	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATABLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes {NASA-SP-7079} p 71 N90-27548  INFORMATION MANAGEMENT  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION RETRIEVAL  NASA thesaurus Volume 3 Definitions  [NASA-SP-7064-VOL-3] p 70 N89-13301  NASA Thesaurus supplement A four part cumulative supplement to the 1988 edition of the NASA Thesaurus (supplement a) {NASA-SP-7064-SUPPL-3} p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION SYSTEMS  Surth Annual Users' Conference Transportable Applications Executive (TAE)  [NASA-CP-2463] p 62 N87-23156  The NASA scientific and technical information system its scope and coverage  [NASA-SP-7065] p 71 N89-15779  Second Annual Workshop on Space Operations
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412 (NASA-TP-2614] p.7 N88-19412 (NASA-TP-2614] p.7 N88-19412 (NASA-TP-2614] p.7 N88-19412 (NASA-TP-2037] p.60 N90-28965 (NASA-TP-3037] p.60 N90-28965 (NASA-TP-3037] p.60 N90-28965 (NASA-TP-2949) p.66 N90-12282 [NASA-TP-2949] p.66 N90-12282 [NASA-TP-293-VOL-1] p.54 N90-20562 Satellite radar altimetry over ice Volume 1 Processing and corrections of Seasal data over Greenland [NASA-RP-1233-VOL-1] p.54 N90-20562 Satellite radar altimetry over ice Volume 2 Users guide for Greenland elevation data from Seasal [NASA-RP-1233-VOL-2] p.54 N90-20563 Satellite radar altimetry over ice Volume 4 Users guide for Antarctica elevation data from Seasal [NAS7-1233-VOL-4] p.54 N90-20564 (CE ENVIRONMENTS) SeaRISE: A Multidisciplinary Research Initiative to Predict Rapid Changes in Global Sea Level Caused by Collapse of Marine Ice Sheets [NASA-CP-3075] p.48 N90-22824 (CE MAPPING) p.54 N90-22824 (CE MAPPING) p.54 N90-22824 (CE MAPPING) p.56 N87-24870 Polar microwave brightness temperatures from Nimbus-7 SMMR: Time series of daily and monithly maps from 1:78 to 1:987 [NASA-SP-1223] p.48 N89-26275 Surface topography of the Greenland ice Sheet from satellite: Lar altimetry [NASA-SP-503] p.54 N90-22850 [NAGE ANALYSIS] p.54 N90-22850 [NAGE ANALYSIS] Automated Reduction of Data from Images and	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029]   A Protection And Detection Surface (PADS) for damage tolerance [NASA-TP-3011]   An examination of impact damage in glass-phenolic and aluminum honeycomib core composite panels [NASA-TP-3042]   D 29 N90-2788   IMPACT STRENGTH   Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981]   D 29 N90-16007   IMPACT TESTS   Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981]   D 29 N90-16007   IMPACT TESTS   Instrumented impact and residual tensile strength testing of eight-ply carbon eopoxy specimens [NASA-TP-2981]   D 29 N90-16007   Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029]   D 29 N90-25198   IMPEDANCE   An electrochemical study of corrosion protection by primer-topocat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]   D 30 N89-19406   IMPELLERS   Rotordynamic Instability Problems in High-Performance Turbomachinery, 1988   [NASA-CP-3026]   D 41 N89-22891   IN-FLIGHT MONITORING   In-flight surface oil-flic w photographs with comparisons to pressure distribution and boundary-layer data [NASA-TP-2985]   D 4 N87-20966   INDEXES (DOCUMENTATION)   Technology for large space systems. A bibliography with indexes (supplement 17)   NASA-SP-7046(17)]   D 22 N87-29576   NASA-SP-7063(01)]   D 70 N87-30218   A performance index approach to aerodynamic design	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector {NASA-TP-2648} p 16 N87-13438  Joint University Program for Air Transportation Research. 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATBLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes {NASA-SP-7079} p 71 N90-27548  INFORMATION MANAGEMENT  Information resources management, 1984-1989. A bibliography with indexes {NASA-SP-7079} p 71 N90-27548  INFORMATION RETRIEVAL  NASA thesaurus Volume 3 Definitions  {NASA-SP-7064-VOL-3} p 70 N89-13301  NASA Thesaurus supplement A four part cumulative supplement to the 1988 edition of the NASA Thesaurus (supplement 3)  [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7064-SUPPL-3] p 71 N90-27548  INFORMATION SYSTEMS  Sirth Annual Users' Conference Transportable Applications Executive (TAE)  [NASA-SP-7065] p 71 N89-15779  Second Annual Workshop on Space Operations Automation and Robotics (SOAR 1988)  [NASA-CP-3019] p 61 N89-1981; Information resources management, 1984-1989. A
Trajectory characteristics and heating of hypervelocity projectibles having large Lallistic coefficients [NASA-TP-2614] p.7 N88-19412 PPOKINESIA Doint US/USSR study Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p.60 N90-28965 Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p.66 N90-12282  CE Satellite radar altimetry over ice. Volume 1 Processing and corrections of Seasar data over Greenland [NASA-RP-1233-VOL-1] p.54 N90-20562 Satellite radar altimetry over ice. Volume 2 Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p.54 N90-20563 Satellite radar altimetry over ice. Volume 4 Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4] p.54 N90-20564 CE.ENVIRONMENTS SeaRISE: A Multidisciplinary Research Initiative to Predict Rapid Changes in Global Sea. Level Caused by Collapse of Marine Ice. Sheets [NASA-CP-3075] p.48 N90-22824 CE.EMAPPING Arctic Sea ice. 1973-1976 Satellite passive-microwave observations [NASA-SP-489] p.58 N87-24870 Polar microwave brightness temperatures from Nimbus-7 SMMR: Time series of daily and monthly maps from 1978 to 1987 [NASA-RP-1223] p.48 N89-26275 Surface topography of the Greenland Ice. Sheet from satellite: Last attimetry [NASA-SP-503] p.54 N90-22850 MAGE ANALYSIS.	IMPACT DAMAGE  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029]	INERTIA  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  INERTIAL NAVIGATION  Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector [NASA-TP-2648] p 16 N87-13438  Joint University Program for Air Transportation Research, 1985.  [NASA-CP-2453] p 1 N87-27596  INFLATBLE STRUCTURES  Free-Space Power Transmission  [NASA-CP-10016] p 27 N90-21795  INFORMATION DISSEMINATION  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION MANAGEMENT  Information resources management, 1984-1989. A bibliography with indexes [NASA-SP-7079] p 71 N90-27548  INFORMATION RETRIEVAL  NASA thesaurus Volume 3 Definitions  [NASA-SP-7064-VOL-3] p 70 N89-13301  NASA Thesaurus supplement A four part cumulative supplement to the 1988 edition of the NASA Thesaurus (supplement 3)  [NASA-SP-7064-SUPPL-3] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7064] p 71 N90-22438  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7064-SUPPL-3] p 71 N90-27548  Information resources management, 1984-1989. A bibliography with indexes  [NASA-SP-7064] p 71 N90-27548  Sirth Annual Users' Conference ··· Transportable Applications Executive (TAE)  [NASA-CP-2463] p 62 N87-23156  The NASA scientific and technical information system its scope and coverage  [NASA-CP-3019] p 71 N89-15779  Second Annual Workshop on Space Operations Automation and Robotics (SOAR 1988)  [NASA-CP-3019] p 61 N89-19817

INFORMATION TRANSFER	A high-resolution atlas of the infrared spectrum of the	INTERPLANETARY NAVIGATION
Airborne Wind Shear Detection and Warning Systems:	Sun and the Earth atmosphere from space: A compilation	The effect of interplanetary trajectory options on a
First Combined Manufacturers' and Technologists' Conference	of ATMOS spectra of the region from 650 to 4800 cm (2.3 to 16 micron). Volume 1: The Sun	manned Mars aerobrake configuration [NASA-TP-3019] p 24 N90-26036
[NASA-CP-10006] p 12 N88-17616	[NASA-RP-1224-VOL-1] p 53 N90-13893	[NASA-TP-3019] p 24 N90-26036 INTERPLANETARY TRAJECTORIES
INFRARED ASTRONOMY	Spatial interferometry in optical astronomy	The effect of interplanetary trajectory options on a
Infrared source cross-index, first edition	[NASA-RP-1245] p 75 N90-28470	manned Mars aerobrake configuration
[NASA-RP-1182] p 73 N87-22573	INFRARED SPECTROSCOPY	[NASA-TP-3019] p 24 N90-26036
Essays in Space Science [NASA-CP-2464] p 72 N87-24247	A high-resolution atlas of the infrared spectrum of the sun and the earth atmosphere from space. A compilation	INTERPOLATION
Star Formation in Galaxies	of ATMOS spectra of the region from 650 to 4800 cm-1	Quantitative analysis of the reconstruction performance of interpolants
[NASA-CP-2466] p 73 N87-24266	(2.3 to 16 microns). Volume 2: Stratosphere and	[NASA-TP-2688] p 65 N87-22441
Workshop on Technology Development Issues for the	mesosphere, 650 to 3350 cm-1 [NASA-RP-1224-VOL-2] p 53 N89-28969	INTERSTELLAR CHEMISTRY
Large Deployable Reflector (LDR)	INFRARED TELESCOPES	Experiments in Planetary and Related Sciences and the
[NASA-CP-2407] p 75 N88-20235	Workshop on Technology Development Issues for the	Space Station [NASA-CP-2494] p 72 N89-14998
Far infrared supplement: Catalog of infrared observations, second edition	Large Deployable Reflector (LDR)	Carbon in the Galaxy: Studies from Earth and Space
[NASA-RP-1205] p 74 N88-30545	[NASA-CP-2407] p 75 N88-20235	[NASA-CP-3061] p 73 N90-27562
Automatic classification of spectra from the Infrared	INGESTION (ENGINES) Proceedings of the 1985 NASA Ames Research Center's	INTERSTELLAR MATTER
Astronomical Satellite (IRAS)	Ground-Effects Workshop	Catalog of open clusters and associated interstellar
[NASA-RP-1217] p 75 N90-10807	[NASA-CP-2462] p 5 N87-24410	matter (NACA DD 1202) - 75 NR9 20052
INFRARED ASTRONOMY SATELLITE	Measurements of flow rate and trajectory of aircraft	[NASA-RP-1202] p 76 N88-29652 Commentary on interstellar matter associated with 18
Infrared astronomical satellite (IRAS) catalogs and atlases. Volume 1: Explanatory supplement	tire-generated water spr-iv [NASA-TP-2718] p 14 N87-24458	open clusters
[NASA-RP-1190-VQL-1] p 76 N89-14194	INGOTS	[NASA-RP-1229] p 77 N89-27612
Infrared astronomical satellite (IRAS) catalogs and	Oxidation characteristics of Ti-14Al-21Nb ingot alloy	INVENTIONS
atlases. Volume 5. The point source catalog declination.	[NASA-TP-3012] p 31 N90-25206	Significant NASA inventions. Available for licensing in
range -30 deg greater than delta greater than -50 deg	INHOMOGENEITY	foreign countries
(NASA-RP-1190-VOL-5) p 76 N89-14195 infrared astronomical satellite (IRAS) catalogs and	A procedure for computing surface wave trajectories on an inhomogeneous surface	[NASA-SP-7038(04)] p 72 N87-70425 INVERSIONS
atlases Volume 4. The point source catalog declination	[NASA-TP-2929] p 10 N89-26811	Lewis inverse design code (LINDES): Users manual
range 0 deg greater than delta greater than -30 deg	INLET FLOW	[NASA-TP-2676] p 4 N87-20238
[NASA-RP-1190-VOL-4] p 76 N89-14196	Aeropropulsion '87 Session 3: Internal Fluid Mechanics	INVESTIGATION
Infrared astronomical satellite (IRAS) catalogs and	Research [NASA-CP-10003-SESS-3] p 18 N88-15790	investigation of the effects of cobalt ions on epoxy
atlases. Volume 2: The point source catuing addination range 90 deg greater than delta greater than 30 deg	Numerical simulation of scramjet inlet flow fields	properties
NASA-RP-1190-VQL-2  p.76 N89-14197	[NASA-TP-2517] p.8 N88-23735	[NASA-TP-2639] p 31 N87-12680 Flight investigation of the effects of an outboard
Infrared astronomical satellite (IRAS) catalogs and	Rotor induced-inflow-ratio measurements and CAMRAD	wing-leading-edge modification on stall/spin
atlases. Volume 6: The point source catalog declination	calculations	characteristics of a low-wing, single-engine, T-tail light
range -50 deg greater than delta greater than -90 deg	[NASA-TP-2946] p 11 N90-15882 INSPECTION	airplane
[NASA-RP-1190-VOL-6] p 76 N89-14198 Infrared astronomical satellite (IRAS) catalogs and	Electronics reliability and measurement technology	[NASA-TP-2691] p 14 N87-23614
atlases. Volume 7: The small scale structure catalog	!NASA-CP-2472] p 42 N87-27204	INVISCID FLOW
[NASA-RP-1190-VOL-7] p 76 N89-14199	INSTALLING	Calculation of viscous effects on transonic flow for oscillating airfoils and comparisons with experiment
Infrared astronomical satellite (IRAS) catalogs and	Evaluation of installed performance of a	[NASA-TP-2731] p 6 N87-27622
atlases. Volume 3: The point source catalog declination	wing-tip-mounted pusher turboprop on a semispan wing [NASA-TP-2739] p 14 N87-26041	Supersonic aerodynamics of delta wings
range 30 deg greater than delta greater than 0 deg [NASA-RP-1190 VOL-3] p 77 N89-14201	Integration effects of pylon geometry on a high-wing	[NASA-TP-2771] p 7 N88-17615
INFRARED DETECTORS	transport airplane	An approximate method for calculating
Description of data on the Nimbus 7 LIMS map archive	[NASA-TP-2877] p 9 N89-15888	three-dimensional inviscid hypersonic flow fields
tape: Ozone and nitric acid	INSTRUMENT APPROACH	[NASA-TP-3018] p 39 N90-27066 ION BEAMS
		ION BEAMS
[NASA-TP-2625] p 51 N87-13022	Jet transport flight operations using cockpit display of traffic information during instrument meteorological	Benchmark solutions for the galactic ion transport
Description of data on the Nimbus 7 LIMS map archive	traffic information during instrument meteorological conditions: Simulation evaluation	Benchmack solutions for the galactic ion transport equations: Energy and spatially dependent problems
Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 56 N88-14572	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p. 12 N87-29469	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714
Description of data on the Nimbus 7 L/MS map archive tape. Water vapor and nitrogen dixixide [NASA-TP-2761] p 56 N88-14572 INFR ARED RADIATION	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469 INTEGRATED CIRCUITS	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING
Description of data on the Nimbus 7 LIMS map archive tape. Water vapor and nitrogen dioxide [NASA-TP-2761] p.56 N88-14572 INFR ARED RADIATION	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469 INTEGRATED CIRCUITS Pulse Code Modulation (PCM) encoder handbook for	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89:16714  ION PLATING Secondary electron emission characteristics of
Description of data on the Nimbus 7 L/MS map archive tape. Water vapor and nitrogen dioxide [NASA-TP-2761] p 56 N88-14572 INFRARED RADIATION tas of absorption lines from 0 to 17900 cm (sup)-1 [N \SA-RP-1188] p 49 N87-28955	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469 INTEGRATED CIRCUITS	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING Secondary electron emission characteristics of untreated and ion-textured titanium
Description of data on the Nimbus 7 LIMS map archive tape. Water vapor and nitrogen dioxide [NASA-TP-2761] p.56 N88-14572 INFR ARED RADIATION	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469 INTEGRATED CIRCUITS Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system [NASA-RP-1171] p 33 N87-11916 A technique for evaluating the application of the pin-level	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89:16714  ION PLATING Secondary electron emission characteristics of
Description of data on the Nimbus 7 LIMS map archive tape. Water vapor and nitrogen dioxide [NASA-TP-2761] p. 56 N88-14572 INFR ARED RADIATION   National Part 188   p. 49 N87-28955   Nasa-RP-1196-PT-2-ED-2  p. 74 N88-16615   The Cassini mission: Infrared and microwave	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p. 12 N87-29469 INTEGRATED CIRCUITS  Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system [NASA-RP-1171] p. 33 N87-11916 A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650
Description of data on the Nimbus 7 L/MS map archive tape. Water vapor and nitrogen dioxide. [NASA-TP-2761] p 56 N88-14572 INFR ARED RADIATION vitas of absorption lines from 0 to 17900 cm (sup)-1 [N SA-RP-1188] p 49 N87-28955 atalog of infrared observations. Part 2 Appendixes [NASA-RP-1196-PT-2-ED-2] p 74 N88-16615. The Cassini mission: Infrared and microwave spectroscopic measurements.	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469 INTEGRATED CIRCUITS Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system [NASA-RP-1171] p 33 N87-11916 A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits [NASA-TP-2738] p 42 N87-28025	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS Eikonal solutions to optical model coupled-channel equations
Description of data on the Nimbus 7 L/MS map archive tape. Water vapor and nitrogen dioxide [NASA-RP-2761] p 56 N88-14572 INFR ARED RADIATION vitas of absorption lines from 0 to 17900 cm (sup)-1 [N \SA-RP-1188] p 49 N87-28955  \text{	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469 INTEGRATED CIRCUITS  Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system [NASA-RP-1171] p 33 N87-11916  A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits [NASA-TP-2738] p 42 N87-28025  Universal test fixture for monolithic mm-wave integrated	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402
Description of data on the Nimbus 7 L/MS map archive tape. Water vapor and nitrogen dioxide. [NASA-TP-2761] p 56 N88-14572 INFR ARED RADIATION vitas of absorption lines from 0 to 17900 cm (sup)-1 [N SA-RP-1188] p 49 N87-28955 atalog of infrared observations. Part 2 Appendixes [NASA-RP-1196-PT-2-ED-2] p 74 N88-16615. The Cassini mission: Infrared and microwave spectroscopic measurements.	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469 INTEGRATED CIRCUITS Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system [NASA-RP-1171] p 33 N87-11916 A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits [NASA-TP-2738] p 42 N87-28025	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING Secondary electron emission untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY
Description of data on the Nimbus 7 L/MS map archive tape. Water vapor and nitrogen dioxide (NASA-TP-2761) p 56 N88-14572 INFR ARED RADIATION  Vilas of absorption lines from 0 to 17900 cm (sup)-1 (NNSA-RP-1188) p 49 N87-28955  Zatalog of infrared observations Part 2 Appendixes (NASA-RP-1196-PT-2-ED-2) p 74 N88-16615  The Cassini mission infrared and microwave spectroscopic measurements (NASA-RP-1213) p 78 N89-16709  Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide (NASA-RP-1221) p 53 N89-26304	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469 INTEGRATED CIRCUITS Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system [NASA-RP-1171] A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits [NASA-TP-2738] p 42 N87-28025 Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767 INTEGRATORS	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402
Description of data on the Nimbus 7 L/MS map archive tape. Water vapor and nitrogen dioxide [NASA-TP-2761] p 56 N88-14572 INFR ARED RADIATION  Altas of absorption lines from 0 to 17900 cm (sup)-1 [N \SA-RP-1188] p 49 N87-28955  `atalog of infrared observations Part 2 Appendixes [NASA-RP-1196-PT-2-ED-2] p 74 N88-16615 \text{ The Cassini mission: infrared and microwave spectroscopic measurements [NASA-RP-1213] p 78 N89-16709 \text{ Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] INFRARED RADIOMETERS	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469 INTEGRATED CIRCUITS  Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system [NASA-RP-1171] p 33 N87-11916  A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits [NASA-TP-2738] p 42 N87-28025  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767 INTEGRATORS  Rotorcraft flight-propulsion control integration: An	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714
Description of data on the Nimbus 7 L/MS map archive tape. Water vapor and nitrogen dioxide (NASA-TP-2761)  INFRARED RADIATION  Vilas of absorption lines from 0 to 17900 cm (sup)-1 (N SA-RP-1188) p. 49 N87-28955  Catalog of infrared observations Part 2 Appendixes (NASA-RP-1196-PT-2-ED-2) p. 74 N88-16615  The Cassini mission: Infrared and microwave spectroscopic measurements (NASA-RP-1213) p. 78 N89-16709  Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide (NASA-RP-1221) p. 53 N89-26304  INFRARED RADIOMETERS  Noncontact Temperature Measurement	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p. 12 N87-29469  INTEGRATED CIRCUITS  Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system  [NASA-RP-1171] p. 33 N87-11916  A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits  [NASA-TP-2738] p. 42 N87-28025  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm  [NASA-TP-2875] p. 34 N89-17767  INTEGRATORS  Rotorcraft flight-propulsion control integration: An eclectic design concept	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS
Description of data on the Nimbus 7 L/MS map archive tape. Water vapor and nitrogen dioxide [NASA-TP-2761] p 56 N88-14572 INFR ARED RADIATION  Altas of absorption lines from 0 to 17900 cm (sup)-1 [N \SA-RP-1188] p 49 N87-28955  `atalog of infrared observations Part 2 Appendixes [NASA-RP-1196-PT-2-ED-2] p 74 N88-16615 \text{ The Cassini mission: infrared and microwave spectroscopic measurements [NASA-RP-1213] p 78 N89-16709 \text{ Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] INFRARED RADIOMETERS	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469 INTEGRATED CIRCUITS  Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system [NASA-RP-1171] p 33 N87-11916  A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits [NASA-TP-2738] p 42 N87-28025  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767 INTEGRATORS  Rotorcraft flight-propulsion control integration: An	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS Investigation of the effects of cobalt ions on epoxy
Description of data on the Nimbus 7 LIMS map archive tape. Water vapor and nitrogen dioxide (NASA-TP-2761) p 56 N88-14572  INFRARED RADIATION  Vilas of absorption lines from 0 to 17900 cm (sup)-1 (N SA-RP-1188) p 49 N87-28955  Satalog of infrared observations. Part 2 Appendixes (NASA-RP-1196-PT-2-ED-2) p 74 N88-16615  The Cassini mission: Infrared and microwave spectroscopic measurements (NASA-RP-1213) p 78 N89-16709  Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide (NASA-RP-1221) p 53 N89-26304  INFRARED RADIOMETERS  Noncontact Temperature Measurement (NASA-CP-2503) p 32 N88-23895  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469 INTEGRATED CIRCUITS Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system [NASA-RP-1171] p 33 N87-11916 A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits [NASA-TP-2738] p 42 N87-28025 Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767 INTEGRATORS Rotorcraft flight-propulsion control integration: An eclectic design concept [NASA-TP-2815] p 19 N88-19475	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING  Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY  Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS  Investigation of the effects of cobalt ions on epoxy properties
Description of data on the Nimbus 7 L/MS map archive tape. Water vapor and nitrogen dioxide (NASA-TP-2761) p 56 N88-14572 INFR ARED RADIATION vitas of absorption lines from 0 to 17900 cm (sup)-1 (N SA-RP-1188) p 49 N87-28955 Natalog of infrared observations Part 2 Appendixes (NASA-RP-1196-PT-2-ED-2) p 74 N88-16615 The Cassini mission: Infrared and microwave spectroscopic measurements (NASA-RP-1213) p 78 N89-16709 Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide (NASA-RP-1221) p 53 N89-26304 INFRARED RADIOMETERS Noncontact Temperature Measurement (NASA-CP-2503) p 32 N88-23895 Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames (NASA-TP-2900) p 38 N89-25409	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469 INTEGRATED CIRCUITS  Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system [NASA-RP-1171] p 33 N87-11916 A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits [NASA-TP-2738] p 42 N87-28025 Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767 INTEGRATORS  Rotorcraft flight-propulsion control integration: An eclectic design concept [NASA-TP-2815] p 19 N88-19475 INTERACTIONAL AERODYNAMICS	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680
Description of data on the Nimbus 7 L/MS map archive tape. Water vapor and nitrogen dioxide (NASA-TP-2761) p 56 N88-14572 INFR ARED RADIATION  \[ \text{vlastar} \] \text{vlastar} p 56 N88-14572 INFR ARED RADIATION \[ \text{vlastar} \] \text{vlastar} p 49 N87-28955 \] \[ \text{vlastar} \] \text{vlastar} p 49 N87-28955 \] \[ \text{vlastar} \] \text{vlastar} p 49 N87-28955 \] \[ \text{vlastar} \] \text{vlastar} p 74 N88-16615 \] \[ \text{The Cassini mission. Infrared and microwave spectroscopic measurements } \] \[ \text{NASA-RP-1213} \]  p 78 N89-16709 \] \[ \text{Nimbus-7 Stratospheric and Mesospheric Sounder } \] \[ \text{SAMS} \] \[ \text{experiment data user's guide } \] \[ \text{NASA-RP-1221} \]  p 53 N89-26304 \] \[ \text{INFRARED RADIOMETERS} \] \[ \text{Noncontact Temperature Measurement } \] \[ \text{NASA-CP-2503} \]  p 32 N88-23895 \] \[ \text{Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames \] \[ \text{NASA-TP-2900} \]  p 38 N89-25409 \] \[ \text{INFRARED SOURCES (ASTRONOMY)} \]	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469  INTEGRATED CIRCUITS Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system  [NASA-RP-1171] p 33 N87-11916 A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits  [NASA-TP-2738] p 42 N87-28025  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  INTEGRATORS  Rotorcraft flight-propulsion control integration: An ecletic design concept  [NASA-TP-2815] p 19 N88-19475  INTERACTIONAL AERODYNAMICS  Supercomputing in Aerospace  [NASA-CP-2454] p 5 N87-25998  Transonic Symposium: Theory, Application, and	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING  Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY  Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS  Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680  Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets
Description of data on the Nimbus 7 L/MS map archive tape. Water vapor and nitrogen dioxide (NASA-TP-2761) p 56 N88-14572 INFR ARED RADIATION vitas of absorption lines from 0 to 17900 cm (sup)-1 (N SA-RP-1188) p 49 N87-28955 Natalog of infrared observations Part 2 Appendixes (NASA-RP-1196-PT-2-ED-2) p 74 N88-16615 The Cassini mission: Infrared and microwave spectroscopic measurements (NASA-RP-1213) p 78 N89-16709 Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide (NASA-RP-1221) p 53 N89-26304 INFRARED RADIOMETERS Noncontact Temperature Measurement (NASA-CP-2503) p 32 N88-23895 Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames (NASA-TP-2900) p 38 N89-25409	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p. 12 N87-29469 INTEGRATED CIRCUITS Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system [NASA-RP-1171] p. 33 N87-11916 A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits [NASA-TP-2738] p. 42 N87-28025 Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p. 34 N89-17767 INTEGRATORS Rotorcaft flight-propulsion control integration: An eclectic design concept [NASA-TP-2815] p. 19 N88-19475 INTERACTIONAL AERODYNAMICS Supercomputing in Aerospace [NASA-CP-2454] p. 5 N87-25998 Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING  Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY  Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS  Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680  Cosmic ray heavy ion LET mapping for aluminum, silicon, and itssue targets [NASA-RP-1180] p 79 N87-25984
Description of data on the Nimbus 7 L/MS map archive tape. Water vapor and nitrogen dioxide (NASA-TP-2761) p 56 N88-14572 INFR ARED RADIATION  \[ \text{vlastar} \] \text{vlastar} p 56 N88-14572 INFR ARED RADIATION \[ \text{vlastar} \] \text{vlastar} p 49 N87-28955 \] \[ \text{vlastar} \] \text{vlastar} p 49 N87-28955 \] \[ \text{vlastar} \] \text{vlastar} p 49 N87-28955 \] \[ \text{vlastar} \] \text{vlastar} p 74 N88-16615 \] \[ \text{The Cassini mission: Infrared and microwave spectroscopic measurements } \] \[ \text{vlastar} p 78 N89-16709 \] \[ \text{Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1212] p 53 N89-26304 \] \[ \text{INFRARED RADIOMETERS} \] \[ \text{Noncontact Temperature Measurement } \] \[ \text{vlastar} p 32 N88-23895 \] \[ Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames   NASA-TP-2900   p 38 N89-25409   \] \[ \text{INFRARED SOURCES (ASTRONOMY)   Infrared source cross-index, first edition   p 73 N87-22573   Catalog of infrared observations   Part 1: Data   Data   p 10	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p. 12 N87-29469  INTEGRATED CIRCUITS  Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system  [NASA-RP-1171] p. 33 N87-11916  A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits  [NASA-TP-2738] p. 42 N87-28025  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm  [NASA-TP-2875] p. 34 N89-17767  INTEGRATORS  Rotorcraft flight-propulsion control integration: An eclectic design concept  [NASA-TP-2815] p. 19 N88-19475  INTERACTIONAL AERODYNAMICS  Supercomputing in Aerospace  [NASA-CP-2454] p. 5 N87-25998  Transonic Symposium: Theory, Experiment, volume 1, part 2  [NASA-CP-3020-VOL-1-PT-2] p. 9 N89-20942	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680  Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets [NASA-RP-1180] p 79 N87-25984  IUE
Description of data on the Nimbus 7 LIMS map archive tape. Water vapor and nitrogen dioxide (NASA-TP-2761)  INFRARED RADIATION  Vilas of absorption lines from 0 to 17900 cm (sup)-1 (N SA-RP-1188) p. 49 N87-28955. Datalog of infrared observations. Part 2 Appendixes (NASA-RP-1196-PT-2-ED-2) p. 74 N88-16615. The Cassini mission: Infrared and microwave spectroscopic measurements. (NASA-RP-1213) p. 78 N89-16709. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide. (NASA-RP-1221) p. 53 N89-26304. INFRARED RADIOMETERS.  Noncontact Temperature Measurement. (NASA-RP-1221) p. 32 N88-23895. Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames. (NASA-RP-1980) p. 38 N89-25409. INFRARED SOURCES (ASTRONOMY). Infrared source cross-index, first edition. (NASA-RP-1182) p. 73 N87-22573. Catalog of infrared observations. Part 1: Data. (NASA-RP-1198-PT-1-ED-2) p. 73 N88-15738.	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p. 12 N87-29469 INTEGRATED CIRCUITS Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system [NASA-RP-1171] p. 33 N87-11916 A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits [NASA-TP-2738] p. 42 N87-28025 Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p. 34 N89-17767 INTEGRATORS Rotorcaft flight-propulsion control integration: An eclectic design concept [NASA-TP-2815] p. 19 N88-19475 INTERACTIONAL AERODYNAMICS Supercomputing in Aerospace [NASA-CP-2454] p. 5 N87-25998 Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680 Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets [NASA-RP-1180] p 79 N87-25984  IUE International ultraviolet explorer spectral atlas of
Description of data on the Nimbus 7 LIMS map archive tape. Water vapor and nitrogen dioxide.  [NASA-RP-1786]  [NISA-RP-1188]  [NISA-RP-1188]  [NISA-RP-1188]  [NISA-RP-1188]  [NISA-RP-1188]  [NISA-RP-1188]  [NISA-RP-1188]  [NISA-RP-1186-PT-2-ED-2]  [NISA-RP-1186-PT-2-ED-2]  [NISA-RP-1186-PT-2-ED-2]  [NISA-RP-1186-PT-2-ED-2]  [NISA-RP-1186-PT-2-ED-2]  [NISA-RP-1213]  [NISA-RP-1213]  [NISA-RP-1213]  [NISA-RP-1213]  [NISA-RP-1221]  [NISA-RP-1182]  [NISA-RP-1182]	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p. 12 N87-29469 INTEGRATED CIRCUITS Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system [NASA-RP-1171] p. 33 N87-11916 A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits [NASA-TP-2738] p. 42 N87-28025 Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p. 34 N89-17767 INTEGRATORS Rotorcraft flight-propulsion control integration: An eclectic design concept [NASA-TP-2815] p. 19 N88-19475 INTERACTIONAL AERODYNAMICS Supercomputing in Aerospace [NASA-CP-2454] p. 5 N87-25998 Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p. 9 N89-20942 INTERACTIVE CONTROL NASA/DOD Control/Structures Interaction Technology, 1986	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING  Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY  Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS  Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680  Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets [NASA-RP-1180] p 79 N87-25984  IUE  International ultraviolet explorer spectral atlas of planetary nebulae, central stars, and related objects
Description of data on the Nimbus 7 L/MS map archive tape. Water vapor and nitrogen dioxide (NASA-TP-2761) p 56 N88-14572 INFR ARED RADIATION  \[ \text{Visar ARED RADIATION} \\ Visar ARED RADIATION	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469  INTEGRATED CIRCUITS Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system  [NASA-RP-1171] p 33 N87-11916 A technique for evaluating the application of the pin-level stuck at fault model to VLSI circuits  [NASA-TP-2738] p 42 N87-28025  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  INTEGRATORS  Rotorcraft flight-propulsion control integration: An eclectic design concept  [NASA-TP-2815] p 19 N88-19475  INTERACTIONAL AERODYNAMICS  Supercomputing in Aerospace  [NASA-CP-2454] p 5 N87-25998  Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2  [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942  INTERACTIVE CONTROL  NASA-CP-2447-PT-21 p 25 N87-24495	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING  Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY  Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS  Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680  Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets [NASA-RP-1180] p 79 N87-25984  IUE  International ultraviolet explorer spectral atlas of planetary nebulae, central stars, and related objects
Description of data on the Nimbus 7 LIMS map archive tape. Water vapor and nitrogen dioxide.  [NASA-RP-1786]  [NISA-RP-1188]  [NISA-RP-1188]  [NISA-RP-1188]  [NISA-RP-1188]  [NISA-RP-1188]  [NISA-RP-1188]  [NISA-RP-1188]  [NISA-RP-1186-PT-2-ED-2]  [NISA-RP-1186-PT-2-ED-2]  [NISA-RP-1186-PT-2-ED-2]  [NISA-RP-1186-PT-2-ED-2]  [NISA-RP-1186-PT-2-ED-2]  [NISA-RP-1213]  [NISA-RP-1213]  [NISA-RP-1213]  [NISA-RP-1213]  [NISA-RP-1221]  [NISA-RP-1182]  [NISA-RP-1182]	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469  INTEGRATED CIRCUITS Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system  [NASA-RP-1171] p 33 N87-11916 A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits  [NASA-TP-2738] p 42 N87-28025  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  INTEGRATORS  Rotorcraft flight-propulsion control integration: An eclectic design concept [NASA-TP-2815] p 19 N88-19475  INTERACTIONAL AERODYNAMICS  Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998  Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942  INTERACTIVE CONTROL  NASA/DOD Control/Structures Interaction Technology, 1986 [NASA-CP-2447-PT-2] p 25 N87-24495  User's manual for interactive LINEAR: A FORTRAN	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING  Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY  Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS  Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680  Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets [NASA-RP-1180] p 79 N87-25984  IUE  International ultraviolet explorer spectral atlas of planetary nebulae, central stars, and related objects
Description of data on the Nimbus 7 L/MS map archive tape. Water vapor and nitrogen dioxide (NASA-TP-2761) p 56 N88-14572 INFR ARED RADIATION  \[ \text{VISA-RP ARED RADIATION} \] \[ \text{VISA-RP-1188} \] \[ \text{VISA-RP-1188} \] \[ \text{VISA-RP-1196-PT-2-ED-2} \] \[ \text{VISA-RP-1196-PT-2-ED-2} \] \[ \text{VISA-RP-1196-PT-2-ED-2} \] \[ \text{VISA-RP-1196-PT-2-ED-2} \] \[ \text{VISA-RP-1213} \] \[ \text{VISA-RP-1221} \] \[ \text{VISA-RP-126-PT-1-ED-2} \] \[ \text{VISA-RP-126-PT-1-ED-2} \] \[ \text{VISA-RP-1196-PT-1-ED-2}	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p. 12 N87-29469  INTEGRATED CIRCUITS  Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system  [NASA-RP-1171] p. 33 N87-11916  A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits  [NASA-TP-2738] p. 42 N87-28025  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm  [NASA-TP-2875] p. 34 N89-17767  INTEGRATORS  Rotorcraft flight-propulsion control integration: An eclectic design concept  [NASA-TP-2815] p. 19 N88-19475  INTERACTIONAL AERODYNAMICS  Supercomputing in Aerospace  [NASA-CP-2454] p. 5 N87-25998  Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2  [NASA-CP-3020-VOL-1-PT-2] p. 9 N89-20942  INTERACTIVE CONTROL  NASA/DOD Control/Structures Interaction Technology, 1986  [NASA-CP-2447-PT-2] p. 25 N87-24495  User's manual for interactive LINEAR: A FORTRAN program to derive linear aircraft models	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING  Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY  Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS  Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680  Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets [NASA-RP-1180] p 79 N87-25984  IUE  International ultraviolet explorer spectral atlas of planetary nebulae, central stars, and related objects
Description of data on the Nimbus 7 LIMS map archive tape. Water vapor and nitrogen dioxide (NASA-TP-2761)  INFRARED RADIATION  Vilas of absorption lines from 0 to 17900 cm (sup)-1 (N SA-RP-1188) p. 49 N87-28955  Latalog of infrared observations. Part 2 Appendixes (NASA-RP-1196-PT-2-ED-2) p. 74 N88-16615  The Cassini mission: Infrared and microwave spectroscopic measurements. (NASA-RP-1213) p. 78 N89-16709  Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide. (NASA-RP-1221) p. 53 N89-26304  INFRARED RADIOMETERS  Noncontact Temperature Measurement. (NASA-CP-2503) p. 32 N88-23895  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames. (NASA-RP-1290) p. 38 N89-25409  INFRARED SOURCES (ASTRONOMY) infrared source cross-index, first edition. (NASA-RP-1196-PT-1-ED-2) p. 73 N87-22573  Catalog of infrared observations. Part 1: Data (NASA-RP-1196-PT-1-ED-2) p. 74 N88-15738  Catalog of infrared observations. Part 2. Appendixes (NASA-RP-1196-PT-1-ED-2) p. 74 N88-16615  Far infrared supplement. Catalog of infrared observations, second edition. (NASA-RP-1196-PT-1-ED-2) p. 74 N88-30545  INFRARED SPECTRA	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469  INTEGRATED CIRCUITS Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system  [NASA-RP-1171] p 33 N87-11916 A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits  [NASA-TP-2738] p 42 N87-28025  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  INTEGRATORS  Rotorcraft flight-propulsion control integration: An eclectic design concept [NASA-TP-2815] p 19 N88-19475  INTERACTIONAL AERODYNAMICS  Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998  Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942  INTERACTIVE CONTROL  NASA/DOD Control/Structures Interaction Technology, 1986 [NASA-CP-2447-PT-2] p 25 N87-24495  User's manual for interactive LINEAR: A FORTRAN	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680  Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets [NASA-RP-1180] p 79 N87-25984  IUE International ultraviolet explorer spectral atlas of planetary nebulae, central stars, and related objects [NASA-RP-1203] p 76 N88-28843
Description of data on the Nimbus 7 LIMS map archive tape. Water vapor and nitrogen dioxide. [NASA-RP-2761]  INFRARED RADIATION  Vitas of absorption lines from 0 to 17900 cm (sup)-1. [IN SA-RP-1188] p. 49 N87-28955.  Satalog of infrared observations. Part. 2. Appendixes. [NASA-RP-1196-PT-2-ED-2] p. 74 N88-16615.  The Cassini mission: Infrared and microwave spectroscopic measurements. [NASA-RP-1213] p. 78 N89-16709.  Nimbus-7. Stratospheric and Mesospheric Sounder. [SAMS] experiment data user's guide. [NASA-RP-1221] p. 53 N89-26304.  INFRARED RADIOMETERS.  Noncontact Temperature Measurement. [NASA-CP-2503] p. 32 N88-23895.  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames. [NASA-TP-2900] p. 38 N89-25409.  INFRARED SOURCES (ASTRONOMY). Infrared source cross-index, first edition. [NASA-RP-1198-PT-1-ED-2] p. 73 N87-22573.  Catalog of infrared observations. Part. 2. Appendixes. [NASA-RP-1196-PT-1-ED-2] p. 73 N88-15738.  Catalog of infrared observations. Part. 2. Appendixes. [NASA-RP-1196-PT-1-ED-2] p. 74 N88-16615.  Far infrared supplement. Catalog of infrared observations, second edition. [NASA-RP-1205] p. 74 N88-30545.  INFRARED SPECTRA.  Infrared Observations of Comets Halley and Wilson and	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p. 12 N87-29469  INTEGRATED CIRCUITS  Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system  [NASA-RP-1171] p. 33 N87-11916  A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits  [NASA-TP-2738] p. 42 N87-28025  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p. 34 N89-17767  INTEGRATORS  Rotorcraft flight-propulsion control integration: An eclectic design concept [NASA-TP-2815] p. 19 N88-19475  INTERACTIONAL AERODYNAMICS  Supercomputing in Aerospace  [NASA-CP-2454] p. 5 N87-25998  Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2  [NASA-CP-3020-VOL-1-PT-2] p. 9 N89-20942  INTERACTIVE CONTROL  NASA/DOD Control/Structures Interaction Technology, 1986  [NASA-CP-2447-PT-2] p. 25 N87-24495  User's manual for interactive LINEAR: A FORTRAN program to derive linear aircraft models  [NASA-TP-2835] p. 65 N89-16437	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING  Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY  Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS  Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680  Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets [NASA-RP-1180] p 79 N87-25984  IUE  International ultraviolet explorer spectral atlas of planetary nebulae, central stars, and related objects
Description of data on the Nimbus 7 LIMS map archive tape. Water vapor and nitrogen dioxide (NASA-TP-2761)  INFRARED RADIATION  Vilas of absorption lines from 0 to 17900 cm (sup)-1 (N SA-RP-1188) p. 49 N87-28955  Latalog of infrared observations. Part 2 Appendixes (NASA-RP-1196-PT-2-ED-2) p. 74 N88-16615  The Cassini mission: Infrared and microwave spectroscopic measurements. (NASA-RP-1213) p. 78 N89-16709  Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide. (NASA-RP-1221) p. 53 N89-26304  INFRARED RADIOMETERS  Noncontact Temperature Measurement. (NASA-CP-2503) p. 32 N88-23895  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames. (NASA-RP-1290) p. 38 N89-25409  INFRARED SOURCES (ASTRONOMY) infrared source cross-index, first edition. (NASA-RP-1196-PT-1-ED-2) p. 73 N87-22573  Catalog of infrared observations. Part 1: Data (NASA-RP-1196-PT-1-ED-2) p. 74 N88-15738  Catalog of infrared observations. Part 2. Appendixes (NASA-RP-1196-PT-1-ED-2) p. 74 N88-16615  Far infrared supplement. Catalog of infrared observations, second edition. (NASA-RP-1196-PT-1-ED-2) p. 74 N88-30545  INFRARED SPECTRA	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p. 12 N87-29469  INTEGRATED CIRCUITS  Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system  [NASA-RP-1171] p. 33 N87-11916  A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits  [NASA-TP-2738] p. 42 N87-28025  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p. 34 N89-17767  INTEGRATORS  Rotorcraft flight-propulsion control integration: An eclectic design concept [NASA-TP-2815] p. 19 N88-19475  INTERACTIONAL AERODYNAMICS  Supercomputing in Aerospace  [NASA-CP-2454] p. 5 N87-25998  Transonic Symposium: Theory. Application, and Experiment, volume 1, part 2  [NASA-CP-3020-VOL-1-PT-2] p. 9 N89-20942  INTERACTIVE CONTROL  NASA/DOD Control/Structures Interaction Technology, 1986  [NASA-CP-2447-PT-2] p. 25 N87-24495  User's manual for interactive LINEAR: A FORTRAN program to derive linear aircraft models  [NASA-TP-2835] p. 65 N89-16437  INTERFACES  Effect of LID (Registered) processing on the microst-ucture and mechanical properties of Tr-6Al-4V and	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680  Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets [NASA-RP-1180] p 79 N87-25984  IUE International ultraviolet explorer spectral attas of planetary nebulae, central stars, and related objects [NASA-RP-1203] p 76 N88-28843  J  JET AIRCRAFT Jet transport flight operations using cockpit display of traffic information during instrument meteorological
Description of data on the Nimbus 7 LIMS map archive tape. Water vapor and nitrogen dioxide. [NASA-TP-2761]  INFRARED RADIATION  Value of absorption lines from 0 to 17900 cm (sup)-1. [IN SA-RP-1188] p. 49 N87-28955. Catalog of infrared observations. Part 2 Appendixes. [NASA-RP-1196-PT-2-ED-2] p. 74 N88-16615. The Cassini mission: Infrared and microwave spectroscopic measurements. [NASA-RP-1213] p. 78 N89-16709. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide. [NASA-RP-1221] p. 53 N89-26304. [INFRARED RADIOMETERS. Noncontact Temperature Measurement. [NASA-CP-2503] p. 32 N88-23895. Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames. [NASA-TP-2900] p. 38 N89-25409. [INFRARED SOURCES (ASTRONOMY) Infrared Source cross-index, first edition. [NASA-RP-1196-PT-1-ED-2] p. 73 N87-22573. Catalog of infrared observations. Part 1: Data. [NASA-RP-1196-PT-1-ED-2] p. 73 N88-15738. Catalog of infrared observations. Part 2 Appendixes. [NASA-RP-1196-PT-2-ED-2] p. 74 N88-16615. Far infrared supplement. Catalog of infrared observations. Second edition. [NASA-RP-1196-PT-2-ED-2] p. 74 N88-16615. Far infrared supplement. Catalog of infrared observations. Second edition. [NASA-RP-1205] p. 74 N88-30545. [INFRARED SPECTRA] Infrared Observations of Comets Halley and Wilson and Properties of the Grains. [NASA-CP-3004] p. 74 N69-13330. A high-resolution atlas of the infrared spectrum of the	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469  INTEGRATED CIRCUITS Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system [NASA-RP-1171] p 33 N87-11916 A technique for evaluating the application of the pin-level stuck at fault model to VLSI circuits [NASA-TP-2738] p 42 N87-28025 Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm (NASA-TP-2875] p 34 N89-17767  INTEGRATORS Rotorcraft flight-propulsion control integration: An eclectic design concept [NASA-TP-2815] p 19 N88-19475  INTERACTIONAL AERODYNAMICS Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998 Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942  INTERACTIVE CONTROL NASA/DOD Control/Structures Interaction Technology, 1986 [NASA-CP-2447-PT-2] p 25 N87-24495 User's manual for interactive LINEAR: A FORTRAN program to derive linear aircraft models [NASA-TP-2835]  INTERFACES  Effect of LID (Registered) processing on the microsit ucture and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING  Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY  Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS  Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680  Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets [NASA-RP-1180] p 79 N87-25984  IUE  International ultraviolet explorer spectral atlas of planetary nebulae, central stars, and related objects [NASA-RP-1203] p 76 N88-28843  JET AIRCRAFT  Jet transport flight operations using cockpit display of traffic information during instrument meteorological conditions: Simulation evaluation
Description of data on the Nimbus 7 LIMS map archive tape. Water vapor and nitrogen dioxide. [NASA-TP-2761]  INFRARED RADIATION  Itlas of absorption lines from 0 to 17900 cm (sup)-1. [IN NA-RP-1188] p. 49 N87-28955. [NASA-RP-1196-PT-2-ED-2] p. 74 N88-16615. [NASA-RP-1196-PT-2-ED-2] p. 74 N88-16615. [NASA-RP-1213] p. 78 N89-16709. [Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide. [NASA-RP-1221] p. 53 N89-26304. [NASA-RP-1221] p. 78 N89-26304. [NASA-RP-1196-PT-1-ED-2] p. 78 N89-25409. [NASA-RP-1196-PT-1-ED-2] p. 78 N89-2573. [NASA-RP-1196-PT-1-ED-2] p. 78 N88-15738. [NASA-RP-1196-PT-2-ED-2] p. 78 N88-15738. [NASA-RP-1196-PT-2-ED-2] p. 74 N88-16615. [NASA-RP-1205] p. 74 N88-16615. [NASA-RP-1205] p. 74 N88-30545. [NASA-RP-1206] p. 74 N88-30545. [NASA-RP-1205] p. 74 N88-30545. [NASA-RP-1206] p. 74 N88-30545. [NASA-RP-1205] p. 74 N88-30545. [NASA-RP-1206] p. 74 N88-30545. [NASA-RP-120	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469  INTEGRATED CIRCUITS Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system [NASA-RP-1171] p 33 N87-11916 A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits [NASA-TP-2738] p 42 N87-28025  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm (NASA-TP-2875] p 34 N89-17767  INTEGRATORS  Rotorcraft flight-propulsion control integration: An eclectic design concept [NASA-TP-2815] p 19 N88-19475  INTERACTIONAL AERODYNAMICS  Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998  Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942  INTERACTIVE CONTROL  NASA/DOD Control/Structures Interaction Technology, 1986 [NASA-CP-2447-PT-2] p 25 N87-24495  User's manual for interactive LINEAR: A FORTRAN program to derive linear aircraft models [NASA-TP-2835]  INTERFACES  Effect of LID (Registered) processing on the microst-ucture and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2400 titanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING  Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY  Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS  Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680  Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets [NASA-RP-1180] p 79 N87-25984  IUE  International ultraviolet explorer spectral atlas of planetary nebulae, central stars, and related objects [NASA-RP-1203] p 76 N88-28843  J  JET AIRCRAFT  Jet transport flight operations using cockpit display of traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469
Description of data on the Nimbus 7 LIMS map archive tape. Water vapor and nitrogen dioxide (NASA-TP-2761)  INFRARED RADIATION  Vilas of absorption lines from 0 to 17900 cm (sup)-1 (N SA-RP-1188) p. 49 N87-28955. Satalog of infrared observations. Part. 2. Appendixes (NASA-RP-1196-PT-2-ED-2) p. 74 N88-16615. The Cassini mission: Infrared and microwave spectroscopic measurements. (NASA-RP-1213) p. 78 N89-16709. Nimbus-7. Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide. (NASA-RP-1221) p. 53 N89-26304. INFRARED RADIOMETERS.  Noncontact Temperature Measurement. (NASA-RP-1221) p. 53 N89-26304. INFRARED RADIOMETERS. Noncontact Temperature Measurement. (NASA-CP-2503) p. 32 N88-23895. Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames. (NASA-RP-1982) p. 73 N87-22573. Catalog of infrared observations. Part. 1: Data. (NASA-RP-1196-PT-1-ED-2) p. 73 N87-22573. Catalog of infrared observations. Part. 2. Appendixes. (NASA-RP-1196-PT-1-ED-2) p. 74 N88-15738. Catalog of infrared observations. Part. 2. Appendixes. (NASA-RP-1196-PT-2-ED-2) p. 74 N88-15738. Catalog of infrared observations. Part. 2. Appendixes. (NASA-RP-1196-PT-2-ED-2) p. 74 N88-15738. Catalog of infrared observations. Part. 2. Appendixes. (NASA-RP-1196-PT-2-ED-2) p. 74 N88-30545. (NFRARED SPECTRA) Infrared Observations of Comets Halley and Wilson and Properties of the Grains. (NASA-CP-3004) p. 74 N89-13330. A high-resolution atlas of the infrared spectrum of the sun and the earth atmosphere from space. A compilation of ATMOS spectra of the region from. 350 to 4800 cm-1.	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p. 12 N87-29469  INTEGRATED CIRCUITS  Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system  [NASA-RP-1171] p. 33 N87-11916  A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits  [NASA-TP-2738] p. 42 N87-28025  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm  [NASA-TP-2875] p. 34 N89-17767  INTEGRATORS  Rotorcraft flight-propulsion control integration: An eclectic design concept  [NASA-TP-2815] p. 19 N88-19475  INTERACTIONAL AERODYNAMICS  Supercomputing in Aerospace  [NASA-CP-2454] p. 5 N87-25998  Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2  [NASA-CP-3020-VOL-1-PT-2] p. 9 N89-20942  INTERACTIVE CONTROL  NASA/DOD Control/Structures Interaction Technology, 1986  [NASA-CP-2447-PT-2] p. 25 N87-24495  User's manual for interactive LINEAR: A FORTRAN program to derive linear aircraft models  [NASA-TP-2835]  INTERFACES  Effect of LID (Registered) processing on the microst-ucture and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-427-2Mo titanium foil-gauge materials  [NASA-TP-2877]  INTERNATIONAL COOPERATION	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680  Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets [NASA-RP-1180] p 79 N87-25984  IUE International ultraviolet explorer spectral atlas of planetary nebulae, central stars, and related objects [NASA-RP-1203] p 76 N88-28843  J  JET AIRCRAFT Jet transport flight operations using cockpit display of traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469  Effect of empennage arrangement on single-engine
Description of data on the Nimbus 7 LIMS map archive tape. Water vapor and nitrogen dioxide. [NASA-TP-2761]  INFRARED RADIATION  Vitas of absorption lines from 0 to 17900 cm (sup)-1. [N SA-RP-1188] p. 49 N87-28955. Datalog of infrared observations. Part 2 Appendixes. [NASA-RP-1196-PT-2-ED-2] p. 74 N88-16615. The Cassini mission: Infrared and microwave spectroscopic measurements. [NASA-RP-1213] p. 78 N89-16709. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide. [NASA-RP-1221] p. 53 N89-26304. [NASA-RP-1221] p. 53 N89-26304. [NASA-RP-1221] p. 53 N89-26304. [NASA-RP-1221] p. 73 N89-26304. [NASA-RP-1221] p. 73 N89-26309. [NASA-RP-1980] p. 38 N89-25409. [NASA-RP-1980] p. 38 N89-25409. [NASA-RP-1980] p. 73 N87-22573. Catalog of infrared observations. Part 1: Data. [NASA-RP-1196-PT-1-ED-2] p. 73 N88-15738. Catalog of infrared observations. Part 2. Appendixes. [NASA-RP-1196-PT-1-ED-2] p. 74 N88-16615. Far infrared supplement. Catalog of infrared observations. Part 2. Appendixes. [NASA-RP-1196-PT-2-ED-2] p. 74 N88-16615. Far infrared supplement. Catalog of infrared observations. Part 2. Appendixes. [NASA-RP-1196-PT-2-ED-2] p. 74 N88-15738. Catalog of infrared observations. Part 2. Appendixes. [NASA-RP-1196-PT-2-ED-2] p. 74 N88-15615. Far infrared supplement. Catalog of infrared observations, second edition. [NASA-RP-1205] p. 74 N88-30545. [NFRARED SPECTRA] Infrared Observations of Comets Halley and Wilson and Properties of the Grains. [NASA-CP-3004] p. 74 N69-13330. A high-resolution atlas of the infrared spectrum of the sun and the earth atmosphere from space. A compilation of ATMOS spectra of the region from 350 to 4800 cm-1 (23 to 16 micrors). Volume. 2 Stratosphere and	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469  INTEGRATED CIRCUITS Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system [NASA-RP-1171] p 33 N87-11916 A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits [NASA-TP-2738] p 42 N87-28025  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm (NASA-TP-2875] p 34 N89-17767  INTEGRATORS  Rotorcraft flight-propulsion control integration: An eclectic design concept [NASA-TP-2815] p 19 N88-19475  INTERACTIONAL AERODYNAMICS  Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998  Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942  INTERACTIVE CONTROL  NASA/DOD Control/Structures Interaction Technology, 1986 [NASA-CP-2447-PT-2] p 25 N87-24495  User's manual for interactive LINEAR: A FORTRAN program to derive linear aircraft models [NASA-TP-2835]  INTERFACES  Effect of LID (Registered) processing on the microst-ucture and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2400 titanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING  Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY  Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS  Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680  Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets [NASA-RP-1180] p 79 N87-25984  IUE  International ultraviolet explorer spectral atlas of planetary nebulae, central stars, and related objects [NASA-RP-1203] p 76 N88-28843  J  JET AIRCRAFT  Jet transport flight operations using cockpit display of traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469
Description of data on the Nimbus 7 LIMS map archive tape. Water vapor and nitrogen dioxide (NASA-TP-2761)  INFRARED RADIATION  Vilas of absorption lines from 0 to 17900 cm (sup)-1 (N SA-RP-1188) p. 49 N87-28955. Satalog of infrared observations. Part. 2. Appendixes (NASA-RP-1196-PT-2-ED-2) p. 74 N88-16615. The Cassini mission: Infrared and microwave spectroscopic measurements. (NASA-RP-1213) p. 78 N89-16709. Nimbus-7. Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide. (NASA-RP-1221) p. 53 N89-26304. INFRARED RADIOMETERS.  Noncontact Temperature Measurement. (NASA-CP-2503) p. 32 N88-23895. Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames. (NASA-RP-1982) p. 73 N87-22573. Catalog of infrared observations. Part. 1: Data. (NASA-RP-1196-PT-1-ED-2) p. 73 N87-22573. Catalog of infrared observations. Part. 2. Appendixes. (NASA-RP-1196-PT-1-ED-2) p. 74 N88-15738. Catalog of infrared observations. Part. 2. Appendixes. (NASA-RP-1196-PT-1-ED-2) p. 74 N88-30545. (NASA-RP-1196-PT-1-ED-2) p. 75 N89-28969. (NASA-RP-1196-PT-1-ED-2) p. 76 N89-28969. (NASA-RP-1196-PT-1-ED-2) p. 77 N89-3330. (NASA-RP-1196-PT-1-ED-2) p. 78 N89-3330. (NASA-RP-1196-PT-1-ED-2) p. 79 N89-3330. (NASA-RP-1196-PT-1-ED-2) p. 79 N89-3330. (NASA-	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p. 12 N87-29469  INTEGRATED CIRCUITS  Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system  [NASA-RP-1171] p. 33 N87-11916  A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits  [NASA-TP-2738] p. 42 N87-28025  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm  [NASA-TP-2875] p. 34 N89-17767  INTEGRATORS  Rotorcraft flight-propulsion control integration: An eclectic design concept  [NASA-TP-2815] p. 19 N88-19475  INTERACTIONAL AERODYNAMICS  Supercomputing in Aerospace  [NASA-CP-2454] p. 5 N87-25998  Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2  [NASA-CP-3020-VOL-1-PT-2] p. 9 N89-20942  INTERACTIVE CONTROL  NASA/DOD Control/Structures Interaction Technology, 1986  [NASA-CP-2447-PT-2] p. 25 N87-24495  User's manual for interactive LINEAR: A FORTRAN program to derive linear aircraft models  [NASA-TP-2835]  INTERFACES  Effect of LID (Registered) processing on the microst: acture and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-42r-2Mo titanium foli-gauge materials  [NASA-TP-2677] p. 30 N87-18644  INTERNATIONAL COOPERATION  Order's of magniture A history of the NACA and NASA, 1915-1990  [NASA-SP-4406] p. 81 N89-26805	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680 Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets [NASA-RP-1180] p 79 N87-25984  IUE International ultraviolet explorer spectral atlas of planetary nebulae, central stars, and related objects [NASA-RP-1203] p 76 N88-28843  J  JET AIRCRAFT Jet transport flight operations using cockpit display of traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transporic speeds [NASA-TP-2753] Comparison of flying qualities derived from in-flight and
Description of data on the Nimbus 7 LIMS map archive tape. Water vapor and nitrogen dioxide. [NASA-TP-2761]  INFRARED RADIATION  Vilas of absorption lines from 0 to 17900 cm (sup)-1. [N SA-RP-1188] p. 49 N87-28955. Datalog of infrared observations. Part. 2. Appendixes. [NASA-RP-1196-PT-2-ED-2] p. 74 N88-16615. The Cassini mission: Infrared and microwave spectroscopic measurements. [NASA-RP-1213] p. 78 N89-16709. Nimbus-7. Stratospheric and Mesospheric Sounder. (SAMS) experiment data user's guide. [NASA-RP-1221] p. 53 N89-26304. [NFARED RADIOMETERS. Noncontact Temperature Measurement. [NASA-RP-1221] p. 32 N88-23895. Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames. [NASA-RP-1920] p. 38 N89-25409. [NFARED SOURCES (ASTRONOMY). Infrared source cross-index, first edition. [NASA-RP-1196-PT-1-ED-2] p. 73 N88-15738. Catalog of infrared observations. Part. 2. Appendixes. [NASA-RP-1196-PT-1-ED-2] p. 73 N88-15738. Catalog of infrared observations. Part. 2. Appendixes. [NASA-RP-1196-PT-2-ED-2] p. 74 N88-16615. Far infrared supplement. Catalog of infrared observations. Part. 2. Appendixes. [NASA-RP-1196-PT-2-ED-2] p. 74 N88-10615. Far infrared supplement. Catalog of infrared observations. Part. 2. Appendixes. [NASA-RP-1196-PT-2-ED-2] p. 74 N88-30545. [NFARED SPECTRA] Infrared Observations of Comets Halley and Wilson and Properties of the Grains. [NASA-RP-3030] p. 74 N69-13330. A high-resolution atlas of the infrared spectrum of the sun and the earth atmosphere from space. A compilation of ATMOS spectra of the region from 305 to 4800 cm-1. [2.3 to 16 microns). Volume. 2 Stratosphere and mesosphere. 650 to 3350 cm-1. [NASA-RP-1224-VOL-2] p. 53 N89-28969. Automatic classification of spectra from the Infrared.	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469 INTEGRATED CIRCUITS Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system [NASA-RP-1171] p 33 N87-11916 A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits [NASA-TP-2738] p 42 N87-28025 Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767 INTEGRATORS Rotorcraft flight-propulsion control integration: An eclectic design concept [NASA-TP-2815] p 19 N88-19475 INTERACTIONAL AERODYNAMICS Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998 Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2 [NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942 INTERACTIVE CONTROL NASA/DOD Control/Structures Interaction Technology, 1986 [NASA-CP-2447-PT-2] p 25 N87-24495 User's manual for interactive LINEAR: A FORTRAN program to derive linear aircraft models [NASA-TP-2835] p 65 N89-16437 INTERFACES Effect of LID (Registered) processing on the microst-ucture and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644 INTERNATIONAL COOPERATION Order 3 of magniture A history of the NACA and NASA, 1915-1990 [NASA-SP-4406] p 81 N89-26805 INTERPLANETARY DUST	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING  Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY  Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS  Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680  Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets [NASA-RP-1180] p 79 N87-25984  IUE  International ultraviolet explorer spectral atlas of planetary nebulae, central stars, and related objects [NASA-RP-1203] p 76 N88-28843  JET AIRCRAFT  Jet transport flight operations using cockpit display of traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transport eight and ground-based simulators for a jet-transport airplane for the
Description of data on the Nimbus 7 LIMS map archive tape. Water vapor and nitrogen dioxide (NASA-TP-2761)  INFRARED RADIATION  Vilas of absorption lines from 0 to 17900 cm (sup)-1 (N SA-RP-1188) p. 49 N87-28955. Satalog of infrared observations. Part. 2. Appendixes (NASA-RP-1196-PT-2-ED-2) p. 74 N88-16615. The Cassini mission: Infrared and microwave spectroscopic measurements. (NASA-RP-1213) p. 78 N89-16709. Nimbus-7. Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide. (NASA-RP-1221) p. 53 N89-26304. INFRARED RADIOMETERS.  Noncontact Temperature Measurement. (NASA-CP-2503) p. 32 N88-23895. Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames. (NASA-RP-1982) p. 73 N87-22573. Catalog of infrared observations. Part. 1: Data. (NASA-RP-1196-PT-1-ED-2) p. 73 N87-22573. Catalog of infrared observations. Part. 2. Appendixes. (NASA-RP-1196-PT-1-ED-2) p. 74 N88-15738. Catalog of infrared observations. Part. 2. Appendixes. (NASA-RP-1196-PT-1-ED-2) p. 74 N88-30545. (NASA-RP-1196-PT-1-ED-2) p. 75 N89-28969. (NASA-RP-1196-PT-1-ED-2) p. 76 N89-28969. (NASA-RP-1196-PT-1-ED-2) p. 77 N89-3330. (NASA-RP-1196-PT-1-ED-2) p. 78 N89-3330. (NASA-RP-1196-PT-1-ED-2) p. 79 N89-3330. (NASA-RP-1196-PT-1-ED-2) p. 79 N89-3330. (NASA-	traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p. 12 N87-29469  INTEGRATED CIRCUITS  Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system  [NASA-RP-1171] p. 33 N87-11916  A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits  [NASA-TP-2738] p. 42 N87-28025  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm  [NASA-TP-2875] p. 34 N89-17767  INTEGRATORS  Rotorcraft flight-propulsion control integration: An eclectic design concept  [NASA-TP-2815] p. 19 N88-19475  INTERACTIONAL AERODYNAMICS  Supercomputing in Aerospace  [NASA-CP-2454] p. 5 N87-25998  Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2  [NASA-CP-3020-VOL-1-PT-2] p. 9 N89-20942  INTERACTIVE CONTROL  NASA/DOD Control/Structures Interaction Technology, 1986  [NASA-CP-2447-PT-2] p. 25 N87-24495  User's manual for interactive LINEAR: A FORTRAN program to derive linear aircraft models  [NASA-TP-2835]  INTERFACES  Effect of LID (Registered) processing on the microst: acture and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-42r-2Mo titanium foli-gauge materials  [NASA-TP-2677] p. 30 N87-18644  INTERNATIONAL COOPERATION  Order's of magniture A history of the NACA and NASA, 1915-1990  [NASA-SP-4406] p. 81 N89-26805	equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  ION PLATING Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650  IONIC COLLISIONS Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402  IONIC MOBILITY Benchmark solutions for the galactic ion transport equations: Energy and spatially dependent problems [NASA-TP-2878] p 79 N89-16714  IONS Investigation of the effects of cobalt ions on epoxy properties [NASA-TP-2639] p 31 N87-12680 Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets [NASA-RP-1180] p 79 N87-25984  IUE International ultraviolet explorer spectral atlas of planetary nebulae, central stars, and related objects [NASA-RP-1203] p 76 N88-28843  J  JET AIRCRAFT Jet transport flight operations using cockpit display of traffic information during instrument meteorological conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transporic speeds [NASA-TP-2753] Comparison of flying qualities derived from in-flight and

JET AIRCRAFT NOISE	A knowledge-based tool for multilevel decomposition of	LANDFORMS
Shock structure and noise of supersonic jets in simulated	a complex design problem	Geomorphology from space: A global overview of
flight to Mach 0.4	[NASA-TP-2903] p 63 N89-23181	regional landforms
[NASA-TP-2785] p 67 N88-16510	Third Annual Workshop on Space Operations	[NASA-SP-486] p 47 N87-18139 LANDING
Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration	Automation and Robotics (SOAR 1989) (NASA-CP-3059) p 62 N90-25503	Effect of motion cues during complex curved approach
[NASA-TP-2782] p 67 N88-17441	• • • • • • • • • • • • • • • • • • • •	and landing tasks: A piloted simulation study
JET ENGINES	Fifth Conference on Artificial Intelligence for Space Applications	[NASA-TP-2773] p 14 N88-12480
Jet model for slot film cooling with effect of free-stream	[NASA-CP-3073] p 63 N90-27275	LANDING GEAR
and coolant turbulence	• • • • • • • • • • • • • • • • • • • •	Langley Aircraft Landing Dynamics Facility
[NASA-TP-2655] p 36 N87-18034	i	(NASA-RP-1189) p 21 N87-29544
Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds	L	Cornering characteristics of the main-gear tire of the space shuttle orbiter
[NASA-TP-2753] p.6 N88-10771	. A DOD A TODAY TO WANTED	[NASA-TP-2790] p 14 N88-18583
JET EXHAUST	LABORATORY EQUIPMENT  Controlled Ecological Life Support System. Design,	Modeling and analysis of the space shuttle nose-gear
Multiscale turbulence effects in supersonic jets	Development, and Use of a Ground-Based Plant Growth	tire with semianalytic finite elements
exhausting into still air	Module	[NASA-TP-2977] p 42 N90-19595
[NASA-TP-2707] p 36 N87-24672	[NASA-CP-2479] p 60 N88-13852	LANDING SITES
Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from	LABYRINTH SEALS	Mars landing site catalog [NASA-RP-1238] p 78 N90-27607
0.7 to 1.5	Three-step labyrinth seal for high-performance	LANDSAT 4
[NASA-TP-2802] p 37 N88-18881	turbomachines	LANDSAT-4 and LANDSAT-5 multispectral scanner
JET FLOW	[NASA-TP-1848] p 36 N87-23921	coherent noise characterization and removal
Hot-jet simulation in cryogenic wind tunnels	LAMINAR BOUNDARY LAYER	[NASA-TP-2595-REV] p 49 N89-12114
[NASA-RP-1220] p 15 N89-23448	Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5	LANDSAT 5
JET VANES	[NASA-TP-2631] p 35 N87-13664	LANDSAT-4 and LANDSAT-5 multispectral scanner coherent noise characterization and removal
Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional	The NASA Langley Laminar-Flow-Control (LFC)	[NASA-TP-2595-REV] p 49 N89-12114
characteristics of the F-14 airplane	experiment on a swept, supercritical airfoil: Design	LARGE DEPLOYABLE REFLECTOR
[NASA-TP-2769] p.6 N88-12455	overview	Workshop on Technology Development Issues for the
JOINTS (JUNCTIONS)	[NASA-TP-2809] p 8 N88-21117	Large Deployable Reflector (LDR)
The 20th Aerospace Mechanics Symposium	Aerothermal tests of quilted dome models on a flat plate	[NASA-CP-2407] p 75 N88-20235
[NASA-CP-2423-REV] p 43 N87-16321	at a Mach number of 6.5	LARGE SPACE STRUCTURES
Modeling of joints for the dynamic analysis of truss	[NASA-TP-2804] p 37 N88-22325	Solar array flight dynamic experiment [NASA-TP-2598] p 23 N87-12581
structures  NASA-TP-2661  p 43 N87-20567	A review of high-speed, convective, heat-transfer computation methods	NASA/DOD Control/Structures Interaction Technology,
Structural Dynamics and Control Interaction of Flexible	[NASA-TP-2914] p 38 N89-27116	1986
Structures	Research in Natural Laminar Flow and Laminar-Flow	[NASA-CP-2447-PT-1] p 24 N87-16014
[NASA-CP-2467-PT-2] p 23 N87-22729	Control, part 1	Solar array flight experiment/dynamic augmentation
Effects of variables upon pyrotechnically induced shock	[NASA-CP-2487-PT-1] p 10 N90-12503	experiment
response spectra, part 2	Research in Natural Laminar Flow and Laminar-Flow	[NASA-TP-2690] p 26 N87-20380
[NASA-TP-2872] p 45 N89-13814 JUPITER ATMOSPHERE	Control, part 2	Modeling of joints for the dynamic analysis of truss structures
The Jovian Almospheres	[NASA-CP-2487-PT-2] p 10 N90-12519 Experimental and theoretical aerodynamic	[NASA-TP-2661] p 43 N87-20567
[NASA-CP-2441] p 77 N87-17598	characteristics of a high-lift semispan wing model	Space station structures and dynamics test program
Time-Variable Phenomena in the Jovian System	[NASA-TP-2990] p 11 N90-20046	[NASA-TP-2710] p 43 N87-20568
[NASA-SP-494] p 78 N89-28474	LAMINAR FLOW	Structural Dynamics and Control Interaction of Flexible
JUPITER RINGS	Velocity profiles in laminar diffusion flames	Structures
		(NACA CD 0467 DT 1) 22 N97 22702
Time-Variable Phenomena in the Jovian System	[NASA-TP-2596] p 36 N87-18035	[NASA-CP-2467-PT-1] p 23 N87-22702 Structural Dynamics and Control Interaction of Flexible
Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC)	[NASA-CP-2467-PT-1] p 23 N87-22702 Structural Dynamics and Control Interaction of Flexible Structures
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474 JUPITER SATELLITES	[NASA-TP-2596] p.36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design	Structural Dynamics and Control Interaction of Flexible
Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC)	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p.23 N87-22729 Technology for large space systems: A bibliography with
Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar Flow Aircraft Certification	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17)
Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474 JUPITER SATELLITES Time-Vanable Phenomena in the Jovian System	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium
Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p. 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p. 22 N87-29576 The 21st Aerospace Mechanisms Symposium
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR)
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS FGK stars and T Taun stars: Monograph series on nonthermal phenomena in stellar atmospheres	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p N89-19232	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system (NASA-TP-2895) p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18)
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS FGK stars and T Taun stars: Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS Description of data on the Nimbus 7 LIMS map archive	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p. 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p. 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p. 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p. 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p. 22 N88-27214
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474 JUPITER SATELLITES Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344 KALMAN FILTERS Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p N89-19232 Research in Natural Laminar-Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022	NASA-TP-2596  p 36 N87-18035   The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview   NASA-TP-2809  p 8 N88-21117   Laminar-Flow Aircraft Certification   NASA-CP-2413  p 8 N88-23737   Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems   NASA-CP-3006  p 37 N89-11153   Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system   NASA-TP-2895  p 9 N89-19232   Research in Natural Laminar Flow and Laminar-Flow Control, part 1   NASA-CP-2487-PT-1  p 10 N90-12503   Research in Natural Laminar Flow and Laminar-Flow Research in Natural Laminar Flow and Laminar-Flow and Laminar-Flow Research in Natural Laminar Flow and Laminar-Flow and Laminar-Flow and Laminar-Flow and Laminar-Flow Research in Natural Laminar Flow and Laminar-Flow and Laminar-Flow Research in Natural Laminar Flow and Laminar-Flow	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars: Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with
Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars: Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattening [NASA-TP-2920] p 80 N89-25103	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20)
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS FGK stars and T Taun stars: Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-CP-2495] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 1	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars: Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK) Spectroscopic comparison of effects of electron	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural
Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-CP-2805] p 9 N89-1932 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611  KEPLER LAWS	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-CP-3006] p 9 N89-19153 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12533 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-10012-PT-3] p 46 N89-29799
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars: Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic compansion of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611  KEPLER LAWS  Forbidden tangential orbit transfers between intersecting	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2866] p 16 N90-17627 LAMINAR FLOW AIRFOILS Wind-tunnel investigation of a full-scale general aviation	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-10012-PT-3] p 46 N89-2799 Earth Science Geostationary Platform Technology
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611  KEPLER LAWS  Forbidden tangential orbit transfers between intersecting Keplenian orbits	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627  LAMINAR FLOW AIRFOILS Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-10012-PT-3] p 46 N89-29799 Earth Science Geostationary Platform Technology [NASA-CP-3040] p 24 N90-19249 NASA/DOD Controls-Structures Interaction Technology
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611  KEPLER LAWS  Forbidden tangential orbit transfers between intersecting Keplenian orbits	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 37 N89-11153 Research in Natural Laminar-Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2866] p 16 N90-17627  LAMINAR FLOW AIRFOILS Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow wing	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-10012-PT-3] p 46 N89-29799 Earth Science Geostationary Platform Technology [NASA-CP-3040] p 24 N90-19249 NASA-ODO Controls-Structures Interaction Technology 1989 [NASA-CP-3041] p 26 N90-21062
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611  KEPLER LAWS  Forbidden tangential orbit transfers between intersecting Keplerian orbits [NASA-TP-3031] p 23 N90-26028	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system (NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627  LAMINAR FLOW AIRFOILS Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow wing [NASA-TP-2772] p 6 N88-10009	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-3040] p 24 N89-29799 Earth Science Geostationary Platform Technology 1989 [NASA-CP-3041] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611  KEPLER LAWS  Forbidden tangential orbit transfers between intersecting Keplerian orbits [NASA-TP-3031] p 23 N90-26028  KEROSEME  High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 LAMINAR FLOW AIRFOILS Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow wing [NASA-TP-2772] p 6 N88-10009 Laminar Flow Aircraft Certification	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-10012-PT-3] p 46 N89-29799 Earth Science Geostationary Platform Technology [NASA-CP-3040] p 24 N90-19249 NASA-CP-3041] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3041] p 27 N90-22079
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars: Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663]  KEPLER LAWS  Forbidden tangential orbit transfers between intersecting Keplerian orbits [NASA-TP-3031] p 23 N90-26028  KEROSENE  High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system (NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627  LAMINAR FLOW AIRFOILS Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow wing [NASA-TP-2772] p 6 N88-10009	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-10012-PT-3] p 46 N89-29799 Earth Science Geostationary Platform Technology [NASA-CP-3040] p 24 N90-19249 NASA/DOD Controls-Structures Interaction Technology 1989 [NASA-CP-3041] p 26 N90-21052 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  KAONS  KAON-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK) Spectroscopic compansion of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611  KEPLER LAWS Forbidden tangential orbit transfers between intersecting Keplerian orbits [NASA-TP-3031] p 23 N90-26028  KEROSENE  High-pressure calorimeter chamber tests for liquid oxygen/Kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979  KINEMATICS	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 LAMINAR FLOW AIRFOILS Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow wing [NASA-TP-2772] p 6 N88-10009 Laminar Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Research in Natural Laminar Flow and Laminar-Flow Control, part 1	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-3040] p 24 N89-29799 Earth Science Geostationary Platform Technology (NASA-CP-3040) p 24 N90-19249 NASA-CP-3041] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22)
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars: Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattening [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611  KEPLER LAWS  Forbidden tangential orbit transfers between intersecting Keplenian orbits [NASA-TP-3031] p 23 N90-26028  KEROSENE  High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979  KINEMATICS  Theory of gearing	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 37 N89-11153 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2866] p 16 N90-17627 LAMINAR FLOW AIRFOILS Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow wing [NASA-TP-2772] p 6 N88-10009 Laminar Flow Aircraft Certification [NASA-CP-2487-PT-1] p 8 N88-23737 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-3040] p 24 N89-19249 NASA-CP-3040] p 24 N89-19249 NASA-CP-3041] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-SP-7046(22)] p 26 N90-26056
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611  KEPLER LAWS  Forbidden tangential orbit transfers between intersecting Keplenian orbits [NASA-TP-3031] p 23 N90-26028  KEROSENE  High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979  KINEMATICS  Theory of gearing [NASA-RP-1212] p 42 N90-19593	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system (NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] LAMINAR FLOW AIRFOILS Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow wing [NASA-CP-2413] p 6 N88-10009 Laminar Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2413] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2417] p 10 N90-12503	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-3040] p 24 N89-29799 Earth Science Geostationary Platform Technology (NASA-CP-3040) p 24 N90-19249 NASA-CP-3040] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3041] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-SP-7046(22)] p 26 N90-26056 LASER ANEMOMETERS Three component laser anemometer measurements in
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars: Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611  KEPLER LAWS  Forbidden tangential orbit transfers between intersecting Keplerian orbits [NASA-TP-3031] p 23 N90-26028  KEROSENE  High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979  KINEMATICS  Theory of gearing [NASA-RP-1212] p 42 N90-19593	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 LAMINAR FLOW AIRFOILS Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow wing [NASA-TP-2772] p 6 N88-10009 Laminar Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 1	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29458 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-10012-PT-3] p 46 N89-29799 Earth Science Geostationary Platform Technology [NASA-CP-3041] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3041] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-S-7046(22)] p 26 N90-26056 LASER ANEMOMETERS
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611  KEPLER LAWS  Forbidden tangential orbit transfers between intersecting Keplenian orbits [NASA-TP-3031] p 23 N90-26028  KEROSENE  High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979  KINEMATICS  Theory of gearing [NASA-RP-1212] p 42 N90-19593	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-CP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2866] p 10 N90-17627  Laminar Flow Aircraft Certification [NASA-TP-2772] p 6 N88-10009 Laminar Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Research in Natural Laminar Flow and Laminar-flow Control, part 1 [NASA-CP-2413] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12503	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-3040] p 26 N89-29799 Earth Science Geostationary Platform Technology [NASA-CP-3041] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3041] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3041] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3041] p 26 N90-2079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-SP-7046(22)] p 26 N90-2079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-SP-7046(22)] p 26 N90-20056 LASER ANEMOMETERS Three component laser anemometer measurements in an annular cascade of core turbine vanes with contoured end wall
Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663]  KEPUSENE  High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862]  KINEMATICS  Theory of gearing [NASA-RP-1212]  KINETIC THEORY  A second-order accurate kinetic-theory-based method	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 LAMINAR FLOW AIRFOILS Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow wing [NASA-TP-2772] p 6 N88-10009 Laminar Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 1	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-3040] p 26 N89-29799 Earth Science Geostationary Platform Technology [NASA-CP-3040] p 24 N90-19249 NASA/DOD Controls-Structures Interaction Technology 1989 [NASA-CP-3041] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3042] p 26 N90-21062 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-CP-3046[22]] p 26 N90-26056 LASER ANEMOMETERS Three component laser anemometer measurements in an annular cascade of core turbine vanes with contoured end wall [NASA-TP-2846] p 8 N89-10844
Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611  KEPLER LAWS  Forbidden tangential orbit transfers between intersecting Keplerian orbits [NASA-TP-3031] p 23 N90-26028  KEROSENE  High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979  KNEMATICS  Theory of gearing [NASA-TP-1212] p 42 N90-19593  KNETC THEORY  A second-order accurate kinetic-theory-based method for invisicid compressible flows [NASA-TP-2813] p 36 N87-18783	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system (NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 LAMINAR FLOW AIRFOILS Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow wing [NASA-TP-2772] p 6 N88-10009 Laminar Flow Aircraft Certification [NASA-CP-2487-PT-1] p 8 N88-23737 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12503	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-3040] p 24 N89-29799 Earth Science Geostationary Platform Technology 1989 [NASA-CP-3041] p 26 N90-21052 The 24th Aerospace Mechanisms Symposium [NASA-CP-3041] p 26 N90-21052 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-CP-3062] p 46 N90-21052 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-CP-3062] p 46 N90-21052 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-CP-3046[21] p 26 N90-26056 LASER ANEMOMETERS Three component laser anemometer measurements in an annular cascade of core turbine vanes with contoured end wall [NASA-TP-2846] p 8 N89-10844 Laser anemometer measurements in a transonic
Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattening [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611  KEPLER LAWS  Forbidden tangential orbit transfers between intersecting Keplenian orbits [NASA-TP-3031] p 23 N90-26028  KEROSENE  High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979  KINEMATICS  Theory of gearing [NASA-RP-1212] p 42 N90-19593  KINETIC THEORY  A second-order accurate kinetic-theory-based method for inviscid compressible flows [NASA-TP-2813] p 36 N87-18783  KNOWLEDGE  Therefore Theory and the polyman of the p	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-3] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2866] p 16 N90-17627 LAMINAR FLOW AIRFOILS Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow wing [NASA-TP-2772] p 6 N88-10009 Laminar Flow Aircraft Certification [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-3040] p 26 N89-29799 Earth Science Geostationary Platform Technology [NASA-CP-3041] p 24 N90-19249 NASA-CP-3041] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 26 N90-2079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-SP-7046(22)] p 26 N90-2097 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-CP-3062] p 26 N90-20056 LASER ANEMOMETERS Three component laser anemometer measurements in an annular cascade of core turbine vanes with contoured end wall [NASA-TP-2846] p 8 N89-10844 Laser anemometer measurements in a transonic axial-flow fan rotor
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611  KEPLER LAWS  Forbidden tangential orbit transfers between intersecting Keplerian orbits [NASA-TP-3031] p 23 N90-26028  KEROSENE  High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979  KINEMATICS  Theory of gearing [NASA-RP-1212] p 42 N90-19593  KINETIC THEORY  A second-order accurate kinetic-theory-based method for invised compressible flows [NASA-TP-2613] p 36 N87-18783  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, part 1	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2766] p 16 N90-17627 LAMINAR FLOW AIRFOILS Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow wing [NASA-TP-2772] p 6 N88-10009 Laminar Flow Aircraft Certification [NASA-TP-271] p 8 N88-23737 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 LAMINATES Three-dimensional analysis of a postbuckled embedded	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29458 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-10012-PT-3] p 46 N89-29799 Earth Science Geostationary Platform Technology [NASA-CP-3041] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3041] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-CP-3062] p 46 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-S-7046(22)] p 26 N90-26056  LASER ANEMOMETERS Three component laser anemometer measurements in a transonic axial-flow fan rotor [NASA-TP-2879] p 38 N90-11245
Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611  KEPLER LAWS  Forbidden tangential orbit transfers between intersecting Keplerian orbits [NASA-TP-3031] p 23 N90-26028  KEROSENE  High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979  KINEMATICS  Theory of gearing [NASA-RP-1212] p 42 N90-19593  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, pert 1 [NASA-CP-2482-Pt-1] p 62 N88-16360	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 LAMINAR FLOW AIRFOLLS Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow wing [NASA-TP-2772] p 6 N88-10009 Laminar Flow Aircraft Certification [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-3040] p 26 N89-29799 Earth Science Geostationary Platform Technology 1989 [NASA-CP-3041] p 26 N90-21052 The 24th Aerospace Mechanisms Symposium [NASA-CP-3041] p 26 N90-21052 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-CP-3062] p 26 N90-21052 LASER ANEMOMETERS Three component laser anemometer measurements in an annular cascade of core turbine vanes with contoured end wall [NASA-TP-2846] p 8 N89-10844 Laser anemometer measurements in a transonic axial-flow fan rotor [NASA-TP-2879] p 38 N90-11245  LASER APPLICATIONS
Time-Vanable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars: Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattening [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611  KEPLER LAWS  Forbidden tangential orbit transfers between intersecting Keplerian orbits [NASA-TP-3031] p 23 N90-26028  KEROSENE  High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2662] p 27 N89-15979  KINEMATICS  Theory of gearing [NASA-RP-1212] p 42 N90-19593  KINETIC THEORY  A second-order accurate kinetic-theory-based method for inviscid compressible flows [NASA-TP-2613] p 36 N87-18783  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, pert 1 [NASA-CP-2492-Pt-1] p 62 N88-16360  KNOWLEDGE SARSES (ARTIFICIAL INTELLIGENCE)	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-flow control with perforated-surface suction system [NASA-TP-2866] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2866] p 6 N88-10009 Laminar Flow Aircraft Certification [NASA-CP-2487-PT-1] p 6 N88-23737 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-P	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29458 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-10012-PT-3] p 46 N89-29799 Earth Science Geostationary Platform Technology [NASA-CP-3041] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3041] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-CP-3062] p 46 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-S-7046(22)] p 26 N90-26056  LASER ANEMOMETERS Three component laser anemometer measurements in a transonic axial-flow fan rotor [NASA-TP-2879] p 38 N90-11245
Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  JUPITER SATELLITES  Time-Variable Phenomena in the Jovian System [NASA-SP-494] p 78 N89-28474  K  K STARS  FGK stars and T Taun stars. Monograph series on nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344  KALMAN FILTERS  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  KAONS  Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103  KAPTON (TRADEMARK)  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides [NASA-TP-2663] p 27 N87-18611  KEPLER LAWS  Forbidden tangential orbit transfers between intersecting Keplerian orbits [NASA-TP-3031] p 23 N90-26028  KEROSENE  High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979  KINEMATICS  Theory of gearing [NASA-RP-1212] p 42 N90-19593  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, pert 1 [NASA-CP-2482-Pt-1] p 62 N88-16360	[NASA-TP-2596] p 36 N87-18035 The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 8 N88-21117 Laminar-Flow Aircraft Certification [NASA-CP-2413] p 8 N88-23737 Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153 Drag measurements on a laminar-flow body of revolution in the 13-inch magnetic suspension and balance system [NASA-TP-2895] p 9 N89-19232 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system [NASA-TP-2966] p 16 N90-17627 LAMINAR FLOW AIRFOLLS Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow wing [NASA-TP-2772] p 6 N88-10009 Laminar Flow Aircraft Certification [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP	Structural Dynamics and Control Interaction of Flexible Structures [NASA-CP-2467-PT-2] p 23 N87-22729 Technology for large space systems: A bibliography with indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576 The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29658 Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 75 N88-20235 Technology for large space systems: A bibliography with indexes (supplement 18) [NASA-SP-7046(18)] p 22 N88-27214 Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-SP-7046(18)] p 25 N89-25201 Technology for large space systems: A bibliography with indexes (supplement 20) [NASA-SP-7046(20)] p 26 N89-26037 NASA Workshop on Computational Structural Mechanics 1987, part 3 [NASA-CP-3040] p 26 N89-29799 Earth Science Geostationary Platform Technology [NASA-CP-3040] p 24 N89-19249 NASA-CP-3040] p 26 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-CP-3062] p 47 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-CP-3062] p 5 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 6 N90-21062 The 24th Aerospace Mechanisms Symposium [NASA-CP-3062] p 7 N90-22079 Technology for large space systems: A bibliography with indexes (supplement 22) [NASA-CP-3062] p 8 N90-21062 [NASA-CP-3062] p 8 N90-26056 LASER ANEMOMETERS Three component laser anemometer measurements in an annular cascade of core turbine vanes with contoured end wall [NASA-TP-2879] p 8 N89-10844 Laser anemometer measurements in a transonic axial-flow fan rotor [NASA-TP-2879] p 38 N90-11245 LASER APPLICATIONS Thirteenth international Laser Radar Conference

LASER BEAMS	LIFE (DURABILITY)	LIQUID NITROGEN
NASA Laser Light Scattering Advanced Technology	Turbine Engine Hot Section Technology, 1984	Contamination of liquid oxygen by pressurized gaseous
Development Workshop, 1988	[NASA-CP-2339] p 43 N87-11180	nitrogen (NASA-TP-2894) p 38 N89-19499
[NASA-CP-10033] p 40 N90-17085 Mode-medium instability and its correction with a	Predicted effect of dynamic load on pitting fatigue life for low-contact-ratio spur gears	[NASA-TP-2894] p 38 N89-19499 LIQUID OXYGEN
Gaussian reflectivity mirror	[NASA-TP-2610] p 41 N87-18095	High-pressure calorimeter chamber tests for liquid
[NASA-TP-3023] p 68 N90-25673	Life prediction of thermomechanical fatigue using total	oxygen/kerosene (LOX/RP-1) rocket combustion
LASER DOPPLER VELOCIMETERS	strain version of strainrange partitioning (SRP): A proposal	[NASA-TP-2862] p 27 N89-15979 Contamination of liquid oxygen by pressurized gaseous
Frequency domain laser velocimeter signal processor:  A new signal processing scheme	[NASA-TP-2779] p 44 N88-15263	nitrogen
[NASA-TP-2735] p 40 N87-27994	Thermal Barrier Coatings. Abstracts and figures	[NASA-TP-2894] p 38 N89-19499
Laser-velocimeter-measured flow field around an	(NASA-CP-10019) p 31 N89-13642 Proceedings of the LDEF Materials Data Analysis	LIQUID PROPELLANT ROCKET ENGINES
advanced, swept, eight-blade propeller at Mach 0.8 [NASA-TP-2462] p 2 N90-20942	Workshop	Preliminary design of turbopumps and related machinery
LASER OUTPUTS	[NASA-CP-10046] p 28 N90-26075	[NASA-RP-1170] p 3 N87-17665
Evaluation of diffuse-illumination holographic	LIFT Low-speed, high-lift aerodynamic characteristics of	Advanced Earth-to-Orbit Propulsion Technology 1988,
cinematography in a flutter cascade	slender, hypersonic accelerator-type configurations	volume 1 [NASA-CP-3012-VOL-1] p 27 N90-28611
[NASA-TP-2593] p 39 N87-13731 LASER PLASMA INTERACTIONS	[NASA-TP-2945] p 10 N90-10830	LIQUID ROCKET PROPELLANTS
Laser-powered MHD generators for space application	Powered-lift aircraft technology [NASA-SP-501] p 15 N90-12589	Advanced Earth-to-Orbit Propulsion Technology 1988,
[NASA-TP-2621] p 68 N87-10764	LIFT AUGMENTATION	volume 1 {NASA-CP-3012-VOL-1} p 27 N90-28611
LASER POWER BEAMING	Large-scale static investigation of	{NASA-CP-3012-VOL-1} p 27 N90-28611 LIQUID-VAPOR INTERFACES
Second Beamed Space-Power Workshop [NASA-CP-3037] p 27 N90-10140	circulation-control-wing concepts applied to upper surface-blowing aircraft	Workshop on Two-Phase Fluid Behavior in a Space
Diode laser satellite systems for beamed power	[NASA-TP-2684] p 13 N87-15959	Environment
transmission	LIFT DEVICES	[NASA-CP-3043] p 38 N89-26184
[NASA-TP-2992] p 40 N90-24585 LASER PROPULSION	A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors	Effect of LID (Registered) processing on the
Second Bearned Space-Power Workshop	[NASA-TP-2907] p 20 N89-23468	microstructure and mechanical properties of Ti-6Al-4V and
[NASA-CP-3037] p 27 N90-10140	LIFT DRAG RATIO	Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials 1NASA-TP-26771 p 30 N87-18644
LASER STABILITY	Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly	[NASA-TP-2677] p 30 N87-18644 LITHIUM SULFUR BATTERIES
Mode-medium instability and its correction with a Gaussian reflectivity mirror	swept wing	The 1985 Goddard Space Flight Center Battery
[NASA-TP-3023] p 68 N90-25673	[NASA-TP-2918] p 10 N89-25117	Workshop
LASERS	LIGHT AIRCRAFT  Diloted simulation study of the effects of an automated	[NASA-CP-2434] p 34 N87-11072
Thirteenth International Laser Radar Conference (NASA-CP-2431) p 39 N87-10263	Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine	The 1986 Goddard Space Flight Center Battery Workshop
[NASA-CP-2451] p 35 1467-10203	airplane with one engine inoperative	[NASA-CP-2486] p 35 N88-11021
Mode-medium instability and its correction with a	[NASA-TP-2633] p 3 N87-10843	LOAD TESTS
Gaussian reflectivity mirror INASA-TP-30231 p 68 N90-25673	NASA Laser Light Scattering Advanced Technology	Cyclic loads tests of carbon involute solid rocket motor
[NASA-TP-3023] p 68 N90-25673  LATERAL CONTROL	Development Workshop, 1988	outer boot ring segments [NASA-TP-2884] p 45 N89-16192
Subsonic longitudinal and lateral-directional	[NASA-CP-10033] p 40 N90-17085	Evaluation of a strain-gage load calibration on a
characteristics of a forward-swept-wing fighter	LIGHTNING	low-aspect-ratio wing structure at elevated temperature
configuration at angles of attack up to 47 deg [NASA-TP-2727] p 6 N87-26874	New methods and results for quantification of lightning-aircraft electrodynamics	[NASA-TP-2921] p 46 N89-28034
LATERAL STABILITY	[NASA-TP-2737] p 4 N87-21871	LOADS (FORCES)  Application of Newton's method to the postbuckling of
Subsonic longitudinal and lateral-directional	LIMB DARKENING	rings under pressure loadings
characteristics of a forward-swept-wing fighter configuration at angles of attack up to 47 deg	Summary of along-track data from the earth radiation budget satellite for several representative ocean regions	[NASA-TP-2941] p 46 N89-29811
[NASA-TP-2727] p 6 N87-26874	[NASA-RP-1206] p 56 N89-14634	A transient response method for linear coupled
Effects of the installation and operation of jet-exhaust	Limb-darkening functions as derived from along-track	substructures [NASA-TP-2926] p 23 N90-13444
yaw vanes on the longitudinal and lateral-directional	operation of the ERBE scanning radiometer for January	Integrated force method versus displacement method
characteristics of the F-14 airplane (NASA-TP-2769) p 6 N88-12455	1985 FNASA-RP-1214] p 56 N89-17374	for finite element analysis
LATTICES	Angular radiation models for earth-atmosphere system.	(NASA-TP-2937] p 47 N90-18081
Continuum modeling of large lattice structures: Status	Volume 2: Longwave radiation	Fastener design manual (NASA-RP-1228) p 42 N90-18740
and projections [NASA-TP-2767] p 25 N88-14115	(NASA-RP-1184-VOL-2) p 57 N89-20587	LOGISTICS
LAUNCHING	LINE SPECTRA  Atlas of absorption lines from 0 to 17900 cm (sup)-1	First Annual Workshop on Space Operations Automation
A synchronous data analyzer for the Minimum Delay	[NASA-RP-1188] p 49 N87-28955	and Robotics (SOAR 87) (NASA-CP-2491) p 61 N88-17206
Data Format (MDDF) and Launch Trajectory Acquisition System (LTAS)	LINEAR ENERGY TRANSFER (LET)	[NASA-CP-2491] p 61 N88-17206 LONG DURATION EXPOSURE FACILITY
[NASA-TP-2743] p 34 N87-24590	Cosmic ray heavy ion LET mapping for aluminum, silicon,	Proceedings of the LDEF Materials Data Analysis
LEADING EDGE FLAPS	and tissue targets [NASA-RP-1180] p 79 N87-25984	Workshop
Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds	LINEAR SYSTEMS	[NASA-CP-10046] p 28 N90-26075 LONG TERM EFFECTS
[NASA-TP-2656] p 4 N87-20233	Derivation and definition of a linear aircraft model	Five year global dataset: NMC operational analyses
LEADING EDGES	[NASA-RP-1207] p 19 N89-15123	(1978 to 1982)
Flight investigation of the effects of an outboard wing-leading-edge modification on stall/spin	User's manual for interactive LINEAR: A FORTRAN program to derive linear aircraft models	[NASA-RP-1194] p 55 N87-29996
characteristics of a low-wing, single-engine, T-tail light	[NASA-TP-2835] p 65 N89-16437	LONG WAVE RADIATION  Atlas of wide-field-of-view outgoing longwave radiation
airplane	Integrated tools for control-system analysis	derived from Nimbus 6 Earth radiation budget data set,
[NASA-TP-2691] p 14 N87-23614 Sensitivity of F-106B leading-edge-vortex images to	[NASA-TP-2885] p 20 N89-19309	July 1975 to June 1978
flight and vapor-screen parameters	A transient response method for linear coupled substructures	(NASA-RP-1185) p 55 N87-26489 Angular radiation models for earth-atmosphere system.
[NASA-TP-2818] p.8 N88-23760	[NASA-TP-2926] p 23 N90-13444	Volume 2: Longwave radiation
Simulated-airline-service flight tests of aminar-flow control with perforated-surface suction system	LINEARITY	[NASA-RP-1184-VOL-2] p 57 N89-20587
[NASA-TP-2966] p 16 N90-17627	Applicability of linearized-theory attached-flow methods to design and analysis of flap systems at low speeds for	LONGITUDINAL CONTROL
LEAKAGE	thin swept wings with sharp leading edges	Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface
Three-step cylindrical seal for high-performance	(NASA-TP-2653) p.3 N87-15174	oscillations
turbomachines  NASA-TP-1849  p 36 N87-24639	LINEARIZATION	[NASA-TP-2594] p 8 N88-28895
LEE WAVES	User's manual for LINEAR, a FORTRAN program to derive linear aircraft models	Longitudinal stability and control characteristics of the
Study of lee-side flows over conically cambered delta	[NASA-TP-2768] p 65 N88-21740	Quiet Short-Haul Research Aircraft (QSRA) [NASA-TP-2965] p 20 N90-17639
wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597	LININGS	LONGITUDINAL STABILITY
LIBRATION	Turbine Engine Hot Section Technology, 1984	Effects of the installation and operation of jet-exhaust
A lunar far-side very low frequency array	[NASA-CP-2339] p 43 N87-11180 Conventionally cast and forged copper alloy for	yaw vanes on the tongitudinal and lateral-directional characteristics of the F-14 airplane
(NASA-CP-3039) p 75 N90-10805	high-heat-flux thrust chambers	[NASA-TP-2769] p 6 N88-12455
Significant NASA inventions. Available for licensing in	[NASA-TP-2694] p 30 N87-16902	Longitudinal stability and control characteristics of the
foreign countries	Turbine Engine Hot Section Technology, 1985	Quiet Short-Haul Research Aircraft (QSRA) [NASA-TP-2965] p 20 N90-17639
[NAŠA-SP-7038(04)] p 72 N87-70425	[NASA-CP-2405] p 43 N88-11140	figure it reads! here is an inde

LOW ASPECT RATIO WINGS
Evaluation of a strain-gage load calibration on a
low-aspect-ratio wing structure at elevated temperature [NASA-TP-2921] p 46 N89-28034
LOW SPEED
Applicability of linearized-theory attached-flow methods
to design and analysis of flap systems at low speeds for
thin swept wings with sharp leading edges [NASA-TP-2653] p 3 N87-15174
Piloted simulator study of allowable time delays in
large-airplane response
(NASA-TP-2652) p 19 N87-16849
Flight characteristics of the AD-1 oblique-wing research
aircraft [NASA-TP-2223] p 19 N87-18570
Piloted-simulation study of effects of vortex flaps on
low-speed handling qualities of a Delta-wing airplane
[NASA-TP-2747] p 19 N87-26922
Low-speed aerodynamic characteristics of a twin-engine
general aviation configuration with aft-fuselage-mounted pusher propellers
[NASA-TP-2763] p.6 N87-29462
A review of technologies applicable to low-speed flight
of high-performance aircraft investigated in the Langley
14- x 22-foot subsonic tunnel
[NASA-TP-2796] p 7 N88-20264 Low velocity instrumented impact testing of four new
damage tolerant carbon/epoxy composite systems
[NASA-TP-3029] p 29 N90-25198
LOW SPEED WIND TUNNELS
Comparison between design and installed acoustic
characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment
[NASA-TP-2996] p 22 N90-19242
LOW TEMPERATURE
Low-Temperature CO-Oxidation Catalysts for Long-Life
CO2 Lasers [NASA-CP-3076] p 40 N90-24586
[NASA-CP-3076] p 40 N90-24586 LOWER BODY NEGATIVE PRESSURE
Joint US/USSR study: Comparison of effects of
horizontal and head-down bed rest
[NASA-TP-3037] p 60 N90-28965
LUBRICANTS The 23rd Aerospace Mechanisms Symposium
[NASA-CP-3032] p 46 N89-23892
Influence of the deposition conditions on radiofrequency
magnetran sputtered MoS2 lilms
[NASA-TP-2994] p 33 N90-21210
LUBRICATING OILS Liquid lubrication in space
[NASA-RP-1240] p 42 N90-28063
LUBRICATION
Liquid lubrication in space
[NASA-RP-1240] p 42 N90-28063
LUBRICATION SYSTEMS Liquid fubrication in space
[NASA-RP-1240] p 42 N90-28063
LUNAR BASES
Status and future of lunar geoscience
(NASA-SP-484) p 77 N87-19322
Solar-flare shielding with Regolith at a lunar-base site
[NASA-TP-2869] p 79 N89-14210
Future Astronomical Observatories on the Moon [NASA-CP-2489] p 74 N89-15810
Second Beamed Space-Power Workshop
[NASA-CP-3037] p 27 N90-10140
A lunar far-side very low frequency array
[NASA-CP-3039] p 75 N90-10805
Geoscience and a Lunar Base: A Comprehensive Plan
for Lunar Exploration [NASA-CP-3070] p 78 N90-25030
LUNAR ECLIPSES
Fitty year canon of lunar eclipses: 1986-2035
[NASA-RP-1216] p 75 N90-18342
LUNAR EXPLORATION
OEXP Analysis Tools Workshop
[NASA-CP-10013] p 63 N89-11407
Report of the In Situ Resources Utilization Workshop [NASA-CP-3017] p 72 N89-14188
Where no man has gone before: A history of Apollo
lunar exploration missions
(NASA-SP-4214) p 81 N89-25946
Geoscience and a Lunar Base: A Comprehensive Plan
for Lunar Exploration
(NASA-CP-3070) p 78 N90-25030 LUNAR OBSERVATORIES
LUMAN UDDENTATUNES

Future Astronomical Observatories on the Moon

Solar-flare shielding with Regolith at a lunar-base site

Lunar Helium-3 and Fusion Power

p 74 N89-15810

p 69 N89-14842

p 79 N89-14210

STARS		
The M-type stars [NASA-SP-492]	p 75	N88-1159;
MACH NUMBER		
Experimental evaluation of wall distributions of the octagonal test sec		ach numbe proposed to
NASA Lewis Research Center's altitud	e win	d tunnel
[NASA-TP-2666] Mach 6 experimental and theore	p 21 tical	
performance of a cruciform missile at		
up to 65 degrees [NASA-TP-2733]	р 5	N87-2359
Multiaxis control power from thrus		
supersonic fighter aircraft model at I (NASA-TP-2712)	Mach p 5	
Effect of Reynolds number variation		
of a hydrogen-fueled transport concept [NASA-TP-2728]		
Description and calibration of the Li	p 5 angle	
CF4 tunnel: A facility for simulating to		
occurs for a real gas [NASA-TP-2384]	p 37	N87-2977
Shock structure and noise of supersor	nic je	ls in simulate
flight to Mach 0.4 [NASA-TP-2785]	p 67	N88-1651
Influence of base modifications on	in-fliç	int base drag
in the presence of jet exhaust for Ma 0.7 to 1.5	ach r	iumbers fron
[NASA-TP-2802]	p 37	
Galileo probe parachute test program of the Galileo probe at Mach numbers		
[NASA-RP-1130]	p 37	
Aeropropulsive characteristics of		
turbojet/ramjet nozzles at Mach numb [NASA-TP-2814]		nom 0 to 1,20 N88-2375
Fluctuating pressures measure	₽ď	beneath a
high-temperature, turbulent boundary is at Mach number of 5	ayer	on a flat plat
[NASA-TP-2947]	p 67	N90-1068
Fuselage design for a specified I distribution	Mach	-sliced are
[NASA-TP-2975]	p 16	N90-1838
AACHINING  Podermance of a multistage depres	ecod.	collector with
Performance of a multistage depres machined titanium electrodes	55 <del>C</del> U	COHECTOL MIT
[NASA-TP-2891]	p 35	
Secondary electron emission of untreated and ion-textured titanium	cnara	cteristics o
[NASA-TP-2902]	b 30	N89-1765
MAGNETIC FIELD CONFIGURATIONS Coronal and Prominence Plasmas		
[NASA-CP-2442]	p 79	N87-2087
MAGNETIC FLUX  Theoretical Problems in High Resolu	ition (	Solar Physics
2 1NASA-CP-24831	~ 70	N88-1160
MAGNETIC SUSPENSION	p ra	1100-1100
The 22nd Aerospace Mechanisms S [NASA-CP-2506]	ympo p 44	
Drag measurements on a laminar-flow	v bod	y of revolution
in the 13-inch magnetic suspension at [NASA-TP-2895]	nd ba gg	
MAGNETIC TAPES		
User's guide for the Nimbus 7 Scal Microwave Radiometer (SMMR) CELL		
[NASA-RP-1210]	p 5€	N89-1464
AGNETOHYDRODYNAMIC GENERAT Laser-powered MHD generators for		
[NASA-TP-2621]	p 68	N87-1076
Laser production and heating of application	plas	sma for MiHi
[NASA-TP-2798]		N88-1844
MAGNETOHYDRODYNAMIC STABILIT Energetic Phenomena on the Sun: T		olar Maximun
Mission Flare Workshop. Proceedings		
[NASA-CP-2439] Coronal and Prominence Plasmas	p 79	N87-1932
[NASA-CP-2442]	p 79	N87-2087
MAGNETOHYDRODYNAMICS O stars and Wolf-Rayet stars		
INASA-SP-497)	p 74	N89-1165
AGNETOSTATICS  Coronal and Prominence Plasmas		
[NASA-CP-2442]	p 79	N87-2087
MAGNETRON SPUTTERING Influence of the deposition conditions	on r	adiofrequenc
magnetron sputtered MoS2 films		-
[NASA-TP-2994] NAN MACHINE SYSTEMS	p 33	N90-2121
A simulation evaluation of a pilot	inter	lace with a
automatic terminal approach system [NASA-TP-2669]	p 16	N87-1939

```
Third Conference on Artificial Intelligence for Space
   Applications, part 1
| NASA-CP-2492-Pt-1 |
                                                                     o 62 N88-16360
      First Annual Workshop on Space Operations Automation
    and Robotics (SOAR 87)
   [NASA-CP-2491]
                                                                     p 61 N88-17206
       Graphics Technology in Space Applications (GTSA
    1989)
                                                                    p 62 N90-20651
    NASA-CP-30451
MAN-COMPUTER INTERFACE
       Sixth Annual Users' Conference --- Transportable
   Applications Executive (TAE)
   [NASA-CP-2463]
                                                                      p 62 N87-23156
   Flight deck automation: Promises and realities [NASA-CP-10036] p 17 NS
                                                                   p 17 N90-13384
MANAGEMENT
      Management: A bibliography for NASA managers
    (supplement 21)
   (NASA-SP-7500(21))
                                                                      p 69 N87-20833
       Management: A bibliography for NASA managers
   [NASA-SP-7500(22)] p 69 N88-21867
Management: A bibliography for NASA managers
Management: A bibliography for INASA managers [NASA-SP-7500(23)] p 69 N89-21 Management: A bibliography for NASA managers [NASA-SP-7500(24)] p 69 N90-2- MANAGEMENT METHODS
                                                                      p 69 N89-26766
                                                                    p 69 N90-24174
       Management: A bibliography for NASA managers
   (supplement 21)
(NASA-SP-7500(21))
                                                                      p 69 N87-20833
   Management: A bibliography for NASA managers [NASA-SP-7500(22)] p 69 N88-21867
       Practices in adequate structural design
   [NASA-TP-2893] p 24 N89-11
Management: A bibliography for NASA managers
[NASA-SP-7500(23)] p 69 N89-20
                                                                       D 24 N89-18504
                                                                      p 69 N89-26766
       Issues in NASA program and project management
                                                                     p 69 N90-13277
    (NASA-SP-6101(02))
       Sensor performance analysis
                                                                      p 50 N90-23780
Management: A bibliography for NASA managers
[NASA-SP-7500(24)] p 69 N90-2
MANAGEMENT PLANNING
                                                                      p 69 N90-24174
       Management: A bibliography for NASA managers
   (supplement 21)
INASA-SP-7500(21) I
                                                                      p 69 N87-20833
        Space Construction
                                                                      n 25 N88-10870
   INASA-CP-24901
   Management: A bibliography for NASA managers
[NASA-SP-7500(22)] p 69 N88-21867
Simulation evaluation of TIMER, a time-based, terminal
    air traffic, flow-management concept
   (NASA-TP-2870)
                                                                      p 13 N89-15901
   Management: A bibliography for NASA managers
[NASA-SP-7500(23)] p 69 N89-2
                                                                      n 69 N89-26766
   Management: A bibliography for NASA managers
[NASA-SP-7500(24)] p 69 N90-2
                                                                   p 69 N90-24174
MANEUVERS
       Subsonic maneuver capability of a supersonic cruise
    fighter wing concept
    (NASA-TP-2642)
                                                                       p3 N87-15184
MANIPULATORS
        The 20th Aerospace Mechanics Symposium
   [NASA-CP-2423-REV] p 43 N8
The 21st Aerospace Mechanisms Symposium
                                                                      p 43 N87-16321
   [NASA-CP-2470]
                                                                      p 43 N87-29858
        The 23rd Aerospace Mechanisms Symposium
    Optimized resolved rate control of seven-degree-of-freedom Laboratory Telerobotic Manipulator (LTM) with application to the control of the co
   graphics simulation
   [NASA-TP-2938] p 64 N90-10618
Third Annual Workshop on Space Operations
   Automation and Robotics (SOAR 1989)
[NASA-CP-3059]
                                                                     p 62 N90-25503
MANNED MARS MISSIONS
       Radiation exposure for manned Mars surface missions
                                                                    p 80 N90-18357
       The effect of interplanetary trajectory options on a
    manned Mars aerobrake configuration
   INASA-TP-30191
                                                                   p 24 N90-26036
MANNED SPACE FLIGHT
   Proceedings of a conference on Cardiovascular 
Bioinstrumentation
   [NASA-CP-10022]
                                                                      p 59 N89-17997
   Where no man has gone before: A history of Apollo lunar exploration missions
                                                                      p 81 N89-25946
    NASA-SP-4214
       Orders of magnitude: A history of the NACA and NASA,
   INASA-SP-44061
                                                                      p 81 N89-26805
        Cells in Space
   INASA-CP-10034]
                                                                      p 61 N90-13939
MANUALS
       Fastener design manual
```

[NASA-RP-1228]

p 42 N90-18740

(NASA-CP-2489)

[NASA-CP-10018]

[NASA-TP-2869]

LUNAR SURFACE

MANUFACTURING	Turbine Engine Hot Section Technology, 1985	Turbine Engine Hot Section Technology 1986
National Educators' Workshop: Update 1989 Standard Experiments in Engineering Materials Science and	[NASA-CP-2405] p 43 N88-11140 Evaluation of a scale-model experiment to investigate	[NASA-CP-2444] p 45 N89-12876
Technology	long-range acoustic propagation	Foundations of measurement and instrumentation [NASA-RP-1222] p 40 N90-21351
[NASA-CP-3074] p 28 N90-24350	[NASA-TP-2748] p 66 N88-11450	MECHANICAL DRIVES
MANY BODY PROBLEM	SURE reliability analysis: Program and mathematics	The 22nd Aerospace Mechanisms Symposium
Computational Methods for Structural Mechanics and Dynamics	(NASA-TP-2764) p 65 N88-17380 Nonlinear Constitutive Relations for High Temperature	[NASA-CP-2506] p 44 N88-21468
[NASA-CP-3034-PT-2] p 46 N89-24654	Applications, 1986	Comparison study of gear dynamic computer programs at NASA Lewis Research Center
MAPPING	[NASA-CP-10010] p 44 N88-21498	[NASA-TP-2901] p 41 N89-21243
Atlas of wide-field-of-view outgoing longwave radiation	Analysis and testing of the SURE program [NASA-TP-2817] p 65 N88-22653	MECHANICAL PROPERTIES
derived from Nimbus 6 Earth radiation budget data set, July 1975 to June 1978	Integrated Technology Rotor Methodology Assessment	Investigation of the effects of cobalt ions on epoxy
[NASA-RP-1185] p 55 N87-26489	Workshop	properties [NASA-TP-2639] p 31 N87-12680
Scientific and Operational Requirements for TOMS	[NASA-CP-10007] p 2 N88-27148	Effect of LID (Registered) processing on the
Data	Angular radiation models for Earth-atmosphere system.  Volume 1: Shortwave radiation	microstructure and mechanical properties of Ti-6Al-4V and
[NASA-CP-2497] p 47 N88-13774  Description of data on the Nimbus 7 LIMS map archive	(NASA-RP-1184) p 56 N88-27677	Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials
tape: Water vapor and nitrogen dioxide	Thermal Barrier Coatings. Abstracts and figures	[NASA-TP-2677] p 30 N87-18ò44
[NASA-TP-2761] p 56 N88-14572	[NASA-CP-10019] p 31 N89-13642 Derivation and definition of a linear aircraft model	Static mechanical properties of 30 x 11.5 - 14.5, type 8 aircraft tires of bias-ply and radial-belted design
The 1987 Airborne Antarctic Ozone Experiment: The	[NASA-RP-1207] p 19 N89-15123	[NASA-TP-2810] p 15 N88-21157
Nimbus-7 TOMS data atlas (NASA-RP-1201) p.49 N88-20714	Conservation equations and physical models for	MECHANICAL SHOCK
[NASA-RP-1201] p 49 N88-20714 MAPS	hypersonic air flows in thermal and chemical	The 58th Shock and Vibration Symposium, volume 1
The 1989 Airborne Arctic Stratospheric Expedition	nonequilibrium [NASA-TP-2867] p 38 N89-16115	[NASA-CP-2488-VOL-1] p 43 N88-13609 MENTAL PERFORMANCE
Nimbus-7 TOMS data atlas	Rotordynamic Instability Problems in High-Performance	Mental-State Estimation, 1987
[NASA-RP-1227] p 57 N89-27302	Turbomachinery, 1988	[NASA-CP-2504] p 60 N88-23370
Atlas of albedo and absorbed solar radiation derived from Nimbus 7 Earth radiation budget data set, November	[NASA-CP-3026] p 41 N89-22891	MERCURY CADMIUM TELLURIDES
1978 to October 1985	Research in structures, structural dynamics and materials, 1989	Growth of solid solution single crystals
[NASA-RP-1231] p 57 N90-17233	[NASA-CP-10024] p 46 N89-24626	[NASA-TP-2787] p 32 N88-14212 MESON-NUCLEON INTERACTIONS
MARINE METEOROLOGY	Derivation of a tappered p-version beam finite element	Kaon-nucleus scattering
FIRE Science Results 1989	[NASA-TP-2931] p 46 N89-26255 A procedure for computing surface wave trajectories on	[NASA-TP-2920] p 80 N89-25103
[NASA-CP-3079] p 58 N90-28224 MARINE RESOURCES	an inhomogeneous surface	MESOSCALE PHENOMENA
Nimbus-7 data product summary	[NASA-TP-2929] p 10 N89-26811	NASA/MSFC FY-85 Atmospheric Processes Research
[NASA-RP-1215] p 48 N89-22152	Constitutive Relationships and Models in Continuum	Review [NASA-CP-2402] p 55 N87-13043
MARKOV PROCESSES SURE reliability analysis: Program and mathematics	Theories of Multiphase Flows conferences [NASA-CP-3047] p 38 N90-10385	MESOSPHERE
[NASA-TP-2764] p.65 N88-17380	A transient response method for linear coupled	Nimbus-7 Stratospheric and Mesospheric Sounder
Analysis and testing of the SURE program	substructures	(SAMS) experiment data user's guide
[NASA-TP-2817] p 65 N88-22653	[NASA-TP-2926] p 23 N90-13444	[NASA-RP-1221] p 53 N89-26304 A high-resolution atlas of the infrared spectrum of the
MARS (PLANET) Proceedings of the Polar Processes on Mars	Rotor induced-inflow-ratio measurements and CAMRAD calculations	sun and the earth atmosphere from space. A compilation
Workshop	[NASA-TP-2946] p 11 N90-15882	of ATMOS spectra of the region from 650 to 4800 cm-1
[NASA-CP-10021] p 78 N89-18373	Modeling and analysis of the space shuttle nose-gear	(2.3 to 16 microns). Volume 2: Stratosphere and
Mars landing site catalog	tire with semianalytic finite elements [NASA-TP-2977] p 42 N90-19595	mesosphere, 650 to 3350 cm-1 [NASA-RP-1224-VOL-2] p 53 N89-28969
[NASA-RP-1238] p 78 N90-27607  MARS ATMOSPHERE	[NASA-TP-2977] p 42 N90-19595 Discrete-vortex model for the symmetric-vortex flow on	MESSAGE PROCESSING
Proceedings of the Polar Processes on Mars	cones	A piloted simulation study of data link ATC message
Workshop	[NASA-TP-2989] p 11 N90-20946	exchange
[NASA-CP-10021] p 78 N89-18373 Radiation exposure for manned Mars surface missions	NASA/DOD Controls-Structures Interaction Technology 1989	[NASA-TP-2859] p 13 N89-15900
[NASA-TP-2979] p 80 N90-18357	[NASA-CP-3041] p 26 N90-21062	METAL FATIGUE Turbine Engine Hot Section Technology, 1985
MARS LANDING	Improved model for solar cosmic ray exposure in manned	[NASA-CP-2405] p 43 N88-11140
OEXP Analysis Tools Workshop	Earth orbital flights INASA-TP-2987   p 80 N90-25031	Lewis Structures Technology, 1988. Volume 3: Structural
(NASA-CP-10013) p 63 N89-11407 Mars landing site catalog	[NASA-TP-2987] p 80 N90-25031 Loads analysis and testing of flight configuration solid	Integrity Fatigue and Fracture Wind Turbines HOST
	Total analysis and total or ingin comparation	
[NASA-RP-1238] p 78 N90-27607	rocket motor outer boot ring segments	[NASA-CP-3003-VOL-3] p 44 N88-22408 Advanced Earth-to-Orbit Propulsion Technology 1986.
MARS SAMPLE RETURN MISSIONS	[NASA-TP-3028] p 47 N90-25366	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2
MARS SAMPLE RETURN MISSIONS Exobiology and Future Mars Missions	NASA-TP-3028 p 47 N90-25366 Modification of the SHABERTH bearing code to	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626
MARS SAMPLE RETURN MISSIONS Exobiology and Future Mars Missions [NASA-CP-10027] p 59 N89-26334	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626 METAL MATRIX COMPOSITES
MARS SAMPLE RETURN MISSIONS Exobiology and Future Mars Missions	NASA-TP-3028 p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626
MARS SAMPLE RETURN MISSIONS Exobology and Future Mars Missions [NASA-CP-10027] p 59 N89-26334 MARS SURFACE Sapping features of the Colorado Plateau: A comparative planetary geology field guide	NASA-TP-3028   p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626 METAL MATRIX COMPOSITES Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184
MARS SAMPLE RETURN MISSIONS  Exobology and Future Mars Missions [NASA-CP-10027] p 59 N89-26334  MARS SURFACE  Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491] p 49 N89-10401	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft implane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184  Aeropropulsion '87. Session 1: Aeropropulsion Materials
MARS SAMPLE RETURN MISSIONS Exobology and Future Mars Missions [NASA-CP-10027] p 59 N89-26334 MARS SURFACE Sapping features of the Colorado Plateau: A comparative planetary geology field guide	NASA-TP-3028   p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626 METAL MATRIX COMPOSITES Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184
MARS SAMPLE RETURN MISSIONS  Exobology and Future Mars Missions {NASA-CP-10027}  MARS SURFACE  Sapping features of the Colorado Plateau: A comparative planetary geology field guide  NASA-SP-491  Radiation exposure for manned Mars surface missions  NASA-TP-2979   MASS DISTRIBUTION	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] gas-jet and tangent-slot film cooling tests of a 12.5 deg cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626 METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184 Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697 Tungsten fiber reinforced copper matrix composites: A
Exobology and Future Mars Missions [NASA-CP-10027] p 59 N89-26334  MARS SURFACE Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491] p 49 N89-10401 Radiation exposure for manned Mars surface missions [NASA-TP-2979] p 80 N90-18357  MASS DISTRIBUTION  Effect of control surface mass unbalance on the stability	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 Gas-jet and tangent-slot film cooling tests of a 12.5 deg cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806 MATRICES (MATHEMATICS)	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184  Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697  Tungsten fiber reinforced copper matrix composites: A review
Exobology and Future Mars Missions [NASA-CP-10027] p 59 N89-26334  MARS SURFACE  Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491] p 49 N89-10401 Radiation exposure for manned Mars surface missions [NASA-TP-2979] p 80 N90-18357  MASS DISTRIBUTION  Effect of control surface mass unbalance on the stability of a closed-loop active control system	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 Gas-jet and tangent-stot film cooling tests of a 12.5 deg cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806  MATRICES (MATHEMATICS) The estimation error covariance matrix for the ideal state	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum  [NASA-TP-2612] p 28 N87-10184  Aeropropulsion '87. Session 1: Aeropropulsion Materials Research  [NASA-CP-10003-SESS-1] p 18 N88-16697  Tungsten fiber reinforced copper matrix composites: A review  [NASA-TP-2924] p 29 N89-27796
Exobology and Future Mars Missions [NASA-CP-10027] p 59 N89-26334  MARS SURFACE Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491] p 49 N89-10401 Radiation exposure for manned Mars surface missions [NASA-TP-2979] p 80 N90-18357  MASS DISTRIBUTION  Effect of control surface mass unbalance on the stability	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 Gas-jet and tangent-slot film cooling tests of a 12.5 deg cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806 MATRICES (MATHEMATICS) The estimation error covariance matrix for the ideal state reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184  Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697  Tungsten fiber reinforced copper matrix composites: A review
Exobology and Future Mars Missions [NASA-CP-10027] p 59 N89-26334  MARS SURFACE  Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491] p 49 N89-10401  Radiation exposure for manned Mars surface missions [NASA-TP-2979] p 80 N90-18357  MASS DISTRIBUTION  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  MASSIVELY PARALLEL PROCESSORS  Computer Sciences and Data Systems, volume 2	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 Gas-jet and tangent-slot film cooling tests of a 12.5 deg cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806  MATRICES (MATHEMATICS)  The estimation error covariance matrix for the ideal state reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994 Parallel Gaussian elimination of a block tridiagonal matrix	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum  [NASA-TP-2612] p 28 N87-10184  Aeropropulsion '87. Session 1: Aeropropulsion Materials Research  [NASA-CP-10003-SESS-1] p 18 N88-16697  Tungsten fiber reinforced copper matrix composites: A review  [NASA-TP-2924] p 29 N89-27796  Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites [NASA-TP-1083] p 28 N88-70029
MARS SAMPLE RETURN MISSIONS Exobology and Future Mars Missions {NASA-CP-10027}  MARS SURFACE Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491] Radiation exposure for manned Mars surface missions [NASA-TP-2979]  MASS DISTRIBUTION Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952]  MASSIVELY PARALLEL PROCESSORS Computer Sciences and Data Systems, volume 2 [NASA-CP-2459-VOL-2]  p 62 N87-19932	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 Gas-jet and tangent-slot film cooling tests of a 12.5 deg cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806 MATRICES (MATHEMATICS) The estimation error covanance matrix for the ideal state reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994 Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184  Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697  Tungsten fiber reinforced copper matrix composites: A review [NASA-TP-2924] p 29 N89-27796  Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites [NASA-TP-1063] p 28 N88-70029  METAL PLATES
Exobology and Future Mars Missions [NASA-CP-10027] p 59 N89-26334  MARS SURFACE  Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491] p 49 N89-10401  Radiation exposure for manned Mars surface missions [NASA-TP-2979] p 80 N90-18357  MASS DISTRIBUTION  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  MASSIVELY PARALLEL PROCESSORS  Computer Sciences and Data Systems, volume 2	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 Gas-jet and tangent-slot film cooling tests of a 12.5 deg cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806  MATRICES (MATHEMATICS)  The estimation error covariance matrix for the ideal state reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994 Parallel Gaussian elimination of a block tridiagonal matrix	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184  Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697  Tungsten fiber reinforced copper matrix composites: A review [NASA-TP-2924] p 29 N89-27796  Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites [NASA-TP-1063] p 28 N88-70029  METAL PLATES  Buckling and postbuckling behavior of square
MARS SAMPLE RETURN MISSIONS Exobology and Future Mars Missions [NASA-CP-10027]  MARS SURFACE  Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491] p 49 N89-10401 Radiation exposure for manned Mars surface missions [NASA-TP-2979] p 80 N90-18357  MASS DISTRIBUTION  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  MASSIVELY PARALLEL PROCESSORS  Computer Sciences and Data Systems, volume 2 [NASA-CP-2478] p 62 N87-19932 Frontiers of Massivety Parallel Scientific Computation [NASA-CP-2478] p 62 N87-26531  MATERIALS HANDLING	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 Gas-jet and tangent-slot film cooling tests of a 12.5 deg cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806 MATRICES (MATHEMATICS) The estimation error covanance matrix for the ideal state reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994 Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-TP-2892] p 64 N89-17422 MAXWELL-BOLTZMANN DENSITY FUNCTION On the Maxwellian distribution, symmetric form, and	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum  [NASA-TP-2612] p 28 N87-10184  Aeropropulsion '87. Session 1: Aeropropulsion Materials Research  [NASA-CP-10003-SESS-1] p 18 N88-16697  Tungsten fiber reinforced copper matrix composites: A review  [NASA-TP-2924] p 29 N89-27796  Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites [NASA-TP-1063] p 28 N88-70029  METAL PLATES  Buckling and postbuckling behavior of square compression-loaded graphite-epoxy plates with circular culouts
MARS SAMPLE RETURN MISSIONS  Exobology and Future Mars Missions [NASA-CP-10027] p 59 N89-26334  MARS SURFACE  Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491] p 49 N89-10401  Radiation exposure for manned Mars surface missions [NASA-TP-2979] p 80 N90-18357  MASD DISTRIBUTION  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  MASSIVELY PARALLEL PROCESSORS  Computer Sciences and Data Systems, volume 2 [NASA-CP-2459-VOL-2] p 62 N87-19932 Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478] p 62 N87-26531  MATERIALS HANDLING Nuclear techniques in studies of condensed matter	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft implane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 Gas-jet and tangent-slot film cooling tests of a 12-5 deg cone at Mach number of 6.7 (NASA-TP-2786) p 39 N90-28806 MATRICES (MATHEMATICS) The estimation error covariance matrix for the ideal state reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994 Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-TP-2892] p 64 N89-17422 MAXWELL-BOLTZMANN DENSITY FUNCTION On the Maxwellian distribution, symmetric form, and entropy conservation for the Euler equations	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184 Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697 Tungsten fiber reinforced copper matrix composites: A review [NASA-TP-2924] p 29 N89-27796 Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites [NASA-TP-1063] p 28 N88-70029  METAL PLATES Buckling and postbuckling behavior of square compression-loaded graphite-epoxy plates with circular cutouts [NASA-TP-3007] p 29 N90-26077
MARS SAMPLE RETURN MISSIONS  Exobology and Future Mars Missions [NASA-CP-10027] p 59 N89-26334  MARS SURFACE  Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491] p 49 N89-10401  Radiation exposure for manned Mars surface missions [NASA-TP-2979] p 80 N90-18357  MASS DISTRIBUTION  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  MASSIVELY PARALLEL PROCESSORS  Computer Sciences and Data Systems, volume 2 [NASA-CP-2459-VOL-2] p 62 N87-19932 Frontiers of Massivety Parallel Scientific Computation [NASA-CP-2478] p 62 N87-26531  MATERIALS HANDLING  Nuclear techniques in studies of condensed matter [NASA-RP-1195] p 68 N88-13015	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 Gas-jet and tangent-slot film cooling tests of a 12.5 deg cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806 MATRICES (MATHEMATICS) The estimation error covanance matrix for the ideal state reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994 Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-TP-2892] p 64 N89-17422 MAXWELL-BOLTZMANN DENSITY FUNCTION On the Maxwellian distribution, symmetric form, and	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184 Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697 Tungsten fiber reinforced copper matrix composites: A review [NASA-TP-2924] p 29 N89-27796 Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites [NASA-TP-1063] p 28 N88-70029  METAL PLATES Buckling and postbuckling behavior of square compression-loaded graphite-epoxy plates with circular cutouts [NASA-TP-3007] p 29 N90-26077 Buckling and postbuckling behavior of
MARS SAMPLE RETURN MISSIONS  Exobology and Future Mars Missions [NASA-CP-10027] p 59 N89-26334  MARS SURFACE  Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491] p 49 N89-10401  Radiation exposure for manned Mars surface missions [NASA-TP-2979] p 80 N90-18357  MASD DISTRIBUTION  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] p 47 N90-12042  MASSIVELY PARALLEL PROCESSORS  Computer Sciences and Data Systems, volume 2 [NASA-CP-2459-VOL-2] p 62 N87-19932 Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478] p 62 N87-26531  MATERIALS HANDLING Nuclear techniques in studies of condensed matter	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] gas-jet and tangent-slot film cooling tests of a 12.5 deg cone at Mach number of 6.7 (NASA-TP-2786) p 39 N90-28806 MATRICES (MATHEMATICS) The estimation error covariance matrix for the ideal state reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994 Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-TP-2892] p 64 N89-17422 MAXWELL-BOLTZMANN DENSITY FUNCTION On the Maxwellian distribution, symmetric form, and entropy conservation for the Euler equations [NASA-TP-2583] p 35 N87-11963 MEASUREMENT Foundations of measurement and instrumentation	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184 Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697 Tungsten fiber reinforced copper matrix composites: A review [NASA-TP-2924] p 29 N89-27796 Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites [NASA-TP-1063] p 28 N88-70029  METAL PLATES Buckling and postbuckling behavior of square compression-loaded graphite-epoxy plates with circular cutouts [NASA-TP-3007] p 29 N90-26077
MARS SAMPLE RETURN MISSIONS Exobology and Future Mars Missions [NASA-CP-10027]  MARS SURFACE Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491] P 49 N89-10401 Radiation exposure for manned Mars surface missions [NASA-TP-2979] P 80 N90-18357  MASS DISTRIBUTION  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] P 47 N90-12042  MASSIVELY PARALLEL PROCESSORS Computer Sciences and Data Systems, volume 2 [NASA-CP-2459-VOL-2] Frontiers of Massivery Parallel Scientific Computation [NASA-CP-2478]  MATERIALS HANDLING Nuclear techniques in studies of condensed matter [NASA-RP-1195]  MATHEMATICAL MODELS Turbine Engine Hot Section Technology, 1984 [NASA-CP-2339] P 43 N87-11180	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 Gas-jet and tangent-slot film cooling tests of a 12.5 deg cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806 MATRICES (MATHEMATICS) The estimation error covariance matrix for the ideal state reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994 Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-TP-2892] p 64 N89-17422 MAXWELL-BOLTZMANN DENSITY FUNCTION On the Maxwellian distribution, symmetric form, and entropy conservation for the Euler equations [NASA-TP-2583] p 35 N87-11963 MEASUREMENT Foundations of measurement and instrumentation [NASA-RP-1222] p 40 N90-21351	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184 Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697 Tungsten fiber reinforced copper matrix composites: A review [NASA-TP-2924] p 29 N89-27796 Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites [NASA-TP-1063] p 28 N88-70029  METAL PLATES Buckling and postbuckling behavior of square compression-loaded graphite-epoxy plates with circular cutouts [NASA-TP-3007] p 29 N90-26077 Buckling and postbuckling behavior of compression-loaded isotropic plates with cutouts [NASA-TP-304] p 47 N90-28859  METAL SURFACES
MARS SAMPLE RETURN MISSIONS  Exobiology and Future Mars Missions  {NASA-CP-10027}  MARS SURFACE  Sapping features of the Colorado Plateau: A comparative planetary geology field guide  [NASA-SP-491] p 49 N89-10401  Radiation exposure for manned Mars surface missions  [NASA-TP-2979] p 80 N90-18357  MASS DISTRIBUTION  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  MASSIVELY PARALLEL PROCESSORS  Computer Sciences and Data Systems, volume 2  [NASA-CP-2459-VOL-2] p 62 N87-19932  Frontiers of Massivety Parallel Scientific Computation  [NASA-CP-2478] p 62 N87-26531  MATERIALS HANDLING  Nuclear techniques in studies of condensed matter  [NASA-RP-1195] p 68 N88-13015  MATHEMATICAL MODELS  Turbine Engine Hot Section Technology, 1984  [NASA-CP-2339] p 43 N87-11180  Exploiting symmetries in the modeling and analysis of	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 Gas-jet and tangent-stot film cooling tests of a 12.5 deg cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806 MATRICES (MATHEMATICS) The estimation error covanance matrix for the ideal state reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994 Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-TP-2892] p 64 N89-17422 MAXWELL-BOLTZMANN DENSITY FUNCTION On the Maxwellian distribution, symmetric form, and entropy conservation for the Euler equations [NASA-TP-2583] p 35 N87-11963 MEASUREMENT Foundations of measurement and instrumentation [NASA-RP-1222] p 40 N90-21351	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184  Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697  Tungsten fiber reinforced copper matrix composites: A review [NASA-TP-2924] p 29 N89-27796  Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites [NASA-TP-1063] p 28 N88-70029  METAL PLATES  Buckling and postbuckling behavior of square compression-loaded graphite-epoxy plates with circular cutouts [NASA-TP-3007] p 29 N90-26077  Buckling and postbuckling behavior of compression-loaded isotropic plates with cutouts [NASA-TP-3024] p 47 N90-28859  METAL SURFACES  Ester oxidation on an aluminum surface using
MARS SAMPLE RETURN MISSIONS Exobology and Future Mars Missions [NASA-CP-10027]  MARS SURFACE Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491] P 49 N89-10401 Radiation exposure for manned Mars surface missions [NASA-TP-2979] P 80 N90-18357  MASS DISTRIBUTION  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] P 47 N90-12042  MASSIVELY PARALLEL PROCESSORS Computer Sciences and Data Systems, volume 2 [NASA-CP-2459-VOL-2] Frontiers of Massivery Parallel Scientific Computation [NASA-CP-2478]  MATERIALS HANDLING Nuclear techniques in studies of condensed matter [NASA-RP-1195]  MATHEMATICAL MODELS Turbine Engine Hot Section Technology, 1984 [NASA-CP-2339] P 43 N87-11180	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 Gas-jet and tangent-slot film cooling tests of a 12.5 deg cone at Mach number of 6.7 (NASA-TP-2786] p 39 N90-28806 MATRICES (MATHEMATICS) The estimation error covariance matrix for the ideal state reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994 Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-TP-2892] p 64 N89-17422 MAXWELL-BOLTZMANN DENSITY FUNCTION On the Maxwellian distribution, symmetric form, and entropy conservation for the Euler equations [NASA-TP-2583] p 35 N87-11963 MEASUREMENT Foundations of measurement and instrumentation [NASA-RP-1222] p 40 N90-21351 MEASURING INSTRUMENTS On requirements for a satellite mission to measure tropical rainfall	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184 Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697 Tungsten fiber reinforced copper matrix composites: A review [NASA-TP-2924] p 29 N89-27796 Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites [NASA-TP-1063] p 28 N88-70029  METAL PLATES Buckling and postbuckling behavior of square compression-loaded graphite-epoxy plates with circular cutouts [NASA-TP-3007] p 29 N90-26077 Buckling and postbuckling behavior of compression-loaded isotropic plates with cutouts [NASA-TP-304] p 47 N90-28859  METAL SURFACES
MARS SAMPLE RETURN MISSIONS  Exobiology and Future Mars Missions  {NASA-CP-10027}  MARS SURFACE  Sapping features of the Colorado Plateau: A comparative planetary geology field guide  [NASA-SP-491] p 49 N89-10401  Radiation exposure for manned Mars surface missions  [NASA-TP-2979] p 80 N90-18357  MASS DISTRIBUTION  Effect of control surface mass unbalance on the stability of a closed-loop active control system  [NASA-TP-2952] p 47 N90-12042  MASSIVELY PARALLEL PROCESSORS  Computer Sciences and Data Systems, volume 2  [NASA-CP-2459-VOL-2] p 62 N87-19932  Frontiers of Massivety Parallel Scientific Computation  [NASA-CP-2478] p 68 N87-26531  MATERIALS HANDLING  Nuclear techniques in studies of condensed matter  [NASA-RP-1195] p 68 N88-13015  MATHEMATICAL MODELS  Turbine Engine Hot Section Technology, 1984  [NASA-CP-2339] p 43 N87-11180  Exploiting symmetries in the modeling and analysis of tires  [NASA-TP-2649] p 13 N87-17690  Double Layers in Astrophysics	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 Gas-jet and tangent-stot film cooling tests of a 12.5 deg cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806 MATRICES (MATHEMATICS) The estimation error covanance matrix for the ideal state reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994 Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-TP-2892] p 64 N89-17422 MAXWELL-BOLTZMANN DENSITY FUNCTION On the Maxwellian distribution, symmetric form, and entropy conservation for the Euler equations [NASA-TP-2583] p 35 N87-11963 MEASUREMENT Foundations of measurement and instrumentation [NASA-RP-1222] p 40 N90-21351 MEASURING INSTRUMENTS On requirements for a satellite mission to measure tropical rainfall [NASA-RP-1183] p 55 N87-20701	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184  Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697  Tungsten fiber reinforced copper matrix composites: A review [NASA-TP-2924] p 29 N89-27796  Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites [NASA-TP-1063] p 28 N88-70029  METAL PLATES  Buckling and postbuckling behavior of square compression-loaded graphite-epoxy plates with circular cutouts [NASA-TP-3007] p 29 N90-26077  Buckling and postbuckling behavior of compression-loaded isotropic plates with cutouts [NASA-TP-3024] p 47 N90-28859  METAL SURFACES  Ester oxidation on an aluminum surface using chemiluminescence [NASA-TP-2611] p 31 N87-18666
MARS SAMPLE RETURN MISSIONS Exobology and Future Mars Missions [NASA-CP-10027]  MARS SURFACE  Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491]  Radiation exposure for manned Mars surface missions [NASA-TP-2979]  MASS DISTRIBUTION  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952]  MASSIVELY PARALLEL PROCESSORS  Computer Sciences and Data Systems, volume 2 [NASA-CP-2459-VOL-2]  Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478]  MATERIALS HAMDLING  Nuclear techniques in studies of condensed matter [NASA-RHOLINS]  MATERIALS HAMDLING  Nuclear techniques in studies of condensed matter [NASA-RHOLINS]  Turbine Engine Hot Section Technology, 1984 [NASA-CP-2339]  Exploiting symmetries in the modeling and analysis of tires [NASA-CP-2469]  Double Layers in Astrophysics [NASA-CP-2469]  P 72 N87-2313	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 Gas-jet and tangent-slot film cooling tests of a 12.5 deg cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806 MATRICES (MATHEMATICS) The estimation error covariance matrix for the ideal state reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994 Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-TP-2892] p 64 N89-17422 MAXWELL-BOLTZMANN DENSITY FUNCTION On the Maxwellian distribution, symmetric form, and entropy conservation for the Euler equations [NASA-TP-2583] p 35 N87-11963 MEASUREMENT Foundations of measurement and instrumentation [NASA-RP-1222] p 40 N90-21351 MEASUREMENT On requirements for a satellite mission to measure tropical rainfall [NASA-RP-1183] p 55 N87-20701 Earth resources: A continuing bibliography with indexes	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184 Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697 Tungsten fiber reinforced copper matrix composites: A review [NASA-TP-2924] p 29 N89-27796 Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites [NASA-TP-1063] p 28 N88-70029  METAL PLATES  Buckling and postbuckling behavior of square compression-loaded graphite-epoxy plates with circular cutouts [NASA-TP-3007] p 29 N90-26077  Buckling and postbuckling behavior of compression-loaded isotropic plates with cutouts [NASA-TP-3024] p 47 N90-28859  METAL SURFACES Ester oxidation on an aluminum surface using chemiluminescence [NASA-TP-2611] p 31 N87-18666 An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance
MARS SAMPLE RETURN MISSIONS Exobology and Future Mars Missions [NASA-CP-10027]  MARS SURFACE Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491] P 49 N89-10401 Radiation exposure for manned Mars surface missions [NASA-TP-2979] P 80 N90-18357  MASS DISTRIBUTION  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952] P 47 N90-12042  MASSIVELY PARALLEL PROCESSORS  Computer Sciences and Data Systems, volume 2 [NASA-CP-2459-VOL-2] P 62 N87-19932 Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478]  MATERIALS HANDLING Nuclear techniques in studies of condensed matter [NASA-RP-1195]  MATHEMATICAL MODELS Turbine Engine Hot Section Technology, 1984 [NASA-CP-2339] Exploiting symmetries in the modeling and analysis of tires [NASA-TP-2649] Double Layers in Astrophysics [NASA-CP-2431] Probabilistic risk analysis of flying the space shuttle with	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 Gas-jet and tangent-stot film cooling tests of a 12.5 deg cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806 MATRICES (MATHEMATICS) The estimation error covanance matrix for the ideal state reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994 Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-TP-2892] p 64 N89-17422 MAXWELL-BOLTZMANN DENSITY FUNCTION On the Maxwellian distribution, symmetric form, and entropy conservation for the Euler equations [NASA-TP-2583] p 35 N87-11963 MEASUREMENT Foundations of measurement and instrumentation [NASA-RP-1222] p 40 N90-21351 MEASURING INSTRUMENTS On requirements for a satellite mission to measure tropical rainfall [NASA-RP-1183] p 55 N87-20701	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184 Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697 Tungsten fiber reinforced copper matrix composites: A review [NASA-TP-2924] p 29 N89-27796 Effects of continuous and cyclic thermal exposures on obron- and borsic-reinforced 6061 aluminum composites [NASA-TP-1063] p 28 N88-70029  METAL PLATES Buckling and postbuckling behavior of square compression-loaded graphite-epoxy plates with circular cutouts [NASA-TP-3007] p 29 N90-26077 Buckling and postbuckling behavior of compression-loaded isotropic plates with cutouts [NASA-TP-304] p 47 N90-28859  METAL SURFACES  Ester oxidation on an aluminum surface using chemiluminescence [NASA-TP-2611] p 31 N87-18666 An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods
MARS SAMPLE RETURN MISSIONS Exobology and Future Mars Missions [NASA-CP-10027]  MARS SURFACE  Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491]  Radiation exposure for manned Mars surface missions [NASA-TP-2979]  MASS DISTRIBUTION  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952]  MASSIVELY PARALLEL PROCESSORS  Computer Sciences and Data Systems, volume 2 [NASA-CP-2459-VOL-2]  Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478]  MATERIALS HAMDLING  Nuclear techniques in studies of condensed matter [NASA-RHOLINS]  MATERIALS HAMDLING  Nuclear techniques in studies of condensed matter [NASA-RHOLINS]  Turbine Engine Hot Section Technology, 1984 [NASA-CP-2339]  Exploiting symmetries in the modeling and analysis of tires [NASA-CP-2469]  Double Layers in Astrophysics [NASA-CP-2469]  P 72 N87-2313	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 Gas-jet and tangent-slot film cooling tests of a 12.5 deg cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806 MATRICES (MATHEMATICS) The estimation error covariance matrix for the ideal state reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994 Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-TP-2892] p 64 N89-17422 MAXWELL-BOLTZMANN DENSITY FUNCTION On the Maxwellian distribution, symmetric form, and entropy conservation for the Euler equations [NASA-TP-2583] p 35 N87-11963 MEASUREMEENT Foundations of measurement and instrumentation [NASA-RP-1182] p 55 N87-20701 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-P-7041(54)] p 49 N87-27315 Aeropropulsion '87. Session 4: Instrumentation and	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184 Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697 Tungsten fiber reinforced copper matrix composites: A review [NASA-TP-2924] p 29 N89-27796 Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites [NASA-TP-1063] p 28 N88-70029  METAL PLATES  Buckling and postbuckling behavior of square compression-loaded graphite-epoxy plates with circular cutouts [NASA-TP-3007] p 29 N90-26077  Buckling and postbuckling behavior of compression-loaded isotropic plates with cutouts [NASA-TP-3024] p 47 N90-28859  METAL SURFACES Ester oxidation on an aluminum surface using chemiluminescence [NASA-TP-2611] p 31 N87-18666 An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance
MARS SAMPLE RETURN MISSIONS  Exobology and Future Mars Missions [NASA-CP-10027]  MARS SURFACE  Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491]  Radiation exposure for manned Mars surface missions [NASA-TP-2979]  MASS DISTRIBUTION  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952]  MASSIVELY PARALLEL PROCESSORS  Computer Sciences and Data Systems, volume 2 [NASA-CP-2459-VOL-2]  Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478]  MATERIALS HANDLING  Nuclear techniques in studies of condensed matter [NASA-RP-1195]  MATHEMATICAL MODELS  Turbine Engine Hot Section Technology, 1984 [NASA-CP-2339]  Exploiting symmetries in the modeling and analysis of tires [NASA-TP-2649]  Double Layers in Astrophysics [NASA-TP-2649]  P 13 N87-17690  Double Layers in Astrophysics [NASA-TP-2649]  P 2 N87-23313  Probabilistic risk analysis of flying the space shuttle with and without fuel turbine discharge temperature redline protection [NASA-TP-2759]  P 65 N87-27474	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] gas-jet and tangent-slot film cooling tests of a 12-5 deg cone at Mach number of 6.7 (NASA-TP-2786) p 39 N90-28806 MATRICES (MATHEMATICS) The estimation error covariance matrix for the ideal state reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994 Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-TP-2892] p 64 N89-17422 MAXWELL-BOLTZMANN DENSITY FUNCTION On the Maxwellian distribution, symmetric form, and entropy conservation for the Euler equations [NASA-TP-2583] p 35 N87-11963 MEASUREMENT Foundations of measurement and instrumentation [NASA-RP-1222] p 40 N90-21351 MEASURING INSTRUMENTS On requirements for a satellite mission to measure tropical rainfall [NASA-RP-1183] p 55 N87-20701 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Aeropropulsion '87. Session 4: Instrumentation and Controls Research	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184 Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697 Tungsten fiber reinforced copper matrix composites: A review [NASA-TP-2924] p 29 N89-27796 Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites [NASA-TP-1063] p 28 N88-70029  METAL PLATES Buckling and postbuckling behavior of square compression-loaded graphite-epoxy plates with circular cutouts [NASA-TP-3007] p 29 N90-26077 Buckling and postbuckling behavior of compression-loaded isotropic plates with cutouts [NASA-TP-3044] p 47 N90-28859  METAL SURFACES Ester oxidation on an aluminum surface using chemiliumnescence [NASA-TP-2611] p 31 N87-18666 An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406  METALS Life prediction of thermomechanical fatigue using total
MARS SAMPLE RETURN MISSIONS Exobology and Future Mars Missions [NASA-CP-10027]  MARS SURFACE  Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491] Radiation exposure for manned Mars surface missions [NASA-TP-2979]  MASS DISTRIBUTION  Effect of control surface mass unbalance on the stability of a closed-loop active control system [NASA-TP-2952]  MASSIVELY PARALLEL PROCESSORS  Computer Sciences and Data Systems, volume 2 [NASA-CP-2459-VOL-2]  Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478]  MATERIALS HAMDLING  Nuclear techniques in studies of condensed matter [NASA-RP-1195]  MATHAMATICAL MODELS  Turbine Engine Hot Section Technology, 1984 [NASA-CP-2339]  Exploiting symmetries in the modeling and analysis of tires [NASA-CP-2469]  Double Layers in Astrophysics {NASA-CP-2469}  Probabilistic risk analysis of flying the space shuttle with and without fuel turbine discharge temperature redline protection	[NASA-TP-3028] p 47 N90-25366 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 Gas-jet and tangent-slot film cooling tests of a 12.5 deg cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806 MATRICES (MATHEMATICS) The estimation error covariance matrix for the ideal state reconstructor with measurement noise [NASA-TP-2881] p 63 N89-13994 Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-TP-2892] p 64 N89-17422 MAXWELL-BOLTZMANN DENSITY FUNCTION On the Maxwellian distribution, symmetric form, and entropy conservation for the Euler equations [NASA-TP-2583] p 35 N87-11963 MEASUREMEENT Foundations of measurement and instrumentation [NASA-RP-1182] p 55 N87-20701 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-P-7041(54)] p 49 N87-27315 Aeropropulsion '87. Session 4: Instrumentation and	Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  METAL MATRIX COMPOSITES  Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum [NASA-TP-2612] p 28 N87-10184 Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 18 N88-16697 Tungsten fiber reinforced copper matrix composites: A review [NASA-TP-2924] p 29 N89-27796 Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites [NASA-TP-1063] p 28 N88-70029  METAL PLATES  Buckling and postbuckling behavior of square compression-loaded graphite-epoxy plates with circular cutouts [NASA-TP-3007] p 29 N90-26077  Buckling and postbuckling behavior of compression-loaded isotropic plates with cutouts [NASA-TP-3024] p 47 N90-28859  METAL SURFACES Ester oxidation on an aluminum surface using chemiliuminescence [NASA-TP-2611] p 31 N87-18666 An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406

p 45 N89-16170

METEORITES Planetary geosciences, 1988	MICROWAVE RADIOMETERS User's guide for the Nimbus 7 Scanning Multichannel	Modal control of an oblique wing aircraft [NASA-TP-2898] p.20 N89-1684
[NASA-SP-498] p 48 N89-26274	Microwave Radiometer (SMMR) CELL-ALL tape	[NASA-TP-2898] p 20 N89-16849 MODELS
METEORITIC DIAMONDS	[NASA-RP-1210] p 56 N89-14648	Power cepstrum technique with application to mode
Carbon in the Galaxy: Studies from Earth and Space	Polar microwave brightness temperatures from	helicopter acoustic data
[NASA-CP-3061] p 73 N90-27562 METEOROLOGICAL FLIGHT	Nimbus-7 SMMR: Time series of daily and monthly maps from 1978 to 1987	[NASA-TP-2586] p 66 N87-17479  Modeling of joints for the dynamic analysis of trus
Global stratospheric change: Requirements for a	[NASA-RP-1223] p 48 N89-26275	structures
Very-High-Altitude Aircraft for Atmospheric Research	MICROWAVE SENSORS	[NASA-TP-2661] p 43 N87-2056
[NASA-CP-10041] p 16 N90-14220	Earth Science Geostationary Platform Technology	Experimental validation of a two-dimensional shear-flow
METEOROLOGICAL PARAMETERS  Thirteenth International Laser Radar Conference	[NASA-CP-3040] p 24 N90-19249	model for determining acoustic impedance [NASA-TP-2679] p 66 N87-2079
[NASA-CP-2431] p 39 N87-10253	MICROWAVE SOUNDING Thermal-distortion analysis of an antenna strongback	[NASA-TP-2679] p 66 N87-2079 Revised NASA axially symmetric ring model for
Arctic Sea ice, 1973-1976: Satellite passive-microwave	for geostationary high-frequency microwave applications	coupled-cavity traveling-wave tubes
observations	[NASA-TP-3016] p 26 N90-27738	[NASA-TP-2675] p 35 N87-2292
[NASA-SP-489] p 58 N87-24870 Five year global dataset: NMC operational analyses	MICROWAVE TRANSMISSION	Application of turbulence modeling to predict surface
(1978 to 1982)	Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium	heat transfer in stagnation flow region of circular cylinde [NASA-TP-2758] p 37 N87-2716
(NASA-RP-1194) p 55 N87-29996	arsenide microstrip lines	Thermoviscoplastic model with application to coppe
METEOROLOGICAL SATELLITES	[NASA-TP-2899] p 35 N89-21169	[NASA-TP-2845] p 45 N89-1618
On requirements for a satellite mission to measure tropical rainfall	MICROWAVES	MODULATION
[NASA-RP-1183] p 55 N87-20701	Theory for computing the field scattered from a smooth inflected surface	Dynamic characteristics of a vibrating beam with periodi variation in bending stiffness
METROLOGY	[NASA-TP-2632] p 68 N87-13264	[NASA-TP-2697] p 44 N88-2398
Earth Science Geostationary Platform Technology	Rapid Fluctuations in Solar Flares	Digitally modulated bit error rate measurement system
[NASA-CP-3040] p 24 N90-19249	[NASA-CP-2449] p 79 N87-21785	for microwave component evaluation
MICROBURSTS (METEOROLOGY)  Doppler Radar Detection of Wind Shear	Atlas of absorption lines from 0 to 17900 cm (sup)-1 [NASA-RP-1188] p 49 N87-28955	[NASA-TP-2912] p 23 N89-2854 MODULATION TRANSFER FUNCTION
[NASA-CP-2435] p 12 N87-10054	[NASA-RP-1188] p 49 N87-28955 Propagation effects on satellite systems at frequencies	Sensor performance analysis
Influence of wind shear on the aerodynamic	below 10 GHz: A handbook for satellite systems design	[NASA-RP-1241] p 50 N90-2378
characteristics of airplanes	[NASA-RP-1108/2] p 34 N88-14226	MODULUS OF ELASTICITY
[NASA-TP-2827] p 12 N88-26344 Piloted-simulation evaluation of escape guidance for	MIDDLE ATMOSPHERE	Cyclic loads tests of carbon involute solid rocket moto
microburst wind shear encounters	Thirteenth International Laser Radar Conference {NASA-CP-2431} p 39 N87-10263	outer boot ring segments [NASA-TP-2884] p 45 N89-1619
[NASA-TP-2886] p 17 N89-16820	MILKY WAY GALAXY	MOLECULAR CLOUDS
MICROCOMPUTERS	Carbon in the Galaxy: Studies from Earth and Space	Star Formation in Galaxies
Pulse Code Modulation (PCM) data storage and analysis	[NASA-CP-3061] p 73 N90-27562	[NASA-CP-2466] p 73 N87-2426
using a microcomputer [NASA-TP-2629] p 33 N87-12718	MILLIMETER WAVES Universal test fixture for monolithic mm-wave integrated	MOLECULAR SPECTRA  A high-resolution atlas of the infrared spectrum of the
Parallel Gaussian elimination of a block tridiagonal matrix	circuits calibrated with an augmented TRD algorithm	Sun and the Earth atmosphere from space: A compilation
using multiple microcomputers	[NASA-TP-2875] p 34 N89-17767	of ATMOS spectra of the region from 650 to 4800 cm
[NASA-TP-2892] p 64 N89-17422	MILLING (MACHINING)	(2.3 to 16 micron). Volume 1: The Sun
MICROELECTRONICS  Electronics reliability and measurement technology	Effect of milling machine roughness and wing dihedral	[NASA-RP-1224-VOL-1] p 53 N90-1389 MOLECULES
[NASA-CP-2472] p 42 N87-27204	on the supersonic aerodynamic characteristics of a highly swept wing	Microgravity crystallization of macromolecules: A
MICROGRAVITY APPLICATIONS	[NASA-TP-2918] p 10 N89-25117	interim report and proposal for continued research
Liquid drop stability for protein crystal growth in	MINING	[NASA-TP-2671] p 31 N87-2042
microgravity	Lunar Helium-3 and Fusion Power	MOLYBDENUM
[NASA-TP-2724] p 58 N87-20727 MICROMETEOROIDS	[NASA-CP-10018] p 69 N89-14842 MIRRORS	Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper
NASA/SDIO Space Environmental Effects on Materials	Mode-medium instability and its correction with a	[NASA-TP-2967] p 31 N90-1521
Workshop, part 1	Gaussian reflectivity mirror	MONITORS
[NASA-CP-3035-PT-1] p 27 N89-23528	(NASA-TP-3023) p 68 N90-25673	Simulator evaluation of a display for a Takeo
NASA/SDIO Space Environmental Effects on Materials	(NASA-TP-3023) p 68 N90-25673 MISSILE CONFIGURATIONS	Performance Monitoring System
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2	(NASA-TP-3023) p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a	Performance Monitoring System [NASA-TP-2908] p 20 N89-2346
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2	(NASA-TP-3023) p 68 N90-25673 MISSILE CONFIGURATIONS	Performance Monitoring System
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547 MICROSTRIP TRANSMISSION LINES Analytical and experimental procedures for determining	[NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system [NASA-TP-2401] p 4 N87-17668	Performance Monitoring System [NASA-TP-2908] p 20 N89-2346 Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] p 53 N90-1722
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium	[NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system [NASA-TP-2401] p 4 N87-17668  MISSILES	Performance Monitoring System [NASA-TP-2908] p 20 N89-2346 Nimbus 7 solar backscatter ultraviolet (SBUV) ozon- products user's guide [NASA-RP-1234] p 53 N90-1722 MONTE CARLO METHOD
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines	[NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system [NASA-TP-2401] p 4 N87-17668  MISSILES  Atmospheric Turbulence Relative to Aviation, Missile,	Performance Monitoring System [NASA-TP-2908] p 20 N89-2346 Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] p 53 N90-1722  MONTE CARLO METHOD Comparison of dose estimates using the buildup-factor
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium	[NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system [NASA-TP-2401] p 4 N87-17668  MISSILES  Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs	Performance Monitoring System [NASA-TP-2908] p 20 N89-2346 Nimbus 7 solar backscatter ultraviolet (SBUV) ozon- products user's guide [NASA-RP-1234] p 53 N90-1722 MONTE CARLO METHOD
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169	[NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system [NASA-TP-2401] p 4 N87-17668  MISSILES  Atmospheric Turbulence Relative to Aviation, Missile,	Performance Monitoring System  [NASA-TP-2908]  Nimbus 7 solar backscatter ultraviolet (SBUV) ozon  products user's guide  [NASA-RP-1234]  MONTE CARLO METHOD  Comparison of dose estimates using the buildup-facto  method and a Baryon transport code (BRYNTRN) with  Monte Carlo results  [NASA-TP-3021]  p 80 N90-2929
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and	[NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system [NASA-TP-2401] p 4 N87-17668  MISSILES  Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs [NASA-CP-2468] p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack	Performance Monitoring System [NASA-TP-2908] p 20 N89-2346 Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] p 53 N90-1722  MONTE CARLO METHOD Comparison of dose estimates using the buildup-facto method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] p 80 N90-2929  MOON
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2  INASA-CP-3035-PT-2   p. 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines  [NASA-TP-2899] p. 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials	(NASA-TP-3023) p 68 N90-25673  MISSILE CONFIGURATIONS Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system (NASA-TP-2401) p 4 N87-17688  MISSILES Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs (NASA-CP-2488) p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees	Performance Monitoring System [NASA-TP-2908] p 20 N89-2346 Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] p 53 N90-1722  MONTE CARLO METHOD  Comparison of dose estimates using the buildup-facto method and a Baryon transport code (BRYNTRN) wit Monte Carlo results [NASA-TP-3021] p 80 N90-2929  MOON  Status and future of lunar geoscience
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6AI-4V and Ti-6AI-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644	[NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system [NASA-TP-2401] p 4 N87-17668  MISSILES  Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs [NASA-CP-2468] p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack	Performance Monitoring System [NASA-TP-2908] p 20 N89-2346 Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] p 53 N90-1722  MONTE CARLO METHOD Comparison of dose estimates using the buildup-facto method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] p 80 N90-2929  MOON
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2  INASA-CP-3035-PT-2   p. 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines  [NASA-TP-2899] p. 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials	[NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system [NASA-TP-2401] p 4 N87-17668  MISSILES Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs [NASA-CP-2468] p 55 N87-22341 Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p 5 N87-23592	Performance Monitoring System [NASA-TP-2908] p 20 N89-2346 Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] p 53 N90-1722  MONTE CARLO METHOD Comparison of dose estimates using the buildup-facto method and a Baryon transport code (BRYNTRN) wit Monte Carlo results [NASA-P-3021] p 80 N90-2929  MOON Status and future of lunar geoscience [NASA-SP-484] p 77 N87-1932. Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] p 73 N87-2590
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6AI-4V and Ti-6AI-2Sn-4Zr-2Mo Itanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAYE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers	[NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system [NASA-TP-2401] p 4 N87-17668  MISSILES  Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs [NASA-CP-2468] p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p 5 N87-23592  MISSION PLANNING  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322	Performance Monitoring System [NASA-TP-2908] Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] NONTE CARLO METHOD Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] NOON Status and future of lunar geoscience [NASA-SP-484] Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] A lunar far-side very low frequency array
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6AI-4V and Ti-6AI-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991	[NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system [NASA-TP-2401] p 4 N87-17668  MISSILES  Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs [NASA-CP-2468] p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p 5 N87-23592  MISSION PLANNING  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  Space Construction	Performance Monitoring System [NASA-TP-2908] p 20 N89-2346 Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] p 53 N90-1722  MONTE CARLO METHOD Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] p 80 N90-2929  MOON Status and future of lunar geoscience [NASA-SP-484] p 77 N87-1932. Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] p 73 N87-2590 A lunar far-side very low frequency array [NASA-CP-3039] p 75 N90-1080
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2677]  MICROWAVE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS	(NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system (NASA-TP-2401) p 4 N87-17668  MISSILES Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs (NASA-CP-2468) p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees (NASA-TP-2733) p 5 N87-23592  MISSION PLANNING Status and future of lunar geoscience (NASA-SP-484) p 77 N87-19322 Space Construction (NASA-CP-2490) p 25 N88-10870	Performance Monitoring System [NASA-TP-2908] p 20 N89-2346 Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] p 53 N90-1722  MONTE CARLO METHOD Comparison of dose estimates using the buildup-facto method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] p 80 N90-2929  MOON Status and future of lunar geoscience [NASA-SP-484] p 77 N87-1932; Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] p 73 N87-2590; A lunar far-side very low frequency array [NASA-CP-3039] p 75 N90-1080; MORPHOLOGY
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS Thermal-distortion analysis of an antenna strongback	[NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system [NASA-TP-2401] p 4 N87-17668  MISSILES  Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs [NASA-CP-2468] p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p 5 N87-23592  MISSION PLANNING  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  Space Construction	Performance Monitoring System [NASA-TP-2908] p 20 N89-2346 Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] p 53 N90-1722  MONTE CARLO METHOD  Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] p 80 N90-2929  MOON  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-1932. Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] p 73 N87-2590. A lunar far-side very low frequency array [NASA-CP-3039] p 75 N90-1080. MORPHOLOGY Influence of the deposition conditions on radiofrequence magnetron sputtered MoS2 films
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2677]  MICROWAVE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS	[NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system [NASA-TP-2401] p 4 N87-17668  MISSILES Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs [NASA-CP-2468] p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p 5 N87-23592  MISSION PLANNING  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322 Space Construction [NASA-CP-2490] p 25 N88-10870 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-1382 The 1987 Get Away Special Experimenter's	Performance Monitoring System [NASA-TP-2908] p 20 N89-2346 Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] p 53 N90-1722  MONTE CARLO METHOD Comparison of dose estimates using the buildup-facto method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] p 80 N90-2929  MOON Status and future of lunar geoscience [NASA-SP-484] p 77 N87-1932; Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] p 73 N87-2590; A lunar far-side very low frequency array [NASA-CP-3039] MORPHOLOGY Influence of the deposition conditions on radiofrequenc magnetron sputtered MoS2 films [NASA-TP-2994] p 33 N90-2121;
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS  Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications	[NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system [NASA-TP-2401] p 4 N87-17668  MISSILES  Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs [NASA-CP-2468] p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p 5 N87-23592  MISSION PLANNING  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  Space Construction [NASA-CP-2490] p 25 N88-10870  Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-10382 The 1987 Get Away Special Experimenter's Symposium	Performance Monitoring System [NASA-TP-2908] Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] MONTE CARLO METHOD  Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] MOON  Status and future of lunar geoscience [NASA-SP-484] Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] A lunar far-side very low frequency array [NASA-CP-3039] MORPHOLOGY Influence of the deposition conditions on radiofrequency magnetron sputtered MoS2 films [NASA-TP-2994] MOTION
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6AI-4V and Ti-6AI-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS  Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738  MICROWAVE CIRCUITS Universal test fixture for monolithic mm-wave integrated	[NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system [NASA-TP-2401] p 4 N87-17668  MISSILES  Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs [NASA-CP-2468] p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p 5 N87-23592  MISSION PLANNING  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  Space Construction [NASA-CP-2490] p 25 N88-10870  Space station systems: A bibliography with indexes INASA-SP-7056(05)] p 25 N88-13382  The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691	Performance Monitoring System [NASA-TP-2908] p 20 N89-2346 Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] p 53 N90-1722  MONTE CARLO METHOD  Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] p 80 N90-2929  MOON  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-1932. Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] p 73 N87-2590 A lunar far-side very low frequency array [NASA-CP-3039] p 75 N90-1080: MORPHOLOGY Influence of the deposition conditions on radiofrequence magnetron sputtered MoS2 films [NASA-TP-2994] p 33 N90-2121: MOTION  Effect of motion cues during complex curved approace
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6AI-4V and Ti-6AI-2Sn-4Zr-2Mo litanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS  Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738  MICROWAVE CIRCUITS  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm	[NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system [NASA-TP-2401] p 4 N87-17668  MISSILES  Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs [NASA-CP-2468] p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p 5 N87-23592  MISSION PLANNING  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  Space Construction [NASA-CP-2490] p 25 N88-10870  Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-10382 The 1987 Get Away Special Experimenter's Symposium	Performance Monitoring System [NASA-TP-2908] Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] MONTE CARLO METHOD  Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] MOON  Status and future of lunar geoscience [NASA-SP-484] Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] A lunar far-side very low frequency array [NASA-CP-3039] MORPHOLOGY Influence of the deposition conditions on radiofrequency magnetron sputtered MoS2 films [NASA-TP-2994] MOTION
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-3664] p 34 N87-17991  MICROWAVE ANTENNAS  Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738  MICROWAVE CIRCUITS  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767	(NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system (NASA-TP-2401) p 4 N87-17668  MISSILES Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs [NASA-CP-2468] p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p 5 N87-23592  MISSION PLANNING Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322 Space Construction [NASA-CP-2490] p 25 N88-10870 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-1382 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 The 1988 Goddard Conference on Space Applications	Performance Monitoring System [NASA-TP-2908] Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] MONTE CARLO METHOD Comparison of dose estimates using the buildup-facto method and a Baryon transport code (BRYNTRN) wit Monte Carlo results [NASA-TP-3021] NOON Status and future of lunar geoscience [NASA-SP-484] Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] A lunar far-side very low frequency array [NASA-CP-3039] MORPHOLOGY Influence of the deposition conditions on radiofrequenc magnetron sputtered MoS2 films [NASA-TP-2994] MOTION Effect of motion cues during complex curved approact and landing tasks: A piloted simulation study [NASA-TP-2773] MOUNTING
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo Itanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS  Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738  MICROWAVE CIRCUITS  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  MICROWAVE EMISSION	(NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system (NASA-TP-2401) p 4 N87-17668  MISSILES Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs [NASA-CP-2468] p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p 5 N87-23592  MISSION PLANNING Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322 Space Construction [NASA-CP-2490] p 25 N88-10870 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-1382 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 OEXP Analysis Tools Workshop	Performance Monitoring System [NASA-TP-2908] Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] MONTE CARLO METHOD Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] MOON Status and future of lunar geoscience [NASA-SP-484] Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] A lunar far-side very low frequency array [NASA-CP-3039] NORPHOLOGY Influence of the deposition conditions on radiofrequence magnetron sputtered MoS2 films [NASA-TP-2994] MOTION Effect of motion cues during complex curved approact and landing tasks: A piloted simulation study [NASA-TP-2773] MOUNTING Drag measurements of blunt stores tangentially mountered  MOUNTING Drag measurements of blunt stores tangentially mountered  MOUNTING Drag measurements of blunt stores tangentially mountered
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-3664] p 34 N87-17991  MICROWAVE ANTENNAS  Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738  MICROWAVE CIRCUITS  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767	(NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system (NASA-TP-2401) p 4 N87-17668  MISSILES  Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs (NASA-CP-2486) p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees (NASA-TP-2733) p 5 N87-23592  MISSION PLANNING  Status and future of lunar geoscience (NASA-SP-484) p 77 N87-19322  Space Construction (NASA-CP-2490) p 25 N88-10870  Space station systems: A bibliography with indexes (NASA-SP-7056(05)) p 25 N88-13382  The 1987 Get Away Special Experimenter's Symposium (NASA-CP-2500) p 22 N88-17691  The 1988 Goddard Conference on Space Applications of Artificial Intelligence (NASA-CP-3009) p 64 N88-30330  OEXP Analysis Tools Workshop (NASA-CP-10013) p 63 N89-11407	Performance Monitoring System [NASA-TP-2908] Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] MONTE CARLO METHOD  Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] MOON Status and future of lunar geoscience [NASA-SP-484] Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] A lunar far-side very low frequency array [NASA-CP-3039] MORPHOLOGY Influence of the deposition conditions on radiofrequency magnetron sputtered MoS2 films [NASA-TP-2994] MOTION Effect of motion cues during complex curved approact and landing tasks: A piloted simulation study [NASA-TP-2773] MOUNTING Drag measurements of blunt stores tangentially mounter on a flat plate at supersonic speeds
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6AI-4V and Ti-6AI-25n-42r-2Mo Itanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS  Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738  MICROWAVE CIRCUITS  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  MICROWAVE EMISSION  Propagation effects handbook for satellite systems design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system	[NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system [NASA-TP-2401] p 4 N87-17668  MISSILES  Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs [NASA-CP-2468] p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p 5 N87-23592  MISSION PLANNING  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  Space Construction [NASA-CP-2490] p 25 N88-10870  Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13802  The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691  The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-10013] p 63 N89-11407  The 1989 Goddard Conference on Space Applications	Performance Monitoring System [NASA-TP-2908] Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] MONTE CARLO METHOD Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] MOON Status and future of lunar geoscience [NASA-SP-484] Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] A lunar far-side very low frequency array [NASA-CP-3039] NORPHOLOGY Influence of the deposition conditions on radiofrequence magnetron sputtered MoS2 films [NASA-TP-2994] MOTION Effect of motion cues during complex curved approact and landing tasks: A piloted simulation study [NASA-TP-2773] MOUNTING Drag measurements of blunt stores tangentially mountered  MOUNTING Drag measurements of blunt stores tangentially mountered  MOUNTING Drag measurements of blunt stores tangentially mountered
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6AI-4V and Ti-6AI-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS  Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738  MICROWAVE CIRCUITS  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  MICROWAVE EMISSION  Propagation effects handbook for satellite systems design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system design.	(NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system (NASA-TP-2401) p 4 N87-17668  MISSILES  Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs (NASA-CP-2486) p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees (NASA-TP-2733) p 5 N87-23592  MISSION PLANNING  Status and future of lunar geoscience (NASA-SP-484) p 77 N87-19322  Space Construction (NASA-CP-2490) p 25 N88-10870  Space station systems: A bibliography with indexes (NASA-SP-7056(05)) p 25 N88-13382  The 1987 Get Away Special Experimenter's Symposium (NASA-CP-2500) p 22 N88-17691  The 1988 Goddard Conference on Space Applications of Artificial Intelligence (NASA-CP-3009) p 64 N88-30330  OEXP Analysis Tools Workshop (NASA-CP-10013) p 63 N89-11407	Performance Monitoring System [NASA-TP-2908] Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] MONTE CARLO METHOD  Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] MOON Status and future of lunar geoscience [NASA-SP-484] Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] A lunar far-side very low frequency array [NASA-CP-3039] MORPHOLOGY Influence of the deposition conditions on radiofrequence magnetron sputtered MoS2 films [NASA-TP-2994] MOTION Effect of motion cues during complex curved approact and landing tasks: A piloted simulation study [NASA-TP-2773] Drag measurements of blunt stores tangentially mounter on a flat plate at supersonic speeds [NASA-TP-2742] MULTIPHASE FLOW Mixing and Demixing Processes in Multiphase Flow Mixing and Demixing Processes in Multiphase Flow Mixing and Demixing Processes in Multiphase Flow
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6AI-4V and Ti-6AI-2Sn-4Zr-2Mo Itianium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738  MICROWAVE CIRCUITS Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  MICROWAVE EMISSION Propagation effects handbook for satellite systems design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system design [NASA-RP-1082(04)] p 34 N89-17060	(NASA-TP-3023) p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system (NASA-TP-2401) p 4 N87-17668  MISSILES  Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs (NASA-CP-2468) p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees (NASA-TP-2733) p 5 N87-23592  MISSION PLANNING Status and future of lunar geoscience (NASA-SP-484) p 77 N87-19322 Space Construction (NASA-CP-2490) p 25 N88-10870 Space station systems: A bibliography with indexes (NASA-SP-7056(05)) p 25 N88-13382 The 1987 Get Away Special Experimenter's symposium (NASA-CP-2500) p 22 N88-17691 The 1988 Goddard Conference on Space Applications of Artificial Intelligence (NASA-CP-3009) p 64 N88-30330 OEXP Analysis Tools Workshop (NASA-CP-1013) p 63 N89-11407 The 1989 Goddard Conference on Space Applications of Artificial Intelligence (NASA-CP-3033) p 64 N89-26578 Solar-Terrestrial Science Strategy Workshop	Performance Monitoring System [NASA-TP-2908] Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] MONTE CARLO METHOD Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) wit Monte Carlo results [NASA-TP-3021] MOON Status and future of lunar geoscience [NASA-SP-484] Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] A lunar far-side very low frequency array {NASA-CP-3039} MORPHOLOGY Influence of the deposition conditions on radiofrequenc magnetron sputtered MoS2 films [NASA-TP-2994] MOTION Effect of motion cues during complex curved approact and landing tasks: A piloted simulation study [NASA-TP-2773] MOUNTING Drag measurements of blunt stores tangentially mounter on a flat plate at supersonic speeds [NASA-TP-2742] MIXING and Demixing Processes in Multiphase Flow With Application to Propulsion Systems
NASA-SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS  Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738  MICROWAVE CIRCUITS  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  MICROWAVE EMISSION  Propagation effects handbook for satellite systems design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system design. A summary of propagation impairments on 50 to 100 GHz satellite links with techniques for system design.	(NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system (NASA-TP-2401) p 4 N87-17668  MISSILES Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs [NASA-CP-2468] p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p 5 N87-23592  MISSION PLANNING Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322 Space Construction [NASA-CP-2490] p 25 N88-10870 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-1382 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 24 N88-17691 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407 The 1989 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-30033] p 64 N89-26578 Solar-Terrestrial Science Strategy Workshop [NASA-CP-30048] p 73 N90-18329	Performance Monitoring System [NASA-TP-2908] Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] NONTE CARLO METHOD Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] NOON Status and future of lunar geoscience [NASA-SP-484] P 77 N87-1932 Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] A lunar far-side very low frequency array [NASA-CP-3039] NORPHOLOGY Influence of the deposition conditions on radiofrequence magnetron sputtered MoS2 films [NASA-TP-2794] NOTION Effect of motion cues during complex curved approact and landing tasks: A piloted simulation study [NASA-TP-2773] NOUNTING Drag measurements of blunt stores tangentially mounted on a flat plate at supersonic speeds [NASA-TP-2762] MULTIPHASE FLOW Mixing and Demixing Processes in Multiphase Flow With Application to Propulsion Systems [NASA-CP-3006] P 37 N89-1115
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6AI-4V and Ti-6AI-2Sn-4Zr-2Mo Itianium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738  MICROWAVE CIRCUITS Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  MICROWAVE EMISSION Propagation effects handbook for satellite systems design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system design [NASA-RP-1082(04)] p 34 N89-17060	(NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system (NASA-TP-2401) p 4 N87-17668  MISSILES  Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs (NASA-CP-2488) p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees (NASA-TP-2733) p 5 N87-23592  MISSION PLANNING  Status and future of lunar geoscience (NASA-SP-484) p 77 N87-19322  Space Construction (NASA-CP-2490) p 25 N88-10870  Space station systems: A bibliography with indexes (NASA-SP-7056(05)) p 25 N88-13382  The 1987 Get Away Special Experimenter's Symposium (NASA-CP-2500) p 22 N88-17691  The 1988 Goddard Conference on Space Applications of Artificial Intelligence (NASA-CP-3009) p 64 N88-30330  OEXP Analysis Tools Workshop (NASA-CP-3033) p 64 N89-26578  Solar-Terrestnal Science Strategy Workshop (NASA-CP-3048) p 73 N90-18329  MIXING	Performance Monitoring System [NASA-TP-2908] Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] MONTE CARLO METHOD  Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] MOON  Status and future of lunar geoscience [NASA-SP-484] Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] A lunar far-side very low frequency array [NASA-CP-3039] MORPHOLOGY Influence of the deposition conditions on radiofrequence magnetron sputtered MoS2 films [NASA-TP-2994] MOTION  Effect of motion cues during complex curved approact and landing tasks: A piloted simulation study [NASA-TP-2773] Drag measurements of blunt stores tangentially mounter on a flat plate at supersonic speeds [NASA-TP-2742] MULTIPHASE FLOW Mixing and Demixing Processes in Multiphase Flow With Application to Propulsion Systems [NASA-CP-3006] P 37 N89-1115. Constitutive Relationships and Models in Continuous
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] MICROWAVE ANTENNAS  Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications [NASA-TP-3016] microwave CIRCUITS  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  MICROWAVE EMISSION  Propagation effects handbook for satellite systems design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system design [NASA-RP-1082(04)] p 34 N89-17060  MICROWAVE EQUIPMENT  Digitally modulated bit error rate measurement system	(NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS  Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system (NASA-TP-2401) p 4 N87-17668  MISSILES  Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs (NASA-CP-2468) p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees (NASA-TP-2733) p 5 N87-23592  MISSION PLANNING Status and future of lunar geoscience (NASA-SP-484) p 77 N87-19322  Space Construction (NASA-CP-2490) p 25 N88-10870  Space station systems: A bibliography with indexes INASA-SP-7056(05) p 25 N88-13382  The 1987 Get Away Special Experimenter's Symposium (NASA-CP-2500) p 22 N88-17691  The 1988 Goddard Conference on Space Applications of Artificial Intelligence (NASA-CP-10013) p 64 N88-30330  OEXP Analysis Tools Workshop (NASA-CP-3003) p 64 N89-26578  Solar-Terrestrial Science Strategy Workshop (NASA-CP-3048) p 73 N90-18329  MIXING Mixing and Demixing Processes in Multiphase Flows	Performance Monitoring System [NASA-TP-2908] Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] NONTE CARLO METHOD Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] NOON Status and future of lunar geoscience [NASA-SP-484] P 77 N87-1932 Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] A lunar far-side very low frequency array [NASA-CP-3039] NORPHOLOGY Influence of the deposition conditions on radiofrequence magnetron sputtered MoS2 films [NASA-TP-2794] NOTION Effect of motion cues during complex curved approact and landing tasks: A piloted simulation study [NASA-TP-2773] NOUNTING Drag measurements of blunt stores tangentially mounted on a flat plate at supersonic speeds [NASA-TP-2762] MULTIPHASE FLOW Mixing and Demixing Processes in Multiphase Flow With Application to Propulsion Systems [NASA-CP-3006] P 37 N89-1115
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-2Sn-4Zr-2Mo Itanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS  Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738  MICROWAVE CIRCUITS  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  MICROWAVE EMISSION  Propagation effects handbook for satellite systems design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system design [NASA-TP-3082(04)] p 34 N89-17060  MICROWAVE EQUIPMENT  Digitally modulated bit error rate measurement system for microwave component evaluation [NASA-TP-2912] p 23 N89-28545	(NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system (NASA-TP-2401) p 4 N87-17668  MISSILES Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs (NASA-CP-2488) p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees (NASA-TP-2733) p 5 N87-23592  MISSION PLANNING Status and future of lunar geoscience (NASA-SP-484) p 77 N87-19322  Space Construction (NASA-CP-2490) p 25 N88-10870  Space station systems: A bibliography with indexes (NASA-SP-7056(05)) p 25 N88-13382  The 1987 Get Away Special Experimenter's Symposium (NASA-CP-2500) p 22 N88-17691  The 1988 Goddard Conference on Space Applications of Artificial Intelligence (NASA-CP-3009) p 64 N88-30330  OEXP Analysis Tools Workshop (NASA-CP-3013) p 63 N89-11407  The 1989 Goddard Conference on Space Applications of Artificial Intelligence (NASA-CP-3033) p 64 N89-26578  Solar-Terrestnal Science Strategy Workshop (NASA-CP-3048) mixing  Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems (NASA-CP-3006) p 37 N89-11153	Performance Monitoring System [NASA-TP-2908] Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] MONTE CARLO METHOD  Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] MOON Status and future of lunar geoscience [NASA-SP-484] Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] A lunar far-side very low frequency array [NASA-CP-3039] MORPHOLOGY Influence of the deposition conditions on radiofrequence magnetron sputtered MoS2 films [NASA-TP-2994] MOTION Effect of motion cues during complex curved approact and landing tasks: A piloted simulation study [NASA-TP-2773] Drag measurements of blunt stores tangentially mounter on a flat plate at supersonic speeds [NASA-TP-2742] MULTIPHASE FLOW Mixing and Demixing Processes in Multiphase Flow With Application to Propulsion Systems [NASA-CP-3006] P 37 N89-1115 Constitutive Relationships and Models in Continuour Theories of Multiphase Flows conferences [NASA-CP-3006] P 38 N90-1038
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-25n-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS  Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738  MICROWAVE CIRCUITS  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  MICROWAVE EMISSION  Propagation effects handbook for satellite systems design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system design. [NASA-RP-1082(04)] p 34 N89-17060  MICROWAVE EQUIPMENT  Digitally modulated bit error rate measurement system for microwave component evaluation [NASA-TP-2912] p 23 N89-28545  MICROWAVE LANDING SYSTEMS  Effect of motion cues during complex curved approach	NASA-TP-3023  p 68 N90-25673	Performance Monitoring System [NASA-TP-2908] p 20 N89-2346 Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] p 53 N90-1722 MONTE CARLO METHOD  Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] p 80 N90-2929 MOON  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-1932; Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] p 73 N87-2590 A lunar far-side very low frequency array (NASA-CP-3039) morphology Influence of the deposition conditions on radiofrequency magnetron sputtered MoS2 films [NASA-TP-2994] p 33 N90-2121; MOTION  Effect of motion cues during complex curved approact and landing tasks: A piloted simulation study [NASA-TP-2773] p 14 N88-1248 MOUNTING  Drag measurements of blunt stores tangentially mounter on a flat plate at supersonic speeds [NASA-TP-2742] p 6 N87-2762 MULTIPHASE FLOW  Mixing and Demixing Processes in Multiphase Flow With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-1115 Constitutive Relationships and Models in Continuor Theories of Multiphase Flows conferences {NASA-CP-3047} p 38 N90-1038 MULTIPPOCESSING (COMPUTERS) Partitioning strategy for efficient nonlinear finite element
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6AI-4V and Ti-6AI-2Br-4Zr-2Mo litianium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738  MICROWAVE CIRCUITS Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  MICROWAVE EMISSION Propagation effects handbook for satellite systems design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system design [NASA-RP-1082(04)] p 34 N89-17060  MICROWAVE EQUIPMENT Digitally modulated bit error rate measurement system for microwave component evaluation [NASA-TP-2912] p 23 N89-28545  Effect of motion cues during complex curved approach and landing tasks: A piloted simulation study	(NASA-TP-3023) p 68 N90-25673  MISSILE CONFIGURATIONS Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system (NASA-TP-2401) p 4 N87-17668  MISSILES Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs [NASA-CP-2468] p 55 N87-22341 Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p 5 N87-23592  MISSION PLANNING Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322 Space Construction [NASA-CP-2490] p 25 N88-10870 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 24 N88-17691 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 OEXP Analysis Tools Workshop [NASA-CP-3009] p 64 N89-26578 Solar-Terrestrial Science Strategy Workshop [NASA-CP-3048] p 73 N90-18329  MIXING Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153  MODAL RESPONSE Sensitivity Analysis in Engineering	Performance Monitoring System [NASA-TP-2908] Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] MONTE CARLO METHOD Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] MOON Status and future of lunar geoscience [NASA-SP-484] Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] A lunar far-side very low frequency array [NASA-CP-3039] MORPHOLOGY Influence of the deposition conditions on radiofrequency magnetron sputtered MoS2 films [NASA-TP-2994] MOTION Effect of motion cues during complex curved approact and landing tasks: A piloted simulation study [NASA-TP-2773] MOUNTING Drag measurements of blunt stores tangentially mounted on a flat plate at supersonic speeds [NASA-TP-2742] MULTIPHASE FLOW Mixing and Demixing Processes in Multiphase Flow With Application to Propulsion Systems [NASA-CP-3006] Constitutive Relationships and Models in Continuour Theories of Multiphase Flows
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and Ti-6Al-25n-42r-2Mo Itanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS  Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738  MICROWAVE CIRCUITS  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-375] p 34 N89-17767  MICROWAVE EMISSION  Propagation effects handbook for satellite systems design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system for microwave component evaluation [NASA-TP-2912] p 23 N89-17060  MICROWAVE EQUIPMENT  Digitally modulated bit error rate measurement system for microwave component evaluation [NASA-TP-2912] p 23 N89-28545  MICROWAVE LANDING SYSTEMS  Effect of motion cues during complex curved approach and landing tasks: A piloted simulation study [NASA-TP-2773] p 14 N88-12480	NASA-TP-3023  p 68 N90-25673	Performance Monitoring System [NASA-TP-2908] Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] MONTE CARLO METHOD  Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] MOON  Status and future of lunar geoscience [NASA-SP-484] Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] P 77 N87-1932; Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] NORHOLOGY Influence of the deposition conditions on radiofrequence magnetron sputtered MoS2 films [NASA-TP-2994] MOTION Effect of motion cues during complex curved approact and landing tasks: A piloted simulation study [NASA-TP-2994] MOUNTING Drag measurements of blunt stores tangentially mounted on a flat plate at supersonic speeds [NASA-TP-2772] MULTIPHASE FLOW Mixing and Demixing Processes in Multiphase Flow With Application to Propulsion Systems [NASA-CP-3006] P 37 N89-1115 Constitutive Relationships and Models in Continuum Theories of Multiphase Flows conferences [NASA-CP-3007] Partitioning strategy for efficient nonlinear finite element dynamic analysis on multiprocessor computers [NASA-TP-2850] P 5 N89-1617
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6AI-4V and Ti-6AI-2Br-4Zr-2Mo litianium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738  MICROWAVE CIRCUITS Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  MICROWAVE EMISSION Propagation effects handbook for satellite systems design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system design [NASA-RP-1082(04)] p 34 N89-17060  MICROWAVE EQUIPMENT Digitally modulated bit error rate measurement system for microwave component evaluation [NASA-TP-2912] p 23 N89-28545  Effect of motion cues during complex curved approach and landing tasks: A piloted simulation study	(NASA-TP-3023) p 68 N90-25673  MISSILE CONFIGURATIONS Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system (NASA-TP-2401) p 4 N87-17668  MISSILES Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs [NASA-CP-2468] p 55 N87-22341 Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p 5 N87-23592  MISSION PLANNING Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322 Space Construction [NASA-CP-2490] p 25 N88-10870 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 24 N88-17691 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 64 N88-30330 OEXP Analysis Tools Workshop [NASA-CP-3009] p 64 N89-26578 Solar-Terrestrial Science Strategy Workshop [NASA-CP-3048] p 73 N90-18329  MIXING Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems [NASA-CP-3006] p 37 N89-11153  MODAL RESPONSE Sensitivity Analysis in Engineering	Performance Monitoring System [NASA-TP-2908] Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] MONTE CARLO METHOD Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRN) with Monte Carlo results [NASA-TP-3021] MOON Status and future of lunar geoscience [NASA-SP-484] Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] A lunar far-side very low frequency array [NASA-CP-3039] MORPHOLOGY Influence of the deposition conditions on radiofrequency magnetron sputtered MoS2 films [NASA-TP-2994] MOTION Effect of motion cues during complex curved approact and landing tasks: A piloted simulation study [NASA-TP-2773] MOUNTING Drag measurements of blunt stores tangentially mounted on a flat plate at supersonic speeds [NASA-TP-2742] MULTIPHASE FLOW Mixing and Demixing Processes in Multiphase Flow With Application to Propulsion Systems [NASA-CP-3006] Constitutive Relationships and Models in Continuour Theories of Multiphase Flows
NASA/SDIO Space Environmental Effects on Materials Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547  MICROSTRIP TRANSMISSION LINES  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  MICROSTRUCTURE  Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6AI-4V and Ti-6AI-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644  MICROWAVE AMPLIFIERS  Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991  MICROWAVE ANTENNAS  Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738  MICROWAVE CIRCUITS  Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  MICROWAVE EMISSION  Propagation effects handbook for satellite systems design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system for microwave component evaluation [NASA-TP-2912]  MICROWAVE LANDING SYSTEMS  Effect of motion cues during complex curved approach and landing tasks: A poloted simulation study [NASA-TP-2773]  MICROWAVE POWER BEAMING	(NASA-TP-3023] p 68 N90-25673  MISSILE CONFIGURATIONS Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system (NASA-TP-2401) p 4 N87-17668  MISSILES Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs (NASA-CP-2468) p 55 N87-22341  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees (NASA-TP-2733) p 5 N87-23592  MISSION PLANNING Status and future of lunar geoscience (NASA-SP-484) p 77 N87-19322 Space Construction (NASA-CP-2490) p 25 N88-10870 Space station systems: A bibliography with indexes (NASA-SP-7056(05)) p 25 N88-13382 The 1987 Get Away Special Experimenter's Symposium (NASA-CP-2500) p 22 N88-17691 The 1988 Goddard Conference on Space Applications of Artificial Intelligence (NASA-CP-3009) p 64 N88-30330 OEXP Analysis Tools Workshop (NASA-CP-30013) p 64 N89-26578 Solar-Terrestrial Science Strategy Workshop (NASA-CP-3004) p 73 N90-18329  MIXING Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems (NASA-CP-3005) p 37 N89-11153  MODAL RESPONSE Sensitivity Analysis in Engineering (NASA-CP-2457) p 43 N87-18855 Dynamic characteristics of a vibrating beam with penodic	Performance Monitoring System [NASA-TP-2908] Nimbus 7 solar backscatter ultraviolet (SBUV) ozon products user's guide [NASA-RP-1234] NONTE CARLO METHOD Comparison of dose estimates using the buildup-factor method and a Baryon transport code (BRYNTRIN) with Monte Carlo results [NASA-TP-3021] NOON Status and future of lunar geoscience [NASA-SP-484] Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] A lunar far-side very low frequency array {NASA-CP-3039} NORPHOLOGY Influence of the deposition conditions on radiofrequency magnetron sputtered MoS2 films [NASA-TP-2994] NOTION Effect of motion cues during complex curved approact and landing tasks: A piloted simulation study [NASA-TP-2994] NOUNTING Drag measurements of blunt stores tangentially mounter on a flat plate at supersonic speeds [NASA-TP-2742] NULTIPHASE FLOW Mixing and Demixing Processes in Multiphase Flow With Application to Propulsion Systems [NASA-CP-3006] Constitutive Relationships and Models in Continuum Theories of Multiphase Flows conferences {NASA-CP-3047} MULTIPHOCESSING (COMPUTERS) Partitioning strategy for efficient nonlinear finite element dynamic analysis on multiprocessor computers [NASA-TP-2850] P 45 N89-1617 Parallel Gaussian elimination of a block tridiagonal matri

NASA Workshop on Computational Structural	The NASTRAN demonstration problem manual, level	Oxidation characteristics of Ti-14Al-21Nb ingot alloy
Mechanics 1987, part 1 {NASA-CP-10012-PT-1} p 46 N89-29773	17.5 [NASA-SP-224(05)] p 42 N81-71592	[NASA-TP-3012] p 31 N90-25206 NITRIC ACID
MULTISPECTRAL BAND SCANNERS	The NASTRAN programmers manual, level 17.5	Description of data on the Nimbus 7 LIMS map archive
LANDSAT-4 and LANDSAT-5 multispectral scanner	[NASA-SP-223(05)] p 42 N81-71594	tape: Ozone and nitric acid
coherent noise characterization and removal [NASA-TP-2595-REV] p 49 N89-12114	NATURAL GAS A simplified method for determining heat of combustion	[NASA-TP-2625] p 51 N87-13022 NOISE INTENSITY
User's guide for the Nimbus 7 Scanning Multichannel	of natural gas	Effects of background noise on total noise annoyance
Microwave Radiometer (SMMR) CELL-ALL tape	[NASA-TP-2682] p 39 N87-20514	[NASA-TP-2630] p 66 N87-14120
(NASA-RP-1210) p 56 N89-14648	NAVIER-STOKES EQUATION  Multiscale turbulence effects in supersonic jets	Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration
A1	exhausting into still air	[NASA-TP-2782] p 67 N88-17441
N	[NASA-TP-2707] p 36 N87-24672	Annoyance caused by advanced turboprop aircraft
Nacelles	Supercomputing in Aerospace (NASA-CP-2454) p 5 N87-25998	flyover noise: Counter-rotating-propeller configuration [NASA-TP-3027] p 67 N90-29166
Integration effects of pylon geometry on a high-wing	Numerical simulation of scramjet inlet flow fields	NOISE POLLUTION
transport airplane	[NASA-TP-2517] p 8 N88-23735	Effects of background noise on total noise annoyance
[NASA-TP-2877] p 9 N89-15888 NASA PROGRAMS	Surface flow and heating distributions on a cylinder in near wake of Aeroassist Flight Experiment (AFE)	[NASA-TP-2630] p 66 N87-14120 FAA/NASA En Route Noise Symposium
Management: A bibliography for NASA managers	configuration at incidence in Mach 10 Air	[NASA-CP-3067] p 67 N90-24853
(supplement 21) [NASA-SP-7500(21)] p 69 N87-20833	[NASA-TP-2954] p 38 N90-14493 NEAR WAKES	NOISE PREDICTION (AIRCRAFT)
[NASA-SP-7500(21)] p 69 N87-20833 NASA Patent Abstracts Bibliography: A continuing	Surface flow and heating distributions on a cylinder in	Status of sonic boom methodology and understanding [NASA-CP-3027] p 9 N89-23415
bibliography. Section 1: Abstracts (supplement 31)	near wake of Aeroassist Flight Experiment (AFE)	Airfoil self-noise and prediction
[NASA-SP-7039(31)-Sect-1] p 70 N87-25023 NASA Patent Abstracts Bibliography: A continuing	configuration at incidence in Mach 10 Air [NASA-TP-2954] p 38 N90-14493	[NASA-RP-1218] p 67 N89-25673
bibliography. Section 2: Indexes (supplement 31)	NEODYMIUM LASERS	NOISE REDUCTION  Measured and calculated acoustic attenuation rates of
[NASA-SP-7039(31)-SECT-2] p 70 N87-26689	Analysis of Nd3 +:glass, solar-pumped, high-powr laser	tuned resonator arrays for two surface impedance
NASA Thesaurus Supplement: A four part cumulative supplement to the 1985 edition of the NASA Thesaurus	systems [NASA-TP-2905] p 40 N89-17855	distribution models with flow
(supplement 3)	NEPTUNE ATMOSPHERE	[NASA-TP-2766] p 67 N88-17440 LANDSAT-4 and LANDSAT-5 multispectral scanner
[NASA-SP-7053-SUPPL-3] p 70 N87-27557	The Jovian Atmospheres	coherent noise characterization and removal
NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32)	[NASA-CP-2441] p 77 N87-17598 NEURAL NETS	[NASA-TP-2595-REV] p 49 N89-12114
[NASA-SP-7039(32)-SECT-1] p 70 N88-15732	First Annual Workshop on Space Operations Automation	Fuselage design for a specified Mach-sliced area distribution
Into the thermosphere: The atmosphere explorers	and Robotics (SOAR 87)	[NASA-TP-2975] p 16 N90-18385
[NASA-SP-490] p 52 N88-18084 NASA Patent Abstracts Bibliography: A continuing	[NASA-CP-2491] p 61 N88-17206 NEWTON METHODS	NOISE TOLERANCE  Effects of background noise on total noise annoyance
bibliography. Section 2: Indexes (supplement 32)	Application of Newton's method to the postbuckling of	[NASA-TP-2630] p 66 N87-14120
[NASA-SP-7039(32)-SECT-2] p 70 N88-18511	rings under pressure loadings	Annoyance caused by advanced turboprop aircraft
NASA historical data book. Volume 1: NASA resources 1958-1968	[NASA-TP-2941] p 46 N89-29811 NICKEL CADMIUM BATTERIES	flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p 67 N88-17441
[NASA-SP-4012-VOL-1] p 80 N88-25428	The 1985 Goddard Space Flight Center Battery	Evaluation of the ride quality of a light twin engine
NASA historical data book. Volume 2: Programs and	Workshop	airplane using a ride quality meter
projects 1958-1968 [NASA-SP-4012-VOL-2] p 80 N88-25429	[NASA-CP-2434] p 34 N87-11072 The 1986 Goddard Space Flight Center Battery	[NASA-TP-2913] p 2 N89-22568 FAA/NASA En Route Noise Symposium
NASA historical data book. Volume 3: Programs and	Workshop	[NASA-CP-3067] p 67 N90-24853
projects 1969-1978	[NASA-CP-2486] p 35 N88-11021	Annoyance caused by advanced turboprop aircraft
[NASA-SP-4012-VOL-3] p 81 N88-25430 Technology for Future NASA Missions: Civil Space	NICKEL HYDROGEN BATTERIES The 1985 Goddard Space Flight Center Battery	flyover noise: Counter-rotating-propeller configuration [NASA-TP-3027] p 67 N90-29166
Technology Initiative (CSTI) and Pathfinder	Workshop	NONDESTRUCTIVE TESTS
[NASA-CP-3016] p 22 N89-11760	[NASA-CP-2434] p 34 N87-11072	Low-cost FM oscillator for capacitance type of blade
Issues in NASA program and project management [NASA-SP-6101] p 69 N89-12479	The 1986 Goddard Space Flight Center Battery Workshop	tip clearance measurement system [NASA-TP-2746] p 17 N87-24481
NASA Patent Abstracts Bibliography: A continuing	[NASA-CP-2486] p 35 N88-11021	Electronics reliability and measurement technology
bibliography. Section 1: Abstracts (supplement 35) [NASA-SP-7039(35)-SECT-1] p 71 N89-25775	Space Electrochemical Research and Technology (SERT), 1989	[NASA-CP-2472] p 42 N87-27204
[NASA-SP-7039(35)-SECT-1] p 71 N89-25775 Orders of magnitude: A history of the NACA and NASA,	[NASA-CP-3056] p 50 N90-20454	Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST
1915-1990	NIMBUS 6 SATELLITE	[NASA-CP-3003-VOL-3] p 44 N88-22408
[NASA-SP-4406] p.81 N89-26805 NASA Patent Abstracts Bibliography: A continuing	Atlas of wide-field-of-view outgoing longwave radiation derived from Nimbus 6 Earth radiation budget data set,	Structural Ceramics (NASA-CP-2427) p 31 N88-23872
bibliography. Section 2: Indexes (supplement 35)	July 1975 to June 1978	[NASA-CP-2427] p 31 N88-23872 Thermal Barrier Coatings. Abstracts and figures
[NASA-SP-7039(35)-SECT-2] p 71 N89-29264	[NASA-RP-1185] p 55 N87-26489	[NASA-CP-10019] p 31 N89-13642
Issues in NASA program and project management [NASA-SP-6101(02)] p 69 N90-13277	NIMBUS 7 SATELLITE  Description of data on the Nimbus 7 LIMS map archive	NONEQUILIBRIUM FLOW  Conservation equations and physical models for
Solar-Terrestrial Science Strategy Workshop	tape: Ozone and nitric acid	hypersonic air flows in thermal and chemical
[NASA-CP-3048] p 73 N90-18329	[NASA-TP-2625] p 51 N87-13022	nonequilibrium
National Educators' Workshop: Update 1989 Standard Experiments in Engineering Materials Science and	Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide	[NASA-TP-2867] p 38 N89-16115 A review of reaction rates and thermodynamic and
Technology	(NASA-TP-2761) p 56 N88-14572	transport properties for an 11-species air model for
[NASA-CP-3074] p 28 N90-24350	Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral scan solar irradiance and Earth radiance product user's	chemical and thermal nonequilibrium calculations to 30000
FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853	guide	K [NASA-RP-1232] p 38 N90-27064
NASA Patent Abstracts Bibliography: A continuing	[NASA-RP-1199] p 48 N88-17096	NONEQUILIBRIUM THERMODYNAMICS
bibliography. Section 1: Abstracts (supplement 37)	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas	Conservation equations and physical models for
[NASA-SP-7039(37)-SECT-1] p 71 N90-25698 NASA Patent Abstracts Bibliography: A continuing	[NASA-RP-1201] p 49 N88-20714	hypersonic air flows in thermal and chemical nonequilibrium
bibliography. Section 2: Indexes (supplement 37)	User's guide for the Nimbus 7 Scanning Multichannel	[NASA-TP-2867] p 38 N89-16115
[NASA-SP-7039(37)-SECT-2] p 71 N90-26700 The MSFC/UAH Data Management Symposium	Microwave Radiometor (SMMR) CELL-ALL tape [NASA-RP-1210] p 56 N89-14648	A review of reaction rates and thermodynamic and transport properties for an 11-species air model for
[NASA-CP-2040] p 62 N78-74659	Nimbus-7 data product summary	chemical and thermal nonequilibrium calculations to 30000
NASTRAIL	[NASA-RP-1215] p 48 N89-22152	K
Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p 43 N87-27231	Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide	[NASA-RP-1232] p 38 N90-27064 NONLINEAR EQUATIONS
Sixteenth NASTRAN (R) Users' Colloquium	[NASA-RP-1234] p 53 N90-17227	Some path-following techniques for solution of nonlinear
(NASA-CP-2505) p 44 N88-20652	Atlas of albedo and absorbed solar radiation derived	equations and comparison with parametric differentiation
Lewis Structures Technology, 1988. Volume 1: Structural Dynamics	from Nimbus 7 Earth radiation budget data set, November 1978 to October 1985	[NASA-TP-2654] p 64 N87-14054 NONLINEAR PROGRAMMING
[NASA-CP-3003-VOL-1] p 44 N88-23226	[NASA-RP-1231] p 57 N90-17233	Nonlinear programming extensions to rational function
Seventeenth NASTRAN (R) Users' Colloquium	Nimbus-7 TOMS Antarctic ozone atlas: August through	approximation methods for unsteady aerodynamic forces
[NASA-CP-3029] p 45 N89-22940 Eighteenth NASTRAN (R) Users' Colloquium	November, 1989 [NASA-RP-1237] p 58 N90-23837	[NASA-TP-2776] p 15 N88-24623 NONLINEAR SYSTEMS
[NASA-CP-3069] p 47 N90-24637	NIOBIUM ALLOYS	Interactions of Tollmien-Schlichting waves and Dean
Ceramics Analysis and Reliability Evaluation of	Emittance, catalysis, and dynamic oxidation of	vortices. Comparison of direct numerical simulation and
Structures (CARES). Users and programmers manual [NASA-TP-2916] p 47 N90-28099	Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248	a weakly nonlinear theory [NASA-TP-2919] p 10 N89-25118

NORMAL SHOCK WAVES	NUCLEATION	OPTICAL MEASUREMENT
Measured and predicted aerodynamic coefficients and shock shapes for Aeroassist Flight Experiment (AFE)	Finite-rate water condensation in combustion-heated wind tunnels	Optical measurement of propeller blade deflections {NASA-TP-2841} p 39 N88-28286
configuration	[NASA-TP-2833] p 22 N88-28075	OPTICAL PROPERTIES
[NASA-TP-2956] p 11 N90-14185	Gas-Grain Simulation Facility: Fundamental studies of	FIRE Science Results 1989
NORMALITY A general formalism for phase space calculations	particle formation and interactions, Volume 1: Executive summary and overview	[NASA-CP-3079] p 58 N90-28224 OPTICAL PYROMETERS
[NASA-TP-2843] p 66 N89-14053	[NASA-CP-10026-VOL-1] p 59 N89-24022	Noncontact Temperature Measurement
NOSE WHEELS	NUCLEI (NUCLEAR PHYSICS)	[NASA-CP-2503] p 32 N88-23895
Modeling and analysis of the space shuttle nose-gear tire with semianalytic finite elements	Possible complementary cosmic-ray systems: Nuclei	OPTICAL RADAR Thirteenth International Laser Radar Conference
(NASA-TP-2977) p 42 N90-19595	and antinuclei [NASA-TP-2741] p 68 N87-24977	[NASA-CP-2431] p 39 N87-10263
NOZZLE DESIGN Static investigation of a two-dimensional	NUCLEONS	Airborne lidar measurements of El Chichon stratospheric
convergent-divergent exhaust nozzle with multiaxis	Kaon-nucleus scattering	aerosols, May 1983 [NASA-RP-1172] p.51 N87-11358
thrust-vectoring capability	[NASA-TP-2920] p 80 N89-25103 NUMERICAL ANALYSIS	NASA/MSFC FY-85 Atmospheric Processes Research
[NASA-TP-2973] p 11 N90-19193 NOZZLE EFFICIENCY	Jet model for slot film cooling with effect of free-stream	Review [NASA-CP-2402] p 55 N87-13043
Aeropropulsive characteristics of isolated combined	and coolant turbulence [NASA-TP-2655] p 36 N87-18034	Airborne lidar measurements of El Chichon stratospheric
turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p.8 N88-23757	[NASA-TP-2655] p 36 N87-18034 A second-order accurate kinetic-theory-based method	aerosols, January 1984
[NASA-TP-2814] p 8 N88-23757 Static investigation of a two-dimensional	for inviscid compressible flows	[NASA-RP-1175] p 51 N87-20663 Airborne Wind Shear Detection and Warning Systems:
convergent-divergent exhaust nozzle with multiaxis	[NASA-TP-2613] p 36 N87-18783	First Combined Manufacturers' and Technologists'
thrust-vectoring capability [NASA-TP-2973] p 11 N90-19193	On minimizing the number of calculations in design-by-analysis codes	Conference [NASA-CP-10006] p 12 N88-17616
Internal performance of two nozzles utilizing gimbal	[NASA-TP-2706] p 5 N87-23586	Forty-eight-inch lidar aerosol measurements taken at the
concepts for thrust vectoring	NUMERICAL INTEGRATION	Langley Research Center, May 1974 to December 1987
[NASA-TP-2991] p 11 N90-19200 NOZZLE FLOW	A transient response method for linear coupled substructures	[NASA-RP-1209] p 52 N88-29234 OPTIMAL CONTROL
Static internal performance of single-expansion-ramp	[NASA-TP-2926] p 23 N90-13444	Singular perturbations and time scales in the design of
nozzles with thrust-vectoring capability up to 60 deg [NASA-TP-2364] p 3 N87-10839		digital flight control systems [NASA-TP-2844] p 19 N89-12569
Experimental evaluation of heat transfer on a 1030:1	0	Optimized resolved rate control of
area ratio rocket nozzle		seven-degree-of-freedom Laboratory Telerobotic
[NASA-TP-2726] p 27 N87-25424 Aerodynamics in ground effect and predicted landing	OBLIQUE WINGS	Manipulator (LTM) with application to three-dimensional graphics simulation
ground roll of a fighter configuration with a	In-flight total forces, moments and static aeroelastic characteristics of an oblique-wing research airplane	[NASA-TP-2938] p 64 N90-10618
secondary-nozzle thrust reverser	[NASA-TP-2224] p 19 N87-10103	OPTIMIZATION
[NASA-TP-2834] p 8 N88-29752 Effect of tail size reductions on longitudinal aerodynamic	Flight-determined aerodynamic derivatives of the AD-1 oblique-wing research airplane	Recent Experiences in Multidisciplinary Analysis and Optimization, part 1
characteristics of a three surface F-15 model with	[NASA-TP-2222] p 19 N87-10871	[NASA-CP-2327-PT-1] p 13 N87-11717
nonaxisymmetric nozzles [NASA-TP-3036] p 11 N90-25938	Flight characteristics of the AD-1 oblique-wing research	Recent Experiences in Multidisciplinary Analysis and
NOZZLE GEOMETRY	aircraft (NASA-TP-2223) p 19 N87-18570	Optimization, part 2 [NASA-CP-2327-PT-2] p 13 N87-11750
Effect of port corner geometry on the internal	A piloted evaluation of an oblique-wing research aircraft	Sensitivity Analysis in Engineering
performance of a rotating-vane-type thrust reverser [NASA-TP-2624] p 3 N87-12541	motion simulation with decoupling control laws [NASA-TP-2874] p 20 N89-15930	[NASA-CP-2457] p 43 N87-18855 A study to evaluate STS heads-up ascent trajectory
Effects of empennage surface location on aerodynamic	Model control of an oblique wing aircraft	performance employing a minimum-Hamiltonian
characteristics of a twin-engine afterbody model with nonaxisymmetric nozzles	[NASA-TP-2898] p 20 N89-16845	optimization strategy [NASA-TP-2793] p 23 N88-15820
[NASA-TP-2392] p 14 N87-17693	OCEAN SURFACE Summary of along-track data from the earth radiation	Nonlinear programming extensions to rational function
Experimental thrust performance of a high-area-ratio	budget satellite for several representative ocean regions	approximation methods for unsteady aerodynamic forces
rocket nozzle (NASA-TP-2720) p 26 N87-20381	[NASA-RP-1206] p 56 N89-14634 OCEANOGRAPHIC PARAMETERS	[NASA-TP-2776] p 15 N88-24623 Validation of a pair of computer codes for estimation
Effect of a trade between boattail angle and wedge size	Arctic Sea ice, 1973-1976: Satellite passive-microwave	and optimization of subsonic aerodynamic performance
on the performance of a nonaxisymmetric wedge nozzle INASA-TP-27171 p.5 N87-23593	observations	of simple hinged-flap systems for thin swept wings [NASA-TP-2828] p 8 N89-10024
Aeropropulsive characteristics of isolated combined	[NASA-SP-489] p 58 N87-24870 OCTANES	A closed-form trim solution yielding minimum trim drag
turbojet/ramjet nozzles at Mach numbers from 0 to 1.20	Velocity profiles in laminar diffusion flames	for airplanes with multiple longitudinal-control effectors
[NASA-TP-2814] p 8 N88-23757 Internal performance of two negzles utilizing gimbal	[NASA-TP-2596] p 36 N87-18035 OILS	[NASA-TP-2907] p 20 N89-23468 Recent Advances in Multidisciplinary Analysis and
concepts for thrust vectoring	In-flight surface oil-flow photographs with comparisons	Optimization, part 1
[NASA-TP-2991] p 11 N90-19200 Effect of tail size reductions on longitudinal aerodynamic	to pressure distribution and boundary-layer data	[NASA-CP-3031-PT-1] p 15 N89-25146 Recent Advances in Multidisciplinary Analysis and
characteristics of a three surface F-15 model with	[NASA-TP-2395] p 4 N87-20966 OPEN CLUSTERS	Optimization, part 2
nonaxisymmetric nozzles	Catalog of open clusters and associated interstellar	[NASA-CP-3031-PT-2] p 15 N89-25173
[NASA-TP-3036] p 11 N90-25938  NOZZLE THRUST COEFFICIENTS	matter (NASA-RP-1202) p 76 N88-29652	Recent Advances in Multidisciplinary Analysis and Optimization, part 3
Comparison of wind tunnel and flight test afterbody and	Commentary on interstellar matter associated with 18	[NASA-CP-3031-PT-3] p 15 N89-25201
nozzle pressures for a twin-jet fighter aircraft at transonic	open clusters	ORBIT CALCULATION
speeds [NASA-TP-2588] p 6 N88-10765	[NASA-RP-1229] p 77 N89-27612 <b>OPENINGS</b>	An economical semi-analytical orbit theory for micro-computer applications
NOZZLES	Buckling and postbuckling behavior of square	[NASA-TP-2811] p 66 N89-14052
Effects of afterbody boattail design and empennage	compression-loaded graphite-epoxy plates with circular cutouts	Flight Mechanics/Estimation Theory Symposium
arrangement on aeropropulsive characteristics of a twin-engine fighter model at transonic speeds	[NASA-TP-3007] p 29 N90-26077	[NASA-CP-2002] p 22 N78-76855 ORBIT PERTURBATION
[NASA-TP-2704] p.4 N87-21873	Buckling and postbuckling behavior of	An economical semi-analytical orbit theory for
Effect of empennage arrangement on single-engine	compression-loaded isotropic plates with cutouts [NASA-TP-3024] p 47 N90-28859	micro-computer applications [NASA-TP-2811] p 66 N89-14052
nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 6 N88-10771	OPERATING SYSTEMS (COMPUTERS)	ORBIT TRANSFER VEHICLES
Aeropropulsion '87, Session 3: Internal Fluid Mechanics	Sixth Annual Users' Conference Transportable Applications Executive (TAE)	Technology for Future NASA Missions: Civil Space
Research [NASA-CP-10003-SESS-3] p 18 N88-15790	[NASA-CP-2463] p 62 N87-23156	Technology Initiative (CSTI) and Pathfinder [NASA-CP-3016] p 22 N89-11760
NUCLEAR FUSION	OPERATING TEMPERATURE	ORBITAL MANEUVERS
Lunar Helium-3 and Fusion Power	Comparison of predicted and measured temperatures of UH-60A helicopter transmission	Interactive orbital proximity operations planning
[NASA-CP-10018] p 69 N89-14842	[NASA-TP-2911] p 41 N89-24607	system [NASA-TP-2839] p 61 N89-18039
Nuclear techniques in studies of condensed matter	Diode laser satellite systems for beamed power transmission	ORBITAL MECHANICS
(NASA-RP-1195) p 68 N88-13015	[NASA-TP-2992] p 40 N90-24585	Compilation of methods in orbital mechanics and solar
NUCLEAR SCATTERING	OPERATOR PERFORMANCE	geometry [NASA-RP-1204] p 52 N89-10420
Elkonal solutions to optical model coupled-channel equations	Mental-State Estimation, 1987 [NASA-CP-2504] p 60 N88-23370	Flight Mechanics/Estimation Theory Symposium 1988
(NASA-TP-2830) p 68 N88-30402	OPTICAL DATA PROCESSING	[NASA-CP-3011] p 23 N89-15934
Kaon-nucleus scattering (NASA-TP-2920) p 80 N89-25103	Computer Sciences and Data Systems, volume 2 (NASA-CP-2459-VOL-2) p 62 N87-19932	Flight Mechanics/Estimation Theory Symposium, 1989 [NASA-CP-3050] p 23 N90-13413
11. E0501 POU 1709-E0103	1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	(a. a. a.a.)

ORBITAL POSITION ESTIMATION Flight Mechanics/Estimation Theory Symposium	Present state of knowledge of the upper atmosphere 1990: An assessment report	The effectiveness of vane-alleron excitation in the experimental determination of flutter speed by parameter
[NASA-CP-2002] p 22 N78-76855	[NASA-RP-1242] p 54 N90-28929	identification
ORGANS Improved model for solar cosmic ray exposure in manned	OZONE DEPLETION Scientific and Operational Requirements for TOMS	[NASA-TP-2971] p 16 N90-15100 PARTIAL DIFFERENTIAL EQUATIONS
Earth orbital flights	Data	Solution of elliptic partial differential equations by fast
[NASA-TP-2987] p 80 N90-25031 ORIFICE FLOW	[NASA-CP-2497] p 47 N88-13774 The 1987 Airborne Antarctic Ozone Experiment: The	Poisson solvers using a local relaxation factor. 2: Two-step
Qualitative evaluation of a flush air data system at	Nimbus-7 TOMS data atlas	method [NASA-TP-2530] p 64 N87-14918
transonic speeds and high angles of attack	[NASA-RP-1201] p 49 N88-20714	PARTICLE COLLISIONS
[NASA-TP-2716] p 14 N87-29497 ORTHOTROPIC PLATES	Present state of knowledge of the upper atmosphere 1988: An assessment report	Doubly differential cross sections for galactic heavy-ion fragmentation
Buckling and postbuckling behavior of square	[NASA-RP-1208] p 52 N88-29233	[NASA-TP-2659] p 68 N87-17487
compression-loaded graphite-epoxy plates with circular cutouts	Polar Ozone Workshop. Abstracts [NASA-CP-10014] p 51 N89-14503	Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103
[NASA-TP-3007] p 29 N90-26077	The 1988 Antarctic ozone monitoring Nimbus-7 TOMS	Calculation of two-neutron multiplicity in photonuclear
OSCILLATIONS Rapid Fluctuations in Solar Flares	data atlas [NASA-RP-1225] p 57 N89-28983	reactions
(NASA-CP-2449) p 79 N87-21785	Nimbus-7 TOMS Antarctic ozone atlas: August through	[NASA-TP-2968] p 68 N90-14890 PARTICLE EMISSION
Calculation of viscous effects on transonic flow for	November, 1989	Calculation of two-neutron multiplicity in photonuclear
oscillating airfoils and comparisons with experiment [NASA-TP-2731] p 6 N87-27622	[NASA-RP-1237] p 58 N90-23837 Present state of knowledge of the upper atmosphere	reactions [NASA-TP-2968] p 68 N90-14890
Steady and unsteady transonic pressure measurements	1990: An assessment report	PARTICLE INTERACTIONS
on a clipped delta wing for pitching and control-surface oscillations	[NASA-RP-1242] p 54 N90-28929 OZONOMETRY	Experiments in Planetary and Related Sciences and the Space Station
[NASA-TP-2594] p 8 N88-28895	Scientific and Operational Requirements for TOMS	[NASA-CP-2494] p 72 N89-14998
OSCILLATORS	Data [NASA-CP-2497] p 47 N88-13774	Gas-Grain Simulation Facility: Fundamental studies of
Low-cost FM oscillator for capacitance type of blade tip clearance measurement system	Polar Ozone Workshop. Abstracts	particle formation and interactions. Volume 1: Executive summary and overview
[NASA-TP-2746] p 17 N87-24481	[NASA-CP-10014] p 51 N89-14503	[NASA-CP-10026-VOL-1] p 59 N89-24022
OUTGASSING Outgassing data for selecting spacecraft materials	The 1988 Antarctic ozone monitoring Nimbus-7 TOMS data atlas	Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts,
(NASA-RP-1124) p 28 N88-10117	[NASA-RP-1225] p 57 N89-28983	candidate experiments and feasibility study
OXIDATION	Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide	[NASA-CP-10026-VOL-2] p 59 N89-24023
Ester oxidation on an aluminum surface using chemiluminescence	[NASA-RP-1234] p 53 N90-17227	Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103
[NASA-TP-2611] p 31 N87-18666	OZONOSPHERE	First International Conference on Laboratory Research
Emittance, catalysis, and dynamic oxidation of Ti-14AI-21Nb	Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152	for Planetary Atmospheres
[NASA-TP-2955] p 31 N90-10248	[17707777 [270]	[NASA-CP-3077] p 78 N90-26744 PARTICLE SIZE DISTRIBUTION
Heat treatment study of the SiC/Ti-15-3 composite	P	Automated Reduction of Data from Images and
system [NASA-TP-2970] p 29 N90-19302	•	Holograms (NASA-CP-2477) p 6 N87-29432
Low-Temperature CO-Oxidation Catalysts for Long-Life	PANEL METHOD (FLUID DYNAMICS)	PARTICLE TRAJECTORIES
CO2 Lasers [NASA-CP-3076] p 40 N90-24586	Steady and unsteady aerodynamic forces from the SOUSSA surface-panel method for a fighter wing with tip	Calculation of secondary electron trajectories in multistage depressed collectors for microwave amplifiers
Oxidation characteristics of Ti-14Al-21Nb ingot alloy	missile and comparison with experiment and PANAIR	[NASA-TP-2664] p 34 N87-17991
[NASA-TP-3012] p 31 N90-25206 OXIDATION RESISTANCE	[NASA-TP-2736] p 5 N87-26032	PARTICLES
Emittance, catalysis, and dynamic oxidation of	Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model	Microgravity Particle Research on the Space Station [NASA-CP-2496] p 58 N88-15354
Ti-14AI-21Nb	[NASA-TP-2990] p 11 N90-20046	Gas-Grain Simulation Facility: Fundamental studies of
[NASA-TP-2955] p 31 N90-10248 <b>OXYGEN</b>	PANELS	particle formation and interactions. Volume 1: Executive summary and overview
Electron stimulated desorption of atomic oxygen from	Comparison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed	[NASA-CP-10026-VOL-1] p 59 N89-24022
silver  NASA-TP-2668  p 29 N87-18629	wind tunnel acoustic treatment	Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts,
Permeation of oxygen through high purity, large grain	[NASA-TP-2996] p 22 N90-19242 PARACHUTE DESCENT	candidate experiments and feasibility study
silver [NASA-TP-2755] p 30 N87-27024	Galileo probe parachute test program: Wake properties	[NASA-CP-10026-VOL-2] p 59 N89-24023 PARTICULATES
OXYGEN ATOMS	of the Galileo probe at Mach numbers from 0.25 to 0.95 [NASA-RP-1130] p 37 N88-18884	Gas-Grain Simulation Facility: Fundamental studies of
NASA/SDIO Space Environmental Effects on Materials	PARALLEL PROCESSING (COMPUTERS)	particle formation and interactions. Volume 1: Executive
Workshop, part 1 [NASA-CP-3035-PT-1] p 27 N89-23528	Computer Sciences and Data Systems, volume 2	summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022
NASA/SDIO Space Environmental Effects on Materials	[NASA-CP-2459-VOL-2] p 62 N87-19932	Gas-Grain Simulation Facility: Fundamental studies of
Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547	Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478] p 62 N87-26531	particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study
OXYGEN RECOMBINATION	First Annual Workshop on Space Operations Automation	(NASA-CP-10026-VOL-2) p 59 N89-24023
Auger electron intensity variations in oxygen-exposed	and Robotics (SOAR 87) [NASA-CP-2491] p 61 N88-17206	PARTITIONS (MATHEMATICS)
large grain polycrystalline silver {NASA-TP-2930} p 67 N89-30022	Lewis Structures Technology, 1988. Volume 3: Structural	Partitioning strategy for efficient nonlinear finite element dynamic analysis on multiprocessor computers
OXYGEN SUPPLY EQUIPMENT	Integrity Fatigue and Fracture Wind Turbines HOST	[NASA-TP-2850] p 45 N89-16170
A simplified method for determining heat of combustion of natural gas	[NASA-CP-3003-VOL-3] p 44 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural	PATENT POLICY NASA Patent Abstracts Bibliography: A continuing
(NASA-TP-2682) p 39 N87-20514	Dynamics	bibliography. Section 1: Abstracts (supplement 31)
OXYGEN-HYDROCARBON ROCKET ENGINES High-pressure calorimeter chamber tests for liquid	[NASA-CP-3003-VOL-1] p 44 N88-23226	[NASA-SP-7039(31)-Sect-1] p 70 N87-25023 NASA Patent Abstracts Bibliography: A continuing
oxygen/kerosene (LOX/RP-1) rocket combustion	Partitioning strategy for efficient nonlinear finite element dynamic analysis on multiprocessor computers	bibliography. Section 2: Indexes (supplement 31)
[NASA-TP-2862] p 27 N89-15979	[NASA-TP-2850] p 45 N89-16170	
	[NASA-TP-2850] p.45 N89-16170 NASA Workshop on Computational Structural	NASA Patent Abstracts Bibliography: A continuing
[NASA-TP-2862] p 27 N89-15979 Advanced Earth-to-Orbit Propulsion Technology 1988, volume 1 [NASA-CP-3012-VOL-1] p 27 N90-28611	[NASA-TP-2850] p 45 N89-16170	NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732
[NASA-TP-2862] p 27 N89-15979 Advanced Earth-to-Orbit Propulsion Technology 1988, volume 1 [NASA-CP-3012-VOL-1] p 27 N90-28611 OZONE	[NASA-TP-2850] p 45 N89-16170  NASA Workshop on Computational Structural  Mechanics 1987, part 1 [NASA-CP-10012-PT-1] p 46 N89-25*73  PARALLEL PROGRAMMING	NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p70 N88-15732 NASA Patent Abstracts Bibliography: A continuing
[NÄSA-TP-2862] p 27 N89-15979 Advanced Earth-to-Orbit Propulsion Technology 1988, volume 1 [NASA-CP-3012-VOL-1] p 27 N90-28611 OZOME Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid	[NASA-TP-2850] p 45 N89-16170  NASA Workshop on Computational Structural Mechanics 1987, part 1 [NASA-CP-10012-PT-1] p 46 N89-25 <sup>7</sup> 73  PARALLEL PROGRAMMING Parallel Gaussian elimination of a block tridiagonal matrix	NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 70 N88-18511
[NASA-TP-2862] p 27 N89-15979 Advanced Earth-to-Orbit Propulsion Technology 1988, volume 1 [NASA-CP-3012-VOL-1] p 27 N90-28611  OZONE  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2825] p 51 N87-13022	[NASA-TP-2850] p 45 N89-16170  NASA Workshop on Computational Structural  Mechanics 1987, part 1 [NASA-CP-10012-PT-1] p 46 N89-25*73  PARALLEL PROGRAMMING	NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 70 N88-18511 NASA Patent Abstracts Bibliography: A continuing
[NÄSA-TP-2862] p 27 N89-15979 Advanced Earth-to-Orbit Propulsion Technology 1988, volume 1 [NASA-CP-3012-VOL-1] p 27 N90-28611 OZOME Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid	[NASA-TP-2850] p 45 N89-16170  NASA Workshop on Computational Structural Mechanics 1987, part 1 [NASA-CP-10012-PT-1] p 46 N89-25'73  PARALLEL PROGRAMMING Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-TP-2892] p 64 N89-17422  PARAMETER IDENTIFICATION	NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 70 N88-18511 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 35)
NASA-TP-2862   p 27 N89-15979	[NASA-TP-2850] p 45 N89-16170  NASA Workshop on Computational Structural Mechanics 1987, part 1  [NASA-CP-10012-PT-1] p 46 N89-25773  PARALLEL PROGRAMMING Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-CP-1892] p 64 N89-17422  PARAMETER IDENTIFICATION Some path-following techniques for solution of nonlinear	NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 70 N88-18511 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 35) [NASA-SP-7039(35)-SECT-1] p 71 N89-25775 NASA Patent Abstracts Bibliography: A continuing
[NASA-TP-2862] p 27 N89-15979 Advanced Earth-to-Orbit Propulsion Technology 1988, volume 1 [NASA-CP-3012-VOL-1] p 27 N90-28611  OZONE  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022 Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491 Polar Ozone Workshop. Abstracts	[NASA-TP-2850] p 45 N89-16170  NASA Workshop on Computational Structural Mechanics 1987, part 1 [NASA-CP-10012-PT-1] p 46 N89-25'73  PARALLEL PROGRAMMING Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-TP-2892] p 64 N89-17422  PARAMETER IDENTIFICATION	NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 70 N88-18511 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 35) [NASA-SP-7039(35)-SECT-1] p 71 N89-25775 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 35)
NASA-TP-2862   p 27 N89-15979	[NASA-TP-2850] p 45 N89-16170  NASA Workshop on Computational Structural Mechanics 1987, part 1 [NASA-CP-10012-PT-1] p 46 N89-25'73  PARALLEL PROGRAMMING Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-TP-2892] p 64 N89-17422  PARAMETER IDENTIFICATION Some path-following techniques for solution of nonlinear equations and comparison with parametric differentiation [NASA-TP-2654] p 64 N87-14054 Application of parameter estimation to aircraft stability	NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 70 N88-18511 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 35) [NASA-SP-7039(35)-SECT-1] p 71 N89-25775 NASA Patent Abstracts Bibliography. A continuing bibliography. Section 2: Indexes (supplement 35) [NASA-SP-7039(35)-SECT-2] p 71 N89-2964 NASA Patent Abstracts Bibliography: A continuing
[NASA-TP-2862] p 27 N89-15979 Advanced Earth-to-Orbit Propulsion Technology 1988, volume 1 [NASA-CP-3012-VOL-1] p 27 N90-28611  OZONE  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022 Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491 Polar Ozone Workshop. Abstracts [NASA-CP-10014] p 51 N89-14503 Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide	[NASA-TP-2850] p 45 N89-16170  NASA Workshop on Computational Structural  Mechanics 1987, part 1  [NASA-CP-10012-PT-1] p 46 N89-25*73  PARALLEL PROGRAMMING  Parallel Gaussian elimination of a block tridiagonal matrix  using multiple microcomputers  [NASA-TP-2892] p 64 N89-17422  PARAMETER IDENTIFICATION  Some path-following techniques for solution of nonlinear equations and comparison with parametric differentiation  [NASA-TP-2654] p 64 N87-14054  Application of parameter estimation to aircraft stability and control: The output-error approach	NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 70 N88-18511 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 35) [NASA-SP-7039(35)-SECT-1] p 71 N89-25775 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 35) [NASA-SP-7039(35)-SECT-2] p 71 N89-29264 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 37)
NASA-TP-2862   p 27 N89-15979	[NASA-TP-2850] p 45 N89-16170  NASA Workshop on Computational Structural Mechanics 1987, part 1 [NASA-CP-10012-PT-1] p 46 N89-25'73  PARALLEL PROGRAMMING Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers [NASA-TP-2892] p 64 N89-17422  PARAMETER IDENTIFICATION Some path-following techniques for solution of nonlinear equations and comparison with parametric differentiation [NASA-TP-2654] p 64 N87-14054 Application of parameter estimation to aircraft stability	NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 70 N88-18511 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 35) [NASA-SP-7039(35)-SECT-1] p 71 N89-25775 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 35) [NASA-SP-7039(35)-SECT-2] p 71 N89-29264 NASA Patent Abstracts Bibliography. A continuing bibliography. Section 1: Abstracts (supplement 37) [NASA-SP-7039(37)-SECT-1] p 71 N90-25698
[NASA-TP-2862] p 27 N89-15979 Advanced Earth-to-Orbit Propulsion Technology 1988, volume 1 [NASA-CP-3012-VOL-1] p 27 N90-28611  OZONE  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2825] p 51 N87-13022 Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491 Polar Ozone Workshop. Abstracts [NASA-CP-10014] p 51 N89-14503 Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide [NASA-RP-1234] p 53 N90-17227	[NASA-TP-2850] p 45 N89-16170  NASA Workshop on Computational Structural  Mechanics 1987, part 1  [NASA-CP-10012-PT-1] p 46 N89-25'73  PARALLEL PROGRAMMING  Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers  [NASA-TP-2892] p 64 N89-17422  PARAMETER IDENTIFICATION  Some path-following techniques for solution of nonlinear equations and comparison with parametric differentiation [NASA-TP-2654] p 64 N87-14054  Application of parameter estimation to aircraft stability and control: The output-error approach  [NASA-RP-1168] p 14 N87-29499	NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1] p 70 N88-15732 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 70 N88-18511 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 35) [NASA-SP-7039(35)-SECT-1] p 71 N89-25775 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 2: Indexes (supplement 35) [NASA-SP-7039(35)-SECT-2] p 71 N89-29264 NASA Patent Abstracts Bibliography: A continuing bibliography. Section 1: Abstracts (supplement 37)

p 79 N87-20871

PATENTS	Total Disease in the Assessment of Co. Assessment	
Significant NASA inventions. Available for licensing in	Two-Dimensional Intercomparison of Stratospheric Models	PISTON ENGINES Investigation of the misfueling of reciprocating pistor
foreign countries	[NASA-CP-3042] p 53 N90-11405	aircraft engines
[NASA-SP-7038(04)] p 72 N87-70425	PHOTODIODES	[NASA-TP-2803] p 12 N88-21144
PAYLOAD INTEGRATION	NASA Laser Light Scattering Advanced Technology	PITCH (INCLINATION)
Payload craw utilization for spacelab missions	Development Workshop, 1988	Measurement of velocity and vorticity fields in the wake
[NASA-TP-2976] p 24 N90-14256	[NASA-CP-10033] p 40 N90-17085	of an airfoil in periodic pitching motion
PAYLOADS	PHOTOELECTRON SPECTROSCOPY	[NASA-TP-2780] p 66 N88-13002
Development and approach to low-frequency	Degradation and crosslinking of perfluoroalkyl	Handling qualities of a wide-body transport airplant
microgravity isolation systems [NASA-TP-2984] p 33 N90-28754	polyethers under X-ray irradiation in ultrahigh vacuum	utilizing Pitch Active Control Systems (PACS) for relaxed
PERFLUORO COMPOUNDS	[NASA-TP-2910] p 31 N89-21103	static stability application [NASA-TP-2482] p 19 N88-1498
Surface catalytic degradation study of two linear	PHOTOGEOLOGY	PITOT TUBES
perfluoropolyalkylethers at 345 C	Geomorphology from space: A global overview of	Qualitative evaluation of a flush air data system a
[NASA-TP-2774] p 27 N88-12543	regional landforms	transonic speeds and high angles of attack
Reaction of perfluoroalkylpolyethers (PFPE) with 440C	[NASA-SP-486] p 47 N87-18139	[NASA-TP-2716] p 14 N87-2949
steel in vacuum under sliding conditions at room	PHOTOGRAPHIC PROCESSING	PITTING
temperature	Digital enhancement of flow field images [NASA-TP-2770] p 62 N88-20833	Predicted effect of dynamic load on pitting fatigue life
[NASA-TP-2883] p 31 N89-26091	[NASA-TP-2770] p 62 N88-20833 PHOTOGRAPHY	for low-contact-ratio spur gears
PERFORATED PLATES	In-flight surface oil-flow photographs with comparisons	[NASA-TP-2610] p 41 N87-18095
Comparison between design and installed acoustic	to pressure distribution and boundary-layer data	PLANAR STRUCTURES
characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment	[NASA-TP-2395] p 4 N87-20966	Forbidden tangential orbit transfers between intersecting
[NASA-TP-2996] p 22 N90-19242	Atlas of Comet Halley 1910 II	Keplerian orbits [NASA-TP-3031] p 23 N90-26028
PERFORATION	[NASA-SP-488] p 75 N87-30235	PLANET EPHEMERIDES
Simulated-airline-service flight tests of laminar-flow	PHOTOMETERS	Ten year planetary ephemeris: 1986-1995
control with perforated-surface suction system	Second Workshop on Improvements to Photometry	[NASA-RP-1176] p.73 N87-14219
[NASA-TP-2966] p 16 N90-17627	[NASA-CP-10015] p 74 N89-13310	PLANETARY ATMOSPHERES
PERFORMANCE PREDICTION	PHOTONS	The Cassini mission: Infrared and microwave
Evaluation of various thrust calculation techniques on	First International Conference on Laboratory Research	spectroscopic measurements
an F404 engine	for Planetary Atmospheres	[NASA-RP-1213] p 78 N89-16709
[NASA-TP-3001] p 16 N90-25134	[NASA-CP-3077] p 78 N90-26744	First International Conference on Laboratory Research
PERFORMANCE TESTS	PHOTONUCLEAR REACTIONS	for Planetary Atmospheres
Development and evaluation of an airplane electronic	Calculation of two-neutron multiplicity in photonuclear	[NASA-CP-3077] p 78 N90-26744
display format aligned with the inertial velocity vector [NASA-TP-2648] p 16 N87-13438	reactions	PLANETARY GEOLOGY
[NASA-TP-2648] p 16 N87-13438 Design of 9.271-pressure-ratio 5-stage core compressor	[NASA-TP-2968] p 68 N90-14890	Planetary Geology: Goals, Future Directions, and Recommendations
and overall performance for first 3 stages	PHOTOVOLTAIC CONVERSION	[NASA-CP-3005] p 78 N88-26279
[NASA-TP-2597] p 17 N87-17699	Space Photovoltaic Research and Technology 1986.	PLANETARY NEBULAE
Bit-error-rate testing of high-power 30-GHz traveling	High Efficiency, Space Environment, and Array	International ultraviolet explorer spectral atlas o
wave tubes for ground-terminal applications	Technology [NASA-CP-2475] p 50 N87-26413	planetary nebulae, central stars, and related objects
[NASA-TP-2635] p 33 N87-17971	• • • • • • • • • • • • • • • • • • • •	[NASA-RP-1203] p 76 N88-2884
Effect of a trade between boattail angle and wedge size	PHOTOVOLTAIC EFFECT Space Photovoltaic Research and Technology, 1988.	PLANETARY ORBITS
on the performance of a nonaxisymmetric wedge nozzle	High Efficiency, Space Environment, and Array	Ten year planetary ephemeris: 1986-1995
[NASA-TP-2717] p 5 N87-23593	Technology	[NASA-RP-1176] p 73 N87-14219
Engineer in charge: A history of the Langley Aeronautical	[NASA-CP-3030] p 50 N89-24704	PLANETARY SURFACES
Laboratory, 1917-1958 [NASA-SP-4305] p 80 N87-24390	PHYSICAL EXERCISE	Planetary geosciences, 1988 (NASA-SP-498) p 48 N89-26274
A performance index approach to aerodynamic design	Joint US/USSR study: Comparison of effects of	(NASA-SP-498) p 48 N89-26274 PLANETOLOGY
with the use of analysis codes only	horizontal and head-down bed rest	Reflectance spectroscopy in planetary science: Review
[NASA-TP-2805] p 7 N88-18552	(NASA-TP-3037) p 60 N90-28965	and strategy for the future
SRM propellant and polymer materials structural test	PHYSIOLOGY	[NASA-SP-493] p 78 N88-24564
program	Joint US/USSR study: Comparison of effects of	Planetary Geology: Goals, Future Directions, and
[NASA-TP-2821] p 44 N88-25013	horizontal and head-down bed rest	Recommendations
Performance of a multistage depressed collector with	[NASA-TP-3037] p 60 N90-28965	[NASA-CP-3005] p 78 N88-26279
machined titanium electrodes	PIEZORESISTIVE TRANSDUCERS	Planetary geosciences, 1988
[NASA-TP-2891] p 35 N89-15337	Fluctuating pressures measured beneath a	[NASA-SP-498] p 48 N89-26274
Technique for temperature compensation of	high-temperature, turbulent boundary layer on a flat plate at Mach number of 5	PLANFORMS
eddy-current proximity probes [NASA-TP-2880] p 39 N89-15380	[NASA-TP-2947] p 67 N90-10680	Planform effects on the supersonic aerodynamics o multibody configurations
Comparison of predicted and measured temperatures	PILOT PERFORMANCE	[NASA-TP-2762] p.6 N88-12454
of UH-60A helicopter transmission	Wind Shear/Turbulence Inputs to Flight Simulation and	PLANNING
[NASA-TP-2911] p 41 N89-24607	Systems Certification	The 1990 Goddard Conference on Space Applications
PERIODIC VARIATIONS	[NASA-CP-2474] p 1 N87-25267	of Artificial Intelligence
Dynamic characteristics of a vibrating beam with periodic	Effect of motion cues during complex curved approach	[NASA-CP-3068] p 64 N90-22294
variation in bending stiffness	and landing tasks: A piloted simulation study	PLANT DESIGN
[NASA-TP-2697] p 44 N88-23988	[NASA-TP-2773] p 14 N88-12480	More on exact state reconstruction in deterministic digita
PERMEATING	A simulator investigation of the use of digital data link	control systems
Permeation of oxygen through high purity, large grain silver	for pilot/ATC communications in a single pilot operation	[NASA-TP-2847] p 33 N88-28177
[NASA-TP-2755] p 30 N87-27024	[NASA-TP-2837] p 13 N89-11726	PLANTS (BOTANY)
PERSONNEL	A piloted evaluation of an oblique-wing research aircraft	Controlled Ecological Life Support System. Design Development, and Use of a Ground-Based Plant Growth
Engineer in charge: A history of the Langley Aeronautical	motion simulation with decoupling control laws	Module
Laboratory, 1917-1958	[NASA-TP-2874] p 20 N89-15930	[NASA-CP-2479] p 60 N88-13852
(NASA-SP-4305) p 80 N87-24390	Pilcted-simulation evaluation of escape guidance for	Report of the 1st Planning Workshop for CELSS Fligh
PERSONNEL MANAGEMENT	microburst wind shear encounters	Experimentation
Cockpit Resource Management Training	[NASA-TP-2886] p 17 N89-16820	[NASA-CP-10020] p 60 N89-13896
[NASA-CP-2455] p 12 N87-22634	Delivery performance of conventional aircraft by	PLASMA HEATING
PERTURBATION THEORY	terminal-area, time-based air traffic control: A real-time	Laser production and heating of plasma for MHI
Singular perturbations and time scales in the design of	simulation evaluation {NASA-TP-2978} p 13 N90-18378	application
digital flight control systems	• • •	[NASA-TP-2798] p 68 N88-1844;
[NASA-TP-2844] p 19 N89-12569 PHASE-SPACE INTEGRAL	Stereopsis cueing effects on hover-in-turbulence performance in a simulated rotorcraft	PLASMA LAYERS
A general formalism for phase space calculations	[NASA-TP-2980] p 17 N90-21004	Double Layers in Astrophysics
[NASA-TP-2843] p 66 N89-14053	PILOTS (PERSONNEL)	[NASA-CP-2469] p 72 N87-23313
PHENOLIC RESINS	Ground-based time-guidance algorithm for control of	PLASMA PHYSICS
An examination of impact damage in glass-phenolic and	airplanes in a time-metered air traffic control environment:	Rapid Fluctuations in Solar Flares
aluminum honeycomb core composite panels	A piloted simulation study	[NASA-CP-2449] p 79 N87-2178
[NASA-TP-3042] p 29 N90-27876	[NASA-TP-2616] p 16 N87-10864	Double Layers in Astrophysics
PHOTOCHEMICAL OXIDANTS	Piloted-simulation study of effects of vortex flaps on	[NASA-CP-2469] p 72 N87-2331;
An assessment model for atmospheric composition	low-speed handling qualities of a Delta-wing airplane	PLASMA SPRAYING
[NASA-CP-3023] p 57 N89-20588	[NASA-TP-2747] p 19 N87-26922	Thermal Barrier Coatings. Abstracts and figures [NASA-CP-10019] p 31 N89-13642
PHOTOCHEMICAL REACTIONS Scientific and Operational Requirements for TOMS	PIPES (TUBES) Propagation of sound waves in tubes of noncircular cross	PLASMAS (PHYSICS)
Data	section	Coronal and Prominence Plasmas
(NASA-CP-2497) p 47 N88-13774	[NASA-TP-2601] p.3 N87-14284	[NASA-CP-2442] p 79 N87-2087

PLASTIC PROPERTIES Indentation plasticity and fracture in silicon	POLYMER CHEMISTRY Microgravity crystallization of macromolecules: An	Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A
[NASA-TP-2863] p 30 N89-10996	interim report and proposal for continued research	proposal
Cyclic loads tests of carbon involute solid rocket motor	(NASA-TP-2671) p 31 N87-20423 Structural Ceramics	[NASA-TP-2779] p 44 N88-15263
outer boot ring segments [NASA-TP-2884] p 45 N89-16192	[NASA-CP-2427] p 31 N88-23872	Applications of the hybrid automated reliability predictor: Revised edition
PLASTICS	POLYMER MATRIX COMPOSITES  Acronyogyaking 197, Specific 1: Acronyogyaking Materials	[NASA-TP-2760-REV] p 63 N90-11454
National Educators' Workshop: Update 1989 Standard Experiments in Engineering Materials Science and	Aeropropulsion '87. Session 1: Aeropropulsion Materials Research	PREMIXED FLAMES
Technology	[NASA-CP-10003-SESS-1] p 18 N88-16697	Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames
[NASA-CP-3074] p 28 N90-24350	POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer	[NASA-TP-2900] p 38 N89-25409
PLATEAUS Sapping features of the Colorado Plateau: A comparative	materials structural modeling	PREPROCESSING
planetary geology field guide	[NASA-TP-2824] p 45 N88-28343	Automatic classification of spectra from the Infrared Astronomical Satellite (IRAS)
[NASA-SP-491] p 49 N89-10401	PORTS (OPENINGS)  Effect of port corner geometry on the internal	[NASA-RP-1217] p 75 N90-10807
PLATES (STRUCTURAL MEMBERS)  Modal interaction in postbuckled plates. Theory	performance of a rotating-vane-type thrust reverser	PRESSURE DISTRIBUTION
[NASA-TP-2943] p 47 N90-27121	[NASA-TP-2624] p 3 N87-12541 <b>POSITION (LOCATION)</b>	In-flight surface oil-flow photographs with comparisons to pressure distribution and boundary-layer data
PLATINUM	Calculation and accuracy of ERBE scanner	[NASA-TP-2395] p 4 N87-20966
Compatability of dispersion-strengthened platinum with resistoiet propellants	measurement locations [NASA-TP-2670] p 72 N87-28471	Experimental cavity pressure distributions at supersonic
[NASA-TP-2765] p 27 N88-12538	POSITION ERRORS	speeds (NASA-TP-2683) p 5 N87-22626
PLENUM CHAMBERS	Effect of ephemeris errors on the accuracy of the	On minimizing the number of calculations in
Experimental evaluation of blockage ratio and plenum evacuation system flow effects on pressure distribution	computation of the tangent point altitude of a solar scanning ray as measured by the SAGE 1 and 2	design-by-analysis codes
for bodies of revolution in 0.1 scale model test section	instruments	[NASA-TP-2706] p 5 N87-23586
of NASA Lewis Research Center's proposed altitude wind tunnel	[NASA-TP-2866] p 65 N89-16415	Experimental evaluation of honeycomb/screen configurations and short contraction section for NASA
INASA-TP-27021 p 21 N87-22694	POSITION INDICATORS  Effects of combining vertical and horizontal information	Lewis Research Center's altitude wind tunnel
POINT SOURCES	into a primary flight display	[NASA-TP-2692] p 21 N87-23662
Infrared astronomical satellite (IRAS) catalogs and	[NASA-TP-2783] p 17 N88-12487 <b>POSITRONIUM</b>	Aerothermal tests of quilted dome models on a flat plate at a Mach number of 6.5
atlases. Volume 4: The point source catalog declination range 0 deg greater than delta greater than -30 deg	Annihilation in Gases and Galaxies	[NASA-TP-2804] p 37 N88-22325
[NASA-RP-1190-VOL-4] p 76 N89-14196	[NASA-CP-3058] p 66 N90-18957	PRESSURE EFFECTS
Infrared astronomical satellite (IRAS) catalogs and atlases. Volume 6: The point source catalog declination	POSITRONS Analysis of positron lifetime spectra in polymers	Contamination of liquid oxygen by pressurized gaseous nitrogen
range -50 deg greater than delta greater than -90 deg	[NASA-TP-2853] p 63 N89-12237	[NASA-TP-2894] p 38 N89-19499
[NASA-RP-1190-VOL-6] p 76 N89-14198	Annihilation in Gases and Galaxies	PRESSURE MEASUREMEN
POINTING CONTROL SYSTEMS	[NASA-CP-3058] p 66 N90-18957 POSTFLIGHT ANALYSIS	Aerothermal evaluation of a spherically blunted body with a trapezoidal cross section in the Langley 8-foot
A general-purpose balloon-borne pointing system for solar scientific instruments	Spacelab 3 Mission Science Review	high-temperature tunnel
[NASA-TP-3013] p 33 N90-21219	[NASA-CP-2429] p 36 N87-22103 POTENTIAL FLOW	[NASA-TP-2641] p 36 N87-18782
Rotating-unbalanced-mass devices for scanning	Discrete-vortex model for the symmetric-vortex flow on	Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds
balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments	Cones	[NASA-TP-2713] p 6 N87-27643
[NASA-TP-3030] p 33 N90-25255	[NASA-TP-2989] p 11 N90-20946 POWER EFFICIENCY	Steady and unsteady transonic pressure measurements
POLAR METEOROLOGY Polar Ozone Workshop. Abstracts	Efficiency testing of a helicopter transmission planetary	on a clipped delta wing for pitching and control-surface oscillations
[NASA-CP-10014] p 51 N89-14503	reduction stage [NASA-TP-2795] p 41 N88-15224	[NASA-TP-2594] p 8 N88-28895
POLAR REGIONS	POWER TRANSMISSION	Introduction to total- and partial-pressure measurements
The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas	Free-Space Power Transmission	in vacuum systems [NASA-RP-1219] p 40 N90-10412
[NASA-RP-1201] p 49 N88-20714	[NASA-CP-10016] p 27 N90-21795 POWERED LIFT AIRCRAFT	Fluctuating pressures measured beneath a
SAM 2 data user's guide	Proceedings of the 1985 NASA Ames Research Center's	high-temperature, turbulent boundary layer on a flat plate at Mach number of 5
[NASA-RP-1200] p 52 N88-25094 Proceedings of the Polar Processes on Mars	Ground-Effects Workshop [NASA-CP-2462] p 5 N87-24410	[NASA-TP-2947] p 67 N90-10680
Workshop	A perspective on 15 years of proof-of-concept aircraft	Measurements of pressures on the tail and aft fuselage
[NASA-CP-10021] p 78 N89-18373	development and flight research at Ames-Moffett by the	of an airplane model during rotary motions at spin attitudes
Polar microwave brightness temperatures from Nimbus-7 SMMR: Time series of daily and monthly maps	Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985	[NASA-TP-2939] p 10 N90-10829
from 1978 to 1987	[NASA-RP-1187] p 14 N88-19467	Gas-jet and tangent-slot film cooling tests of a 12.5 deg
[NASA-RP-1223] p 48 N89-26275	Powered-lift aircraft technology {NASA-SP-501} p 15 N90-12589	cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806
SeaRISE: A Multidisciplinary Research Initiative to Predict Rapid Changes in Global Sea Level Caused by	PRECIPITATION HARDENING	PRIMERS (COATINGS)
Collapse of Marine Ice Sheets	Compatability of dispersion-strengthened platinum with	The corrosion mechanisms for primer coated 2219-T87
(NASA-CP-3075) p 48 N90-22824 POLARIZATION (WAVES)	resistojet propellants {NASA-TP-2765} p 27 N88-12538	aluminum [NASA-TP-2715] p 30 N87-21076
Remote Sensing in Polarized Light	PRECISION	An electrochemical study of corrosion protection by
[NASA-CP-3014] p 72 N89-14189	Foundations of measurement and instrumentation [NASA-RP-1222] p 40 N90-21351	primer-topcoat systems on 4130 steel with ac impedance
POLLUTION TRANSPORT Airborne lidar measurements of El Chichon stratospheric	PREDICTION ANALYSIS TECHNIQUES	and dc methods [NASA-TP-2820] p 30 N89-19406
aerosols, January 1984	Turbine Engine Hot Section Technology, 1984	PROBABILITY THEORY
[NASA-RP-1175] p 51 N87-20663 POLYCRYSTALS	[NASA-CP-2339] p 43 N87-11180 Aerothermal tests of spherical dome protuberances on	The Fault Tree Compiler (FTC): Program and
Auger electron intensity variations in oxygen-exposed	a flat plate at a Mach number of 6.5	mathematics [NASA-TP-2915] p 64 N89-24815
large grain polycrystalline silver	[NASA-TP-2631] p 35 N87-13664 Effects of winglet on transonic flutter characteristics of	Ceramics Analysis and Reliability Evaluation of
[NASA-TP-2930] p 67 N89-30022 POLYETHER RESINS	a cantilevered twin-engine-transport wing model	Structures (CARES). Users and programmers manual [NASA-TP-2916] p 47 N90-28099
Degradation and crosslinking of perfluoroalkyl	[NASA-TP-2627] p 43 N87-13789	PROBES
polyethers under X-ray irradiation in ultrahigh vacuum [NASA-TP-2910] p 31 N89-21103	Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research	Technique for temperature compensation of
[NASA-TP-2910] p 31 N89-21103 Absorbed dose thresholds and absorbed dose rate	[NASA-CP-10003-SESS-3] p 18 N88-15790	eddy-current proximity probes (NASA-TP-2880) p 39 N89-15380
limitations for studies of electron radiation effects on	PREDICTIONS  Aerothermal evaluation of a spherically blunted body	[NASA-TP-2880] p 39 N89-15380 PROBLEM SOLVING
polyetherimides [NASA-TP-2928] p 31 N89-25332	with a trapezoidal cross section in the Langley 8-foot	Solution of elliptic partial differential equations by fast
Reaction of perfluoroalkylpolyethers (PFPE) with 440C	high-temperature tunnel	Poisson solvers using a local relaxation factor. 2: Two-step method
steel in vacuum under sliding conditions at room	[NASA-TP-2641] p 36 N87-18782 Development of confidence limits by pivotal functions	[NASA-TP-2530] p 64 N87-14918
temperature [NASA-TP-2883] p 31 N89-28091	for estimating software reliability	Efficient solutions to the Euler equations for supersonic
POLYIMIDE RESINS	[NASA-TP-2709] p 65 N87-23244	flow with embedded subsonic regions [NASA-TP-2523] p 3 N87-15183
Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on	Comparison of theoretical and experimental thrust performance of a 1030:1 area ratio rocket nozzle at a	The NASTRAN demonstration problem manual, levil
polyetherimides	chamber pressure of 2413 kN/m2 (350 psia)	17.5
[NASA-TP-2928] p 31 N89-25332	[NASA-TP-2725] p 26 N87-25423	[NASA-SP-224(05)] p 42 N81-71592

PROCESS CONTROL (INDUSTRY) National Educators' Workshop: Update 1989 Standard Experiments in Engineering Materials Science and	PROPULSION SYSTEM CONFIGURATIONS  Low-speed aerodynamic characteristics of a twin-engine general aviation configuration with aft-fuselage-mounted	PULSE CODE MODULATION Pulse Code Modulation (PCM) encoder handbook for Aydin Vector MMP-600 series system
Technology	pusher propellers	[NASA-RP-1171] p 33 N87-11916
[NASA-CP-3074] p 28 N90-24350	[NASA-TP-2763] p 6 N87-29462	Pulse Code Modulation (PCM) data storage and analysis
RODUCTIVITY	Aeropropulsion '87. Session 2: Aeropropulsion	using a microcomputer
Working with people to improve productivity and quality:	Structures Research	[NASA-TP-2629] p 33 N87-12718
A bibliography with indexes, 1984-1988 [NASA-SP-7078] p 69 N90-12385	(NASA-CP-10003-SESS-2) p 18 N88-15785 Aeropropulsion '87. Session 6: High-Speed Propulsion	PUMP SEALS
PROGRAM VERIFICATION (COMPUTERS)	Technology	Three-step cylindrical seal for high-performance turbomachines
A generalized method for automatic downhand and	[NASA-CP-10003-SESS-6] p 18 N88-15807	[NASA-TP-1849] p 36 N87-24639
wirefeed control of a welding robot and positioner	Advanced Earth-to-Orbit Propulsion Technology 1986,	PURITY
[NASA-TP-2807] p 32 N88-17869	volume 2	Permeation of oxygen through high purity, large grain
Validation of a computer code for analysis of subsonic	[NASA-CP-2437-VOL-2] p 27 N89-12626 Exhaust nozzles for propulsion systems with emphasis	silver
aerodynamic performance of wings with flaps in	on supersonic cruise aircraft	[NASA-TP-2755] p 30 N87-27024
combination with a canard or horizontal tail and an application to optimization	[NASA-RP-1235] p 18 N90-21037	PYLON MOUNTING
[NASA-TP-2961] p 11 N90-14187	PROPULSION SYSTEM PERFORMANCE	Low-speed aerodynamic characteristics of a twin-engine general aviation configuration with alt-fuselage-mounted
ROJECT MANAGEMENT	Aeronautical facilities assessment	Dusher propellers
Issues in NASA program and project management	[NASA-RP-1146] p 21 N87-10876	[NASA-TP-2763] p 6 N87-29462
[NASA-SP-6101] p 69 N89-12479	Exhaust nozzles for propulsion systems with emphasis on supersonic cruise aircraft	PYLONS
Practices in adequate structural design	(NASA-RP-1235) p 18 N90-21037	Integration effects of pylon geometry on a high-wing
[NASA-TP-2893] p 24 N89-18504	The effect of interplanetary trajectory options on a	transport airplane
Orders of magnitude: A history of the NACA and NASA, 1915-1990	manned Mars aerobrake configuration	[NASA-TP-2877] p 9 N89-15888
[NASA-SP-4406] p.81 N89-26805	[NASA-TP-3019] p 24 N90-26036	PYROLYTIC GRAPHITE  Design, fabrication and performance of small, graphite
Issues in NASA program and project management	Advanced Earth-to-Orbit Propulsion Technology 1988, volume 1	electrode, multistage depressed collectors with 200-W.
[NASA-SP-6101(02)] p 69 N90-13277	[NASA-CP-3012-VOL-1] p 27 N90-28611	CW, 8- to 18-GHz traveling-wave tubes
Supercritical wing technology: A report on flight	PROPULSIVE EFFICIENCY	[NASA-TP-2693] p 35 N87-20474
evaluations	Effects of afterbody boattail design and empennage	PYROTECHNICS
[NASA-SP-301] p 2 N77-85474	arrangement on aeropropulsive characteristics of a	Effects of variables upon pyrotechnically induced shock
PROJECT PLANNING	twin-engine fighter model at transonic speeds	response spectra [NASA-TP-2603] p 43 N87-12921
The 1987 Get Away Special Experimenter's	[NASA-TP-2704] p.4 N87-21873 Rotorcraft flight-propulsion control integration: An	•
Symposium [NASA-CP-2500] p 22 N88-17691	eclectic design concept	Effects of variables upon pyrotechnically induced shock response spectra, part 2
SeaRISE: A Multidisciplinary Research Initiative to	[NASA-TP-2815] p 19 N88-19475	[NASA-TP-2872] p 45 N89-13814
Predict Rapid Changes in Global Sea Level Caused by	PROTECTION	,
Collapse of Marine Ice Sheets	A Protection And Detection Surface (PADS) for damage	Q
[NASA-CP-3075] p 48 N90-22824	tolerance	Q
ROP-FAN TECHNOLOGY	[NASA-TP-3011] p 29 N90-27788 PROTECTIVE COATINGS	QUALITY CONTROL
Summary of studies to reduce wing-mounted propfan	Effect of LID (Registered) processing on the	Electronics reliability and measurement technology
installation drag on an M = 0.8 transport [NASA-TP-2678] p 14 N87-20990	microstructure and mechanical properties of Ti-6Al-4V and	[NASA-CP-2472] p 42 N87-27204
Aeropropulsion '87. Session 5: Subsonic Propulsion	Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials	Working with people to improve productivity and quality:
Technology	[NASA-TP-2677] p 30 N87-18644	A bibliography with indexes, 1984-1988
[NASA-CP-10003-SESS-5] p 18 N88-15800	The corrosion mechanisms for primer coated 2219-T87 aluminum	[NASA-SP-7078] p 69 N90-12385
Advanced turboprop project		QUANTITATIVE ANALYSIS
	INASA-19-27151 n.30 N87-21076	
[NASA-SP-495] p 18 N89-12565	[NASA-TP-2715] p 30 N87-21076 An electrochemical study of corrosion protection by	Quantitative analysis of the reconstruction performance
[NASA-SP-495] p 18 N89-12565 PROPELLANT COMBUSTION	[NASA-1P-2715] An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance	Quantitative analysis of the reconstruction performance of interpolants
[NASA-SP-495] p 18 N89-12565 PROPELLANT COMBUSTION Turbine Engine Hot Section Technology 1986	An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods	Quantitative analysis of the reconstruction performance
[NASA-SP-495] p 18 N89-12565  **ROPELLANT COMBUSTION  Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods {NASA-TP-2820} p 30 N89-19406	Quantitative analysis of the reconstruction performance of interpolants [NASA-TP-2698] p 65 N87-22441
[NASA-SP-495] p 18 N89-12565  **ROPELLANT COMBUSTION  Turbine Engine Hot Section Technology 1986  [NASA-CP-2444] p 45 N89-12876  **ROPELLANTS	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH	Quantitative analysis of the reconstruction performance of interpolants
[NASA-SP-495] p 18 N89-12565  **ROPELLANT COMBUSTION  Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2698} p 65 N87-22441
[NASA-SP-495] p 18 N89-12565  **ROPELLANT COMBUSTION Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876  **ROPELLANTS SRM (Solid Rocket Motor) propellant and polymer	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH	Quantitative analysis of the reconstruction performance of interpolants [NASA-TP-2688] p 65 N87-22441
[NASA-SP-495] p 18 N89-12565  PROPELLANT COMBUSTION Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876  PROPELLANTS SRM (Solid Rocket Motor) propellant and polymer  materials structural modeling	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406  PROTEIN CRYSTAL GROWTH  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727  PROTEIN SYNTHESIS	Quantitative analysis of the reconstruction performance of interpolants [NASA-TP-2688] p 65 N87-22441  R RADAR MARA (Multimode Airborne Radar Altimeter) system
[NASA-SP-495] p 18 N89-12565  **ROPELLANT COMBUSTION Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876  **ROPELLANTS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 45 N88-28343  **ROPELLER BLADES Optical measurement of propeller blade deflections	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in	Quantitative analysis of the reconstruction performance of interpolants [NASA-TP-2688] p 65 N87-22441
NASA-SP-495   p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods {NASA-TP-2820} p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688} p 65 N87-22441  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements
[NASA-SP-495] p 18 N89-12565  **ROPELLANT COMBUSTION Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876  **ROPELLANTS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 45 N88-28343  **ROPELLER BLADES Optical measurement of propeller blade deflections [NASA-TP-2841] p 39 N88-28286  **ROPELLER FANS	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods {NASA-TP-2820} p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727	Quantitative analysis of the reconstruction performance of interpolants [NASA-TP-2688] p 65 N87-22441  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document
NASA-SP-495  p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods {NASA-TP-2820} p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTON SCATTERING	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688} p 65 N87-22441  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209  RADAR EQUIPMENT  Thirteenth international Laser Radar Conference
[NASA-SP-495] p 18 N89-12565  **ROPELLANT COMBUSTION Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876  **ROPELLANTS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 45 N88-28343  **ROPELLER BLADES Optical measurement of propeller [NASA-TP-2841] p 39 N88-28286  **ROPELLER FANS Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods {NASA-TP-2820} p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688}  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226]  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference [NASA-CP-2431]  P 39 N87-10263
[NASA-SP-495] p 18 N89-12565  **ROPELLANT COMBUSTION Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876  **ROPELLANTS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 45 N88-28343  **ROPELLER BLADES Optical measurement of propeller blade deflections [NASA-TP-2841] p 39 N88-28286  **ROPELLER FANS Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p 67 N88-17441	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103 PROTUBERANCES	Quantitative analysis of the reconstruction performance of interpolants [NASA-TP-2688] p 65 N87-22441  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference [NASA-CP-2431] p 39 N87-10263  RADAR MEASUREMENT
[NASA-SP-495] p 18 N89-12565  **ROPELLANT COMBUSTION Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876  **ROPELLANTS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 45 N88-28343  **ROPELLER BLADES Optical measurement of propeller [NASA-TP-2841] p 39 N88-28286  **ROPELLER FANS Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods {NASA-TP-2820} p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering {NASA-TP-2920} p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2698} p 65 N87-22441  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document {NASA-RP-126} p 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference {NASA-CP-2431} p 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear
[NASA-SP-495] p 18 N89-12565  **ROPELLANT COMBUSTION Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876  **ROPELLANTS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 45 N88-28343  **ROPELLER BLADES Optical measurement of propeller blade deflections [NASA-TP-2841] p 39 N88-28286  **ROPELLER FANS Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p 67 N88-17441  **ROPELLER NOISE Annoyance caused by advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods {NASA-TP-2820} p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering {NASA-TP-2920} p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5	Quantitative analysis of the reconstruction performance of interpolants [NASA-TP-2688] p 65 N87-22441  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference [NASA-CP-2431] p 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear [NASA-CP-2435] p 12 N87-10054
[NASA-SP-495] p 18 N89-12565  **ROPELLANT COMBUSTION  Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876  **ROPELLANTS  SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 45 N88-28343  **ROPELLER BLADES  Optical measurement of propeller blade deflections [NASA-TP-2841] p 39 N88-28286  **ROPELLER BLADES  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2762] p 67 N88-17441  **ROPELLER NOISE  Annoyance caused by advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration [NASA-TP-3027] p 67 N90-29166	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods {NASA-TP-2820} p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering {NASA-TP-2920} p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2698} p 65 N87-22441  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document {NASA-RP-126} p 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference {NASA-CP-2431} p 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear
NASA-SP-495  p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 [NASA-TP-2631] p 35 N87-13664	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688}  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226]  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference [NASA-CP-2431]  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear [NASA-CP-2435]  RADIANCE Summary of along-track data from the earth radiation budget satellite for several representative ocean regions
NASA-SP-495  p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 [NASA-TP-2631] p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688} p 65 N87-22441  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document {NASA-RP-1226} p 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference {NASA-CP-2431} p 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear {NASA-CP-2435} p 12 N87-10054  RADIANCE Summary of along-track data from the earth radiation
[NASA-SP-495] p 18 N89-12565  **ROPELLANT COMBUSTION Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876  **ROPELLANTS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 45 N88-28343  **ROPELLER BLADES Optical measurement of propeller blade deflections [NASA-TP-2841] p 39 N88-28286  **ROPELLER BLADES Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p 67 N88-17441  **ROPELLER NOISE Annoyance caused by advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration [NASA-TP-3027] p 67 N90-29166  **ROPELLERS Evaluation of installed performance of a wing-tip-mounted pushar turboprop on a semispan wing	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods {NASA-TP-2820} p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering {NASA-TP-2920} p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 [NASA-TP-2631] p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division,	Quantitative analysis of the reconstruction performance of interpolants {\mathbb{NASA-TP-2688}}  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document {\mathbb{NASA-RP-1226}}  P 39 \mathbb{N89-26209}  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference {\mathbb{NASA-CP-2431}}  P 39 \mathbb{N87-10263}  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear {\mathbb{NASA-CP-2435}}  P 12 \mathbb{N87-10054}  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions {\mathbb{NASA-RP-1206}}  Sensor performance analysis
NASA-SP-495  p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods {NASA-TP-2820} p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering {NASA-TP-2920} p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 [NASA-TP-2631] p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688}  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document {NASA-RP-126}  P 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference {NASA-CP-2431}  P 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear {NASA-CP-2435}  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions {NASA-RP-1206}  Sensor performance analysis {NASA-RP-1241}  P 50 N90-23780
[NASA-SP-495] p 18 N89-12565  **ROPELLANT COMBUSTION Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876  **ROPELLANTS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 45 N88-28343  **ROPELLER BLADES Optical measurement of propeller blade deflections [NASA-TP-2841] p 39 N88-28286  **ROPELLER BLADES Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p 67 N88-17441  **ROPELLER NOISE Annoyance caused by advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration [NASA-TP-3027] p 67 N90-29166  **ROPELLERS Evaluation of installed performance of a wing-tip-mounted pushar turboprop on a semispan wing	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 [NASA-TP-2631] p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 14 N88-19467	Quantitative analysis of the reconstruction performance of interpolants [NASA-TP-2688] p 65 N87-22441  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference [NASA-CP-2431] p 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear [NASA-CP-2435] p 12 N87-10054  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions [NASA-RP-1206] p 56 N89-14634  Sensor performance analysis [NASA-RP-1241] p 50 N90-23780  RADIATION ABSORPTION
[NASA-SP-495] p 18 N89-12565  **ROPELLANT COMBUSTION  Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876  **ROPELLANTS  SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 45 N88-28343  **ROPELLER BLADES  Optical measurement of propeller blade deflections [NASA-TP-2841] p 39 N88-28286  **ROPELLER BLADES  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p 67 N88-17441  **ROPELLER NOISE  Annoyance caused by advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration [NASA-TP-3027] p 67 N90-29166  **ROPELLERS  Evaluation of installed performance of a wing-tip-mounted pusher turboprop on a semispan wing [NASA-TP-2739] p 14 N87-26041  Low-speed aerodynamic characteristics of a twin-engine general aviation configuration with aft-fuselage-mounted pusher propellers	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods {NASA-TP-2820} p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering {NASA-TP-2920} p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 [NASA-TP-2631] p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688}  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document {NASA-RP-1226}  P 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference {NASA-CP-2431}  P 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear {NASA-CP-2435}  P 12 N87-10054  RADIANCE  Summary of along-track data from the earth radiation budget satelfite for several representative ocean regions {NASA-RP-1206}  Sensor performance analysis {NASA-RP-1241}  P 50 N90-23780  RADIATION ABSORPTION  Absorbed dose thresholds and absorbed dose rate
NASA-SP-495  p 18 N89-12565   PROPELLANT COMBUSTION   Turbine Engine Hot Section Technology 1986     NASA-CP-2444  p 45 N89-12876     ROPELLANTS   SRM (Solid Rocket Motor) propellant and polymer materials structural modeling     NASA-TP-2824  p 45 N88-28343     PROPELLER BLADES   Delical measurement of propeller   blade deflections     NASA-TP-2841  p 39 N88-28286     PROPELLER FANS   P 39 N88-28286     PROPELLER FANS   P 39 N88-17441     PROPELLER NOISE   P 67 N88-17441     PROPELLER NOISE   P 67 N88-17441     PROPELLER NOISE   P 67 N90-29166     NASA-TP-3027  p 67 N90-29166     NASA-TP-2739  p 14 N87-26041     Low-speed aerodynamic characteristics of a twin-engine general aviation configuration with aft-fuselage-mounted pusher propeller solic a twin-engine general aviation configuration with aft-fuselage-mounted pusher propellers     NASA-TP-2739  p 6 N87-29462   P 6 N87-29462	An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 [NASA-TP-2631] p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 14 N88-19467 PROXIMITY Technique for temperature compensation of eddy-current proximity probes	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688} p 65 N87-22441  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document {NASA-RP-126} p 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference {NASA-CP-2431} p 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear {NASA-CP-2435} p 12 N87-10054  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions {NASA-RP-1206} p 56 N89-14634  Sensor performance analysis {NASA-RP-1241} p 50 N90-23780  RADIATION ABSORPTION  Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on
NASA-SP-495  p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods  {NASA-TP-2820} p 30 N89-19406  PROTEIN CRYSTAL GROWTH  Liquid drop stability for protein crystal growth in microgravity  {NASA-TP-2724} p 58 N87-20727  PROTEIN SYNTHESIS  Liquid drop stability for protein crystal growth in microgravity  [NASA-TP-2724] p 58 N87-20727  PROTON SCATTERING  Kaon-nucleus scattering  {NASA-TP-2920} p 80 N89-25103  PROTUBERANCES  Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5  [NASA-TP-2631] p 35 N87-13664  PROVING  A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985  [NASA-RP-1187] p 14 N88-19467  PROXIMITY  Technique for temperature compensation of eddy-current proximity probes  {NASA-TP-2880} p 39 N89-15380	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688}  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document {NASA-RP-1226}  P 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference {NASA-CP-2431}  P 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear {NASA-CP-2435}  P 12 N87-10054  RADIANCE  Summary of along-track data from the earth radiation budget satelfite for several representative ocean regions {NASA-RP-1206}  Sensor performance analysis {NASA-RP-1241}  P 50 N90-23780  RADIATION ABSORPTION  Absorbed dose thresholds and absorbed dose rate
[NASA-SP-495] p 18 N89-12565  **ROPELLANT COMBUSTION Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876  **ROPELLANTS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 45 N88-28343  **ROPELLER BLADES Optical measurement of propeller blade deflections [NASA-TP-2841] p 39 N88-28286  **ROPELLER BLADES Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p 67 N88-17441  **ROPELLER NOISE Annoyance caused by advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration [NASA-TP-3027] p 67 N90-29166  **ROPELLER NOISE Evaluation of installed performance of a wing-tip-mounted pusher turboprop on a semispan wing [NASA-TP-2739] p 14 N87-26041 Low-speed aerodynamic characteristics of a twin-engine general awation configuration with aft-fuselage-mounted pusher propellers [NASA-TP-2763] p 6 N87-29462 Laser-velocimeter-measured flow field around an advanced, swept, eight-blade propeller at Mach 0.8	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods {NASA-TP-2820} p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering {NASA-TP-2920} p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.\$ INASA-TP-2631} p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 14 N88-19467 PROXIMITY Technique for temperature compensation of eddy-current proximity probes {NASA-TP-2880} p 39 N89-15380 Interactive orbital proximity operations planning	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688}  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document {NASA-RP-126}  P 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference {NASA-CP-2431}  P 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear {NASA-CP-2435}  P 12 N87-10054  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions {NASA-RP-1206}  Sensor performance analysis {NASA-RP-1241}  P 50 N90-23780  RADIATION ABSORPTION  Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on polyetherimides {NASA-TP-2928}  P 31 N89-25332  Parametric study of power absorption from
NASA-SP-495  p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 [NASA-TP-2931] p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 14 N88-19467 PROXIMITY Technique for temperature compensation of eddy-current proximity probes [NASA-TP-2880] p 39 N89-15380 Interactive orbital proximity operations planning system	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688}  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-126]  P 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference [NASA-CP-2431]  P 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear [NASA-CP-2435]  P 12 N87-10054  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions {NASA-RP-1206}  Sensor performance analysis [NASA-RP-1241]  P 50 N90-23780  RADIATION ABSORPTION  Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on polyetherimides [NASA-TP-2928]  Parametric study of power absorption from electromagnetic waves by small ferrite spheres
[NASA-SP-495] p 18 N89-12565  **ROPELLANT COMBUSTION Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876  **ROPELLANTS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 45 N88-28343  **ROPELLER BLADES Optical measurement of propeller blade deflections [NASA-TP-2841] p 39 N88-28286  **ROPELLER BLADES Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p 67 N88-17441  **ROPELLER NOISE Annoyance caused by advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration [NASA-TP-3027] p 67 N90-29166  **ROPELLER NOISE Evaluation of installed performance of a wing-tip-mounted pusher turboprop on a semispan wing [NASA-TP-2739] p 14 N87-26041 Low-speed aerodynamic characteristics of a twin-engine general awation configuration with aft-fuselage-mounted pusher propellers [NASA-TP-2763] p 6 N87-29462 Laser-velocimeter-measured flow field around an advanced, swept, eight-blade propeller at Mach 0.8	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods {NASA-TP-2820} p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering {NASA-TP-2920} p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.\$ INASA-TP-2631} p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 14 N88-19467 PROXIMITY Technique for temperature compensation of eddy-current proximity probes {NASA-TP-2880} p 39 N89-15380 Interactive orbital proximity operations planning	Quantitative analysis of the reconstruction performance of interpolants [NASA-TP-2688] p 65 N87-22441  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference [NASA-CP-2431] p 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear [NASA-CP-2435] p 12 N87-10054  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions [NASA-RP-1206] p 56 N89-14634  Sensor performance analysis [NASA-RP-1241] p 50 N90-23780  RADIATION ABSORPTION  Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on polyetherimides [NASA-TP-2949] p 31 N89-25332  Parametric study of power absorption from electromagnetic waves by small ferrite spheres [NASA-TP-2949] p 66 N90-12282
NASA-SP-495  p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 [NASA-TP-2931] p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 14 N88-19467 PROXIMITY Technique for temperature compensation of eddy-current proximity probes [NASA-TP-2880] p 39 N89-15380 Interactive orbital proximity operations planning system [NASA-TP-2839] p 61 N89-18039 PSYCHOACOUSTICS Annoyance caused by advanced turboprop aircraft	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688}  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document {NASA-RP-126}  P 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference {NASA-CP-2431}  P 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear {NASA-CP-2435}  P 12 N87-10054  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions {NASA-RP-1206}  Sensor performance analysis {NASA-RP-1241}  P 50 N90-23780  RADIATION ABSORPTION  Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on polyetherimides {NASA-TP-2928}  Parametric study of power absorption from electromagnetic waves by small fernte spheres {NASA-TP-2949}  P 66 N90-12282  Allas of albedo and absorbed solar radiation derived
NASA-SP-495  p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.S [NASA-TP-2631] p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 14 N88-19467 PROXIMITY Technique for temperature compensation of eddy-current proximity probes [NASA-TP-2880] p 39 N89-15380 Interactive orbital proximity operations planning system [NASA-TP-2839] p 61 N89-18039 PSYCHOACOUSTICS Annoyance caused by advanced turboprop aircraft flyover noise: Counter-rotating-propelier configuration	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688}  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document {NASA-RP-126}  P 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference {NASA-CP-2431}  P 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear {NASA-CP-2435}  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions {NASA-RP-1206}  Sensor performance analysis {NASA-RP-1241}  P 50 N90-23780  RADIATION ABSORPTION  Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on polyetherimides {NASA-TP-2928}  Parametric study of power absorption from electromagnetic waves by small ferrite spheres {NASA-TP-2949}  Atlas of albedo and absorbed solar radiation derived from Nimbus 6 earth radiation budget data set, July 1975
NASA-SP-495  p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods  {NASA-TP-2820} p 30 N89-19406  PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727  PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727  PROTON SCATTERING Kaon-nucleus scattering {NASA-TP-2920} p 80 N89-25103  PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 {NASA-TP-2631} p 35 N87-13664  PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 {NASA-RP-1187} p 14 N88-19467  PROXIMITY Technique for temperature compensation of eddy-current proximity probes {NASA-TP-2839} p 39 N89-15380 Interactive orbital proximity operations planning system JNASA-TP-2839} p 61 N89-18039  PSYCHOACOUSTICS Annoyance caused by advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration [NASA-TP-3027]	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688}  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document {NASA-RP-126}  P 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference {NASA-CP-2431}  P 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear {NASA-CP-2435}  P 12 N87-10054  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions {NASA-RP-1206}  Sensor performance analysis {NASA-RP-1241}  P 50 N90-23780  RADIATION ABSORPTION  Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on polyetherimides {NASA-TP-2928}  Parametric study of power absorption from electromagnetic waves by small fernte spheres {NASA-TP-2949}  P 66 N90-12282  Allas of albedo and absorbed solar radiation derived
NASA-SP-495  p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 [NASA-TP-2921] p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 14 N88-19467 PROXIMITY Technique for temperature compensation of eddy-current proximity probes [NASA-TP-2880] p 39 N89-15380 Interactive orbital proximity operations planning system [NASA-TP-2839] p 61 N89-18039 PSYCHOACOUSTICS Annoyance caused by advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration [NASA-TP-3027] PSYCHOLOGICAL EFFECTS	Quantitative analysis of the reconstruction performance of interpolants [NASA-TP-2688] p 65 N87-22441  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference [NASA-CP-2431] p 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear [NASA-CP-2435] p 12 N87-10054  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions [NASA-RP-1206] p 56 N89-14634  Sensor performance analysis [NASA-RP-1241] p 50 N90-23780  RADIATION ABSORPTION  Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on polyetherimides [NASA-TP-2928] p 31 N89-25332  Parametric study of power absorption from electromagnetic waves by small fernite spheres [NASA-TP-2949]  Atlas of albedo and absorbed solar radiation derived from Nimbus 6 earth radiation budget data set, July 1975 to May 1978
NASA-SP-495  p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 [NASA-TP-2631] p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 14 N88-19467 PROXIMITY Technique for temperature compensation of eddy-current proximity probes [NASA-TP-2880] p 39 N89-15380 Interactive orbital proximity operations planning system  [NASA-TP-2839] p 61 N89-18039 PSYCHOACOUSTICS Annoyance caused by advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration [NASA-TP-3027] PSYCHOLOGICAL EFFECTS Annoyance response to simulated advanced turboprop	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688}  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document {NASA-RP-126}  P 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference {NASA-CP-2431}  P 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear {NASA-CP-2435}  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions {NASA-RP-1206}  Sensor performance analysis {NASA-RP-1241}  P 50 N90-23780  RADIATION ABSORPTION  Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on polyetherimides {NASA-TP-2928}  Parametric study of power absorption from electromagnetic waves by small ferrite spheres {NASA-TP-2949}  Atlas of albedo and absorbed solar radiation derived from Nimbus 6 earth radiation budget data set, July 1975 to May 1978 {NASA-RP-1230}  P 57 N90-14741  RADIATION DAMAGE  Spectroscopic comparison of effects of electron
NASA-SP-495  p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 [NASA-TP-2921] p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 14 N88-19467 PROXIMITY Technique for temperature compensation of eddy-current proximity probes [NASA-TP-2880] p 39 N89-15380 Interactive orbital proximity operations planning system [NASA-TP-2839] p 61 N89-18039 PSYCHOACOUSTICS Annoyance caused by advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration [NASA-TP-3027] PSYCHOLOGICAL EFFECTS	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688}  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document {NASA-RP-1226}  P 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference {NASA-CP-2431}  P 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear {NASA-CP-2435}  P 12 N87-10054  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions {NASA-RP-1206}  Sensor performance analysis {NASA-RP-1206}  RADIATION ABSORPTION  Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on polyetherimides {NASA-TP-2898}  Parametric study of power absorption from electromagnetic waves by small ferrite spheres {NASA-TP-2899}  Atlas of albedo and absorbed solar radiation derived from Nimbus 6 earth radiation budget data set, July 1975 to May 1978 {NASA-RP-1230}  P 57 N90-14741  RADIATION DAMAGE  Spectroscopic companson of effects of electron radiation on mechanical properties of two polymindes
NASA-SP-495  p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 [NASA-TP-2631] p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 14 N88-19467 PROXIMITY Technique for temperature compensation of eddy-current proximity probes [NASA-TP-2880] p 39 N89-15380 Interactive orbital proximity operations planning system [NASA-TP-2889] p 61 N89-18039 PSYCHOACOUSTICS Annoyance caused by advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration [NASA-TP-2027] PSYCHOLOGICAL EFFECTS Annoyance response to simulated advanced turboprop aircraft interior noise containing tonal beats [NASA-TP-2689] p 66 N87-24161	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688} p 65 N87-22441  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document {NASA-RP-126} p 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference {NASA-CP-2431} p 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear {NASA-CP-2435} p 12 N87-10054  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions {NASA-RP-1206} p 56 N89-14634  Sensor performance analysis {NASA-RP-1241} p 50 N90-23780  RADIATION ABSORPTION  Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on polyetherimides {NASA-TP-2928} p 31 N89-25332  Parametric study of power absorption from electromagnetic waves by small ferrite spheres {NASA-TP-2949} p 66 N90-12282  Atlas of albedo and absorbed solar radiation derived from Nimbus 6 earth radiation budget data set. July 1975 to May 1978  {NASA-RP-1230} p 57 N90-14741  RADIATION DAMAGE  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides {NASA-TP-2663}
NASA-SP-495  p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods  {NASA-TP-2820} p 30 N89-19406  PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727  PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity {NASA-TP-2724} p 58 N87-20727  PROTON SCATTERING Kaon-nucleus scattering {NASA-TP-2920} p 80 N89-25103  PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 [NASA-TP-2631] p 35 N87-13664  PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 14 N88-19467  PROXIMITY Technique for temperature compensation of eddy-current proximity probes {NASA-TP-2839} p 14 N89-15380 Interactive orbital proximity operations planning system JNASA-TP-2839] p 61 N89-18039  PSYCHOACOUSTICS Annoyance caused by advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration [NASA-TP-2689] p 67 N90-29166  PSYCHOLOGICAL EFFECTS Annoyance response to simulated advanced turboprop aircraft interior noise containing tonal beats [NASA-TP-2689] p 66 N87-24161  PSYCHOLOGY Joint University Program for Air Transportation	Quantitative analysis of the reconstruction performance of interpolants {NASA-TP-2688}  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document {NASA-RP-126}  P 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference {NASA-CP-2431}  P 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear {NASA-CP-2435}  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions {NASA-RP-1206}  Sensor performance analysis {NASA-RP-1241}  P 50 N90-23780  RADIATION ABSORPTION  Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on polyetherimides {NASA-TP-2928}  Parametric study of power absorption from electromagnetic waves by small ferrite spheres {NASA-TP-2949}  Atlas of albedo and absorbed solar radiation derived from Nimbus 6 earth radiation budget data set, July 1975 to May 1978 {NASA-RP-1230}  P 57 N90-14741  RADIATION DAMAGE  Spectroscopic companson of effects of electron radiation on mechanical properties of two polymides {NASA-TP-2663}  P 27 N87-18611  Fifteenth Space Simulation Conference: Support the
NASA-SP-495  p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 [NASA-TP-2920] p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 14 N88-19467 PROXIMITY Technique for temperature compensation of eddy-current proximity probes [NASA-TP-2880] p 39 N89-15380 Interactive orbital proximity operations planning system [NASA-TP-2839] p 61 N89-18039 PSYCHOACOUSTICS Annoyance caused by advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration [NASA-TP-3039] PSYCHOLOGICAL EFFECTS Annoyance response to simulated advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration [NASA-TP-2689] p 66 N87-24161 PSYCHOLOGY Joint University Program for Air Transportation	Quantitative analysis of the reconstruction performance of interpolants [NASA-TP-2688] p 65 N87-22441  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference [NASA-CP-2431] p 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear [NASA-CP-2435] p 12 N87-10054  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions [NASA-RP-1206] p 56 N89-14634  Sensor performance analysis [NASA-RP-1241] p 50 N90-23780  RADIATION ABSORPTION  Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on polyetherimides [NASA-TP-2928] p 31 N89-25332  Parametric study of power absorption from electromagnetic waves by small fernite spheres [NASA-TP-2949] Atlas of albedo and absorbed solar radiation derived from Nimbus 6 earth radiation budget data set, July 1975 to May 1978 [NASA-RP-1230] p 57 N90-14741  RADIATION DAMAGE  Spectroscopic companson of effects of electron radiation on mechanical properties of two polyimides (NASA-TP-2663) p 27 N87-18611  Fifteenth Space Simulation Conference: Support the Highway to Space Through Testing
NASA-SP-495  p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 [NASA-TP-2631] p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 14 N88-19467 PROXIMITY Technique for temperature compensation of eddy-current proximity probes [NASA-TP-2880] p 39 N89-15380 Interactive orbital proximity operations planning system [NASA-TP-2889] p 61 N89-18039 PSYCHOACOUSTICS Annoyance caused by advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration [NASA-TP-2027] PSYCHOLOGICAL EFFECTS Annoyance response to simulated advanced turboprop aircraft interior noise containing tonal beats [NASA-TP-2689] p 66 N87-24161 PSYCHOLOGY Joint University Program for Air Transportation Research, 1988-1989 [NASA-CP-3063] p 2 N90-20921	Quantitative analysis of the reconstruction performance of interpolants [NASA-TP-2688] p 65 N87-22441  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1266] p 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference [NASA-CP-2431] p 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear [NASA-CP-2435] p 12 N87-10054  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions [NASA-RP-1206] p 56 N89-14634  Sensor performance analysis [NASA-RP-1241] p 50 N90-23780  RADIATION ABSORPTION  Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on polyetherimides [NASA-TP-298] p 31 N89-25332  Parametric study of power absorption from electromagnetic waves by small fernite spheres [NASA-TP-2949] p 66 N90-12282  Atlas of albedo and absorbed solar radiation derived from Nimbus 6 earth radiation budget data set, July 1975 to May 1978  [NASA-RP-1230] p 57 N90-14741  RADIATION DAMAGE  Spectroscopic comparison of effects of electron radiation on mechanical properties of two polymindes [NASA-TP-2663] p 27 N87-18611  Fifteenth Space Simulation Conference: Support the Highway to Space Through Testing [NASA-CP-3015] p 25 N89-12582
NASA-SP-495  p 18 N89-12565	An electrochemical study of corrosion protection by primer-topcoal systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 PROTEIN CRYSTAL GROWTH Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTEIN SYNTHESIS Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 PROTON SCATTERING Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103 PROTUBERANCES Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5 [NASA-TP-2920] p 35 N87-13664 PROVING A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 14 N88-19467 PROXIMITY Technique for temperature compensation of eddy-current proximity probes [NASA-TP-2880] p 39 N89-15380 Interactive orbital proximity operations planning system [NASA-TP-2839] p 61 N89-18039 PSYCHOACOUSTICS Annoyance caused by advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration [NASA-TP-3039] PSYCHOLOGICAL EFFECTS Annoyance response to simulated advanced turboprop aircraft flyover noise: Counter-rotating-propeller configuration [NASA-TP-2689] p 66 N87-24161 PSYCHOLOGY Joint University Program for Air Transportation	Quantitative analysis of the reconstruction performance of interpolants [NASA-TP-2688] p 65 N87-22441  R  RADAR  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209  RADAR EQUIPMENT  Thirteenth International Laser Radar Conference [NASA-CP-2431] p 39 N87-10263  RADAR MEASUREMENT  Doppler Radar Detection of Wind Shear [NASA-CP-2435] p 12 N87-10054  RADIANCE  Summary of along-track data from the earth radiation budget satellite for several representative ocean regions [NASA-RP-1206] p 56 N89-14634  Sensor performance analysis [NASA-RP-1241] p 50 N90-23780  RADIATION ABSORPTION  Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on polyetherimides [NASA-TP-2928] p 31 N89-25332  Parametric study of power absorption from electromagnetic waves by small fernite spheres [NASA-TP-2949] Atlas of albedo and absorbed solar radiation derived from Nimbus 6 earth radiation budget data set. July 1975 to May 1978 [NASA-RP-1230] p 57 N90-14741  RADIATION DAMAGE  Spectroscopic companson of effects of electron radiation on mechanical properties of two polyimides (NASA-TP-2663) p 27 N87-18611  Fifteenth Space Simulation Conference: Support the Highway to Space Through Testing

Absorbed dose thresholds and absorbed dose rate	RADIO FREQUÊNCIES	Earth Sciences Requirements for the Information
limitations for studies of electron radiation effects on	Influence of the deposition conditions on radiofrequency	Sciences Experiment System
polyetherimides [NASA-TP-2928] p.31 N89-25332	magnetron sputtered MoS2 films [NASA-TP-2994] p 33 N90-21210	[NASA-CP-3072] p 50 N90-27140
Radiation exposure for manned Mars surface missions	RADIO TELESCOPES	REATTACHED FLOW  Supersonic, nonlinear, attached-flow wing design for
[NASA-TP-2979] p 80 N90-18357	Future Astronomical Observatories on the Moon	high lift with experimental validation
Improved model for solar cosmic ray exposure in manned	[NASA-CP-2489] p 74 N89-15810	[NASA-TP-2336] p 3 N87-10042
Earth orbital flights [NASA-TP-2987] p 80 N90-25031	RADIO WAVES Rapid Fluctuations in Solar Flares	RECONSTRUCTION  Output lighting applying of the reconstruction applying and the reconstruction applying and the reconstruction applying and the reconstruction applying a second and the reconstruction and the reconstruction applying a second and the reconstruction and the reconstruction applying a second and the reconstruct
Comparison of dose estimates using the buildup-factor	[NASA-CP-2449] p 79 N87-21785	Quantitative analysis of the reconstruction performance of interpolants
method and a Baryon transport code (BRYNTRN) with	RADIOBIOLOGY	[NASA-TP-2688] p 65 N87-22441
Monte Carlo results [NASA-TP-3021] p 80 N90-29290	Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets	Further developments in exact state reconstruction in
[NASA-TP-3021] p 80 N90-29290 RADIATION EFFECTS	[NASA-RP-1180] p 79 N87-25984	deterministic digital control systems [NASA-TP-2812] p 32 N88-18751
The effects of simulated space environmental	RADIOMETERS	More on exact state reconstruction in deterministic digital
parameters on six commercially available composite	Limb-darkening functions as derived from along-track	control systems
materials [NASA-TP-2906] p 29 N89-19385	operation of the ERBE scanning radiometer for January 1985	[NASA-TP-2847] p 33 N88-28177 The estimation error covariance matrix for the ideal state
Degradation and crosslinking of perfluoroalkyl	[NASA-RP-1214] p 56 N89-17374	reconstructor with measurement noise
polyethers under X-ray irradiation in ultrahigh vacuum	RADIOSONDES	[NASA-TP-2881] p 63 N89-13994
[NASA-TP-2910] p 31 N89-21103 NASA/SDIO Space Environmental Effects on Materials	Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086	A new state reconstructor for digital controls systems
Workshop, part 1	RAIN	using weighted-average measurements [NASA-TP-2936] p 33 N89-27039
[NASA-CP-3035-PT-1] p 27 N89-23528	Propagation effects handbook for satellite systems	RECRYSTALLIZATION
NASA/SDIO Space Environmental Effects on Materials	design. A summary of propagation impairments on 10 to	Microgravity crystallization of macromolecules: An
Workshop, part 2 [NASA-CP-3035-PT-2] p 28 N89-23547	100 GHz satellite links with techniques for system design	interim report and proposal for continued research [NASA-TP-2671] p 31 N87-20423
Absorbed dose thresholds and absorbed dose rate	[NASA-RP-1082(04)] p 34 N89-17060	RECTANGULAR PLATES
limitations for studies of electron radiation effects on	Steady-state and transitional aerodynamic	Buckling and postbuckling behavior of
polyetherimides [NASA-TP-2928] p.31 N89-25332	characteristics of a wing in simulated heavy rain [NASA-TP-2932] p 10 N89-25951	compression-loaded isotropic plates with cutouts
RADIATION HAZARDS	RAIN GAGES	[NASA-TP-3024] p 47 N90-28859 RED DWARF STARS
Benchmark solutions for the galactic ion transport	On requirements for a satellite mission to measure	The M-type stars
equations: Energy and spatially dependent problems	tropical rainfall p 55 N87-20701	[NASA-SP-492] p 75 N88-11592
[NASA-TP-2878] p 79 N89-16714  RADIATION MEASUREMENT	RAMAN SPECTRA	REDUCED GRAVITY  Microgravity crystallization of macromolecules: An
Angular radiation models for Earth-atmosphere system.	Raman intensity as a probe of concentration near a	interim report and proposal for continued research
Volume 1: Shortwave radiation	crystal growing in solution	[NASA-TP-2671] p 31 N87-20423
[NASA-RP-1184] p 56 N88-27677  RADIATION PYROMETERS	[NASA-TP-2865] p 39 N89-16139 RAMAN SPECTROSCOPY	Spacelab 3 Mission Science Review [NASA-CP-2429] p 36 N87-22103
Noncontact Temperature Measurement	Raman intensity as a probe of concentration near a	Microgravity Particle Research on the Space Station
[NASA-CP-2503] p 32 N88-23895	crystal growing in solution	[NASA-CP-2496] p 58 N88-15354
Determination of combustion gas temperatures by	[NASA-TP-2865] p 39 N89-16139 <b>RAMJET ENGINES</b>	Cryogenic Fluid Management Technology Workshop.
infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409	Aeropropulsive characteristics of isolated combined	Volume 1: Presentation material and discussion [NASA-CP-10001] p 37 N88-15924
RADIATION SHIELDING	turbojet/ramjet nozzles at Mach numbers from 0 to 1.20	Space Bioreactor Science Workshop
Solar-flare shielding with Regolith at a lunar-base site	[NASA-TP-2814] p 8 N88-23757	[NASA-CP-2485] p 58 N88-17168
[NASA-TP-2869] p 79 N89-14210 Improved model for solar cosmic ray exposure in manned	RATINGS Simulator evaluation of a display for a Takeoff	Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682
Earth orbital flights	Performance Monitoring System	Gas-Grain Simulation Facility: Fundamental studies of
(NASA-TP-2987) p 80 N90-25031	[NASA-TP-2908] p 20 N89-23469	particle formation and interactions. Volume 1: Executive
Comparison of dose estimates using the buildup-factor	RATIONAL FUNCTIONS  An algorithm for surface smoothing with rational	summary and overview
method and a Baryon transport code (BRYNTRN) with Monte Carlo results	splines	[NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of
[NASA-TP-3021] p 80 N90-29290	[NASA-TP-2708] p 65 N87-22447	particle formation and interactions. Volume 2: Abstracts,
RADIATION SPECTRA	REACTION KINETICS  An analytical study of the hydrogen-air reaction	candidate experiments and feasibility study
Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237	mechanism with application to scramjet combustion	[NASA-CP-10026-VOL-2] p 59 N89-24023 NASA Laser Light Scattering Advanced Technology
RADIATION TRANSPORT	[NASA-TP-2791] p 30 N88-15846	Development Workshop, 1988
Comparison of dose estimates using the buildup-factor	Outdation abasement on at Ti 14Al Olbib is not allow	
	Oxidation characteristics of Ti-14Al-21Nb ingot alloy	[NASA-CP-10033] p 40 N90-17085
method and a Baryon transport code (BRYNTRN) with	[NASA-TP-3012] p 31 N90-25206	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency
Monte Carlo results		[NASA-CP-10033] p 40 N90-17085  Development and approach to low-frequency microgravity isolation systems
Monte Carlo results [NASA-TP-3021] p 80 N90-29290 RADIATIVE TRANSFER	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 REDUNDANCY
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRANSFER Remote Sensing in Polarized Light	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 REDUNDANCY A closed-form trim solution yielding minimum trim drag
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRANSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRAMSFER  Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189  Two-Dimensional Intercomparison of Stratospheric Models	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754  REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 Space shuttle avionics system
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRANSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems {NASA-TP-2984} p 33 N90-28754 REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRANSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405  RADIO ALTIMETERS	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160 REDUNDANCY ENCODING
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRANSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems {NASA-TP-2984} p 33 N90-28754 REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRANSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405  RADIO ALTIMETERS MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792 REAL GASES	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160 REDUNDANCY ENCODING Advanced detection, isolation and sensor failures: Real-time evaluation [NASA-TP-2740] p 19 N87-25331
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRAMSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405  RADIO ALTIMETERS MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792  REAL GASES Description and calibration of the Langley Hypersonic	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems {NASA-TP-2984} p 33 N90-28754  REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors {NASA-TP-2907} p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160 REDUNDANCY ENCODING Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation {NASA-TP-2740} REENTRY SHIELDING
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRANSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405  RADIO ALTIMETERS MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209 Satellite radar altimetry over ice. Volume 1: Processing	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792 REAL GASES	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160 REDUNDANCY ENCODING Advanced detection, isolation and sensor failures: Real-time evaluation [NASA-TP-2740] p 19 N87-25331
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRAMSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405  RADIO ALTIMETERS MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209 Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792 REAL GASES Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384] p 37 N87-29778	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160 REDUNDANCY ENCODING Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation [NASA-TP-2740] p 19 N87-25331 REENTRY SHIELDING Finite-element reentry heat-transfer analysis of space shuttle Orbiter [NASA-TP-2657] p 37 N87-29795
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRAMSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405  RADIO ALTIMETERS MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209 Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562 Satellite radar altimetry over ice. Volume 2: Users' guide	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792  REAL GASES  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384] p 37 N87-29778  REAL TIME OPERATION	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160 REDUNDANCY ENCODING Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation [NASA-TP-2740] p 19 N87-25331 REENTRY SHIELDING Finite-element reentry heat-transfer analysis of space shuttle Orbiter [NASA-TP-2657] p 37 N87-29795 REFLECTANCE
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRAMSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405  RADIO ALTIMETERS MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209 Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792 REAL GASES Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384] p 37 N87-29778	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160 REDUNDANCY ENCODING Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation [NASA-TP-2740] p 19 N87-25331 REENTRY SHIELDING Finite-element reentry heat-transfer analysis of space shuttle Orbiter [NASA-TP-2657] p 37 N87-29795
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRANSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405  RADIO ALTIMETERS MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209 Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland detvation data from Seasat	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792  REAL GASES Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384] p 37 N87-29778  REAL TIME OPERATION Applications and requirements for real-time simulators in ground-test facilities [NASA-TP-2672] p 64 N87-23202	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems {NASA-TP-2984} p 33 N90-28754 REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors {NASA-TP-2907} p 20 N89-23468 Space shuttle avionics system {NASA-SP-504} p 24 N90-25160 REDUNDANCY ENCODING Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation {NASA-TP-2740} p 19 N87-25331 REENTRY SHELDING Finite-element reentry heat-transfer analysis of space shuttle Orbiter {NASA-TP-2657} p 37 N87-29795 REFLECTANCE Theory for computing the field scattered from a smooth
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRANSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405  RADIO ALTIMETERS MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209 Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563 Satellite radar attimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 k [NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792  PEAL GASES  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-284] p 37 N87-29778  PEAL TIME OPERATION  Applications and requirements for real-time simulators in ground-test facilities [NASA-TP-2872] The 1987 Airborne Antarctic Ozone Experiment: The	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems {NASA-TP-2984} p 33 N90-28754 REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors {NASA-TP-2907} p 20 N89-23468 Space shuttle avionics system {NASA-SP-504} p 24 N90-25160 REDUNDANCY ENCODING Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation {NASA-TP-2740} p 19 N87-25331 REENTRY SHIELDING Finite-element reentry heat-transfer analysis of space shuttle Orbiter {NASA-TP-2657} p 37 N87-29795 REFLECTANCE Theory for computing the field scattered from a smooth inflected surface {NASA-TP-2632} p 68 N87-13264 Analytical and experimental procedures for determining
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRAMSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405  RADIO ALTIMETERS MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209 Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563 Satellite radar altimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4] p 54 N90-20564	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792  REAL GASES Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384] p 37 N87-29778  REAL TIME OPERATION Applications and requirements for real-time simulators in ground-test facilities [NASA-TP-2672] p 64 N87-23202	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754  REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160  REDUNDANCY ENCODING Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation [NASA-TP-2740] p 19 N87-25331  REENTRY SHIELDING Finite-element reentry heat-transfer analysis of space shuttle Orbiter [NASA-TP-2637] p 37 N87-29795  REFLECTANCE Theory for computing the field scattered from a smooth inflected surface [NASA-TP-2632] p 68 N87-13264 Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRANSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405  RADIO ALTIMETERS MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209 Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563 Satellite radar attimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792  REAL GASES  Description and calibration of the Langley Hypersonic CF4 turnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384] p 37 N87-29778  REAL TIME OPERATION  Applications and requirements for real-time simulators in ground-test facilities [NASA-TP-2672] p 64 N87-23202 The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 49 N88-20714 Optimized resolved rate control of	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems {NASA-TP-2984} p 33 N90-28754 REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors {NASA-TP-2907} p 20 N89-23468 Space shuttle avionics system {NASA-SP-504} p 24 N90-25160 REDUNDANCY ENCODING Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation {NASA-TP-2740} p 19 N87-25331 REENTRY SHIELDING Finite-element reentry heat-transfer analysis of space shuttle Orbiter {NASA-TP-2657} p 37 N87-29795 REFLECTANCE Theory for computing the field scattered from a smooth inflected surface {NASA-TP-2632} p 68 N87-13264 Analytical and experimental procedures for determining
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRAMSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405  RADIO ALTIMETERS MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209 Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563 Satellite radar attimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4] p 54 N90-20564 RADIO ASTROMOMY Coronal and Prominence Plasmas [NASA-CP-2442] p 79 N87-20671	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064 AMSA-HTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792  REAL GASES  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384] p 37 N87-29778  REAL TIME OPERATION  Applications and requirements for real-time simulators in ground-test facilities [NASA-TP-2672] p 64 N87-23202 The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 49 N88-20714 Optimized resolved rate control of seven-degree-of-freedom Laboratory Telerobotic	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754  REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160  REDUNDANCY ENCODING Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation [NASA-TP-2740] p 19 N87-25331  REENTRY SHIELDING Finite-element reentry heat-transfer analysis of space shuttle Orbiter [NASA-TP-2632] p 37 N87-29795  REFLECTANCE Theory for computing the field scattered from a smooth inflected surface [NASA-TP-2632] p 68 N87-13264 Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169 Mode-medium instability and its correction with a
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRAMSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405  RADIO ALTIMETERS MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209  Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562  Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-123-VOL-2] p 54 N90-20563  Satellite radar altimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat [NASA-RP-123-VOL-4] p 54 N90-20564  RADIO ASTROMOMY  Coronal and Prominence Plasmas [NASA-CP-2442] p 79 N87-20871  Star Formation in Galaxies	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792 REAL GASES Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384] p 37 N87-29778 REAL TIME OPERATION Applications and requirements for real-time simulators in ground-test facilities [NASA-TP-2672] p 64 N87-23202 The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 49 N88-20714 Optimized resolved rate control of seven-degree-of-freedom Laboratory Telerobotic Manipulator (LTM) with application to three-dimensional	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160 REDUNDANCY ENCODING Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation [NASA-TP-2740] p 19 N87-25331 REENTRY SHIELDING Finite-element reentry heat-transfer analysis of space shuttle Orbiter [NASA-TP-2657] p 37 N87-29795 REFLECTANCE Theory for computing the field scattered from a smooth inflected surface [NASA-TP-2632] p 68 N87-13264 Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169 Mode-medium instability and its correction with a Gaussian reflectivity mirror
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRAMSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405  RADIO ALTIMETERS MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209 Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563 Satellite radar attimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4] p 54 N90-20564 RADIO ASTROMOMY Coronal and Prominence Plasmas [NASA-CP-2442] p 79 N87-20671	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 k [NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792  REAL GASES  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384] p 37 N87-29778  REAL TIME OPERATION  Applications and requirements for real-time simulators in ground-test facilities [NASA-TP-2972] p 64 N87-23202 The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 49 N88-20714 Optimized resolved rate control of seven-degree-of-freedom Laboratory Telerobotic Manipulator (LTM) with application to three-dimensional graphics simulation [NASA-TP-2938] p 64 N90-10618	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754  REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160  REDUNDANCY ENCODING Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation [NASA-TP-2740] p 19 N87-25331  REENTRY SHIELDING Finite-element reentry heat-transfer analysis of space shuttle Orbiter [NASA-TP-2632] p 37 N87-29795  REFLECTANCE Theory for computing the field scattered from a smooth inflected surface [NASA-TP-2632] p 68 N87-13264 Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169 Mode-medium instability and its correction with a
Monte Carlo results [NASA-TP-3021]  RADIATIVE TRAMSFER Remote Sensing in Polarized Light [NASA-CP-3014]  Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042]  RADIO ALTIMETERS  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document alton. Volume 1: MARA system requirements document [NASA-RP-1226]  Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1]  Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2]  Satellite radar altimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4]  RADIO ASTRONOMY  Coronal and Prominence Plasmas [NASA-CP-2442]  Star Formation in Galaxies [NASA-CP-2466]  Future Astronomical Observatories on the Moon [NASA-CP-2448]  p 74 N89-15810	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792 REAL GASES Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384] p 37 N87-29778 REAL TIME OPERATION Applications and requirements for real-time simulators in ground-test facilities [NASA-TP-2872] p 64 N87-23202 The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 49 N88-20714 Optimized resolved rate control of seven-degree-of-freedom Laboratory Telerobotic Manipulator (LTM) with application to three-dimensional graphics simulation [NASA-TP-2938] p 64 N90-10618 Delivery performance of conventional aircraft by	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems {NASA-TP-2984} p 33 N90-28754  REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors {NASA-TP-2907} p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160  REDUNDANCY ENCODING Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation {NASA-TP-2740} p 19 N87-25331  REENTRY SHIELDING Finite-element reentry heat-transfer analysis of space shuttle Orbiter [NASA-TP-2657] p 37 N87-29795  REFLECTANCE Theory for computing the field scattered from a smooth inflected surface {NASA-TP-2632} p 68 N87-13264 Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169 Mode-medium instability and its correction with a Gaussian reflectivity mirror [NASA-TP-3023] p 68 N90-25673  REFLECTOR ANTENNAS A simplified approach to axisymmetric dual-reflector
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRAMSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405  RADIO ALTIMETERS MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209  Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-123-VOL-1] p 54 N90-20562  Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563  Satellite radar altimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4] p 54 N90-20564 RADIO ASTROMOMY  Coronal and Prominence Plasmas [NASA-CP-2442] p 79 N87-20671  Star Formation in Galaxies [NASA-CP-2466] p 73 N87-24266 Future Astronomical Observatories on the Moon [NASA-CP-2489] p 74 N89-15810 A lunar far-side very low frequency array	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064 AMSA-HTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792  REAL GASES  Description and calibration of the Langley Hypersonic CF4 turnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2844] p 37 N87-29778  REAL TIME OPERATION  Applications and requirements for real-time simulators in ground-test facilities [NASA-TP-2872] p 64 N87-29202 The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 49 N88-20714 Optimized resolved rate control of seven-degree-of-freedom Laboratory Telerobotic Manipulator (LTM) with application to three-dimensional graphics simulation [NASA-TP-2938] p 64 N90-10618 Delivery performance of conventional aircraft by terminal-area, time-based air traffic control: A real-time	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160 REDUNDANCY ENCODING Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation [NASA-TP-2740] p 19 N87-25331 REENTRY SHIELDING Finite-element reentry heat-transfer analysis of space shuttle Orbiter [NASA-TP-2657] p 37 N87-29795 REFLECTANCE Theory for computing the field scattered from a smooth inflected surface [NASA-TP-2832] p 68 N87-13264 Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169 Mode-medium instability and its correction with a Gaussian reflectivity mirror [NASA-TP-3023] p 68 N90-25673 REFLECTOR ANTENNAS A simplified approach to axisymmetric dual-reflector antenna design
Monte Carlo results [NASA-TP-3021]  RADIATIVE TRAMSFER Remote Sensing in Polarized Light [NASA-CP-3014]  Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042]  RADIO ALTIMETERS  MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document alton. Volume 1: MARA system requirements document [NASA-RP-1226]  Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1]  Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2]  Satellite radar altimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4]  RADIO ASTRONOMY  Coronal and Prominence Plasmas [NASA-CP-2442]  Star Formation in Galaxies [NASA-CP-2466]  Future Astronomical Observatories on the Moon [NASA-CP-2448]  p 74 N89-15810	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792 REAL GASES Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384] p 37 N87-29778 REAL TIME OPERATION Applications and requirements for real-time simulators in ground-test facilities [NASA-TP-2872] p 64 N87-23202 The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 49 N88-20714 Optimized resolved rate control of seven-degree-of-freedom Laboratory Telerobotic Manipulator (LTM) with application to three-dimensional graphics simulation [NASA-TP-2938] p 64 N90-10618 Delivery performance of conventional aircraft by	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160 REDUNDANCY ENCODING Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation [NASA-TP-2740] p 19 N87-25331 REENTRY SHIELDING Finite-element reentry heat-transfer analysis of space shuttle Orbiter [NASA-TP-2657] p 37 N87-29795 REFLECTANCE Theory for computing the field scattered from a smooth inflected surface [NASA-TP-2832] p 68 N87-13264 Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169 Mode-medium instability and its correction with a Gaussian reflectivity mirror [NASA-TP-3023] p 68 N90-25673 REFLECTOR ANTENNAS A simplified approach to axisymmetric dual-reflector antenna design
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRAMSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405  RADIO ALTIMETERS MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209  Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562  Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563  Satellite radar altimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4] p 54 N90-20564  RADIO ASTRONOMY  Coronal and Prominence Plasmas [NASA-CP-2442] p 79 N87-20871  Star Formation in Galaxies [NASA-CP-2466] p 73 N87-24266 Future Astronomical Observatories on the Moon [NASA-CP-2489] p 74 N89-15810  A lunar far-side very low frequency array [NASA-CP-3039] p 75 N90-10805  RADIO COMMUNICATION  A simulator investigation of the use of digital data link	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792  REAL GASES  Description and calibration of the Langley Hypersonic CF4 turnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384] p 37 N87-29778  REAL TIME OPERATION  Applications and requirements for real-time simulators in ground-test facilities [NASA-TP-2872] p 64 N87-23202 The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 49 N88-20714 Optimized resolved rate control of seven-degree-of-freedom Laboratory Telerobotic Manipulator (LTM) with application to three-dimensional graphics simulation [NASA-TP-2938] p 64 N90-10618 Derivery performance of conventional aircraft by terminal-area, time-based air traffic control: A real-time simulation evaluation [NASA-TP-2978] p 13 N90-18378 Evaluation of various thrust calculation techniques on	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160 REDUNDANCY ENCODING Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation [NASA-TP-2740] p 19 N87-25331 REENTRY SHIELDING Finite-element reentry heat-transfer analysis of space shuttle Orbiter [NASA-TP-2657] p 37 N87-29795 REFLECTANCE Theory for computing the field scattered from a smooth inflected surface [NASA-TP-2632] p 68 N87-13264 Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169 Mode-medium instability and its correction with a Gaussian reflectivity mirror [NASA-TP-3023] p 68 N90-25673 REFLECTOR ANTENNAS A simplified approach to axisymmetric dual-reflector antenna design [NASA-TP-2797] p 7 N88-16662 REFLECTORS A simplified approach to axisymmetric dual-reflector
Monte Carlo results [NASA-TP-3021] p 80 N90-29290  RADIATIVE TRAMSFER Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189 Two-Dimensional Intercomparison of Stratospheric Models [NASA-CP-3042] p 53 N90-11405  RADIO ALTIMETERS MARA (Multimode Airborne Radar Altimeter) system documentation. Volume 1: MARA system requirements document [NASA-RP-1226] p 39 N89-26209  Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562  Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563  Satellite radar attimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20564  RADIO ASTRONOMY  Coronal and Prominence Plasmas [NASA-CP-2446] p 79 N87-20871  Star Formation in Galaxies [NASA-CP-2448] p 77 N87-2466  Future Astronomical Observatories on the Moon [NASA-CP-2448] p 77 N89-15810  A lunar far-side very low frequency array [NASA-CP-3039] p 75 N90-10805	[NASA-TP-3012] p 31 N90-25206 First International Conference on Laboratory Research for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744 A review of reaction rates and thermodynamic and transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000 K [NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792 REAL GASES  Description and calibration of the Langley Hypersonic CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas [NASA-TP-2384] p 37 N87-29778 REAL TIME OPERATION Applications and requirements for real-time simulators in ground-test facilities [NASA-TP-2672] p 64 N87-23202 The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 49 N88-20714 Optimized resolved rate control of seven-degree-of-freedom Laboratory Telerobotic Manipulator (LTM) with application to three-dimensional graphics simulation [NASA-TP-2938] p 64 N90-10618 Delivery performance of conventional aircraft by terminal-area, time-based air traffic control: A real-time simulation evaluation [NASA-TP-2978] p 13 N90-18378	[NASA-CP-10033] p 40 N90-17085 Development and approach to low-frequency microgravity isolation systems {NASA-TP-2984} p 33 N90-28754  REDUNDANCY A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors {NASA-TP-2907} p 20 N89-23468 Space shuttle avionics system [NASA-SP-504] p 24 N90-25160  REDUNDANCY ENCODING Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation {NASA-TP-2740} p 19 N87-25331  REENTRY SHIELDING Finite-element reentry heat-transfer analysis of space shuttle Orbiter [NASA-TP-2657] p 37 N87-29795  REFLECTANCE Theory for computing the field scattered from a smooth inflected surface {NASA-TP-2632} p 68 N87-13264 Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-2169 Mode-medium instability and its correction with a Gaussian reflectivity mirror [NASA-TP-3023] REFLECTOR ANTENNAS A simplified approach to axisymmetric dual-reflector antenna design [NASA-TP-2797] REFLECTORS

EFRACIONT MATERIALS		SUBJECT INDEX
Workshop on Technology Development Issues for the	Calculation and accuracy of ERBE scanner	Modal control of an oblique wing aircraft
Large Deployable Reflector (LDR)	measurement locations	(NASA-TP-2898) p 20 N89-16845
[NASA-CP-2407] p.75 N88-20235 Measured and predicted root-mean-square errors in	[NASA-TP-2670] p 72 N87-28471	Longitudinal stability and control characteristics of the Quiet Short-Haul Research Aircraft (QSRA)
square and triangular antenna mesh facets	Atlas of absorption lines from 0 to 17900 cm (sup)-1 [NASA-RP-1188] p 49 N87-28955	[NASA-TP-2965] p 20 N90-17639
[NASA-TP-2896] p 45 N89-17892	Wind shear detection. Forward-looking sensor	RESEARCH AND DEVELOPMENT
IEFRACTORY MATERIALS  Nonlinear Constitutive Relations for High Temperature	technology	National Educators' Workshop: Update 1989 Standard Experiments in Engineering Materials Science and
Applications, 1986	[NASA-CP-10004] p 12 N88-14970 Summary of along-track data from the Earth radiation	Technology
[NASA-CP-10010] p 44 N88-21498 HEFUELING	budget satellite for several major desert regions	[NASA-CP-3074] p 28 N90-24350
Investigation of the misfueling of reciprocating piston	[NASA-RP-1197] p 56 N88-20772	RESEARCH FACILITIES  Engineer in charge: A history of the Langley Aeronautical
aircraft engines	Earth resources: A continuing bibliography with indexes (issue 57)	Laboratory, 1917-1958
[NASA-TP-2803] p 12 N88-21144 IEGENERATIVE FUEL CELLS	[NASA-SP-7041(57)] p 49 N88-23314	[NASA-SP-4305] p 80 N87-24390 The ACEE program and basic composites research at
Space Electrochemical Research and Technology	Reflectance spectroscopy in planetary science: Review	Langley Research Center (1975 to 1986): Summary and
(SERT)	and strategy for the future [NASA-SP-493] p 78 N88-24564	bibliography
[NASA-CP-2484] p 50 N87-29914 IEGIONS	Limb-darkening functions as derived from along-track	(NASA-RP-1177) p 28 N87-29612 A perspective on 15 years of proof-of-concept aircraft
Geomorphology from space: A global overview of	operation of the ERBE scanning radiometer for January	development and flight research at Ames-Moffett by the
regional landforms	1985 [NASA-RP-1214] p 56 N89-17374	Rotorcraft and Powered-Lift Flight Projects Division,
(NASA-SP-486) p 47 N87-18139 IEGOLITH	Earth resources: A continuing bibliography with indexes	1970-1985 [NASA-RP-1187] p 14 N88-19467
Lunar Helium-3 and Fusion Power	(issue 62)	A review of technologies applicable to low-speed flight
[NASA-CP-10018] p 69 N89-14842	(NASA-SP-7041(62)) p 50 N89-29825	of high-performance aircraft investigated in the Langley
TEGRESSION ANALYSIS Calibration of the spin-scan ozone imager aboard the	Earth resources: A continuing bibliography with indexes (issue 63)	14- x 22-foot subsonic tunnel [NASA-TP-2796] p 7 N88-20264
dynamics Explorer 1 satellite	[NASA-SP-7041(63)] p 50 N90-12091	RESEARCH MANAGEMENT
[NASA-TP-2723] p 55 N87-26491 REINFORCING FIBERS	Global stratospheric change: Requirements for a	Closed-Cycle, Frequency-Stable CO2 Laser
Effects of thermal cycling on graphie-fiber-reinforced	Very-High-Altitude Aircraft for Atmospheric Research [NASA-CP-10041] p 16 N90-14220	Technology (NASA-CP-2456) p 40 N87-20522
6061 aluminum	Earth Science Genstationary Platform Technology	Nuclear techniques in studies of condensed matter
[NASA-TP-2612] p 28 N87-10184 Properties of two composite materials made of	[NASA-CP-3040] p 24 N90-19249 FIRE Science Results 1989	[NASA-RP-1195] p 68 N88-13015 NASA historical data book. Volume 1: NASA resources
toughened epoxy resin and high-strain graphite fiber	[NASA-CP-3079] p 58 N90-28224	1958-1968
[NASA-TP-2826] p 28 N88-25480	REMOTE SENSORS	[NASA-SP-4012-VOL-1] p 80 N88-25428
RELATIVITY Relativistic Gravitational Experiments in Space	Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation	NASA historical data book. Volume 2: Programs and projects 1958-1968
[NASA-CP-3046] p 77 N90-19940	[NASA-TP-2740] p 19 N87-25331	[NASA-SP-4012-VOL-2] p 80 N88-25429
RELAXATION METHOD (MATHEMATICS)  An upwind-biased, point-implicit relaxation algorithm for	Earth resources: A continuing bibliography with indexes	NASA historical data book. Volume 3: Programs and projects 1969-1978
viscous, compressible perfect-gas flows	(issue 62) [NASA-SP-7041(62)] p 50 N89-29825	[NASA-SP-4012-VOL-3] p 81 N88-25430
[NASA-TP-2953] p 38 N90-17042	Earth resources: A continuing bibliography with indexes	RESIN MATRIX COMPOSITES
RELIABILITY Applications of the hybrid automated reliability predictor:	(issue 63) [NASA-SP-7041(63)] p 50 N90-12091	Cyclic loads tests of carbon involute solid rocket motor outer boot ring segments
Revised edition	REMOTELY PILOTED VEHICLES	[NASA-TP-2884] p 45 N89-16192
[NASA-TP-2760-REV] p 63 N90-11454	Flight control systems development and flight test	RESISTOJET ENGINES
RELIABILITY ANALYSIS  Development of confidence limits by pivotal functions	experience with the HiMAT research vehicles [NASA-TP-2822] p 20 N89-15929	Compatability of dispersion-strengthened platinum with resistojet propellants
for estimating software reliability	REPORTS	[NASA-TP-2765] p 27 N88-12538
[NASA-TP-2709] p 65 N87-23244	NASA scientific and technical publications: A catalog	RESOURCES MANAGEMENT Issues in NASA program and project management
SURE reliability analysis: Program and mathematics [NASA-TP-2764] p.65 N88-17380	of special publications, reference publications, conference publications, and technical papers, 1988	[NASA-SP-6101] p 69 N89-12479
CARE 3 User's Workshop	[NASA-SP-7063(03)] p 71 N90-10782	Geoscience and a Lunar Base: A Comprehensive Plan
[NASA-CP-10011] p 61 N88-21646	REQUIREMENTS Practices in adequate structural design	for Lunar Exploration [NASA-CP-3070] p 78 N90-25030
Analysis and testing of the SURE program [NASA-TP-2817] p 65 N88-22653	[NASA-TP-2893] p 24 N89-18504	Information resources management, 1984-1989: A
The Fault Tree Compiler (FTC): Program and	MARA (Multimode Airborne Radar Altimeter) system	bibliography with indexes [NASA-SP-7079] p 71 N90-27548
mathematics	documentation. Volume 1: MARA system requirements document	RESPONSES p 71 Nau-27348
[NASA-TP-2915] p 64 N89-24815	[NASA-RP-1226] p 39 N89-26209	Annoyance response to simulated advanced turboprop
Ceramics Analysis and Reliability Evaluation of Structures (CARES). Users and programmers manual	RESEARCH NASA scientific and technical publications: A catalog	aircraft interior noise containing tonal beats [NASA-TP-2689] p 66 N87-24161
[NASA-TP-2916] p 47 N90-28099	of Special Publications, Reference Publications,	RETROFITTING
RELIABILITY ENGINEERING	Conference Publications, and Technical Papers,	Computer-aided design analysis of 57-mm.
Electronics reliability and measurement technology [NASA-CP-2472] p 42 N87-27204	1977-1986 [NASA-SP-7063(01)] p 70 N87-30218	angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 41 N88-18933
RELIEF MAPS	NASA scientific and technical publications: A catalog	REVERSED FLOW
Satellite radar altimetry over ice. Volume 4: Users' guide	of Special Publications, Reference Publications,	Thrust-reverser flow investigation on a twin-engine
for Antarctica elevation data from Seasat (NASA-RP-1233-VOL-4) p 54 N90-20564	Conference Publications, and Technical Papers, 1987 (NASA-SP-7063(02)) p.70 N88-22830	transport [NASA-TP-2856] p 9 N89-14213
REMOTE CONTROL	RESEARCH AIRCRAFT	REVISIONS
Wind-tunnel investigation at supersonic speeds of a	In-flight total forces, moments and static aeroelastic characteristics of an oblique-wing research airplane	Flight investigation of the effects of an outboard
remote-controlled canard missile with a free-rolling-tail brake torque system	[NASA-TP-2224] p 19 N87-10103	wing-leading-edge modification on stall/spin characteristics of a low-wing, single-engine, T-tail light
[NASA-TP-2401] p 4 N87-17668	Flight-determined aerodynamic derivatives of the AD-1	airplane
REMOTE SENSING	oblique-wing research airplane [NASA-TP-2222] p 19 N87-10871	[NASA-TP-2691] p 14 N87-23614
SAGE aerosol measurements. Volume 3: January 1, 1981 to November 18, 1981	Flight investigation of the effect of tail configuration on	Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from
[NASA-RP-1173] p 51 N87-17417	stall, spin, and recovery characteristics of a low-wing	0.7 to 1.5
Geomorphology from space: A global overview of	general aviation research airplane [NASA-TP-2644] p 13 N87-16815	[NASA-TP-2802] p 37 N88-18881
regional landforms [NASA-SP-486] p 47 N87-18139	Flight characteristics of the AD-1 oblique-wing research	Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings
Space Opportunities for Tropospheric Chemistry	aircraft (NASA-TP-2223) p 19 N87-18570	[NASA-TP-2816] p 41 N88-18933
Research	New methods and results for quantification of	REYNOLDS NUMBER
[NASA-CP-2450] p 51 N87-18248 System study of the carbon dioxide observational	lightning-aircraft electrodynamics	Effect of Reynolds number variation on aerodynamics of a hydrogen-fueled transport concept at Mach 6
platform system (CO-OPS): Project overview	[NASA-TP-2737] p 4 N87-21871 A perspective on 15 years of proof-of-concept aircraft	[NASA-TP-2728] p 5 N87-26031
[NASA-TP-2696] p 23 N87-18588	development and flight research at Ames-Moffett by the	CAST-10-2/DOA 2 Airfoil Studies Workshop Results
Earth resources: A continuing bibliography with indexes (issue 54)	Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985	[NASA-CP-3052] p 22 N90-17647 RIGID ROTORS
1-0000 JT/	177117177	ハマル カン・レハウ
[NASA-SP-7041(54)] p 49 N87-27315	[NASA-RP-1187] p 14 N88-19467	An experimental investigation of the flap-lag-torsion
Effects of aerosols and surface shadowing on	[NASA-RP-1187] p.14 N88-19467 Flight control systems development and flight test	aeroelastic stability of a small-scale hingeless helicopter
	[NASA-RP-1187] p 14 N88-19467	

		SALI SPRAY IESIS
The effects of structural flap-lag and pitch-lag coupling	Comparison of theoretical and experimental thrust	Advancing-side directivity and retreating-side
on soft inplane hingeless rotor stability in hover	performance of a 1030:1 area ratio rocket nozzle at a	interactions of model rotor blade-vortex interaction noise
[NASA-TP-3002] p 12 N90-28503 RING STRUCTURES	chamber pressure of 2413 kN/m2 (350 psia) [NASA-TP-2725] p 26 N87-25423	[NASA-TP-2784] p 67 N88-22710
Application of Newton's method to the postbuckling of	Experimental evaluation of heat transfer on a 1030:1	Integrated Technology F.∋tor Methodology Assessment Workshop
rings under pressure loadings	area ratio rocket nozzle	[NASA-CP-10007] p 2 N88-27148
[NASA-TP-2941] p 46 N89-2981; RINGS	[NASA-TP-2726] p 27 N87-25424 Aeropropulsive characteristics of isolated combined	Tip aerodynamics and acoustics test: A report and data
Revised NASA axially symmetric ring model for	turbojet/ramjet nozzies at Mach numbers from 0 to 1.20	survey [NASA-RP-1179] p.9 N89-17579
coupled-cavity traveling-wave tubes	[NASA-TP-2814] p.8 N88-23757	Rotordynamic Instability Problems in High-Performance
[NASA-TP-2675] p 35 N8/-22923	ROCKET PROPELLANTS  Compatability of dispersion-strengthened platinum with	Turbomachinery, 1988
RIVERS Sapping features of the Colorado Plateau A comparative	resistojet propellants	[NASA-CP-3026] p 41 N89-22891
planetary geology field guide	[NASA-TP-2765] p 27 N88-12538	ROTOR BLADES (TURBOMACHINERY) Turbine Engine Hot Section Technology, 1984
[NASA-SP-491] p 49 N89-10401	Experimental thrust performance of a high-area-ratio	[NASA-CP-2339] p 43 N87-11180
RIVETS Fastener design manual	rocket nozzle	Design of 9.271-pressure-ratio 5-stage core compressor
[NASA-RP-1228] p 42 N90-18740	[NASA-TP-2720] p 26 N87-20381	and overall performance for first 3 stages [NASA-TP-2597] p 17 N87-17699
ROBOT CONTROL	Comparison of theoretical and experimental thrust performance of a 1030:1 area ratio rocket nozzle at a	Correlation of helicopter impulsive noise from
A generalized method for automatic downhand and	chamber pressure of 2413 kN/m2 (350 psia)	blade-vortex interaction with rotor mean inflow
wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869	[NASA-TP-2725] p 26 N87-25423	[NASA-TP-2650] p 66 N87-18399
Optimized resolved rate control of	Aerodynamics in ground effect and predicted landing	Low-cost FM oscillator for capacitance type of blade tip clearance measurement system
seven-degree-of-freedom Laboratory Telerobotic	ground roll of a fighter configuation with a	[NASA-TP-2746] p 17 N87-24481
Manipulator (LTM) with application to three-dimensional graphics simulation	secondary-nozzle thrust reverser [NASA-TP-2834] p.8 N88-29752	Laser anemometer measurements in a transonic
[NASA-TP-2938] p 64 N90-10618	ROLLER BEARINGS	axial-flow fan rotor [NASA-TP-2879] p 38 N90-11245
ROBOTICS	Comparison of predicted and measured temperatures	ROTOR BODY INTERACTIONS
The 21st Aerospace Mechanisms Symposium INASA-CP-24701 p 43 N87-29858	of UH-6 \A helicopter transmission [NASA *P-2911] p 41 N89-24607	Integrated Technology Rotor Methodology Assessment
Third Conference on Artificial Intelligence for Space	Mode cation of the SHABERTH bearing code to	Workshop [NASA-CP-10007] p 2 N88-27148
Applications, part 1	incorporate RP-1 and a discussion of the traction model	ROTOR SPEED
[NASA-CP-2492-Pt-1] p 62 N8A-16360	[NASA-TP-3017] p 42 N90-28066 ROLLING MOMENTS	Experimental evaluation of a tuned electromagnetic
First Annual Workshop on Space Operations Automation and Robotics (SOAR 87)	Wind-tunnel investigation at supersonic speeds of a	damper for vibration control of cryogenic turbopump
[NASA-CP-2491] p 61 N88-17206	remote-controlled canard missile with a free-rolling-tail	rotors [NASA-TP-3005] p 18 N90-23403
A generalized method for automatic downhand and	brake torque system [NASA-TP-2401] p.4 N87-17668	ROTORCRAFT AIRCRAFT
wwefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869	ROOT-MEAN-SQUARE ERRORS	Effect of advanced rotorcraft airfoil sections on the hover
Second Conference on Artificial Intelligence for Space	Measured and predicted root-mean-square errors in	performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264
Applications [NASA-CP-3007] p 63 N88-29351	square and triangular antenna mesh facets [NASA-TP-2896] p 45 N89-17892	Aerodynamic characteristics of two rotorcraft airfoils
Experiments in Planetary and Related Sciences and the	ROTARY WING AIRCRAFT	designed for application to the inboard region of a main
Space Station	NASA/Army Rotorcraft Technology. Volume 3: Systems	rotor blade [NASA-TP-3009] p 11 N90-24239
[NASA-CP-2494] p 72 N89-14998 Fourth Conference on Artificial Intelligence for Space	Integration, Research Aircraft, and Industry [NASA-CP-2495-VOL-3] p.1 N88-16650	ROTORS
Applications	[NASA-CP-2495-VOL-3] p 1 N88-16650 A perspective on 15 years of proof-of-concept aircraft	Transonic flow analysis for rotors. Part 2:
[NASA-CP-3013] p 63 N89-15549	development and flight research at Ames-Moffett by the	Three-dimensional, unsteady, full-potential calculation [NASA-TP-2375-PT-2] p 3 N87-10841
Second Annual Workshop on Space Operations Automation and Robotics (SOAR 1988)	Rotorcraft and Powered-Lift Flight Projects Division,	Helicopter blade-vortex interaction locations:
[NASA-CP-3019] p 61 N89-19817	1970-1985 [NASA-RP-1187] p 14 N88-19467	Scale-model acoustics and free-wake analysis results
Optimized resolved rate control of	Rotorcraft flight-propulsion control integration: An	[NASA-TP-2658] p 4 N87-18537
seven-degree-of-freedom Laboratory Telerobotic Manipulator (LTM) with application to three-dimensional	eclectic design concept	Preliminary structural design of composite main rotor blades for minimum weight
graphics simulation	[NASA-TP-2815] p 19 N88-19475 Stereopsis cueing effects on hover-in-turbulence	[NASA-TP-2730] p 28 N87 25435
[NASA-TP-2938] p 64 N90-10618 Visual Information Processing for Television and	performance in a simulated rotorcraft	Experimental evaluation of a tuned electromagnetic
Telerobotics	[NASA-TP-2980] p 17 N90-21004	damper for vibration control of cryogenic turbopump
[NASA-CP-3053] p 40 N90-16204		
	ROTARY WINGS	rotors [NASA-TP-3005] p 18 N90-23403
Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989)	ROTARY WINGS  Helicopter main-rotor noise: Determination of source contributions using scaled model data	rotors [NASA-TP-3005] p 18 N90-23403 ROUTES
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium
Automation and Robotics (SOAR 1969) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] Effect of advanced rotorcraft airfoil sections on the hover	rotors [NASA-TP-3005] p 18 N90-23403 ROUTES
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275 ROBOTS	Helicopter main-rotor noise: Determination of source contribution: using scaled model data [NASA-TP-2825]  Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832]  Aerodynamic characteristics of two rotorcraft airfoils	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275 ROBOTS A generalized method for automatic downhand and	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853 RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] Modification of the SHABERTH bearing code to
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275 ROBOTS A generalized method for automatic downhand and wirefeed control of a welding robot and positioner	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275 ROBOTS A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853 RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] Modification of the SHABERTH bearing code to
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275  ROBOTS A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and Telerobotics	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p. 67. N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p. 10. N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p. 11. N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066  RUNWAY CONDITIONS Evaluation of two transport aircraft and several ground
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275 ROBOTS A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p 11 N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model (NASA-TP-3017] p 42 N90-28066  RUNWAY CONDITIONS Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275  ROBOTS A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989)	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p. 67. N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p. 10. N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p. 11. N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066  RUNWAY CONDITIONS Evaluation of two transport aircraft and several ground
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275  ROBOTS A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p 11 N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 ROTATING BODIES Effect of port corner geometry on the internal performance of a rotating-vane-type thrust reverser	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979 Modification of the SHABERTH bearing code in incorporate RP-1 and a discussion of the traction model (NASA-TP-3017] p 42 N90-28066  RUNWAY CONDITIONS Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various runway surface types and conditions. A summary of test results from joint FAA/NASA Runway Friction Program [NASA-TP-2917] p 16 N90-15902
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275  ROBOTS A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989)	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p 11 N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 ROTATING BODIES  Effect of port corner geometry on the internal performance of a rotating-vane-type thrust reverser [NASA-TP-2624] p 3 N87-12541	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model (NASA-TP-3017] RUNWAY CONDITIONS Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various runway surface types and conditions. A summary of test results from joint FAA/NASA Runway Friction Program [NASA-TP-2917] p 16 N90-15902  RUNWAYS
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275 ROBOTS A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 ROCKET ENGINE CASES Lightweight structural design of a boilted case joint for the space shuttle solid rocket motor	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p 11 N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 ROTATING BODIES Effect of port corner geometry on the internal performance of a rotating-vane-type thrust reverser	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979 Modification of the SHABERTH bearing code in incorporate RP-1 and a discussion of the traction model (NASA-TP-3017] p 42 N90-28066  RUNWAY CONDITIONS Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various runway surface types and conditions. A summary of test results from joint FAA/NASA Runway Friction Program [NASA-TP-2917] p 16 N90-15902
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275  ROBOTS  A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 ROCKET ENGINE CASES Lightweight structural design of a bolted case joint for the space shuttle solid rocket motor [NASA-TP-2851] p 25 N89-12580	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p 11 N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 ROTATING BODIES Effect of port corner geometry on the internal performance of a rotating-vane-type thrust reverser [NASA-TP-2624] Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES  FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS  High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979  Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model (NASA-TP-3017]  RUNWAY CONDITIONS  Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various runway surface types and conditions. A summary of test results from joint FAA/NASA Runway Friction Program (NASA-TP-2917]  RUNWAYS  Langley Aircraft Landing Dynamics Facility [NASA-RP-1189] p 21 N87-29544
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275 ROBOTS A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 ROCKET ENGINE CASES Lightweight structural design of a boilted case joint for the space shuttle solid rocket motor	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p 11 N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 ROTATING BODIES  Effect of port corner geometry on the internal performance of a rotating-vane-type thrust reverser [NASA-TP-2624] p 3 N87-12541 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model [NASA-TP-3017] p 42 N90-28066  RUNWAY CONDITIONS  Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for vanous runway surface types and conditions. A summary of test results from joint FAA/NASA Runway Friction Program [NASA-TP-2917] p 16 N90-15902  RUNWAYS Langley Aircraft Landing Dynamics Facility
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275  ROBOTS  A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 ROCKET ENGINE CASES Lightweight structural design of a bolted case joint for the space shuttle solid rocket motor [NASA-TP-2851] p 25 N89-12580 PROCKET ENGINE DESIGN Preliminary design of turbopumps and related machinery	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p 11 N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 ROTATING BODIES Effect of port corner geometry on the internal performance of a rotating-vane-type thrust reverser [NASA-TP-2624] Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model (NASA-TP-3017] p 42 N90-28066  RUNWAY CONDITIONS Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various runway surface types and conditions. A summary of test results from joint FAA/NASA Runway Friction Program (NASA-TP-2917] p 16 N90-15902  RUNWAYS Langley Aircraft Landing Dynamics Facility [NASA-RP-1189] p 21 N87-29544
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275 ROBOTS  A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 ROCKET ENGINE CASES  Lightweight structural design of a bolted case joint for the space shuttle solid rocket motor [NASA-TP-2651] p 25 N89-12580 ROCKET ENGINE DESIGN Preliminary design of turbopumps and related machinery [NASA-RP-1170] p 3 N87-17665	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p 11 N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 ROTATING BODIES Effect of port corner geometry on the internal performance of a rotating-vane-type thrust reverser [NASA-TP-2624] p 3 N87-12541 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 ROTOR AERODYNAMICS Vibration characteristics of OH-58A helicopter main rotor transmission	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model (NASA-TP-3017] p 42 N90-28066  RUNWAY CONDITIONS  Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various runway surface types and conditions. A summary of test results from joint FAA/NASA Runway Friction Program (NASA-TP-2917] p 16 N90-15902  RUNWAYS Langley Aircraft Landing Dynamics Facility [NASA-RP-1189] p 21 N87-29544
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275  ROBOTS  A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 ROCKET ENGINE CASES Lightweight structural design of a bolted case joint for the space shuttle solid rocket motor [NASA-TP-2851] p 25 N89-12580 Proliminary design of turbopumps and related machinery [NASA-RP-1170] p 3 N87-17665 Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p 11 N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 ROTATING BODIES  Effect of port corner geometry on the internal performance of a rotating-vane-type thrust reverser [NASA-TP-2624] Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 ROTOR AERODYNAMICS Vibration characteristics of OH-58A helicopter main rotor transmission [NASA-TP-2705] p 41 N87-20555	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model (NASA-TP-3017] p 42 N90-28066 Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various runway surface types and conditions. A summary of test results from joint FAA/NASA Runway Friction Program (NASA-TP-2917] p 16 N90-15902  RUNWAYS Langley Aircraft Landing Dynamics Facility [NASA-RP-1189] p 21 N87-29544  S  SAGE sATELLITE SAGE aerosol measurements. Volume 3: January 1, 1981 to November 18, 1981
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275  ROBOTS  A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503  ROCKET ENGINE CASES  Lightweight structural design of a bolted case joint for the space shuttle solid rocket motor [NASA-TP-2851] p 25 N89-12580  ROCKET ENGINE DESIGN Preliminary design of turbopumps and related machinery [NASA-RP-1170] p 3 N87-17665 Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p 11 N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 ROTATING BODIES Effect of port corner geometry on the internal performance of a rotating-vane-type thrust reverser [NASA-TP-2624] p 3 N87-12541 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 ROTOR AERODYNAMICS Vibration characteristics of OH-58A helicopter main rotor transmission	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model (NASA-TP-3017] p 42 N90-28066 [RNSA-TP-3017] p 42 N90-28066 [RNSA-TP-3017] p 16 N90-28066  Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for vanous runway surface types and conditions. A summary of test results from joint FAA/NASA Runway Friction Program [NASA-TP-2917] p 16 N90-15902  RUNWAYS Langley Aircraft Landing Dynamics Facility [NASA-RP-1189] p 21 N87-29544  S  SAGE SATELLITE SAGE aerosol measurements. Volume 3: January 1, 1981 to November 18, 1981 [NASA-RP-1173] p 51 N87-17417
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275  ROBOTS  A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 ROCKET ENGINE CASES Lightweight structural design of a bolted case joint for the space shuttle solid rocket motor [NASA-TP-2851] p 25 N89-12580 Proliminary design of turbopumps and related machinery [NASA-RP-1170] p 3 N87-17665 Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p 11 N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 ROTATING BODIES Effect of port corner geometry on the internal performance of a rotating-vane-type thrust reverser [NASA-TP-2624] Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 ROTOR AERODYNAMICS  Vibration characteristics of OH-58A helicopter main rotor transmission [NASA-TP-2705] p 41 N87-20555 Rotordynamic Instability Problems in High-Performance	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES  FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS  High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-3682] p 27 N89-15979  Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model (NASA-TP-3017] p 42 N90-28066 [NASA-TP-3017] P 42 N90-28066 Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various runway surface types and conditions. A summary of test results from joint FAA/NASA Runway Friction Program (NASA-TP-2917]  RUNWAYS  Langley Aircraft Landing Dynamics Facility [NASA-RP-1189] p 21 N87-29544  S  SAGE SATELLITE  SAGE aerosol measurements. Volume 3: January 1, 1981 to November 18, 1981 [NASA-RP-1173] p 51 N87-17417  Effect of ephemeris errors on the accuracy of the
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275  ROBOTS  A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503  ROCKET ENGINE CASES Lightweight structural design of a boited case joint for the space shuttle solid rocket motor [NASA-TP-2851] p 25 N89-12580  ROCKET ENGINE DESIGN Preliminary design of turbopumps and related machinery [NASA-RP-1170] p 3 N87-17665 Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626 ROCKET ENGINES Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic lurbopump	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p 11 N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 ROTATING BODIES Effect of port corner geometry on the internal performance of a rotating-vane-type thrust reverser [NASA-TP-2624] p 3 N87-12541 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 ROTOR AERODYNAMICS Vibration characteristics of OH-58A helicopter main rotor transmission [NASA-TP-2705] p 41 N87-20555 Rotordynamic Instability Problems in High-Performance Turbomachinery, 1986 [NASA-CP-2443] p 41 N87-22199 NASA/Army Rotorcraft Technology, Volume 1:	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model (NASA-TP-3017] p 42 N90-28066  RNWAY CONDITIONS  Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various runway surface types and conditions. A summary of test results from joint FAA/NASA Runway Friction Program (NASA-TP-2917] p 16 N90-15902  RUNWAYS  Langley Aircraft Landing Dynamics Facility [NASA-RP-1189] p 21 N87-29544  S  SAGE SATELLITE  SAGE aerosol measurements. Volume 3: January 1, 1981 to November 18, 1981 [NASA-RP-1173] p 51 N87-17417  Effect of ephemeris errors on the accuracy of the computation of the tangent point altitude of a solar scanning ray as measured by the SAGE 1 and 2
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275 ROBOTS  A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 ROCKET ENGINE CASES Lightweight structural design of a bolted case joint for the space shuttle solid rocket motor [NASA-TP-2851] p 25 N89-12580 ROCKET ENGINE DESIGN Preliminary design of turbopumps and related machinery [NASA-RP-1170] p 3 N87-17665 Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626 ROCKET ENGINES Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p 11 N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 ROTATING BODIES Effect of port corner geometry on the internal performance of a rotating-vane-type thrust reverser [NASA-TP-2624] Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 ROTOR AERODYNAMICS Vibration characteristics of OH-58A helicopter main rotor transmission [NASA-TP-2705] p 41 N87-20555 Rotordynamic Instability Problems in High-Performance Turbomachinery, 1986 [NASA-CP-2443] p 41 N87-22199 NASA/Army Rotorcraft Technology. Volume 1: Aerodynamics, and Dynanics and Aeroelasticity	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES  FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS  High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-3682] p 27 N89-15979  Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model (NASA-TP-3017] p 42 N90-28066 [NASA-TP-3017] P 42 N90-28066 Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various runway surface types and conditions. A summary of test results from joint FAA/NASA Runway Friction Program (NASA-TP-2917]  RUNWAYS  Langley Aircraft Landing Dynamics Facility [NASA-RP-1189] p 21 N87-29544  S  SAGE SATELLITE  SAGE aerosol measurements. Volume 3: January 1, 1981 to November 18, 1981 [NASA-RP-1173] p 51 N87-17417  Effect of ephemeris errors on the accuracy of the computation of the tangent point allitude of a solar scanning ray as measured by the SAGE 1 and 2 instruments
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275  ROBOTS  A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503  ROCKET ENGINE CASES Lightweight structural design of a boited case joint for the space shuttle solid rocket motor [NASA-TP-2851] p 25 N89-12580  ROCKET ENGINE DESIGN Preliminary design of turbopumps and related machinery [NASA-RP-1170] p 3 N87-17665 Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626 ROCKET ENGINES Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic lurbopump	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p 11 N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 ROTATING BODIES Effect of port corner geometry on the internal performance of a rotating-vane-type thrust reverser [NASA-TP-2624] Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 ROTOR AERODYNAMICS Vibration characteristics of OH-58A helicopter main rotor transmission [NASA-TP-2705] p 41 N87-20555 Rotordynamic Instability Problems in High-Performance Turbomachinery, 1986 [NASA-CP-2443] p 41 N87-22199 NASA/Army Rotorcraft Technology. Volume 1: Aerodynamics, and Dynamics and Aeroelasticity	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model (NASA-TP-3017] p 42 N90-28066 [RNSA-TP-3017] p 42 N90-28066 [RNSA-TP-3017] p 42 N90-28066 [RNSA-TP-3017] p 16 N90-28066 [RNSA-TP-3017] p 16 N90-15902  RUNWAY COMDITIONS  Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various runway surface types and conditions. A summary of test results from joint FAA/NASA Runway Friction Program (NASA-TP-2917] p 16 N90-15902  RUNWAYS  Langley Aircraft Landing Dynamics Facility [NASA-RP-1189] p 21 N87-29544  S  SAGE SATELLITE  SAGE aerosol measurements. Volume 3: January 1, 1981 to November 18, 1981 [NASA-RP-1173] p 51 N87-17417  Effect of ephemeris errors on the accuracy of the computation of the tangent point altitude of a solar scanning ray as measured by the SAGE 1 and 2 instruments [NASA-TP-2866] SALT SPRAY TESTS
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275  ROBOTS  A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503  ROCKET ENGINE CASES  Lightweight structural design of a bolted case joint for the space shuttle solid rocket motor [NASA-TP-2651] p 25 N89-12580  ROCKET ENGINE DESIGN Preliminary design of turbopumps and related machinery [NASA-RP-1170] p 3 N87-17665 Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626  ROCKET ENGINES  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403  ROCKET MOZZLES  Experimental thrust performance of a high-area-ratio	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p 11 N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 ROTATING BODIES Effect of port corner geometry on the internal performance of a rotating-vane-type thrust reverser [NASA-TP-2624] p 3 N87-12541 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments [NASA-TP-3005] ROTOR AERODYNAMICS  Vibration characteristics of OH-58A helicopter main rotor transmission [NASA-TP-2705] p 41 N87-20555 Rotordynamic Instability Problems in High-Performance Turbomachinery, 1986 [NASA-CP-2443] p 41 N87-22199 NASA-Army Rotorcraft Technology, Volume 1: Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA-Army Rotorcraft Technology, Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES  FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS  High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979  Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model (NASA-TP-3017] p 42 N90-28066 [NASA-TP-3017] P 42 N90-28066 Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various runway surface types and conditions. A summary of test results from joint FAA/NASA Runway Friction Program (NASA-TP-2917]  RUNWAYS  Langley Aircraft Landing Dynamics Facility [NASA-RP-1189] p 21 N87-29544  S  SAGE SATELLITE  SAGE aerosol measurements. Volume 3: January 1, 1981 to November 18, 1981 [NASA-RP-1173] p 51 N87-17417  Effect of ephemeris errors on the accuracy of the computation of the tangent point allitude of a solar scanning ray as measured by the SAGE 1 and 2 instruments [NASA-TP-2866] p 65 N89-16415  SALT SPRAY TESTS  Stress corrosion study of PH13-8Mo stainless steel using
Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503 Fifth Conference on Artificial Intelligence for Space Applications [NASA-CP-3073] p 63 N90-27275  ROBOTS  A generalized method for automatic downhand and wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 Visual Information Processing for Television and Telerobotics [NASA-CP-3053] p 40 N90-16204 Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503  ROCKET ENGINE CASES Lightweight structural design of a boited case joint for the space shuttle solid rocket motor [NASA-TP-2851] p 25 N89-12580  ROCKET ENGINE DESIGN Preliminary design of turbopumps and related machinery [NASA-RP-1170] p 3 N87-17665 Advanced Earth-to-Orbit Propulsion Technology 1986, volume 2 [NASA-CP-2437-VOL-2] p 27 N89-12626 ROCKET ENGINES  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403 ROCKET NOZZLES	Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Effect of advanced rotorcraft airfoil sections on the hover performance of a small-scale rotor model [NASA-TP-2832] p 10 N89-24264 Aerodynamic characteristics of two rotorcraft airfoils designed for application to the inboard region of a main rotor blade [NASA-TP-3009] p 11 N90-24239 The effects of structural flap-lag and pitch-lag coupling on soft inplane hingeless rotor stability in hover [NASA-TP-3002] p 12 N90-28503 ROTATING BODIES  Effect of port corner geometry on the internal performance of a rotating-vane-type thrust reverser [NASA-TP-2624] p 3 N87-12541 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 ROTOR AERODYNAMICS  Vibration characteristics of OH-58A helicopter main rotor transmission [NASA-TP-2705] p 41 N87-20555 Rotordynamic Instability Problems in High-Performance Turbomachinery, 1986 [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology, Volume 2: Materials	rotors [NASA-TP-3005] p 18 N90-23403  ROUTES FAA/NASA En Route Noise Symposium [NASA-CP-3067] p 67 N90-24853  RP-1 ROCKET PROPELLANTS High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979 Modification of the SHABERTH bearing code to incorporate RP-1 and a discussion of the traction model (NASA-TP-3017] p 42 N90-28066 [RNSA-TP-3017] p 42 N90-28066 [RNSA-TP-3017] p 42 N90-28066 [RNSA-TP-3017] p 16 N90-28066 [RNSA-TP-3017] p 16 N90-15902  RUNWAY COMDITIONS  Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various runway surface types and conditions. A summary of test results from joint FAA/NASA Runway Friction Program (NASA-TP-2917] p 16 N90-15902  RUNWAYS  Langley Aircraft Landing Dynamics Facility [NASA-RP-1189] p 21 N87-29544  S  SAGE SATELLITE  SAGE aerosol measurements. Volume 3: January 1, 1981 to November 18, 1981 [NASA-RP-1173] p 51 N87-17417  Effect of ephemeris errors on the accuracy of the computation of the tangent point altitude of a solar scanning ray as measured by the SAGE 1 and 2 instruments [NASA-TP-2866] SALT SPRAY TESTS

SAMPLING	SCATTERING AMPLITUDE	SENSITIVITY
A synchronous data analyzer for the Minimum Delay	Eikonal solutions to optical model coupled-channel	Sensitivity Analysis in Engineering
Data Format (MDDF: and Launch Trajectory Acquisition System (LTAS)	equations [NASA-TP-2830] p 68 N88-30402	[NASA-CP-2457] p 43 N87-18855 Shape sensitivity analysis of wing static aeroelastic
[NASA-TP-2743] p 34 N87-24590	SCATTERING CROSS SECTIONS	characteristics
SANDWICH STRUCTURES	Doubly differential cross sections for galactic heavy-ion	[NASA-TP-2808] p 15 N88-22031
An examination of impact damage in glass-phenolic and aluminum honeycomb core composite panels	fragmentation	SEPARATED FLOW
[NASA-TP-3042] p 29 N90-27876	[NASA-TP-2659] p 68 N87-17487	A review of high-speed, convective, heat-transfer computation methods
SATELLITE ALTIMETRY	Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103	[NASA-TP-2914] p 38 N89-27116
Surface topography of the Greenland ice Sheet from	Annihilation in Gases and Galaxies	SERVICE LIFE
Satellite radar altimetry	[NASA-CP-3058] p 66 N90-18957	Computer-aided design analysis of 57-mm,
[NASA-SP-503] p 54 N90-22850 SATELLITE ATTITUDE CONTROL	SCHEDULING	angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p.41 N88-18933
Flight Mechanics/Estimation Theory Symposium, 1989	Third Conference on Artificial Intelligence for Space	Liquid lubrication in space
[NASA-CP-3050] p 23 N90-13413	Applications, part 1 [NASA-CP-2492-PI-1] p 62 N88-16360	[NASA-RP-1240] p 42 N90-28063
SATELLITE COMMUNICATION	[NASA-CP-2492-Pt-1] p 62 N88-16360 Simulation evaluation of TIMER, a time-based, terminal	SHADOWS
Unique bit-error-rate measurement system for satellite communication systems	air traffic, flow-management concept	Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts
[NASA-TP-2699] p 33 N87-20448	[NASA-TP-2870] p 13 N89-15901	[NASA-TP-2756] p 49 N87-28162
Propagation effects handbook for satellite systems	A knowledge-based tool for multilevel decomposition of	SHAFTS (MACHINE ELEMENTS)
design. A summary of propagation impairments on 10 to	a complex design problem	Experimental evaluation of a tuned electromagnetic
100 GHz satellite links with techniques for system design	[NASA-TP-2903] p 63 N89-23181	damper for vibration control of cryogenic turbopump rotors
[NASA-RP-1082(04)] p 34 N89-17060	Payload crew utilization for spacelab missions [NASA-TP-2976] p 24 N90-14256	[NASA-TP-3005] p 18 N90-23403
SATELLITE DESIGN	The 1990 Goddard Conference on Space Applications	SHAPED CHARGES
into the thermosphere: The atmosphere explorers	of Artificial Intelligence	Effects of variables upon pyrotechnically induced shock
[NASA-SP-490] p 52 N88-18084	[NASA-CP-3068] p 64 N90-22294	response spectra, part 2
SATELLITE IMAGERY NASA/MSFC FY-85 Atmospheric Processes Research	SCHROEDINGER EQUATION	[NASA-TP-2872] p 45 N89-13814 SHARP LEADING EDGES
Review	Kaon-nucleus scattering (NASA-TP-2920) p 80 N89-25103	Applicability of linearized-theory attached-flow methods
[NASA-CP-2402] p 55 N87-13043	[········	to design and analysis of flap systems at low speeds for
Arctic Sea ice, 1973-1976: Satellite passive-microwave	SCREEN EFFECT Sensitivity of F-106B leading-edge-vortex images to	thin swept wings with sharp leading edges
observations	flight and vapor-screen parameters	[NASA-TP-2653] p 3 N87-15174
[NASA-SP-489] p 58 N87-24870 SATELLITE INSTRUMENTS	[NASA-TP-2818] p.8 N88-23760	SHEAR FLOW
Into the thermosphere: The atmosphere explorers	SCREENS	Experimental validation of a two-dimensional shear-flow model for determining acoustic impedance
[NASA-SP-490] p 52 N88-18084	Experimental evaluation of honeycomb/screen	[NASA-TP-2679] p 66 N87-20798
SATELLITE OBSERVATION	configurations and short contraction section for NASA	Influence of wind shear on the aerodynamic
Limb-darkening functions as derived from along-track	Lewis Research Center's altitude wind tunnel [NASA-TP-2692] p 21 N87-23662	characteristics of airplanes
operation of the ERBE scanning radiometer for January	SEA ICE	[NASA-TP-2827] p 12 N88-26344
1985 [NASA-RP-1214] p 56 N89-17374	Satellite radar altimetry over ice. Volume 1: Processing	A spectral collocation solution to the compressible stability eigenvalue problem
Comparison of satellite-derived dynamical quantities for	and corrections of Seasat data over Greenland	[NASA-TP-2858] p 9 N89-12543
the stratosphere of the Southern Hemisphere	[NASA-RP-1233-VOL-1] p 54 N90-20562	SHELL THEORY
[NASA-CP-3044] p 53 N89-25540	SeaRISE: A Multidisciplinary Research Initiative to	Modeling and analysis of the space shuttle nose-gear
SATELLITE POWER TRANSMISSION	Predict Rapid Changes in Global Sea Level Caused by	tire with semianalytic finite elements
Second Bearned Space-Power Workshop INASA-CP-3037  p 27 N90-10140	Collapse of Marine Ice Sheets [NASA-CP-3075] p 48 N90-22824	[NASA-TP-2977] p 42 N90-19595 SHELLS (STRUCTURAL FORMS)
SATELLITE SOUNDING	SEA LEVEL	Computational Methods for Structural Mechanics and
Scientific and Operational Requirements for TOMS	SeaRISE: A Multidisciplinary Research Initiative to	Dynamics, part 1
Data	Predict Rapid Changes in Global Sea Level Caused by	[NASA-CP-3034-PT-1] p 46 N89-24638
[NASA-CP-2497] p 47 N88-13774	Collapse of Marine Ice Sheets	SHOCK HEATING
Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide	[NASA-CP-3075] p 48 N90-22824	A review of high-speed, convective, heat-transfer computation methods
[NASA-RP-1221] p 53 N89-26304	SEALS (STOPPERS)  Space shuttle main engine high pressure fuel pump aft	[NASA-TP-2914] p 38 N89-27116
SATELLITE TRANSMISSION	platform seal cavity flow analysis	SHOCK LAYERS
Propagation effects on satellite systems at frequencies	[NASA-TP-2685] p 36 N87-17000	Gas-jet and tangent-slot film cooling tests of a 12.5 deg
below 10 GHz: A handbook for satellite systems design	Straight cylindrical seal for high-performance	cone at Mach number of 6.7
[NASA-RP-1108/2] p 34 N88-14226 Diode laser satellite systems for beamed power	turbomachines	(NASA-TP-2786) p 39 N90-28806 SHOCK LOADS
transmission	[NASA-TP-1850] p 36 N87-23936 Rotordynamic Instability Problems in High-Performance	Effects of variables upon pyrotechnically induced shock
[NASA-TP-2992] p 40 N90-24585	Turbomachinery, 1988	response spectra
SATELLITE-BORNE PHOTOGRAPHY	[NASA-CP-3026] p 41 N89-22891	[NASA-TP-2603] p 43 N87-12921
Geomorphology from space: A global overview of	SEASAT SATELLITES	SHOCK SPECTRA
regional landforms INASA-SP-4861 p.47 N87-18139	Satellite radar altimetry over ice. Volume 1: Processing	Effects of variables upon pyrotechnically induced shock response spectra
[NASA-SP-486] p 47 N87-18139 SATURN	and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562	(NASA-TP-2603) p 43 N87-12921
The Cassini mission: Infrared and microwave	Satellite radar altimetry over ice. Volume 2: Users' guide	SHOCK TESTS
spectroscopic measurements	for Greenland elevation data from Seasat	The 58th Shock and Vibration Symposium, volume 1
[NASA-RP-1213] p 78 N89-16709	[NASA-RP-1233-VOL-2] p 54 N90-20563	[NASA-CP-2488-VOL-1] p 43 N88-13609
SATURN ATMOSPHERE	Satellite radar altimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat	SHOCK WAVE INTERACTION
The Jovian Atmospheres	[NASA-RP-1233-VOL-4] p 54 N90-20564	Weak-wave analysis of shock interaction with a
[NASA-CP-2441] p 77 N87-17598	SECONDARY EMISSION	slipstream [NASA-TP-2848] p 8 N89-10020
SCALE MODELS  Evaluation of a scale-model experiment to investigate	Secondary electron emission characteristics of	A time-accurate adaptive grid method and the numerical
long-range acoustic propagation	untreated and ion-textured titanium	simulation of a shock-vortex interaction
(NASA-TP-2748) p 66 N88-11450	[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of	(NASA-TP-2998) p 61 N90-21524
Flight control systems development and flight test	molybdenum-masked, ion-textured OFHC copper	SHOCK WAVE PROPAGATION
experience with the HiMAT research vehicles	[NASA-TP-2967] p 31 N90-15211	A second-order accurate kinetic-theory-based method
[NASA-TP-2822] p 20 N89-15929	SEEPAGE	for inviscid compressible flows [NASA-TP-2613] p 36 N87-18783
SCANNERS Limb-darkening functions as derived from along-track	Sapping features of the Colorado Plateau: A comparative	SHOCK WAVES
operation of the ERBE scanning radiometer for January	planetary geology field guide [NASA-SP-491] p 49 N89-10401	Shock structure and noise of supersonic jets in simulated
1985	SEMICONDUCTOR LASERS	flight to Mach 0.4
[NASA-RP-1214] p 56 N89-17374	Diode laser satellite systems for beamed power	[NASA-TP-2785] p 67 N88-16510
SCANNING	transmission	SHORT HAUL AIRCRAFT
Calculation and accuracy of ERBE scanner	[NASA-TP-2992] p 40 N90-24585	Longitudinal stability and control characteristics of the Quiet Short-Haul Research Aircraft (QSRA)
measurement locations (NASA-TP-2670) p 72 N87-28471	SEMISPAN MODELS  Evaluation of installed performance of a	[NASA-TP-2965] p 20 N90-17639
Effect of ephemeris errors on the accuracy of the	Evaluation of installed performance of a wing-tip-mounted pusher turboprop on a semispan wing	SHORT TAKEOFF AIRCRAFT
computation of the tangent point altitude of a solar	[NASA-TP-2739] p 14 N87-26041	Large-scale static investigation of
scanning ray as measured by the SAGE 1 and 2	Experimental and theoretical aerodynamic	circulation-control-wing concepts applied to upper
instruments	characteristics of a high-lift semispan wing model	Surface-blowing aircraft
(NASA-TP-2866) p 65 N89-16415	[NASA-TP-2990] p 11 N90-20046	[NASA-TP-2684] p 13 N87-15959

A review of technologies applicable to low-speed flight of high-performance aircraft investigated in the Langley	SITES Crustal Dynamics Project: Catalogue of site	SOLAR COLLECTORS  Analysis of Nd3 +: glass, solar-pumped, high-powr laser
14- x 22-foot subsonic tunnel	information	systems (NASA-TP-2905) p 40 N89-17855
[NASA-TP-2796] p.7 N88-20264 Aerodynamics in ground effect and predicted landing	[NASA-RP-1198] p 52 N88-19037 SKIN FRICTION	[NASA-TP-2905] ρ 40 N89-17855 SOLAR CONSTANT
ground roll of a fighter configuration with a	Effects of tail span and empennage arrangement on	Nimbus-7 ERB Solar Analysis Tape (ESAT) user's
secondary-nozzle thrust reverser [NASA-TP-2834] p.8 N88-29752	drag of a typical single-engine fighter aft end [NASA-TP-2352] p 3 N87-10838	guide [NASA-RP-1211] p 79 N89-30151
The 1987 Ground Vortex Workshop	SLIDING FRICTION	SOLAR CORONA
[NASA-CP-10008] p 9 N89-10849	Reaction of perfluoroalkylpolyethers (PFPE) with 440C steel in vacuum under sliding conditions at room	Energetic Phenomena on the Sun: The Solar Maximum
Powered-lift aircraft technology [NASA-SP-501] p 15 N90-12589	temperature	Mission Flare Workshop. Proceedings [NASA-CP-2439] p 79 N87-19328
Dynamic ground-effect measurements on the F-15 STOL	[NASA-TP-2883] p 31 N89-26091	Coronal and Prominence Plasmas
and Maneuver Technology Demonstrator (S/MTD)	SLIPSTREAMS Weak-wave analysis of shock interaction with a	[NASA-CP-2442] p 79 N87-20871
configuration [NASA-TP-3000] p 11 N90-22531	slipstream	SOLAR COSMIC RAYS Improved model for solar cosmic ray exposure in manned
SHORT WAVE RADIATION	[NASA-TP-2848] p 8 N89-10020 SLOTS	Earth orbital flights
Angular radiation models for Earth-atmosphere system.	Gas-jet and tangent-slot film cooling tests of a 12.5 deg	[NASA-TP-2987] p 80 N90-25031
Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677	cone at Mach number of 6.7 [NASA-TP-2786] p 39 N90-28806	SOLAR DYNAMIC POWER SYSTEMS  Solar array flight experiment/dynamic augmentation
SHOT PEENING	SMALL PERTURBATION FLOW	experiment
Shot peening for Ti-6Al-4V alloy compressor blades	A transonic-small-disturbance wing design	[NASA-TP-2690] p 26 N87-20380 SOLAR ECLIPSES
[NASA-TP-2711] p 43 N87-20566 SIDESLIP	methodology [NASA-TP-2806] p 7 N88-17614	Fifty year canon of solar eclipses: 1986 - 2035
Effects of winglets on a first-generation jet transport	SMOOTHING	[NASA-RP-1178-REV] p 73 N87-25906
wing, 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model	An algorithm for surface smoothing with rational solines	SOLAR ENERGY Nimbus-7 data product summary
[NASA-TP-2619] p 7 N88-18567	[NASA-TP-2708] p 65 N87-22447	(NASA-RP-1215) p 48 N89-22152
SIGNAL PROCESSING	SOFTWARE ENGINEERING	SOLAR FLARES
Frequency domain laser velocimeter signal processor:  A new signal processing scheme	Proceedings of the 5th Annual Users' Conference [NASA-CP-2399] p 62 N87-10720	Energetic Phenomena on the Sun: The Solar Maximum Mission Flare Workshop, Proceedings
[NASA-TP-2735] p 40 N87-27994	Computer Sciences and Data Systems, volume 1	[NASA-CP-2439] p 79 N87-19328
Analog signal conditioning for flight-test	[NASA-CP-2459-VOL-1] p 62 N87-19931 Development of confidence limits by pivotal functions	Statistical aspects of solar flares
instrumentation [NASA-RP-1159] p 17 N87-29533	for estimating software reliability	(NASA-TP-2714) p 79 N87-20947 Rapid Fluctuations in Solar Flares
Proceedings of the Scientific Data Compression	[NASA-TP-2709] p 65 N87-23244	[NASA-CP-2449] p 79 N87-21785
Workshop INASA-CP-30251 p 63 N89-22332	NASA Workshop on Computational Structural Mechanics 1987, part 1	Solar-flare shielding with Regolith at a lunar-base site
Fluctuating pressures measured beneath a	[NASA-CP-10012-PT-1] p 46 N89-29773	[NASA-TP-2869] p 79 N89-14210
high-temperature, turbulent boundary layer on a flat plate	NASA Workshop on Computational Structural Mechanics 1987, part 3	Radiation exposure for manned Mars surface missions [NASA-TP-2979] p 80 N90-18357
at Mach number of 5 [NASA-TP-2947] p 67 N90-10680	[NASA-CP-10012-PT-3] p 46 N89-29799	SOLAR INSTRUMENTS
SIGNAL REFLECTION	Software Reuse Issues	A general-purpose balloon-borne pointing system for
Power cepstrum technique with application to model	[NASA-CP-3057] p 63 N90-14789 SOFTWARE TOOLS	solar scientific instruments [NASA-TP-3013] p 33 N90-21219
helicopter acoustic data [NASA-TP-2586] p 66 N87-17479	Proceedings of the 5th Annual Users' Conference	SOLAR MAGNETIC FIELD
SILICON	[NASA-CP-2399] p 62 N87-10720 Third Conference on Artificial Intelligence for Space	Energetic Phenomena on the Sun: The Solar Maximum Mission Flare Workshop. Proceedings
Cosmic ray heavy ion LET mapping for aluminum, silicon, and tissue targets	Applications, part 2	[NASA-CP-2439] p 79 N87-19328
[NASA-RP-1180] p 79 N87-25984	[NASA-CP-2492-PT-2] p 63 N88-24188	Coronal and Prominence Plasmas
Indentation plasticity and fracture in silicon [NASA-TP-2863] p 30 N89-10996	OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407	[NASA-CP-2442] p 79 N87-20871 Theoretical Problems in High Resolution Solar Physics,
SILICON CARBIDES	Integrated tools for control-system analysis	2
Heat treatment study of the SiC/Ti-15-3 composite	[NASA-TP-2885] p 20 N89-19309 A knowledge-based tool for multilevel decomposition of	[NASA-CP-2483] p 79 N88-11609
system {NASA-TP-2970} p 29 N90-19302	a complex design problem	SOLAR MAXIMUM MISSION  Energetic Phenomena on the Sun: The Solar Maximum
SILVER	[NASA-TP-2903] p 63 N89-23181	Mission Flare Workshop. Proceedings
Electron stimulated desorption of atomic oxygen from silver	Software Reuse Issues [NASA-CP-3057] p 63 N90-14789	[NASA-CP-2439] p 79 N87-19328
[NASA-TP-2668] p 29 N87-18629	SOILS	SOLAR OBSERVATORIES Theoretical Problems in High Resolution Solar Physics,
Permeation of oxygen through high purity, large grain	Exobiology and Future Mars Missions [NASA-CP-10027] p 59 N89-26334	2
silver (NASA-TP-2755) p 30 N87-27024	SOLAR ARRAYS	[NASA-CP-2483] p 79 N88-11609
Auger electron intensity variations in oxygen-exposed	Solar array flight dynamic experiment (NASA-TP-2598) p 23 N87-12581	SOLAR PHYSICS  Energetic Phenomena on the Sun: The Solar Maximum
large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022	[NASA-TP-2598] p 23 N87-12581 Solar array flight experiment/dynamic augmentation	Mission Flare Workshop, Proceedings
SIMULATION	experiment	[NASA-CP-2439] p 79 N87-19328 Coronal and Prominence Plasmas
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space	[NASA-TP-2690] p 26 N87-20380	[NASA-CP-2442] p 79 N87-20871
[NASA-CP-2446] p 25 N88-10829	Space Photovoltaic Research and Technology, 1988. High Efficiency, Space Environment, and Array	Theoretical Problems in High Resolution Solar Physics,
A simulator investigation of the use of digital data link	Technology	2 [NASA-CP-2483] p 79 N88-11609
for pilot/ATC communications in a single pilot operation (NASA-TP-2837) p 13 N89-11726	[NASA-CP-3030] p 50 N89-24704 SOLAR ATMOSPHERE	SOLAR POSITION
Simulation evaluation of TIMER, a time-based, terminal	Coronal and Prominence Plasmas	Surface bidirectional reflectance properties of two
air traffic, flow-management concept [NASA-TP-2870] p 13 N89-15901	(NASA-CP-2442) p 79 N87-20871	southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers
SIMULATORS	A high-resolution atlas of the infrared spectrum of the Sun and the Earth atmosphere from space: A compilation	[NASA-TP-2643] p 48 N87-22281
Applications and requirements for real-time simulators	of ATMOS spectra of the region from 650 to 4800 cm	SOLAR POWER SATELLITES Toology for large space systems: A hibliography with
in ground-test facilities [NASA-TP-2672] p 64 NB7-23202	(2.3 to 16 micron). Volume 1: The Sun [NASA-RP-1224-VOL-1] p 53 N90-13893	Technology for large space systems: A bibliography with indexes (supplement 17)
Simulator evaluation of a display for a Takeoff	[NASA-RP-1224-VOL-1] p 53 N90-13893 SOLAR BACKSCATTER UV SPECTROMETER	[NASA-SP-7046(17)] p 22 N87-29576
Performance Monitoring System [NASA-TP-2908] p 20 N89-23469	Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral	Technology for large space systems: A bibliography with indexes (supplement 18)
Satellite-matrix-switched, time-division-multiple-access	scan solar irradiance and Earth radiance product user's quide	[NASA-SP-7046(18)] p 22 N88-27214
network simulator [NASA-TP-2944] p 34 N90-11915	JNASA-RP-1199) p 48 N88-17096	Second Beamed Space-Power Workshop
SINGLE CRYSTALS	SOLAR CELLS	[NASA-CP-3037] p 27 N90-10140 SOLAR PROMINENCES
Growth of solid solution single crystals	Space Photovoltaic Research and Technology 1986. High Efficiency, Space Environment, and Array	Energetic Phenomena on the Sun: The Solar Maximum
[NASA-TP-2787] p 32 N88-14212 Indentation plasticity and fracture in silicon	Technology	Mission Flare Workshop. Proceedings
[NASA-TP-2863] p 30 N89-10996	[NASA-CP-2475] p 50 N87-26413	[NASA-CP-2439] p 79 N87-19328 Coronal and Prominence Plasmas
SINGLE EVENT UPSETS  Cosmic ray heavy ion LET mapping for aluminum, silicon,	Space Photovoltaic Research and Technology, 1988.  High Efficiency, Space Environment, and Array	[NASA-CP-2442] p 79 N87-20871
and tissue targets	Technology	Statistical aspects of solar flares
[NASA-RP-1180] p 79 N87-25984	[NASA-CP-3030] p 50 N89-24704	[NASA-TP-2714] p 79 N87-20947

SOLAR RADIATION	SPACE COMMUNICATION	Structural Integrity and Durability of Reusable Space
Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral	Technology for large space systems: A bibliography with	Propulsion Systems
scan solar irradiance and Earth radiance product user's quide	indexes (supplement 17) [NASA-SP-7046(17)] p 22 N87-29576	[NASA-CP-2471] p 26 N87-22766
[NASA-RP-1199] p 48 N88-17096	SPACE DEBRIS	Three-step labyrinth seal for high-performance turbomachines
Nimbus-7 data product summary	NASA/SDIO Space Environmental Effects on Materials	[NASA-TP-1848] p 36 N87-23921
[NASA-RP-1215] p 48 N89-22152 Atlas of albedo and absorbed solar radiation derived	Workshop, part 1	Straight cylindrical seal for high-performance
from Nimbus 6 earth radiation budget data set, July 1975	[NASA-CP-3035-PT-1] p 27 N89-23528 SPACE ENVIRONMENT SIMULATION	turbomachines (NASA-TP-1850) p 36 N87-23936
to May 1978	Fifteenth Space Simulation Conference: Support the	Three-step cylindrical seal for high-performance
[NASA-RP-1230] p 57 N90-14741	Highway to Space Through Testing	turbomachines [NASA-TP-1849] p 36 N87-24639
Atlas of albedo and absorbed solar radiation derived from Nimbus 7 Earth radiation budget data set, November	[NASA-CP-3015] p 25 N89-12582 The effects of simulated space environmental	[NASA-TP-1849] p 36 N87-24639 Probabilistic risk analysis of flying the space shuttle with
1978 to October 1985	parameters on six commercially available composite	and without fuel turbine discharge temperature redline
[NASA-RP-1231] p 57 N90-17233	materials	protection  NASA-TP-2759  p 65 N87-27474
SOLAR SIMULATORS Fifteenth Space Simulation Conference: Support the	[NASA-TP-2906] p 29 N89-19385 SPACE ERECTABLE STRUCTURES	[NASA-TP-2759] p 65 N87-27474 The 58th Shock and Vibration Symposium, volume 1
Highway to Space Through Testing	Solar array flight experiment/dynamic augmentation	[NASA-CP-2488-VOL-1] p 43 N88-13609
[NASA-CP-3015] p 25 N89-12582	experiment	Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings
SOLAR SPECTRA A high-resolution atlas of the infrared spectrum of the	[NASA-TP-2690] p 26 N87-20380 Space station systems: A bibliography with indexes	(NASA-TP-2816) p 41 N88-18933
sun and the earth atmosphere from space. A compilation	(supplement 4)	Lightweight structural design of a bolted case joint for
of ATMOS spectra of the region from 650 to 4800 cm-1	[NASA-SP-7056(04)] p 25 N87-26073	the space shuttle solid rocket motor [NASA-TP-2851] p 25 N89-12580
(2.3 to 16 microns). Volume 2: Stratosphere and mesosphere, 650 to 3350 cm-1	The 21st Aerospace Mechanisms Symposium [NASA-CP-2470] p 43 N87-29858	Advanced Earth-to-Orbit Propulsion Technology 1986,
[NASA-RP-1224-VOL-2] p 53 N89-28969	SPACE EXPLORATION	volume 2
Nimbus-7 ERB Solar Analysis Tape (ESAT) user's	The Jovian Atmospheres	[NASA-CP-2437-VOL-2] p 27 N89-12626 SPACE SHUTTLE MISSIONS
guide	[NASA-CP-2441] p 77 N87-17598 Reflectance spectroscopy in planetary science: Review	The 1987 Get Away Special Experimenter's
[NASA-RP-1211] p 79 N89-30151 SOLAR TERRESTRIAL INTERACTIONS	and strategy for the future	Symposium
On the statistics of El Nino occurrences and the	[NASA-SP-493] p 78 N88-24564	[NASA-CP-2500] p 22 N88-17691
relationship of El Nino to volcanic and solar/geomagnetic	Planetary Geology: Goals, Future Directions, and Recommendations	Spacelab: An international success story [NASA-SP-487] p 72 N88-19375
activity	[NASA-CP-3005] p 78 N88-26279	SPACE SHUTTLE ORBITERS
[NASA-TP-2948] p 79 N90-12456 Solar-Terrestrial Science Strategy Workshop	Orders of magnitude: A history of the NACA and NASA,	Finite-element reentry heat-transfer analysis of space
[NASA-CP-3048] p 73 N90-18329	1915-1990 [NASA-SP-4406] p 81 N89-26805	shuttle Orbiter [NASA-TP-2657] p 37 N87-29795
SOLAR-PUMPED LASERS	Astronautics and Aeronautics, 1979-1984: A	Modeling and analysis of the space shuttle nose-gear
Free-Space Power Transmission	chronology	tire with semianalytic finite elements
{NASA-CP-10016} p 27 N90-21795 SOLID ELECTRODES	[NASA-SP-4024] p 81 N90-25928 SPACE FLIGHT	[NASA-TP-2977] p 42 N90-19595 SPACE SHUTTLE PAYLOADS
Design, fabrication, and performance of brazed, graphite	Joint US/USSR study: Comparison of effects of	Solar array flight dynamic experiment
electrode, multistage depressed collectors with 500-W,	horizontal and head-down bed rest	[NASA-TP-2598] p 23 N87-12581
continuous wave, 4.8- to 9.6-GHz traveling-wave tubes	[NASA-TP-3037] p 60 N90-28965	The 1986 Get Away Special Experimenter's Symposium
[NASA-TP-2904] p 35 N89-21171 SOLID PROPELLANT ROCKET ENGINES	SPACE HABITATS Report of the In Situ Resources Utilization Workshop	[NASA-CP-2438] p 22 N87-20302
SRM propellant and polymer materials structural test	[NASA-CP-3017] p 72 N89-14188	Solar array flight experiment/dynamic augmentation
program	SPACE LABORATORIES	experiment [NASA-TP-2690] p 26 N87-20380
[NASA-TP-2821] p 44 N88-25013	Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive	[NASA-TP-2690] p 26 N87-20380 Space Construction
SRM (Solid Rocket Motor) propellant and polymer materials structural modeling	summary and overview	[NASA-CP-2490] p 25 N88-10870
[NASA-TP-2824] p 45 N88-28343	[NASA-CP-10026-VOL-1] p 59 N89-24022	The 1988 Get Away Special Experimenter's
Loads analysis and testing of flight configuration solid	SPACE MISSIONS Astronautics and Aeronautics, 1979-1984: A	Symposium [NASA-CP-3008] p 22 N89-10902
rocket motor outer boot ring segments [NASA-TP-3028] p 47 N90-25366	chronology	Remote Sensing in Polarized Light
SOLID SOLUTIONS	[NASA-SP-4024] p 81 N90-25928	[NASA-CP-3014] p 72 N89-14189 SPACE SHUTTLES
Growth of solid solution single crystals	Liquid lubrication in space [NASA-RP-1240] p 42 N90-28063	Development testing of large volume water sprays for
[NASA-TP-2787] p 32 N88-14212	SPACE PERCEPTION	warm fog dispersal
SOLID STATE DEVICES  Universal test fixture for monolithic mm-wave integrated	Determination of depth-viewing volumes for stereo	[NASA-TP-2607] p 24 N87-12585 Spacelab 3 Mission Science Review
circuits calibrated with an augmented TRD algorithm	three-dimensional graphic displays [NASA-TP-2999] p 61 N90-22965	[NASA-CP-2429] p 36 N87-22103
[NASA-TP-2875] p 34 N89-17767	SPACE PLASMAS	Fourteenth Space Simulation Conference: Testing for
SOLUTIONS Raman intensity as a probe of concentration near a	Double Layers in Astrophysics	a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829
crystal growing in solution	[NASA-CP-2469] p 72 N87-23313 SPACE PLATFORMS	[NASA-CP-2446] p 25 N88-10829 Third Conference on Artificial Intelligence for Space
[NASA-TP-2865] p 39 N89-16139	System study of the carbon dioxide observational	Applications, part 1
SONIC BOOMS Status of sonic boom methodology and understanding	platform system (CO-OPS): Project overview	[NASA-CP-2492-Pt-1] p 62 N88-16360 Cornering characteristics of the main-gear tire of the
[NASA-CP-3027] p 9 N89-23415	[NASA-TP-2696] p 23 N87-18588 Space station systems: A bibliography with indexes	space shuttle orbiter
SOOT	(supplement 4)	[NASA-TP-2790] p 14 N88-18583
Determination of combustion gas temperatures by	[NASA-SP-7056(04)] p 25 N87-26073	Practices in adequate structural design
infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409	SPACE PROCESSING Space Bioreactor Science Workshop	[NASA-TP-2893] p 24 N89-18504 Graphics Technology in Space Applications (GTSA
SOUND PRESSURE	[NASA-CP-2485] p 58 N88-17168	1989)
Annoyance caused by advanced turboprop aircraft	SPACE PROGRAMS	[NASA-CP-3045] p 62 N90-20651
flyover noise: Counter-rotating-propeller configuration	Atmospheric Turbulence Relative to Aviation, Missile, and Space Programs	Space shuttle avionics system
{NASA-TP-3027} p 67 N90-29166 SOUND TRANSMISSION	[NASA-CP-2468] p 55 N87-22341	[NASA-SP-504] p 24 N90-25160 Rotating-unbalanced-mass devices for scanning
Evaluation of the ride quality of a light twin engine	SPACE SHUTTLE BOOSTERS	balloon-borne experiments, free-flying spacecraft, and
airplane using a ride quality meter	Analysis of quasi-hybrid solid rocket booster concepts for advanced earth-to-orbit vehicles	space shuttle/space station experiments
[NASA-TP-2913] p 2 N89-22568	[NASA-TP-2751] p 27 N87-25425	[NASA-TP-3030] p 33 N90-25255
SOUND WAVES Propagation of sound waves in tubes of noncircular cross	SRM propellant and polymer materials structural test	Development and approach to low-frequency microgravity isolation systems
section	program [NASA-TP-2821] p 44 N88-25013	[NASA-TP-2984] p 33 N90-28754
[NASA-TP-2601] p 3 N87-14284	Cyclic loads tests of carbon involute solid rocket motor	SPACE SIMULATORS
SOUTHERN HEMISPHERE The 1988 Antarctic ozone monitoring Nimbus-7 TOMS	outer boot ring segments	Fifteenth Space Simulation Conference: Support the Highway to Space Through Testing
data atlas	[NASA-TP-2884] p 45 N89-16192 SPACE SHUTTLE MAIN ENGINE	(NASA-CP-3015) p 25 N89-12582
[NASA-RP-1225] p 57 N89-28983	Conventionally cast and forged copper alloy for	SPACE STATION PAYLOADS
SPACE COMMERCIALIZATION  Secondo 3 Mission Science Posicial	high-heat-flux thrust chambers	Microgravity Particle Research on the Space Station
Spacetab 3 Mission Science Review [NASA-CP-2429] p 36 N87-22103	[NASA-TP-2694] p 30 N87-16902 Space shuttle main engine high pressure fuel pump aft	[NASA-CP-2496] p 58 N88-15354 Experiments in Planetary and Related Sciences and the
Report of the In Situ Resources Utilization Workshop	platform seal cavity flow analysis	Space Station
[NASA-CP-3017] p 72 N89-14188	[NASA-TP-2685] p 36 N87-17000	[NASA-CP-2494] p 72 N89-14998

Gas-Grain Simulation Facility: Fundamental studies of	Space Station Induced Monitoring	SPACECRAFT CONSTRUCTION MATERIALS
particle formation and interactions. Volume 1: Executive	(NASA-CP-3021) p 73 N89-15790	Outgassing data for selecting spacecraft materials
summary and overview	Interactive orbital proximity operations planning	[NASA-RP-1124] p 28 N88-10117
[NASA-CP-10026-VOL-1] p 59 N89-24022	system	Technology for Future NASA Missions: Civil Space
Rotating-unbalanced-mass devices for scanning	[NASA-TP-2839] p 61 N89-18039 Space station systems: A bibliography with indexes	Technology Initiative (CSTI) and Pathfinder [NASA-CP-3016] p 22 N89-11760
balloon-borne experiments, free-flying spacecraft, and	(supplement 7)	[NASA-CP-3016] p 22 N89-11760 Proceedings of the LDEF Materials Data Analysis
space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255	[NASA-SP-7056(07)] p 25 N89-18522	Workshop
SPACE STATION POWER SUPPLIES	The 23rd Aerospace Mechanisms Symposium	[NASA-CP-10046] p 28 N90-26075
Space station systems: A bibliography with indexes	[NASA-CP-3032] p 46 N89-23892	SPACECRAFT CONTAMINATION
[NASA-SP-7056(05)] p 25 N88-13382	Technology for large space systems: A bibliography with	Fourteenth Space Simulation Conference: Testing for
Space station systems: A bibliography with indexes	indexes (supplement 20)	a Permanent Presence in Space
(supplement 7)	[NASA-SP-7046(20)] p 26 N89-26037 Software Reuse Issues	[NASA-CP-2446] p 25 N88-10829
[NASA-SP-7056(07)] p 25 N89-18522 Space station systems: A bibliography with indexes	[NASA-CP-3057] p 63 N90-14789	A Study of Space Station Contamination Effects
(supplement 10)	Graphics Technology in Space Applications (GTSA	conference
(NASA-SP-7056(10)) p 26 N90-25171	1989)	[NASA-CP-3002] p 72 N88-25390
SPACE STATION PROPULSION	[NASA-CP-3045] p 62 N90-20651	Fifteenth Space Simulation Conference: Support the Highway to Space Through Testing
Space station systems: A bibliography with indexes	Space station systems: A bibliography with indexes	[NASA-CP-3015] p 25 N89-12582
[NASA-SP-7056(05)] p 25 N88-13382	(supplement 10) [NASA-SP-7056(10)] p 26 N90-25171	NASA/SDIO Space Environmental Effects on Materials
Space station systems: A bibliography with indexes	[NASA-SP-7056(10)] p 26 N90-25171 Rotating-unbalanced-mass devices for scanning	Workshop, part 1
(supplement 7) [NASA-SP-7056(07)] p 25 N89-18522	balloon-borne experiments, free-flying spacecraft, and	[NASA-CP-3035-PT-1] p 27 N89-23528
Space station systems: A bibliography with indexes	space shuttle/space station experiments	Third Annual Workshop on Space Operations
(supplement 10)	[NASA-TP-3030] p 33 N90-25255	Automation and Robotics (SOAR 1989)
[NASA-SP-7056(10)] p 26 N90-25171	Third Annual Workshop on Space Operations	(NASA-CP-3059) p 62 N90-25503
SPACE STATION STRUCTURES	Automation and Robotics (SOAR 1989) INASA-CP-30591 p 62 N90-25503	SPACECRAFT CONTROL
Space station structures and dynamics test program	[NASA-CP-3059] p 62 N90-25503 Technology for large space systems: A bibliography with	NASA/DOD Control/Structures Interaction Technology.
[NASA-TP-2710] p 43 N87-20568	indexes (supplement 22)	1986 [NASA-CP-2447-PT-1] p 24 N87-16014
Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382	[NASA-SP-7046(22)] p 26 N90-26056	Structural Dynamics and Control Interaction of Flexible
Space station systems: A bibliography with indexes	Development and approach to low-frequency	Structures
(supplement 7)	microgravity isolation systems	[NASA-CP-2467-PT-1] p 23 N87-22702
[NASA-SP-7056(07)] p 25 N89-18522	[NASA-TP-2984] p 33 N90-28754	NASA/DOD Control/Structures Interaction Technology,
Space station systems: A bibliography with indexes	SPACE TRANSPORTATION	1986
(supplement 10)	Space Transportation Avionics Technology Symposium.	[NASA-CP-2447-PT-2] p 25 N87-24495 Third Conference on Artificial Intelligence for Space
[NASA-SP-7056(10)] p 26 N90-25171	Volume 1: Executive summary [NASA-CP-3081-VOL-1] p 17 N90-25980	Applications, part 1
SPACE STATIONS Proceedings of the 5th Annual Users' Conference	SPACE TRANSPORTATION SYSTEM	[NASA-CP-2492-Pt-1] p 62 N88-16360
(NASA-CP-2399) p 62 N87-10720	Space Construction	SPACECRAFT DESIGN
NASA/DOD Control/Structures Interaction Technology.	[NASA-CP-2490] p 25 N88-10870	NASA/DOD Control/Structures Interaction Technology,
1986	A study to evaluate STS heads-up ascent trajectory	1986
[NASA-CP-2447-PT-1] p 24 N87-16014	performance employing a minimum-Hamiltonian	[NASA-CP-2447-PT-1] p 24 N87-16014
The 20th Aerospace Mechanics Symposium	optimization strategy [NASA-TP-2793] p 23 N88-15820	Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations
[NASA-CP-2423-REV] p 43 N87-16321 Space station structures and dynamics test program	SPACEBORNE EXPERIMENTS	[NASA-CP-2460] p 52 N87-20665
[NASA-TP-2710] p 43 N87-20568	Spacelab 3 Mission Science Review	Airborne particulate matter in spacecraft
Structural Dynamics and Control Interaction of Flexible	(NASA-CP-2429) p 36 N87-22103	[NASA-CP-2499] p 59 N88-14623
Structures	Microgravity Particle Research on the Space Station	The 58th Shock and Vibration Symposium, volume 2
[NASA-CP-2467-PT-2] p 23 N87-22729	[NASA-CP-2496] p 58 N88-15354	(NASA-CP-2488-VOL-2) p 44 N88-18948
NASA/DOD Control/Structures Interaction Technology.	Into the thermosphere: The atmosphere explorers	Space Station Human Factors Research Review.  Volume 3: Space Station Habitability and Function:
1986	[NASA-SP-490] p 52 NB8-18084	Architectural Research
[NASA-CP-2447-PT-2] p 25 N87-24495 Space station systems: A bibliography with indexes	The 1988 Get Away Special Experimenter's Symposium	[NASA-CP-2426-VOL-3] p 59 N88-19883
(supplement 4)	[NASA-CP-3008] p 22 N89-10902	Space Station Human Factors Research Review.
[NASA-SP-7056(04)] p 25 N87-26073	Technology for Future NASA Missions: Civil Space	Volume 4: Inhouse Advanced Development and
Spacecraft 2000	Technology Initiative (CSTI) and Pathfinder	Research
[NASA-CP-2473] p 25 N88-10084		INASA-CP-2426-VOL-41 p 59 N88-24148
	[NASA-CP-3016] p 22 N89-11760	
Fourteenth Space Simulation Conference: Testing for	[NASA-CP-3016] p 22 N89-11760 Experiments in Planetary and Related Sciences and the	Recent Advances in Multidisciplinary Analysis and
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space	Experiments in Planetary and Related Sciences and the Space Station	Recent Advances in Multidisciplinary Analysis and Optimization, part 3
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 SPACECRAFT DOCKING
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201 SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts,	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Space Craft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2476] p 25 N88-10829
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Space craft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium	Experiments in Planetary and Related Sciences and the Space Station  [NASA-CP-2494] p 72 N89-14998  Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview  [NASA-CP-10026-VOL-1] p 59 N89-24022  Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study  [NASA-CP-10026-VOL-2] p 59 N89-24023  Cells in Space  [NASA-CP-10034] p 61 N90-13939	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Spacecraft Fire Safety
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Space Construction [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-1494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10034] p 61 N90-13939 Solar-Terrestrial Science Strategy Workshop	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2496] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, parf 1 [NASA-CP-2492-Pt.1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 Space Station Human Factors Research Review.	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10034] p 61 N90-13939 Solar-Terrestrial Science Strategy Workshop [NASA-CP-3048] p 73 N90-18329	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Report of the 1st Planning Workshop for CELSS Flight
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 Space Station Human Factors Research Review Volume 3: Space Station Habitability and Function:	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10034] p 61 N90-13939 Solar-Terrestrial Science Strategy Workshop [NASA-CP-3048] p 73 N90-18329 Relativistic Gravitational Experiments in Space	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 Space Station Human Factors Research Review. Volume 3: Space Station Habitability and Function: Architectural Research	Experiments in Planetary and Related Sciences and the Space Station  [NASA-CP-2494] p 72 N89-14998  Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview  [NASA-CP-10026-VOL-1] p 59 N89-24022  Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study  [NASA-CP-10026-VOL-2] p 59 N89-24023  Cells in Space  [NASA-CP-10034] p 61 N90-13939  Solar-Terrestrial Science Strategy Workshop  [NASA-CP-3048] p 73 N90-18329  Relativistic Gravitational Experiments in Space  [NASA-CP-3046] p 77 N90-19940	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829  Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520  Report of the 1st Planning Workshop for CELSS Flight Experimentation
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 Space Station Human Factors Research Review Volume 3: Space Station Habitability and Function:	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10034] p 61 N90-13939 Solar-Terrestrial Science Strategy Workshop [NASA-CP-3048] p 73 N90-18329 Relativistic Gravitational Experiments in Space	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829  Spacecraft Fire Safety [NASA-CP-2446] p 24 N88-12520 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  SPACECRAFT INSTRUMENTS The 20th Aerospace Mechanics Symposium
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Space Craft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2492-Pt-1] p 22 N88-17691 Space Station Human Factors Research Review Volume 3: Space Station Habitability and Function: Architectural Research [NASA-CP-2426-VOL-3] p 59 N88-19883 Space Station Human Factors Research Review. Volume 1: EVA Research and Development	Experiments in Planetary and Related Sciences and the Space Station  [NASA-CP-2494] p 72 N89-14998  Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview  [NASA-CP-10026-VOL-1] p 59 N89-24022  Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study  [NASA-CP-10026-VOL-2] p 59 N89-24023  Cells in Space  [NASA-CP-10034] p 61 N90-13939  Solar-Terrestrial Science Strategy Workshop  [NASA-CP-3048] p 73 N90-18329  Relativistic Gravitational Experiments in Space  [NASA-CP-3046] p 77 N90-19940  Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  SPACECRAFT INSTRUMENTS The 20th Aerospace Mechanics Symposium [NASA-CP-243-REV] p 43 N87-16321
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, parf 1 [NASA-CP-2492-Pt.1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 Space Station Human Factors Research Review Volume 3: Space Station Human Factors Research Review Volume 4: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-19883 Space Station Human Factors Research Review Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-24145	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10034] p 61 N90-13939 Solar-Terrestrial Science Strategy Workshop [NASA-CP-3048] p 73 N90-18329 Relativistic Gravitational Experiments in Space [NASA-CP-3046] p 77 N90-19940 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying space-craft, and space shuttle/space station experiments [NASA-TP-3030]	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  SPACECRAFT INSTRUMENTS The 20th Aerospace Mechanics Symposium [NASA-CP-2423-REV] p 43 N87-16321 Earth resources: A continuing bibliography with indexes
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 Space Station Human Factors Research Review. Volume 3: Space Station Habitability and Function: Architectural Research (NASA-CP-2426-VOL-3] p 59 N88-19883 Space Station Human Factors Research Review. Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-24145 Space Station Human Factors Research Review.	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10034] p 61 N90-13939 Solar-Terrestrial Science Strategy Workshop [NASA-CP-3048] p 73 N90-18329 Relativistic Gravitational Experiments in Space [NASA-CP-3046] p 77 N90-19940 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments [NASA-TP-30301] p 33 N90-25255 Proceedings of the LDEF Materials Data Analysis	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  SPACECRAFT INSTRUMENTS The 20th Aerospace Mechanics Symposium [NASA-CP-2423-REV] p 43 N87-16321 Earth resources: A continuing bibliography with indexes (issue 54)
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Space craft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 Space Station Human Factors Research Review Volume 3: Space Station Habitability and Function: Architectural Research [NASA-CP-2426-VOL-3] p 59 N88-19883 Space Station Human Factors Research Review Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-24145 Space Station Human Factors Research Review Volume 4: Inhouse Advanced Development and	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10034] p 61 N90-13939 Solar-Terrestrial Science Strategy Workshop [NASA-CP-3046] p 73 N90-18329 Relativistic Gravitational Experiments in Space [NASA-CP-3046] p 77 N90-19940 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying space-craft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 Proceedings of the LDEF Materials Data Analysis Workshop	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  SPACECRAFT INSTRUMENTS The 20th Aerospace Mechanics Symposium [NASA-CP-2423-REV] p 43 N87-16321 Earth resources: A continuing bibliography with indexes
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 Space Station Human Factors Research Review. Volume 3: Space Station Habitability and Function: Architectural Research [NASA-CP-2426-VOL-3] p 59 N88-19883 Space Station Human Factors Research Review. Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-24145 Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research	Experiments in Planetary and Related Sciences and the Space Station  [NASA-CP-2494] p 72 N89-14998  Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview  [NASA-CP-10026-VOL-1] p 59 N89-24022  Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study  [NASA-CP-10026-VOL-2] p 59 N89-24023  Cells in Space  [NASA-CP-10034] p 61 N90-13939  Solar-Terrestrial Science Strategy Workshop  [NASA-CP-3046] p 73 N90-18329  Relativistic Gravitational Experiments in Space  [NASA-CP-3046] p 77 N90-19940  Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying space-craft, and space shuttle/space station experiments  [NASA-TP-3030] p 33 N90-25255  Proceedings of the LDEF Materials Data Analysis Workshop  [NASA-CP-10046] p 28 N90-26075	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829  Spacecraft Fire Safety [NASA-CP-2446] p 24 N88-12520  Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  SPACECRAFT INSTRUMENTS The 20th Aerospace Mechanics Symposium [NASA-CP-2423-REV] p 43 N87-16321  Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Technology for Future NASA Missions: Civil Space Technology Initiative (CSTI) and Pathfinder
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 Space Station Human Factors Research Review. Volume 3: Space Station Habitability and Function: Architectural Research [NASA-CP-2426-VOL-3] p 59 N88-19883 Space Station Human Factors Research Review. Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-24145 Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10034] p 61 N90-13939 Solar-Terrestrial Science Strategy Workshop [NASA-CP-3048] p 73 N90-18329 Relativistic Gravitational Experiments in Space [NASA-CP-3046] p 77 N90-19940 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying space-craft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 Proceedings of the LDEF Materials Data Analysis Workshop [NASA-CP-10046] p 28 N90-26075 Development and approach to low-frequency	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Spacecraft Fire Safety [NASA-CP-2446] p 24 N88-12520 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  SPACECRAFT INSTRUMENTS The 20th Aerospace Mechanics Symposium [NASA-CP-2423-REV] p 43 N87-16321 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Technology Intraktive (CSTI) and Pathfinder [NASA-CP-3016] p 22 N89-11760
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 Space Station Human Factors Research Review. Volume 3: Space Station Habitability and Function: Architectural Research [NASA-CP-2426-VOL-3] p 59 N88-19883 Space Station Human Factors Research Review. Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-24145 Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development [NASA-CP-2426-VOL-4] p 59 N88-24148 Third Conference on Artificial Intelligence for Space Applications, part 2	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10034] p 61 N90-13939 Solar-Terrestrial Science Strategy Workshop [NASA-CP-3046] p 73 N90-18329 Relativistic Gravitational Experiments in Space [NASA-CP-3046] p 77 N90-19940 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 Proceedings of the LDEF Materials Data Analysis Workshop [NASA-CP-10046] p 28 N90-26075 Development and approach to low-frequency microgravity isolation systems	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  SPACECRAFT INSTRUMENTS The 20th Aerospace Mechanics Symposium [NASA-CP-243-REV] p 43 N87-16321 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Technology for Future NASA Missions: Civil Space Technology Initiative (CSTI) and Pathfinder [NASA-CP-3016] p 22 N89-11760 The Cassini mission: Infrared and microwave
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2496] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2492-Pt-1] p 22 N88-17691 Space Station Human Factors Research Review. Volume 3: Space Station Habitability and Function: Architectural Research (NASA-CP-2426-VOL-3] p 59 N88-19883 Space Station Human Factors Research Review. Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-24145 Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148 Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2426-PT-2] p 63 N88-24188	Experiments in Planetary and Related Sciences and the Space Station  [NASA-CP-2494] p 72 N89-14998  Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview  [NASA-CP-10026-VOL-1] p 59 N89-24022  Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study  [NASA-CP-10026-VOL-2] p 59 N89-24023  Cells in Space  [NASA-CP-10034] p 61 N90-13939  Solar-Terrestrial Science Strategy Workshop  [NASA-CP-3046] p 73 N90-18329  Relativistic Gravitational Experiments in Space  [NASA-CP-3046] p 77 N90-19940  Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments  [NASA-TP-3030] p 33 N90-25255  Proceedings of the LDEF Materials Data Analysis Workshop  [NASA-CP-10046] p 28 N90-26075  Development and approach to low-frequency microgravity isolation systems  [NASA-TP-2984] p 33 N90-28754	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Spacecraft Fire Safety [NASA-CP-2446] p 24 N88-12520 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  SPACECRAFT INSTRUMENTS The 20th Aerospace Mechanics Symposium [NASA-CP-2423-REV] p 43 N87-16321 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Technology for Future NASA Missions: Civil Space Technology Initiative (CSTI) and Pathfinder [NASA-CP-3016] p 22 N89-11760 The Cassini mission: Infrared and microwave spectroscopic measurements
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 Space Station Human Factors Research Review. Volume 3: Space Station Human Factors Research Review. Volume 3: Space Station Human Factors Research Review. Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-24145 Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148 Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 A Study of Space Station Contamination Effects	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10034] p 61 N90-13939 Solar-Terrestrial Science Strategy Workshop [NASA-CP-3046] p 73 N90-18329 Relativistic Gravitational Experiments in Space [NASA-CP-3046] p 77 N90-19940 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 Proceedings of the LDEF Materials Data Analysis Workshop [NASA-CP-10046] p 28 N90-26075 Development and approach to low-frequency microgravity isolation systems	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829  Spacecraft Fire Safety [NASA-CP-2446] p 24 N88-12520 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-2446] p 60 N89-13898  SPACECRAFT INSTRUMENTS The 20th Aerospace Mechanics Symposium [NASA-CP-10020] p 43 N87-16321 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Technology Instative (CSTI) and Pathfinder [NASA-CP-3016] p 22 N89-11760 The Cassini mission: Infrared and microwave spectroscopic measurements [NASA-RP-1213] p 78 N89-16709
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Space Station Systems: A bibliography with indexes [NASA-SP-7056(05)] p 26 N88-13382 Third Conference on Artificial Intelligence for Space Applications, parl 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2492-Pt-1] p 62 N88-17691 Space Station Human Factors Research Review. Volume 3: Space Station Habitability and Function: Architectural Research [NASA-CP-2426-VOL-3] p 59 N88-19883 Space Station Human Factors Research Review. Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-24145 Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148 Third Conference on Artificial Intelligence for Space Applications, parl 2 [NASA-CP-2492-PT-2] p 63 N88-24188 A Study of Space Station Contamination Effects conference	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10034] p 61 N90-13939 Solar-Terrestrial Science Strategy Workshop [NASA-CP-3048] p 73 N90-18329 Relativistic Gravitational Experiments in Space [NASA-CP-3046] p 77 N90-19940 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying space-craft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 Proceedings of the LDEF Materials Data Analysis Workshop [NASA-CP-10046] p 28 N90-26075 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 SPACECRAFT CHARGING	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Spacecraft Fire Safety [NASA-CP-2446] p 24 N88-12520 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  SPACECRAFT INSTRUMENTS The 20th Aerospace Mechanics Symposium [NASA-CP-2423-REV] p 43 N87-16321 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Technology for Future NASA Missions: Civil Space Technology Initiative (CSTI) and Pathfinder [NASA-CP-3016] p 22 N89-11760 The Cassini mission: Infrared and microwave spectroscopic measurements
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 Space Station Human Factors Research Review. Volume 3: Space Station Human Factors Research Review. Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-19883 Space Station Human Factors Research Review. Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-24145 Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148 Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 A Study of Space Station Contamination Effects conference [NASA-CP-3002] p 72 N88-25390	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10034] p 61 N90-13939 Solar-Terrestrial Science Strategy Workshop [NASA-CP-3048] p 73 N90-18329 Relativistic Gravitational Experiments in Space [NASA-CP-3046] p 77 N90-19940 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 Proceedings of the LDEF Materials Data Analysis Workshop [NASA-CP-10046] p 28 N90-26075 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 SPACECRAFT CHARGING Space Station Induced Monitoring	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829  Spacecraft Fire Safety [NASA-CP-2446] p 24 N88-12520  Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  SPACECRAFT INSTRUMENTS The 20th Aerospace Mechanics Symposium [NASA-CP-2423-REV] p 43 N87-16321  Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315  Technology for Future NASA Missions: Civil Space Technology for Future NASA Missions: Civil Space Technology for Future NASA Missions: Civil Space Technology Initiative (CSTI) and Pathfinder [NASA-CP-3016] p 22 N89-11760  The Cassini mission: Infrared and microwave spectroscopic measurements [NASA-RP-1213] p 78 N89-16709  SPACECRAFT LAUNCHING Development testing of large volume water sprays for warm fog dispersal
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Space craft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 Space Station Human Factors Research Review. Volume 3: Space Station Habitability and Function: Architectural Research [NASA-CP-2426-VOL-3] p 59 N88-19883 Space Station Human Factors Research Review. Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-24145 Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148 Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 A Study of Space Station Contamination Effects	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10034] p 61 N90-13939 Solar-Terrestrial Science Strategy Workshop [NASA-CP-3048] p 73 N90-18329 Relativistic Gravitational Experiments in Space [NASA-CP-3046] p 77 N90-19940 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying space-craft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 Proceedings of the LDEF Materials Data Analysis Workshop [NASA-CP-10046] p 28 N90-26075 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754  SPACECRAFT CHARGING Space Station Induced Monitoring [NASA-CP-3021] p 73 N89-15790 NASA/SDIO Space Environmental Effects on Materials Workshop, part 1	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 (NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  SPACECRAFT INSTRUMENTS The 20th Aerospace Mechanics Symposium [NASA-CP-10020] p 43 N87-16321 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Technology for Future NASA Missions: Civil Space Technology Initiative (CSTI) and Pathfinder [NASA-CP-3016] p 22 N89-11760 The Cassini mission: Infrared and microwave spectroscopic measurements [NASA-RP-1213] p 78 N89-16709 SPACECRAFT LAUNCHING Development testing of large volume water sprays for warm fog dispersal
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Space Station Systems: A bibliography with indexes [NASA-SP-7056(05)] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 Space Station Human Factors Research Review. Volume 3: Space Station Human Factors Research Review. Volume 3: Space Station Human Factors Research Review. Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-19883 Space Station Human Factors Research Review. Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-24145 Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-1] p 59 N88-24148 Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 A Study of Space Station Contamination Effects conference [NASA-CP-3002] p 72 N88-25390 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 63 N88-29351	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10034] p 61 N90-13939 Solar-Terrestrial Science Strategy Workshop [NASA-CP-3048] p 73 N90-18329 Relativistic Gravitational Experiments in Space [NASA-CP-3046] p 77 N90-19940 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 Proceedings of the LDEF Materials Data Analysis Workshop [NASA-CP-10046] p 28 N90-26075 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 SPACECRAFT CHARGING Space Station Induced Monitoring [NASA-CP-3021] p 73 N89-15790 NASA/SDIO Space Environmental Effects on Materials Workshop, part 1 [NASA-CP-3035-PT-1] p 27 N89-23528	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Spacecraft Fire Safety [NASA-CP-2446] p 24 N88-12520 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  SPACECRAFT INSTRUMENTS The 20th Aerospace Mechanics Symposium [NASA-CP-2423-REV] p 43 N87-16321 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Technology for Future NASA Missions: Civil Space Technology Initiative (CSTI) and Pathfinder [NASA-CP-3016] p 22 N89-11760 The Cassini mission: Infrared and microwave spectroscopic measurements [NASA-RP-1213] p 78 N89-16709  SPACECRAFT LAUNCHING Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Spacecraft Fire Safety [NASA-CP-2476] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 Space Station Human Factors Research Review. Volume 3: Space Station Habitability and Function: Architectural Research [NASA-CP-2426-VOL-3] p 59 N88-19883 Space Station Human Factors Research Review. Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-24145 Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148 Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 A Study of Space Station Contamination Effects — conference [NASA-CP-3002] p 72 N88-25390 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 63 N88-29351 Frifteenth Space Simulation Conference Support the	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10034] p 61 N90-13939 Solar-Terrestrial Science Strategy Workshop [NASA-CP-3044] p 73 N90-18329 Relativistic Gravitational Experiments in Space [NASA-CP-3046] p 77 N90-19940 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying space-craft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 Proceedings of the LDEF Materials Data Analysis Workshop [NASA-CP-10046] p 28 N90-26075 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 SPACECRAFT CHARGING Space Station Induced Monitoring [NASA-CP-3035-PT-1] p 73 N89-15790 NASA/SDIO Space Environmental Effects on Materials Workshop, part 1 [NASA-CP-3035-PT-1] p 27 N89-23528 SPACECRAFT COMPONENTS	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Spacecraft Fire Safety [NASA-CP-2446] p 24 N88-12520 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  SPACECRAFT INSTRUMENTS The 20th Aerospace Mechanics Symposium [NASA-CP-10020] p 43 N87-16321 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Technology for Future NASA Missions: Civil Space Technology Initiative (CSTI) and Pathfinder [NASA-CP-3016] p 22 N89-11760 The Cassini mission: Infrared and microwave spectroscopic measurements [NASA-RP-1213] p 78 N89-16709  SPACECRAFT LAUNCHING Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2807] p 24 N87-12585
Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Space Construction [NASA-CP-2490] p 25 N88-10870 Space Station Systems: A bibliography with indexes [NASA-SP-7056(05)] p 24 N88-12520 Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382 Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 62 N88-16360 The 1987 Get Away Special Experimenter's Symposium [NASA-CP-2500] p 22 N88-17691 Space Station Human Factors Research Review. Volume 3: Space Station Human Factors Research Review. Volume 3: Space Station Human Factors Research Review. Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-19883 Space Station Human Factors Research Review. Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 59 N88-24145 Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-1] p 59 N88-24148 Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 63 N88-24188 A Study of Space Station Contamination Effects conference [NASA-CP-3002] p 72 N88-25390 Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 63 N88-29351	Experiments in Planetary and Related Sciences and the Space Station [NASA-CP-2494] p 72 N89-14998 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 1: Executive summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023 Cells in Space [NASA-CP-10034] p 61 N90-13939 Solar-Terrestrial Science Strategy Workshop [NASA-CP-3048] p 73 N90-18329 Relativistic Gravitational Experiments in Space [NASA-CP-3046] p 77 N90-19940 Rotating-unbalanced-mass devices for scanning balloon-borne experiments, free-flying spacecraft, and space shuttle/space station experiments [NASA-TP-3030] p 33 N90-25255 Proceedings of the LDEF Materials Data Analysis Workshop [NASA-CP-10046] p 28 N90-26075 Development and approach to low-frequency microgravity isolation systems [NASA-TP-2984] p 33 N90-28754 SPACECRAFT CHARGING Space Station Induced Monitoring [NASA-CP-3021] p 73 N89-15790 NASA/SDIO Space Environmental Effects on Materials Workshop, part 1 [NASA-CP-3035-PT-1] p 27 N89-23528	Recent Advances in Multidisciplinary Analysis and Optimization, part 3 [NASA-CP-3031-PT-3] p 15 N89-25201  SPACECRAFT DOCKING The 23rd Aerospace Mechanisms Symposium [NASA-CP-3032] p 46 N89-23892  SPACECRAFT ELECTRONIC EQUIPMENT Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084  SPACECRAFT ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829 Spacecraft Fire Safety [NASA-CP-2446] p 24 N88-12520 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  SPACECRAFT INSTRUMENTS The 20th Aerospace Mechanics Symposium [NASA-CP-2423-REV] p 43 N87-16321 Earth resources: A continuing bibliography with indexes (issue 54) [NASA-SP-7041(54)] p 49 N87-27315 Technology for Future NASA Missions: Civil Space Technology Initiative (CSTI) and Pathfinder [NASA-CP-3016] p 22 N89-11760 The Cassini mission: Infrared and microwave spectroscopic measurements [NASA-RP-1213] p 78 N89-16709  SPACECRAFT LAUNCHING Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585

SPACECRAFT ORBITS	SPECTROSCOPY	Stress corrosion study of PH13-8Mo stainless steel using
Effect of ephemeris errors on the accuracy of the computation of the tangent point altitude of a solar	Reflectance spectroscopy in planetary science: Review and strategy for the future	the Slow Strain Rate Technique [NASA-TP-2934] p 30 N89-26976
scanning ray as measured by the SAGE 1 and 2	{NASA-SP-493} p 78 N88-24564	STAR DISTRIBUTION
instruments	International ultraviolet explorer spectral atlas of	Atlas of galaxies useful for measuring the cosmological
[NASA-TP-2866] p 65 N89-16415	planetary nebulae, central stars, and related objects	distance scale
SPACECRAFT PERFORMANCE	(NASA-RP-1203) p 76 N88-28843	[NASA-SP-496] p 74 N89-12513
Flight Mechanics/Estimation Theory Symposium 1988 [NASA-CP-3011] p.23 N89-15934	NASA Laser Light Scattering Advanced Technology	STAR FORMATION
SPACECRAFT POWER SUPPLIES	Development Workshop, 1988	Star Formation in Galaxies (NASA-CP-2466) p 73 N87-24266
Space Photovoltaic Research and Technology 1986.	[NASA-CP-10033] p 40 N90-17085	STAR TRACKERS
High Efficiency, Space Environment, and Array	First International Conference on Laboratory Research for Planetary Atmospheres	Further developments in modeling digital control
Technology	[NASA-CP-3077] p 78 N90-26744	systems with MA-prefiltered measurements
[NASA-CP-2475] p 50 N67-26413 Technology for Future NASA Missions: Civil Space	SPECTRUM ANALYSIS	[NASA-TP-2909] p 33 N89-24507 STARS
Technology Initiative (CSTI) and Pathfinder	The 58th Shock and Vibration Symposium, volume 2	Infrared astronomical satellite (IRAS) catalogs and
[NASA-CP-3016] p 22 N89-11760	(NASA-CP-2488-VOL-2) p 44 N88-18948	atlases. Volume 5: The point source catalog declination
Space Photovoltaic Research and Technology, 1988.	SPHERES	range -30 deg greater than delta greater than -50 deg
High Efficiency, Space Environment, and Array	Parametric study of power absorption from electromagnetic waves by small ferrite spheres	[NASA-RP-1190-VOL-5] p 76 N89-14195
Technology [NASA-CP-3030] p 50 N89-24704	[NASA-TP-2949] p 66 N90-12282	Infrared astronomical satellite (IRAS) catalogs and
Second Beamed Space-Power Workshop	SPHERICAL COORDINATES	atlases. Volume 2: The point source catalog declination range 90 deg greater than delta greater than 30 deg
[NASA-CP-3037] p 27 N90-10140	Compilation of methods in orbital mechanics and solar	[NASA-RP-1190-VOL-2] p 76 N89-14197
Space Electrochemical Research and Technology	geometry	Infrared astronomical satellite (IRAS) catalogs and
(SERT), 1989	[NASA-RP-1204] p 52 N89-10420	atlases. Volume 6: The point source catalog declination
[NASA-CP-3056] p 50 N90-20454 SPACECRAFT PROPULSION	SPHERICAL HARMONICS Atlas of wide-field-of-view outgoing longwave radiation	range -50 deg greater than delta greater than -90 deg
Structural Integrity and Durability of Reusable Space	derived from Nimbus 7 Earth radiation budget data set -	[NASA-RP-1190-VOL-6] p 76 N89-14198 Infrared astronomical satellite (IRAS) catalogs and
Propulsion Systems	November 1978 to October 1985	atlases. Volume 7: The small scale structure catalog
(NASA-CP-2471) p 26 N87-22766	[NASA-RP-1186] p 55 N88-10451	[NASA-RP-1190-VOL-7] p 76 N89-14199
Spacecraft 2000	SPIN	Infrared astronomical satellite (IRAS) catalogs and
[NASA-CP-2473] p 25 N88-10084 Technology for Future NASA Missions: Civil Space	Flight investigation of the effects of an outboard	atlases. Volume 3: The point source catalog declination
Technology Initiative (CSTI) and Pathfinder	wing-leading-edge modification on stall/spin characteristics of a low-wing, single-engine, T-tail light	range 30 deg greater than delta greater than 0 deg {NASA-RP-1190-VOL-3} p 77 N89-14201
[NASA-CP-3016] p 22 N89-11760	airplane	STATE ESTIMATION
Advanced Earth-to-Orbit Propulsion Technology 1986,	[NASA-TP-2691] p 14 N87-23614	A new approach to state estimation in deterministic
volume 2	SPIN TESTS	digital control systems
[NASA-CP-2437-VOL-2] p 27 N89-12626 Second Beamed Space-Power Workshop	Measurements of pressures on the tail and aft fuselage	[NASA-TP-2745] p 32 N87-24585
[NASA-CP-3037] p 27 N90-10140	of an airplane model during rotary motions at spin attitudes	Exact state reconstruction in deterministic digital control systems
SPACECRAFT RELIABILITY	[NASA-TP-2939] p 10 N90-10829	[NASA-TP-2757] p 32 N87-27067
Probabilistic risk analysis of flying the space shuttle with	SPLASHING	Further developments in exact state reconstruction in
and without fuel turbine discharge temperature redline	Measurements of flow rate and trajectory of aircraft	deterministic digital control systems
protection [NASA-TP-2759] p 65 N87-27474	tire-generated water spray	[NASA-TP-2812] p 32 N88-18751 More on exact state reconstruction in deterministic digital
SPACECRAFT STRUCTURES	[NASA-TP-2718] p 14 N87-24458 SPLINE FUNCTIONS	control systems
Effects of thermal cycling on graphie-fiber-reinforced	An algorithm for surface smoothing with rational	[NASA-TP-2847] p 33 N88-28177
6061 aluminum	splines	The estimation error covariance matrix for the ideal state
[NASA-TP-2612] p 28 N87-10184	[NASA-TP-2708] p 65 N87-22447	reconstructor with measurement noise
Lewis Structures Technology, 1988, Volume 1: Structural	SPLIT FLAPS	[NASA-TP-2881] p 63 N89-13994 A new state reconstructor for digital controls systems
Dynamics {NASA-CP-3003-VOL-1} p 44 N88-23226	Aerodynamic pressures and heating rates on surfaces between split elevons at Mach 6.6	using weighted-average measurements
Effects of variables upon pyrotechnically induced shock	[NASA-TP-2855] p 37 N89-12822	[NASA-TP-2936] p 33 N89-27039
response spectra, part 2	SPRAY NOZZLES	STATE VECTORS
[NASA-TP-2872] p 45 N89-13814	Development testing of large volume water sprays for	Modeling digital control systems with MA-prefiltered
SPACECRAFT TRACKING	warm tog dispersal {NASA-TP-2607} p 24 N87-12585	measurements [NASA-TP-2732] p 32 N87-22870
Spacecraft 2000	SPRAYING P 24 No7-12565	Exact state reconstruction in deterministic digital control
[NASA-CP-2473] p 25 N88-10084 SPACECRAFT TRAJECTORIES	Measurements of flow rate and trajectory of aircraft	systems
Interactive orbital proximity operations planning	tire-generated water spray	[NASA-TP-2757] p 32 N87-27067
system	{NASA-TP-2718} p 14 N87-24458 SPUTTERING	STATIC PRESSURE  Effect of empennage arrangement on single-engine
[NASA-TP-2839] p 61 N89-18039	The 20th Aerospace Mechanics Symposium	nozzle/afterbody static pressures at transonic speeds
SPACECREWS	[NASA-CP-2423-REV] p 43 N87-16321	[NASA-TP-2753] p 6 N88-10771
Payload crew utilization for spacelab missions	STABILITY	STATIC STABILITY
{NASA-TP-2976} p 24 N90-14256 SPACELAB	Liquid drop stability for protein crystal growth in	Handling qualities of a wide-body transport airplane
Spacelab 3 Mission Science Review	microgravity [NASA-TP-2724] p 58 N87-20727	utilizing Pitch Active Control Systems (PACS) for relaxed static stability application
[NASA-CP-2429] p 36 N87-22103	Rotordynamic Instability Problems in High-Performance	[NASA-TP-2482] p 19 N88-14987
Spacelab: An international success story	Turbomachinery, 1986	STATIC TESTS
(NASA-SP-487) p 72 N88-19375	[NASA-CP-2443] p 41 N87-22199	Large-scale static investigation of
SPATIAL FILTERING	An experimental investigation of the flap-lag-torsion	circulation-control-wing concepts applied to upper surface-blowing aircraft
Spatial vision processes: From the optical image to the symbolic structures of contour information	aeroelastic stability of a small-scale hingeless helicopter rotor in hover	[NASA-TP-2684] p 13 N87-15959
NASA-TP-2838  p 39 N89-13762	[NASA-TP-2546] p 7 N88-20257	Three-step labyrinth seal for high-performance
SPATIAL RESOLUTION	STABILITY DERIVATIVES	turbomachines
Spatial Displays and Spatial Instruments	Analysis of flight data from a High-Incidence Research	[NASA-TP-1848] p 36 N87-23921 Static internal performance of a two-dimensional
(NASA-CP-10032) p 61 N90-22918	Model by system identification methods [NASA-TP-2940] p 20 N90-10074	convergent-divergent nozzle with thrust vectoring
Spatial interferometry in optical astronomy {NASA-RP-1245} p.75 N90-28470	STAGNATION FLOW	[NASA-TP-2721] p 5 N87-24432
{NASA-RP-1245} p.75 N90-28470 SPECIFICATIONS	Application of turbulence modeling to predict surface	Static performance of an axisymmetric nozzle with
Space shuttle avionics system	heat transfer in stagnation flow region of circular cylinder	post-exit vanes for multiaxis thrust vectoring
[NASA-SP-504] p 24 N90-25160	[NASA-TP-2758] p 37 N87-27161 STAGNATION PRESSURE	[NASA-TP-2800] p 8 N88-20280 Static performance of nonaxisymmetric nozzles with yaw
SPECKLE INTERFEROMETRY	Qualitative evaluation of a flush air data system at	thrust-vectoring vanes
Spatial interferometry in optical astronomy	transonic speeds and high angles of attack	[NASA-TP-2813] p.8 N88-21118
[NASA-RP-1245] p 75 N90-28470	[NASA-TP-2716] p 14 N87-29497	Static mechanical properties of 30 x 11.5 - 14.5, type
SPECTRAL METHODS  Numerical simulation of channel flow transition,	STAINLESS STEELS	8 aircraft tires of bias-ply and radial-belted design {NASA-TP-2810} p.15 N88-21157
resolution requirements and structure of the hairpin	An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance	Static internal performance of a nonaxisymmetric vaned
vortex	and dc methods	thrust reverser with flow splay capability
[NASA-TP-2667] p 4 N87-19351	[NASA-TP-2820] p 30 N89-19406	[NASA-TP-2933] p 10 N89-27634
SPECTRAL REFLECTANCE	Reaction of perfluoroalkylpolyethers (PFPE) with 440C	Static investigation of a two-dimensional
Reflectance spectroscopy in planetary science: Review	steel in vacuum under sliding conditions at room temperature	convergent-divergent exhaust nozzle with multiaxis thrust-vectoring capability
and strategy for the future [NASA-SP-493] p 78 N88-24564	(NASA-TP-2883) p 31 N89-26091	[NASA-TP-2973] p 11 N90-19193
	e e e e e e e e e e e e e e e e e e e	

STATIC THRUST	STOICHIOMETRY	Computational Methods for Structural Mechanics and
Static performance of nonaxisymmetric nozzles with yaw	Influence of the deposition conditions on radiofrequency	Dynamics, part 1
thrust-vectoring vanes [NASA-TP-2813] p.8 N88-21118	magnetron sputtered MoS2 films [NASA-TP-2994] p 33 N90-21210	[NASA-CP-3034-PT-1] p 46 N89-24638
STATISTICAL ANALYSIS	[NASA-TP-2994] p 33 N90-21210 STORAGE BATTERIES	Computational Methods for Structural Mechanics and Dynamics
Statistical aspects of solar flares	Space Electrochemical Research and Technology	[NASA-CP-3034-PT-2] p 46 N89-24654
[NASA-TP-2714] p 79 N87-20947	Conference: Abstracts	STRESS CONCENTRATION
STATOR BLADES	[NASA-CP-10029] p 50 N89-22982	Weld stresses beyond elastic limit: Materials
Three component laser anemometer measurements in	STRAIN ENERGY METHODS Seventeenth NASTRAN (R) Users' Colloquium	discontinuity
an annular cascade of core turbine vanes with contoured end wall	[NASA-CP-3029] p 45 N89-22940	[NASA-TP-2935] p 46 N89-27214 STRESS CORROSION CRACKING
[NASA-TP-2846] p.8 N89-10844	STRAIN ENERGY RELEASE RATE	Stress corrosion study of PH13-8Mo stainless steel using
STEADY STATE	Three-dimensional analysis of a postbuckled embedded	the Slow Strain Rate Technique
Steady and unsteady transonic pressure measurements	delamination [NASA-TP-2823] p 44 N88-26684	[NASA-TP-2934] p 30 N89-26976
on a clipped delta wing for pitching and control-surface	STRAIN GAGES	STRESS INTENSITY FACTORS  Stress intensity and crack displacement for small edge
oscillations [NASA-TP-2594] p 8 N88-28895	Evaluation of a strain-gage load calibration on a	cracks
Steady-state and transitional aerodynamic	low-aspect-ratio wing structure at elevated temperature	[NASA-TP-2801] p 44 N88-17095
characteristics of a wing in simulated heavy rain	[NASA-TP-2921] p 46 N89-28034 STRAIN HARDENING	STRESS MEASUREMENT
[NASA-TP-2932] p 10 N89-25951	Weld stresses beyond elastic limit: Materials	Gear tooth stress measurements on the UH-60A helicopter transmission
STELLAR ATMOSPHERES	discontinuity	[NASA-TP-2698] p 41 N87-22235
The M-type stars (NASA-SP-492) p 75 N88-11592	[NASA-TP-2935] p 46 N89-27214	STRESS-STRAIN RELATIONSHIPS
Commentary on interstellar matter associated with 18	STRAIN RATE Stress corrosion study of PH13-8Mo stainless steel using	Cyclic loads tests of carbon involute solid rocket motor
open clusters	the Slow Strain Rate Technique	outer boot ring segments [NASA-TP-2884] p 45 N89-16192
[NASA-RP-1229] p 77 N89-27612	[NASA-TP-2934] p 30 N89-26976	Tungsten fiber reinforced copper matrix composites: A
FGK stars and T Tauri stars: Monograph series on	STRATEGY	review
nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344	Solar-Terrestrial Science Strategy Workshop [NASA-CP-3048] p. 73 N90-18329	[NASA-TP-2924] p 29 N89-27796
[NASA-SP-502] p 77 N90-18344 STELLAR COLOR	[NASA-CP-3048] p 73 N90-18329 STRATOCUMULUS CLOUDS	STRESSES
O stars and Wolf-Rayet stars	FIRE Science Results 1989	Weld stresses beyond elastic limit: Materials discontinuity
[NASA-SP-497] p 74 N89-11657	(NASA-CP-3079) p 58 N90-28224	[NASA-TP-2935] p 46 N89-27214
STELLAR COMPOSITION	STRATOSPHERE	STRUCTURAL ANALYSIS
The M-type stars [NASA-SP-492] p 75 N88-11592	Airborne lidar measurements of El Chichon stratospheric aerosols, May 1983	Fifteenth NASTRAN (R) Users' Colloquium INASA-CP-24811 p 43 N87-27231
O stars and Wolf-Rayet stars	[NASA-RP-1172] p 51 N87-11358	[NASA-CP-2481] p 43 N87-27231 Turbine Engine Hot Section Technology, 1985
[NASA-SP-497] p 74 N89-11657	Description of data on the Nimbus 7 LIMS map archive	[NASA-CP-2405] p 43 N88-11140
STELLAR ENVELOPES	tape: Ozone and nitric acid	Nuclear techniques in studies of condensed matter
The M-type stars (NASA-SP-492) p 75 N88-11592	[NASA-TP-2625] p 51 N87-13022 SAGE aerosol measurements. Volume 3: January 1,	[NASA-RP-1195] p 68 N88-13015
STELLAR LUMINOSITY	1981 to November 18, 1981	Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382
Star Formation in Galaxies	[NASA-RP-1173] p 51 N87-17417	Continuum modeling of large lattice structures: Status
[NASA-CP-2466] p 73 N87-24266	Airborne lidar measurements of El Chichon stratospheric	and projections
O stars and Wolf-Rayet stars [NASA-SP-497] p 74 N89-11657	aerosols, January 1984 [NASA-RP-1175] p 51 N87-20663	(NASA-TP-2767) p 25 N88-14115 Aeropropulsion '87. Session 2: Aeropropulsion
STELLAR MASS EJECTION	Description of data on the Nimbus 7 LIMS map archive	Aeropropulsion '87. Session 2: Aeropropulsion Structures Research
The M-type stars	tape: Water vapor and nitrogen dioxide	[NASA-CP-10003-SESS-2] p 18 N88-15785
[NASA-SP-492] p 75 N88-11592 STELLAR MODELS	[NASA-TP-2761] p 56 N88-14572	Sixteenth NASTRAN (R) Users' Colloquium
The M-type stars	SAM 2 data user's guide [NASA-RP-1200] p 52 N88-25094	[NASA-CP-2505] p 44 N88-20652 Nonlinear Constitutive Relations for High Temperature
[NASA-SP-492] p 75 N88-11592	Present state of knowledge of the upper atmosphere	Applications, 1986
STELLAR PHYSICS	1988: An assessment report	[NASA-CP-10010] p 44 N88-21498
The M-type stars [NASA-SP-492] p 75 N88-11592	[NASA-RP-1208] p 52 N88-29233 Forty-eight-inch lidar aerosol measurements taken at the	SRM (Solid Rocket Motor) propellant and polymer materials structural modeling
STELLAR RADIATION	Langley Research Center, May 1974 to December 1987	[NASA-TP-2824] p 45 N88-28343
The M-type stars	[NASA-RP-1209] p 52 N88-29234	Lightweight structural design of a bolted case joint for
[NASA-SP-492] p 75 N88-11592 STELLAR SPECTRA	Polar Ozone Workshop. Abstracts	the space shuttle solid rocket motor [NASA-TP-2851] p 25 N89-12580
The M-type stars	[NASA-CP-10014] p 51 N89-14503	Turbine Engine Hot Section Technology 1986
[NASA-SP-492] p 75 N88-11592	Comparison of satellite-derived dynamical quantities for the stratosphere of the Southern Hemisphere	[NASA-CP-2444] p 45 N89-12876
International ultraviolet explorer spectral atlas of	[NASA-CP-3044] p 53 N89-25540	Turbine Engine Hot Section Technology, 1987
[NASA-RP-1203] p 76 N88-28843	Nimbus-7 Stratospheric and Mesospheric Sounder	[NASA-CP-2493] p 45 N89-17298 Measured and predicted root-mean-square errors in
STELLAR SPECTROPHOTOMETRY	(SAMS) experiment data user's guide	square and triangular antenna mesh facets
The M-type stars	[NASA-RP-1221] p 53 N89-26304	[NASA-TP-2896] p 45 N89-17892
[NASA-SP-492] p 75 N88-11592	A high-resolution atlas of the infrared spectrum of the sun and the earth atmosphere from space. A compilation	Seventeenth NASTRAN (R) Users' Colloquium
STEREOSCOPIC VISION  Determination of depth-viewing volumes for stereo	of ATMOS spectra of the region from 650 to 4800 cm-1	[NASA-CP-3029] p 45 N89-22940 Computational Methods for Structural Mechanics and
three-dimensional graphic displays	(2.3 to 16 microns). Volume 2: Stratosphere and	Dynamics, part 1
[NASA-TP-2999] p 61 N90-22965	mesosphere, 650 to 3350 cm-1	[NASA-CP-3034-PT-1] p 46 N89-24638
STIFFNESS	[NASA-RP-1224-VOL-2] p 53 N89-28969	Recent Advances in Multidisciplinary Analysis and
Dynamic characteristics of a vibrating beam with periodic variation in bending stiffness	Two-Dimensional Intercomparison of Stratospheric Models	Optimization, part 2 [NASA-CP-3031-PT-2] p 15 N89-25173
[NASA-TP-2697] p 44 N88-23988	[NASA-CP-3042] p 53 N90-11405	NASA Workshop on Computational Structural
Integrated force method versus displacement method	Global stratospheric change: Requirements for a	Mechanics 1987, part 1
for finite element analysis [NASA-TP-2937] p 47 N90-18081	Very-High-Altitude Aircraft for Atmospheric Research	[NASA-CP-10012-PT-1] p 46 N89-29773
Loads analysis and testing of flight configuration solid	[NASA-CP-10041] p 16 N90-14220	NASA Workshop on Computational Structural Mechanics 1987, part 2
rocket motor outer boot ring segments	Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide	[NASA-CP-10012-PT-2] p 46 N89-29789
[NASA-TP-3028] p 47 N90-25366	[NASA-RP-1234] p 53 N90-17227	NASA Workshop on Computational Structural
Buckling and postbuckling behavior of compression-loaded isotropic plates with cutouts	STRESS (PSYCHOLOGY)	Mechanics 1987, part 3 [NASA-CP-10012-PT-3] p 46 N89-29799
[NASA-TP-3024] p 47 N90-28859	Mental-State Estimation, 1987 [NASA-CP-2504] p 60 N88-23370	Integrated force method versus displacement method
STIMULATED EMISSION	STRESS ANALYSIS	for finite element analysis
Electron stimulated desorption of atomic oxygen from silver	Nonlinear Constitutive Relations for High Temperature	[NASA-TP-2937] p 47 N90-18081 Eighteenth NASTRAN (R) Users' Colloquium
[NASA-TP-2668] p 29 N87-18629	Applications, 1986	[NASA-CP-3069] p 47 N90-24637
A simplified approach to axisymmetric dual-reflector	[NASA-CP-10010] p 44 N88-21498	Evaluation of energy absorption of new concepts of
antenna design [NASA-TP-2797] p.7 N88-16662	Lewis Structures Technology, 1988. Volume 2: Structural Mechanics	aircraft composite subfloor intersections [NASA-TP-2951] p 16 N90-26823
STOCHASTIC PROCESSES	[NASA-CP-3003-VOL-2] p 44 N88-22382	[NASA-TP-2951] p 16 N90-26823 Modal interaction in postbuckled plates. Theory
Probabilistic risk analysis of flying the space shuttle with	Practices in adequate structural design	[NASA-TP-2943] p 47 N90-27121
and without fuel turbine discharge temperature redline protection	[NASA-TP-2893] p 24 N89-18504 Mixed formulation for frictionless contact problems	Thermal-distortion analysis of an antenna strongback for geostationary high-frequency microwave applications
[NASA-TP-2759] p 65 N87-27474	[NASA-TP-2897] p 45 N89-19580	[NASA-TP-3016] p 26 N90-27738
•	•	· · · · · · · · · · · · · · · · · ·

Acceptable		Chart at an area and arise advancementation simulated
Ceramics Analysis and Reliability Evaluation of Structures (CARES). Users and programmers manual	SUBSONIC AIRCRAFT Subsonic longitudinal and lateral-directional	Shock structure and noise of supersonic jets in simulated flight to Mach 0.4
[NASA-TP-2916] p 47 N90-28099	characteristics of a forward-swept-wing fighter	[NASA-TP-2785] p 67 N88-16510
The NASTRAN demonstration problem manual, level	configuration at angles of attack up to 47 deg	SUPERSONIC AIRFOILS
17.5 [NASA-SP-224(05)] p 42 N81-71592	[NASA-TP-2727] p 6 N87-26874 SUBSONIC FLOW	Supersonic, nonlinear, attached-flow wing design for high lift with experimental validation
The NASTRAN programmers manual, level 17.5	Efficient solutions to the Euler equations for supersonic	[NASA-TP-2336] p 3 N87-10042
[NASA-SP-223(05)] p 42 N81-71594	flow with embedded subsonic regions	Supersonic aerodynamics of delta wings
STRUCTURAL DESIGN	[NASA-TP-2523] p 3 N87-15183	[NASA-TP-2771] p 7 N88-17615 SUPERSONIC COMBUSTION RAMJET ENGINES
In-flight total forces, moments and static aeroelastic characteristics of an oblique-wing research airplane	Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance	Aeropropulsion '87. Session 6: High-Speed Propulsion
[NASA-TP-2224] p 19 N87-10103	of simple hinged-flap systems for thin swept wings	Technology
Recent Experiences in Multidisciplinary Analysis and	[NASA-TP-2828] p 8 N89-10024	[NASA-CP-10003-SESS-6] p 18 N88-15807 An analytical study of the hydrogen-air reaction
Optimization, part 1 {NASA-CP-2327-PT-1} p 13 N87-11717	SUBSONIC SPEED Subsonic maneuver capability of a supersonic cruise	mechanism with application to scramjet combustion
Study of lee-side flows over conically cambered delta	fighter wing concept	[NASA TP-2791] p 30 N88-15846
wings at supersonic speeds, part 1	[NASA-TP-2642] p 3 N87-15184	Numerical simulation of scramjet inlet flow fields [NASA-TP-2517] p.8 N88-23735
[NASA-TP-2660-PT-1] p 5 N87-23597	An experimental investigation of an advanced turboprop	SUPERSONIC CRUISE AIRCRAFT RESEARCH
Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 25 N88-13382	installation on a swept wing at subsonic and transonic speeds	Subsonic maneuver capability of a supersonic cruise
Practices in adequate structural design	[NASA-TP-2729] p 6 N87-26883	fighter wing concept [NASA-TP-2642] p 3 N87-15184
[NASA-TP-2893] p 24 N89-18504	Pressure measurements on a thick cambered and	Multiaxis control power from thrust vectoring for a
Recent Advances in Multidisciplinary Analysis and	twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643	supersonic fighter aircraft model at Mach 0.20 to 2.47
Optimization, part 2 [NASA-CP-3031-PT-2] p 15 N89-25173	Effects of winglets on a first-generation jet transport	[NASA-TP-2712] p 5 N87-24433 SUPERSONIC FLIGHT
Recent Advances in Multidisciplinary Analysis and	wing. 7: Sideslip effects on winglet loads and selected	Status of sonic boom methodology and understanding
Optimization, part 3	wing loads at subsonic speeds for a full-span model	[NASA-CP-3027] p 9 N89-23415
[NASA-CP-3031-PT-3] p 15 N89-25201	[NASA-TP-2619] p 7 N88-18567 SUBSONIC WIND TUNNELS	SUPERSONIC FLOW Supersonic, nonlinear, attached-flow wing design for
A lunar far-side very low frequency array INASA-CP-30391 p. 75 N90-10805	The Langley 14- by 22-foot subsonic tunnel: Description,	high lift with experimental validation
[NASA-CP-3039] p 75 N90-10805 Conceptual design of a synchronous Mars	flow characteristics, and guide for users	[NASA-TP-2336] p 3 N87-10042
telecommunications satellite	[NASA-TP-3008] p 12 N90-27649	Efficient solutions to the Euler equations for supersonic
[NASA-TP-2942] p 78 N90-10814	SUBSTRUCTURES	flow with embedded subsonic regions [NASA-TP-2523] p 3 N87-15183
NASA/DOD Controls-Structures Interaction Technology	Evaluation of energy absorption of new concepts of aircraft composite subfloor intersections	Study of lee-side flows over conically cambered delta
1969  NASA-CP-3041  p.26 N90-21062	[NASA-TP-2951] p 16 N90-26823	wings at supersonic speeds, part 1
STRUCTURAL DESIGN CRITERIA	SUCTION	[NASA-TP-2660-PT-1] p 5 N87-23597 Study of lee-side flows over conically cambered Delta
Diode laser satellite systems for beamed power	Simulated-airline-service flight tests of laminar-flow control with perforated-surface suction system	wings at supersonic speeds, part 2
transmission	[NASA-TP-2966] p 16 N90-17627	[NASA-TP-2660-PT-2] p 5 N87-25301
NASA-TP-2992   p 40 N90-24585 STRUCTURAL ENGINEERING	SUN	Exhaust nozzles for propulsion systems with emphasis
Recent Advances in Multidisciplinary Analysis and	Energetic Phenomena on the Sun: The Solar Maximum	on supersonic cruise aircraft [NASA-RP-1235] p 18 N90-21037
Optimization, part 1	Mission Flare Workshop. Proceedings [NASA-CP-2439] p 79 N87-19328	SUPERSONIC NOZZLES
[NASA-CP-3031-PT-1] p 15 N89-25146	Coronal and Prominence Plasmas	Exhaust nozzles for propulsion systems with emphasis
Recent Advances in Multidisciplinary Analysis and	[NASA-CP-2442] p 79 N87-20871	on supersonic cruise aircraft [NASA-RP-1235] p 18 N90-21037
Optimization, part 3 {NASA-CP-3031-PT-3} p 15 N89-25201	Fifty year canon of solar eclipses: 1986 - 2035	SUPERSONIC SPEED
Technology for large space systems: A bibliography with	[NASA-RP-1178-REV] p 73 N87-25906	Wind-tunnel investigation at supersonic speeds of a
indexes (supplement 20)	Compilation of methods in orbital mechanics and solar geometry	remote-controlled canard missile with a free-rolling-tail brake torque system
[NASA-SP-7046(20)] p 26 N89-26037	[NASA-RP-1204] p 52 N89-10420	[NASA-TP-2401] p 4 N87-17668
NASA Workshop on Computational Structural Mechanics 1987, part 2	Effect of ephemeris errors on the accuracy of the	Investigation of leading-edge flap performance on delta
[NASA-CP-10012-PT-2] p 46 N89-29789	computation of the tangent point altitude of a solar	and double-delta wings at supersonic speeds {NASA-TP-2656} p.4 N87-20233
Technology for large space systems: A bibliography with	scanning ray as measured by the SAGE 1 and 2 instruments	Experimental cavity pressure distributions at supersonic
indexes (supplement 22) [NASA-SP-7046(22)] p 26 N90-26056	[NASA-TP-2866] p 65 N89-16415	speeds
STRUCTURAL FAILURE	SUNSPOTS	[NASA-TP-2683] p 5 N87-22626
Application of Newton's method to the postbuckling of	Energetic Phenomena on the Sun: The Solar Maximum Mission Flare Workshop. Proceedings	Drag measurements of blunt stores tangentially mounted on a flat plate at supersonic speeds
rings under pressure loadings	[NASA-CP-2439] p 79 N87-19328	[NASA-TP-2742] p 6 N87-27626
[NASA-TP-2941] p 46 N89-29811 Evaluation of energy absorption of new concepts of	SUPERCOMPUTERS	Supersonic aerodynamics of delta wings
aircraft composite subfloor intersections	Supercomputing in Aerospace [NASA-CP-2454] p 5 N87-25998	[NASA-TP-2771] p 7 N88-17615 Aerodynamic characteristics of wings designed with a
[NASA-TP-2951] p 16 N90-26823		
Modal interaction in postbuckled plates. Theory	SUPERCRITICAL AIRFUILS	combined-theory method to cruise at a Mach number of
	SUPERCRITICAL AIRFOILS  The NASA Langley Laminar-Flow-Control (LFC)	4.5
[NASA-TP-2943] p 47 N90-27121	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design	4.5 [NASA-TP-2799] p 7 N88-19420
[NASA-TP-2943] p 47 N90-27121 STRUCTURAL PROPERTIES (GEOLOGY)	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview	4.5
[NASA-TP-2943] p 47 N90-27121	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design	4.5 [NASA-TP-2799] p 7 N88-19420 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY)  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p.8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic	4.5 [NASA-TP-2799] p 7 N88-19420 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing [NASA-TP-2918] p 10 N89-25117
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY)  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY  Structural Integrity and Durability of Reusable Space	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p.8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel	4.5 [NASA-TP-2799] p 7 N88-19420 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY)  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY  Structural Integrity and Durability of Reusable Space Propulsion Systems	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p.8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2890] p.9 N89-17568	4.5 [NASA-TP-2799] p 7 N88-19420 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing [NASA-TP-2918] p 10 N89-25117 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY)  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY  Structural Integrity and Durability of Reusable Space Propulsion Systems	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p.8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2890] p.9 N89-17568 NASA supercritical airfoils: A matrix of family-related airfoils	4.5 [NASA-TP-2799] p 7 N88-19420 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing [NASA-TP-2918] p 10 N89-25117 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 6 N88-12454
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY)  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY  Structural Integrity and Durability of Reusable Space Propulsion Systems [NASA-CP-2471] p 26 N87-22766  STRUCTURAL STABILITY Integrated force method versus displacement method	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p.8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2890] p.9 N89-17568 NASA supercritical airfoils: A matrix of family-related airfoils [NASA-TP-2989] p.11 N90-16710	4.5 [NASA-TP-2799] p 7 N88-19420 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing [NASA-TP-2918] p 10 N89-25117 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 6 N88-12454 SUPPLEMENTS
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY)  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY  Structural Integrity and Durability of Reusable Space Propulsion Systems [NASA-CP-2471] p 26 N87-22766  STRUCTURAL STABILITY Integrated force method versus displacement method for finite element analysis	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2890] p9 N89-17568 NASA supercritical airfoils: A matrix of family-related airfoils [NASA-TP-2969] p11 N90-16710 SUPERCRITICAL FLOW	4.5 [NASA-TP-2799] p 7 N88-19420 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing [NASA-TP-2918] p 10 N89-25117 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 6 N88-12454
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY)  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY  Structural Integrity and Durability of Reusable Space Propulsion Systems [NASA-CP-2471] p 26 N87-22766  STRUCTURAL STABILITY  Integrated force method versus displacement method for finite element analysis [NASA-TP-2937] p 47 N90-18081	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2890] p9 N89-17568 NASA supercritical airfoils: A matrix of family-related airfoils [NASA-TP-2969] p11 N90-16710 SUPERCRITICAL FLOW Supersonic, nonlinear, attached-flow wing design for high lift with experimental validation	4.5 [NASA-TP-2799] p 7 N88-19420 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing [NASA-TP-2918] p 10 N89-25117 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 6 N88-12454 SUPPLEMENTS NASA Thesaurus Supplement: A four part cumulative supplement to the 1985 edition of the NASA Thesaurus (supplement 3)
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY)  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY  Structural Integrity and Durability of Reusable Space Propulsion Systems [NASA-CP-2471] p 26 N87-22766  STRUCTURAL STABILITY Integrated force method versus displacement method for finite element analysis	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2890] p9 N89-17568 NASA supercritical airfoils: A matrix of family-related airfoils [NASA-TP-2969] p11 N90-16710 SUPERCRITICAL FLOW Supersonic, nonlinear, attached-flow wing design for high lift with experimental validation [NASA-TP-2336] p3 N87-10042	4.5 [NASA-TP-2799] p 7 N88-19420 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing [NASA-TP-2918] p 10 N89-25117 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 6 N88-12454 SUPPLEMENTS NASA Thesaurus Supplement: A four part cumulative supplement to the 1985 edition of the NASA Thesaurus (supplement 3) [NASA-SP-7053-SUPPL-3] p 70 N87-27557
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY)  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY  STRUCTURAL RELIABILITY  STRUCTURAL STABILITY  INTEGRATED IN P 26 N87-22766  STRUCTURAL STABILITY  Integrated force method versus displacement method for finite element analysis [NASA-TP-2937] p 47 N90-18081  STRUCTURAL VIENTATION  Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p 43 N87-27231	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2890] p9 N89-17568 NASA supercritical airfoils: A matrix of family-related airfoils [NASA-TP-2969] p11 N90-16710 SUPERCRITICAL FLOW Supersonic, nonlinear, attached-flow wing design for high lift with experimental validation [NASA-TP-2336] p3 N87-10042 SUPERCRITICAL WINGS	4.5 [NASA-TP-2799] p 7 N88-19420 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing [NASA-TP-2918] p 10 N89-25117 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 6 N88-12454 SUPPLEMENTS NASA Thesaurus Supplement: A four part cumulative supplement to the 1985 edition of the NASA Thesaurus (supplement 3)
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY)  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY  Structural Integrity and Durability of Reusable Space Propulsion Systems [NASA-CP-2471] p 26 N87-22766  STRUCTURAL STABILITY  Integrated force method versus displacement method for finite element analysis [NASA-TP-2937] p 47 N90-18081  STRUCTURAL VIBRATION Fifteenth NASTRAN (R) Users Colloquium [NASA-CP-2481] p 43 N87-27231 The 58th Snock and Vibration Symposium, volume 1	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2890] p9 N89-17568 NASA supercritical airfoils: A matrix of family-related airfoils [NASA-TP-2969] p11 N90-16710 SUPERCRITICAL FLOW Supersonic, nonlinear, attached-flow wing design for high lift with experimental validation [NASA-TP-2336] p3 N87-10042 SUPERCRITICAL WINGS Supercritical wing technology: A report on flight evaluations	4.5 [NASA-TP-2799] p 7 N88-19420 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing [NASA-TP-2918] p 10 N89-25117 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 6 N88-12454 SUPPLEMENTS NASA Thesaurus Supplement: A four part cumulative supplement to the 1985 edition of the NASA Thesaurus (supplement 3) [NASA-SP-7053-SUPPL-3] p 70 N87-27557 SUPPORT SYSTEMS Earth Sciences Requirements for the Information Sciences Experiment System
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY) Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY Structural Integrity and Durability of Reusable Space Propulsion Systems [NASA-CP-2471] p 26 N87-22766  STRUCTURAL STABILITY Integrated force method versus displacement method for finite element analysis [NASA-TP-2937] p 47 N90-18081  STRUCTURAL VIBRATION Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p 43 N87-27231 The 58th Snock and Vibration Symposium, volume 1 [NASA-CP-2488-VOL-1] p 43 N88-13609	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2890] p9 N89-17568 NASA supercritical airfoils: A matrix of family-related airfoils [NASA-TP-2969] p11 N90-16710 SUPERCRITICAL FLOW Supersonic, nonlinear, attached-flow wing design for high lift with experimental validation [NASA-TP-2336] p3 N87-10042 SUPERCRITICAL WINGS Supercritical wing technology: A report on flight evaluations [NASA-SP-301] p2 N77-85474	4.5 [NASA-TP-2799] p 7 N88-19420 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing [NASA-TP-2918] p 10 N89-25117 SUPERSONICS Planform effects on the supersonic aerodynamics of millibody configurations [NASA-TP-2762] p 6 N88-12454 SUPPLEMENTS NASA Thesaurus Supplement: A four part cumulative supplement to the 1985 edition of the NASA Thesaurus (supplement 3) [NASA-SP-7053-SUPPL-3] p 70 N87-27557 SUPPORT SYSTEMS Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY)  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY  Structural Integrity and Durability of Reusable Space Propulsion Systems [NASA-CP-2471] p 26 N87-22766  STRUCTURAL STABILITY  Integrated force method versus displacement method for finite element analysis [NASA-TP-2937] p 47 N90-18081  STRUCTURAL VIBRATION Fifteenth NASTRAN (R) Users Colloquium [NASA-CP-2481] p 43 N87-27231 The 58th Snock and Vibration Symposium, volume 1	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p.8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2890] p.9 N89-17568 NASA supercritical airfoils: A matrix of family-related airfoils [NASA-TP-2969] p.11 N90-16710 SUPERCRITICAL FLOW Supersonic, nonlinear, attached-flow wing design for high lift with experimental validation [NASA-TP-2336] p.3 N87-10042 SUPERCRITICAL WINGS Supercritical wing technology: A report on flight evaluations [NASA-SP-301] p.2 N77-85474 SUPERPLASTICITY	4.5 [NASA-TP-2799] p 7 N88-19420 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing [NASA-TP-2918] p 10 N89-25117 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 6 N88-12454 SUPPLEMENTS NASA Thesaurus Supplement: A four part cumulative supplement to the 1985 edition of the NASA Thesaurus (supplement 3) [NASA-SP-7053-SUPPL-3] p 70 N87-27557 SUPPORT SYSTEMS Earth Sciences Requirements for the Information Sciences Experiment System
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY) Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY Structural Integrity and Durability of Reusable Space Propulsion Systems [NASA-CP-2471] p 26 N87-22766  STRUCTURAL STABILITY Integrated force method versus displacement method for finite element analysis [NASA-TP-2937] p 47 N90-18081  STRUCTURAL VIBRATION Friteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p 43 N87-27231 The 58th Shock and Vibration Symposium, volume 1 [NASA-CP-2488-VOL-1] p 43 N88-13609 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 44 N88-18948 Lewis Structures Technology, 1988. Volume 1: Structural	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2890] p9 N89-17568 NASA supercritical airfoils: A matrix of family-related airfoils [NASA-TP-2969] p11 N90-16710 SUPERCRITICAL FLOW Supersonic, nonlinear, attached-flow wing design for high lift with experimental validation [NASA-TP-2336] p3 N87-10042 SUPERCRITICAL WINGS Supercritical wing technology: A report on flight evaluations [NASA-SP-301] p2 N77-85474	4.5 [NASA-TP-2799] p 7 N88-19420 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing [NASA-TP-2918] p 10 N89-25117 SUPERSONICS Planform effects on the supersonic aerodynamics of militiody configurations [NASA-TP-2762] p 6 N88-12454 SUPPLEMENTS NASA Thesaurus Supplement: A four part cumulative supplement to the 1985 edition of the NASA Thesaurus (supplement 3) [NASA-SP-7053-SUPPL-3] p 70 N87-27557 SUPPORT SYSTEMS Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140 SURFACE FINISHING Secondary electron emission characteristics of untreated and ion-flextured titanium
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY) Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY Structural Integrity and Durability of Reusable Space Propulsion Systems [NASA-CP-2471] p 26 N87-22766  STRUCTURAL STABILITY Integrated force method versus displacement method for finite element analysis [NASA-TP-2937] p 47 N90-18081  STRUCTURAL VIBRATION Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p 43 N87-27231 The 58th Shock and Vibration Symposium, volume 1 [NASA-CP-2488-VOL-1] p 43 N88-13609 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 44 N88-18948 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p.8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2890] p.9 N89-17568 NASA supercritical airfoils: A matrix of family-related airfoils [NASA-TP-2969] p.11 N90-16710 SUPERCRITICAL FLOW Supersonic, nonlinear, attached-flow wing design for high lift with experimental validation [NASA-TP-2386] p.3 N87-10042 SUPERCRITICAL WINGS Supercritical wing technology: A report on flight evaluations [NASA-SP-301] p.2 N77-85474 SUPERPLASTICITY Material characterization of superplastically formed titanium (Ti-6Al-2Sn-4Zr-2Mo) sheet [NASA-TP-2674] p.30 N87-20407	A.5  [NASA-TP-2799] p 7 N88-19420  Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing [NASA-TP-2918] p 10 N89-25117  SUPERSONICS  Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 6 N88-12454  SUPPLEMENTS  NASA Thesaurus Supplement: A four part cumulative supplement to the 1985 edition of the NASA Thesaurus (supplement 3) [NASA-SP-7053-SUPPL-3] p 70 N87-27557  SUPPORT SYSTEMS  Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  SURFACE FINISHING  Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY)  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY  Structural Integrity and Durability of Reusable Space Propulsion Systems [NASA-CP-2471] p 26 N87-22766  STRUCTURAL STABILITY  Integrated force method versus displacement method for finite element analysis [NASA-TP-2937] p 47 N90-18081  STRUCTURAL VIBNATION Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481) p 43 N87-27231 The 58th Snock and Vibration Symposium, volume 1 [NASA-CP-2488-VOL-1] p 43 N88-13609 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 44 N88-18948 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 44 N88-23226	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2890] p9 N89-17568 NASA supercritical airfoils: A matrix of family-related airfoils [NASA-TP-2969] p11 N90-16710 SUPERCRITICAL FLOW Supersonic, nonlinear, attached-flow wing design for high lift with experimental validation [NASA-TP-2336] p3 N87-10042 SUPERCRITICAL WINGS Supercritical wing technology: A report on flight evaluations [NASA-SP-301] p2 N77-85474 SUPERPLASTICITY Material characterization of superplastically formed titanium (Ti-6Al-25n-4Zr-2Mo) sheet [NASA-TP-2674] p30 N87-20407 SUPERSONIC AIRCRAFT	A.5  [NASA-TP-2799] p 7 N88-19420  Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing  [NASA-TP-2918] p 10 N89-25117  SUPERSONICS  Planform effects on the supersonic aerodynamics of multibody configurations  [NASA-TP-2762] p 6 N88-12454  SUPPLEMENTS  NASA-TP-2762] p 6 N88-12454  SUPPLEMENTS  NASA-Thesaurus Supplement: A four part cumulative supplement to the 1985 edition of the NASA-Thesaurus (supplement 3)  [NASA-SP-7053-SUPPL-3] p 70 N87-27557  SUPPORT SYSTEMS  Earth Sciences Requirements for the Information Sciences Experiment System  [NASA-CP-3072] p 50 N90-27140  SUFFACE FINISHING  Secondary electron emission characteristics of untreated and ion-lextured titanium  [NASA-TP-2902] p 30 N89-17650  An Auger electron spectroscopy study of
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY) Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY Structural Integrity and Durability of Reusable Space Propulsion Systems [NASA-CP-2471] p 26 N87-22766  STRUCTURAL STABILITY Integrated force method versus displacement method for finite element analysis [NASA-TP-2937] p 47 N90-18081  STRUCTURAL VIBRATION Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p 43 N87-27231 The 58th Shock and Vibration Symposium, volume 1 [NASA-CP-2488-VOL-1] p 43 N88-13609 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 44 N88-18948 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p.8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2890] p.9 N89-17568 NASA supercritical airfoils: A matrix of family-related airfoils [NASA-TP-2969] p.11 N90-16710 SUPERCRITICAL FLOW Supersonic, nonlinear, attached-flow wing design for high lift with experimental validation [NASA-TP-2386] p.3 N87-10042 SUPERCRITICAL WINGS Supercritical wing technology: A report on flight evaluations [NASA-SP-301] p.2 N77-85474 SUPERPLASTICITY Material characterization of superplastically formed titanium (Ti-6Al-2Sn-4Zr-2Mo) sheet [NASA-TP-2674] p.30 N87-20407	A.5  [NASA-TP-2799] p 7 N88-19420  Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing [NASA-TP-2918] p 10 N89-25117  SUPERSONICS  Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 6 N88-12454  SUPPLEMENTS  NASA Thesaurus Supplement: A four part cumulative supplement to the 1985 edition of the NASA Thesaurus (supplement 3) [NASA-SP-7053-SUPPL-3] p 70 N87-27557  SUPPORT SYSTEMS  Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  SURFACE FINISHING  Secondary electron emission characteristics of untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY) Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY Structural Integrity and Durability of Reusable Space Propulsion Systems [NASA-CP-2471] p 26 N87-22766  STRUCTURAL STABILITY Integrated force method versus displacement method for finite element analysis [NASA-TP-2937] p 47 N90-18081  STRUCTURAL VIBRATION Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p 43 N87-27231 The 58th Shock and Vibration Symposium, volume 1 [NASA-CP-2488-VOL-1] p 43 N88-13609 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 44 N88-19948 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 44 N88-23226 Eighteenth NASTRAN (R) Users' Colloquium [NASA-CP-3009] p 47 N90-24637  SUBJECTS	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2890] p9 N89-17568 NASA-TP-2890] p9 N89-17568 NASA-TP-2969] p11 N90-16710 SUPERCRITICAL FLOW Supersonic, nonlinear, attached-flow wing design for high lift with experimental validation [NASA-TP-2336] p3 N87-10042 SUPERCRITICAL WINGS Supercritical wing technology: A report on flight evaluations [NASA-SP-301] p2 N77-85474 SUPERPLASTICITY Material characterization of superplastically formed titanium (Ti-6Al-2Sn-42r-2Mo) sheet [NASA-TP-2674] p30 N87-20407 SUPERSONIC AIRCRAFT Multiscale turbulence effects in supersonic jets exhausting into still air [NASA-TP-2707] p36 N87-24672	A.5 [NASA-TP-2799] p 7 N88-19420 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing [NASA-TP-2918] p 10 N89-25117 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 6 N88-12454 SUPPLEMENTS NASA Thesaurus Supplement: A four part cumulative supplement to the 1985 edition of the NASA Thesaurus (supplement 3) [NASA-SP-7053-SUPPL-3] p 70 N87-27557 SUPPORT SYSTEMS Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140 SUPFACE FINISHING Secondary electron emission characteristics of untreated and ion-lextured titanium [NASA-TP-2902] p 30 N89-17650 An Auger electron spectroscopy study of surface-preparation contaminants [NASA-TP-2872] p 33 N90-16968
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY)  Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY  Structrural Integrity and Durability of Reusable Space Propulsion Systems [NASA-CP-2471] p 26 N87-22766  STRUCTURAL STABILITY  Integrated force method versus displacement method for finite element analysis [NASA-TP-2937] p 47 N90-18081  STRUCTURAL VIESTATION Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p 43 N87-27231 The 58th Shock and Vibration Symposium, volume 1 [NASA-CP-2488-VOL-1] p 43 N88-13609 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 44 N88-18948 Lewis Structures Technology, 1988, Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 44 N88-23226 Eighteenth NASTRAN (R) Users' Colloquium [NASA-CP-3069] p 47 N90-24637  SUBJECTS The NASA scientific and technical information system:	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2890] p9 N89-17568 NASA supercritical airfoils: A matrix of family-related airfoils [NASA-TP-2969] p11 N90-16710 SUPERCRITICAL FLOW Supersonic, nonlinear, attached-flow wing design for high lift with experimental validation [NASA-TP-2336] p3 N87-10042 SUPERCRITICAL WINGS Supercritical wing technology: A report on flight evaluations [NASA-SP-301] p2 N77-85474 SUPERPLASTICITY Material characterization of superplastically formed titanium (Ti-6Al-2Sn-4Zr-2Mo) sheet [NASA-TP-2674] p30 N87-20407 SUPERSONIC AIRCRAFT Multiscale turbulence effects in supersonic jets exhausting into still air [NASA-TP-2707] p36 N87-24672 Aeropropulsion 37. Session 6: High-Speed Propulsion	[NASA-TP-2799] p 7 N88-19420 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing [NASA-TP-2918] p 10 N89-25117  SUPERSONICS Planform effects on the supersonic aerodynamics of millibody configurations [NASA-TP-2762] p 6 N88-12454  SUPPLEMENTS NASA Thesaurus Supplement: A four part cumulative supplement to the 1985 edition of the NASA Thesaurus (supplement 3) [NASA-SP-7053-SUPPL-3] p 70 N87-27557  SUPPORT SYSTEMS Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  SUFFACE FINISHING Secondary electron emission characteristics of untreated and ion-lextured titanium [NASA-TP-2902] p 30 N89-17650 An Auger electron spectroscopy study of surface-preparation contaminants [NASA-TP-2972] p 33 N90-16968  SUFFACE NAVIGATION Joint University Program for Air Transportation
[NASA-TP-2943] p 47 N90-27121  STRUCTURAL PROPERTIES (GEOLOGY) Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322  STRUCTURAL RELIABILITY Structural Integrity and Durability of Reusable Space Propulsion Systems [NASA-CP-2471] p 26 N87-22766  STRUCTURAL STABILITY Integrated force method versus displacement method for finite element analysis [NASA-TP-2937] p 47 N90-18081  STRUCTURAL VIBRATION Fifteenth NASTRAN (R) Users' Colloquium [NASA-CP-2481] p 43 N87-27231 The 58th Shock and Vibration Symposium, volume 1 [NASA-CP-2488-VOL-1] p 43 N88-13609 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 44 N88-19948 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 44 N88-23226 Eighteenth NASTRAN (R) Users' Colloquium [NASA-CP-3009] p 47 N90-24637  SUBJECTS	The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p8 N88-21117 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2890] p9 N89-17568 NASA-TP-2890] p9 N89-17568 NASA-TP-2969] p11 N90-16710 SUPERCRITICAL FLOW Supersonic, nonlinear, attached-flow wing design for high lift with experimental validation [NASA-TP-2336] p3 N87-10042 SUPERCRITICAL WINGS Supercritical wing technology: A report on flight evaluations [NASA-SP-301] p2 N77-85474 SUPERPLASTICITY Material characterization of superplastically formed titanium (Ti-6Al-2Sn-42r-2Mo) sheet [NASA-TP-2674] p30 N87-20407 SUPERSONIC AIRCRAFT Multiscale turbulence effects in supersonic jets exhausting into still air [NASA-TP-2707] p36 N87-24672	A.5 [NASA-TP-2799] p 7 N88-19420 Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly swept wing [NASA-TP-2918] p 10 N89-25117 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 6 N88-12454 SUPPLEMENTS NASA Thesaurus Supplement: A four part cumulative supplement to the 1985 edition of the NASA Thesaurus (supplement 3) [NASA-SP-7053-SUPPL-3] p 70 N87-27557 SUPPORT SYSTEMS Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140 SUPFACE FINISHING Secondary electron emission characteristics of untreated and ion-lextured titanium [NASA-TP-2902] p 30 N89-17650 An Auger electron spectroscopy study of surface-preparation contaminants [NASA-TP-2872] p 33 N90-16968

SUBJECT INDEX		TELEOPERATORS
Joint University Program for Air Transportation	SYNCHRONISM	Effect of empennage arrangement on single-engine
Research, 1986 [NASA-CP-2502] p 2 N88-23715	A synchronous data analyzer for the Minimum Delay	nozzle/afterbody static pressures at transonic speeds
Joint University Program for Air Transportation	Data Format (MDDF) and Launch Trajectory Acquisition System (LTAS)	[NASA-TP-2753] p 6 N88-10771 Measurements of pressures on the tail and aft fuselage
Research, 1987	(NASA-TP-2743) p 34 N87-24590	of an airplane model during rotary motions at spin
[NASA-CP-3028] p 2 N89-19230	SYNCHRONOUS PLATFORMS Earth Science Geostationary Platform Technology	attitudes
SURFACE PROPERTIES  Theory for computing the field scattered from a smooth	[NASA-CP-3040] p 24 N90-19249	[NASA-TP-2939] p 10 N90-10829 Effect of tail size reductions on longitudinal aerodynamic
inflected surface	Thermal-distortion analysis of an antenna strongback	characteristics of a three surface F-15 model with
[NASA-TP-2632] p 68 N87-13264	for geostationary high-frequency microwave applications [NASA-TP-3016] p 26 N90-27738	nonaxisymmetric nozzles [NASA-TP-3036] p 11 N90-25938
Application of turbulence modeling to predict surface	SYNOPTIC METEOROLOGY	[NASA-TP-3036] p 11 N90-25938 TAIL SURFACES
heat transfer in stagnation flow region of circular cylinder [NASA-TP-2758] p 37 N87-27161	The Jovian Atmospheres [NASA-CP-2441] p 77 N87-17598	Effects of empennage surface location on aerodynamic
Effects of aerosols and surface shadowing on	Five year global dataset: NMC operational analyses	characteristics of a twin-engine afterbody model with nonaxisymmetric nozzles
bidirectional reflectance measurements of deserts	(1978 to 1982)	[NASA-TP-2392] p 14 N87-17693
[NASA-TP-2756] p 49 N87-28162	[NASA-RP-1194] p 55 N87-29996 SYSTEMS ANALYSIS	TAKEOFF
Advances in contact algorithms and their application to tires	Unique bit-error-rate measurement system for satellite	Simulator evaluation of a display for a Takeoff Performance Monitoring System
[NASA-TP-2781] p 44 N88-21456	communication systems {NASA-TP-2699} p 33 N87-20448	[NASA-TP-2908] p 20 N89-23469
SURFACE REACTIONS	Space station structures and dynamics test program	TANGENTS
Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C	[NASA-TP-2710] p 43 N87-20568	Drag measurements of blunt stores tangentially mounted on a flat plate at supersonic speeds
(NASA-TP-2774) p 27 N88-12543	Spacecraft 2000 [NASA-CP-2473] p 25 N88-10084	[NASA-TP-2742] p 6 N87-27626
AMSAHTS 1990: Advances in Materials Science and	Dynamic analysis of multimesh-gear helicopter	Effect of ephemeris errors on the accuracy of the
Applications of High Temperature Superconductors [NASA-CP-10043] p 29 N90-27792	transmissions [NASA-TP-2789] p 41 N88-17045	computation of the tangent point altitude of a solar scanning ray as measured by the SAGE 1 and 2
SURFACE ROUGHNESS	Integrated tools for control-system analysis	instruments
An algorithm for surface smoothing with rational	(NASA-TP-2885) p 20 N89-19309 SYSTEMS ENGINEERING	[NASA-TP-2866] p 65 N89-16415
splines [NASA-TP-2708] p 65 N87-22447	NASA/DOD Control/Structures Interaction Technology.	TAPERING  Derivation of a tappered p-version beam finite element
SURFACE ROUGHNESS EFFECTS	1986	[NASA-TP-2931] p 46 N89-26255
Effect of milling machine roughness and wing dihedral	[NASA-CP-2447-PT-1] p 24 N87-16014 Modeling digital control systems with MA-prefittered	TASK COMPLEXITY
on the supersonic aerodynamic characteristics of a highly swept wing	measurements	Payload crew utilization for spacelab missions [NASA-TP-2976] p 24 N90-14256
[NASA-TP-2918] p 10 N89-25117	[NASA-TP-2732] p 32 N87-22870	TECHNICAL WRITING
SURFACE TEMPERATURE  Measurement of local high-level, transient surface heat	A knowledge-based tool for multilevel decomposition of a complex design problem	The NASA scientific and technical information system:
flux	[NASA-TP-2903] p 63 N89-23181	Its scope and coverage (NASA-SP-7065) p 71 N89-15779
[NASA-TP-2840] p 39 N88-30099	Recent Advances in Multidisciplinary Analysis and Optimization, part 3	Grammar, punctuation, and capitalization: A handbook
SURFACE WAVES A procedure for computing surface wave trajectories on	[NASA-CP-3031-PT-3] p 15 N89-25201	for technical writers and editors [NASA-SP-7084] p 71 N90-26710
an inhomogeneous surface	NASA/DOD Controls-Structures Interaction Technology	TECHNOLOGIES
[NASA-TP-2929] p 10 N89-26811	1989 [NASA-CP-3041] p 26 N90-21062	National Educators' Workshop: Update 1989 Standard
SURFACES Theory of gearing	Space shuttle avionics system	Experiments in Engineering Materials Science and Technology
[NASA-RP-1212] p 42 N90-19593	[NASA-SP-504] p 24 N90-25160 SYSTEMS INTEGRATION	[NASA-CP-3074] p 28 N90-24350
SURVEYS	NASA/Army Rotorcraft Technology. Volume 3: Systems	TECHNOLOGY ASSESSMENT
Laser anemometer measurements in a transonic axial-flow fan rotor	Integration, Research Aircraft, and Industry	Aeronautical facilities assessment [NASA-RP-1146] p 21 N87-10876
[NASA-TP-2879] p 38 N90-11245	[NASA-CP-2495-VOL-3] p 1 N88-16650 Second Annual Workshop on Space Operations	Astronautics and aeronautics, 1978: A chronology
SUSPENDING (HANGING)	Automation and Robotics (SOAR 1988)	[NASA-SP-4023] p 80 N88-14062
General equilibrium characteristics of a dual-lift helicopter system	[NASA-CP-3019] p 61 N89-19817 Development and flight test experiences with a	Workshop on Technology Development Issues for the Large Deployable Reflector (LDR)
[NASA-TP-2615] p 2 N88-19407	flight-crucial digital control system	[NASA-CP-2407] p 75 N88-20235
SWEPT FORWARD WINGS Forward-swept wing configuration designed for high	[NASA-TP-2857] p 20 N89-24327 Space shuttle avionics system	A review of technologies applicable to low-speed flight
maneuverability by use of a transonic computational	[NASA-SP-504] p 24 N90-25160	of high-performance aircraft investigated in the Langley 14- x 22-foot subsonic tunnel
method	SYSTEMS SIMULATION	[NASA-TP-2796] p 7 N88-20264
[NASA-TP-2628] p 3 N87-11702 Subsonic longitudinal and lateral-directional	Graphics Technology in Space Applications (GTSA 1989)	Cryogenic Fluid Management Technology Workshop.  Volume 2: Roundtable Discussion of Technology
characteristics of a forward-swept-wing fighter	[NASA-CP-3045] p 62 N90-20651	Requirements
configuration at angles of attack up to 47 deg	_	(NASA-CP-10009) p 37 N88-20599
{NASA-TP-2727} p 6 N87-26874 <b>SWEPT WINGS</b>	T	Report of the In Situ Resources Utilization Workshop (NASA-CP-3017) p 72 N89-14188
Applicability of linearized-theory attached-flow methods	T TAURI STARS	Solar-Terrestrial Science Strategy Workshop
to design and analysis of flap systems at low speeds for thin swept wings with sharp leading edges	FGK stars and T Tauri stars: Monograph series on	[NASA-CP-3048] p 73 N90-18329 Supercritical wing technology: A report on flight
[NASA-TP-2653] p 3 N87-15174	nonthermal phenomena in stellar atmospheres (NASA-SP-502) p 77 N90-18344	evaluations
An experimental investigation of an advanced turboprop	TAIL ASSEMBLIES	[NASA-SP-301] p 2 N77-85474 TECHNOLOGY UTILIZATION
installation on a swept wing at subsonic and transonic speeds	Effects of tail span and empennage arrangement on	AMSAHTS 1990: Advances in Materials Science and
[NASA-TP-2729] p 6 N87-26883	drag of a typical single-engine fighter aft end [NASA-TP-2352] p.3 N87-10838	Applications of High Temperature Superconductors
The NASA Langley Laminar-Flow-Control (LFC)	Interference effects of thrust reversing on horizontal tail	[NASA-CP-10043] p 29 N90-27792 TELEMETRY
experiment on a swept, supercritical airfoil: Design overview	effectiveness of twin-engine fighter aircraft at Mach numbers from 0.15 to 0.90	Spacecraft 2000
[NASA-TP-2809] p 8 N88-21117	[NASA-TP-2350] p 19 N87-10870	[NASA-CP-2473] p 25 N88-10084 Proceedings of the Scientific Data Compression
Validation of a pair of computer codes for estimation	Flight investigation of the effect of tail configuration on	Workshop
and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings	stall, spin, and recovery characteristics of a low-wing general aviation research airplane	(NASA-CP-3025) p 63 N89-22332 TELEOPERATORS
[NASA-TP-2828] p 8 N89-10024	[NASA-TP-2644] p 13 N87-16815	The 22nd Aerospace Mechanisms Symposium
Effect of milling machine roughness and wing dihedral on the supersonic aerodynamic characteristics of a highly	Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail	[NASA-CP-2506] p 44 N88-21468
swept wing	brake torque system	Second Annual Workshop on Space Operations Automation and Robotics (SOAR 1988)
[NASA-TP-2918] p 10 N89-25117	[NASA-TP-2401] p 4 N87-17668	[NASA-CP-3019] p 61 N89-19817
SYMBOLS  Spatial vision processes: From the optical image to the	Effects of empennage surface location on aerodynamic characteristics of a twin-engine afterbody model with	The 23rd Aerospace Mechanisms Symposium {NASA-CP-3032} p 46 N89-23892
symbolic structures of contour information	nonaxisymmetric nozzles	Visual Information Processing for Television and
[NASA-TP-2838] p 39 N89-13762	[NASA-TP-2392] p 14 N87-17693	Telerobotics
SYMMETRY Exploiting symmetries in the modeling and analysis of	Effects of afterbody boattail design and empennage arrangement on aeropropulsive characteristics of a	(NASA-CP-3053) p 40 N90-16204 Graphics Technology in Space Applications (GTSA
tires	twin-engine fighter model at transonic speeds	1989)
(NASA-TP-2649) p 13 N87-17690	[NASA-TP-2704] p 4 N87-21873	(NASA-CP-3045) p 62 N90-20651

		SOBSECT IINDEX
Third Annual Workshop on Space Operations	TEST FACILITIES	A review of reaction rates and thermodynamic and
Automation and Robotics (SOAR 1989)	Applications and requirements for real-time simulators	transport properties for an 11-species air model for
[NASA-CP-3059] p 62 N90-25503	in ground-test facilities	chemical and thermal nonequilibrium calculations to 30000
FELEROBOTICS Optimized resolved rate control of	[NASA-TP-2672] p 64 N87-23202	K 1514 CA FIR 12001 - 28 5100 07064
Optimized resolved rate control of seven-degree-of-freedom Laboratory Telerobotic	Langley Aircraft Landing Dynamics Facility [NASA-RP-1189] p 21 N87-29544	[NASA-RP-1232] p 38 N90-27064 AMSAHTS 1990: Advances in Materials Science and
Manipulator (LTM) with application to three-dimensional	Description and calibration of the Langley Hypersonic	Applications of High Temperature Superconductors
graphics simulation	CF4 tunnel: A facility for simulating low gamma flow as	[NASA-CP-10043] p 29 N90-27792
[NASA-TP-2938] p 64 N90-10618	occurs for a real gas	FIRE Science Results 1989
Visual Information Processing for Television and	[NASA-TP-2384] p 37 N87-29778	[NASA-CP-3079] p 58 N90-28224
Telerobotics [NASA-CP-3053] p 40 N90-16204	Fourteenth Space Simulation Conterence: Testing for	THERMODYNAMICS
[NASA-CP-3053] p 40 N90-16204 TELEVISION SYSTEMS	a Permanent Presence in Space	The Jovian Atmospheres [NASA-CP-2441] p 77 N87-17598
Visual Information Processing for Television and	[NASA-CP-2446] p 25 N88-10829 TETHERED SATELLITES	NASA-Chinese Aeronautical Establishment (CAE)
Telerobotics	Tether Dynamics Simulation	Symposium
[NASA-CP-3053] p 40 N90-16204	[NASA-CP-2458] p 41 N87-18821	(NASA-CP-2433) p 17 N87-20267
TEMPERATURE COMPENSATION	TETHERING	First International Conference on Laboratory Research
Technique for temperature compensation of	General equilibrium characteristics of a dual-lift	for Planetary Atmospheres
eddy-current proximity probes [NASA-TP-2880] p 39 N89-15380	helicopter system	[NASA-CP-3077] p 78 N90-26744 THERMOPHYSICAL PROPERTIES
TEMPERATURE EFFECTS	[NASA-TP-2615] p 2 N88-19407 TETHERLINES	Growth of solid solution single crystals
Preparative electrophoresis for space	Tether Dynamics Simulation	[NASA-TP-2787] p 32 N88-14212
[NASA-TP-2777] p 32 N88-10977	[NASA-CP-2458] p 41 N87-18821	THERMOSPHERE
Oxidation characteristics of Ti-14Al-21Nb ingot alloy	TEXTURES	Upper and Middle Atmospheric Density Modeling
[NASA-TP-3012] p 31 N90-25206	Spatial vision processes: From the optical image to the	Requirements for Spacecraft Design and Operations
TEMPERATURE MEASUREMENT	symbolic structures of contour information	[NASA-CP-2460] p 52 N87-20665
Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895	[NASA-TP-2838] p 39 N89-13762	Into the thermosphere: The atmosphere explorers
Measurement of local high-level, transient surface heat	THERMAL ANALYSIS  Finite-element reentry heat-transfer analysis of space	(NASA-SP-490) p 52 N88-18084 THERMOVISCOELASTICITY
flux	shuttle Orbiter	Thermoviscoplastic model with application to coppe
[NASA-TP-2840] p 39 N88-30099	[NASA-TP-2657] p 37 N87-29795	[NASA-TP-2845] p 45 N89-16183
Technique for temperature compensation of	Space station systems: A bibliography with indexes	THESAURI
eddy-current proximity probes	(NASA-SP-7056(05)) p 25 N88-13382	NASA Thesaurus Supplement: A four part cumulative
[NASA-TP-2880] p 39 N89-15380	Comparison of predicted and measured temperatures	supplement to the 1985 edition of the NASA Thesaurus
Determination of combustion gas temperatures by	of UH-60A helicopter transmission	(supplement 3)
infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409	[NASA-TP-2911] p 41 N89-24607	[NASA-SP-7053-SUPPL-3] p 70 N87-27557 NASA thesaurus: Astronomy vocabulary
Gas-jet and tangent-slot film cooling tests of a 12.5 deg	THERMAL CONDUCTIVITY  National Educators' Workshop: Update 1989 Standard	[NASA-SP-7069] p 74 N88-24553
cone at Mach number of 6.7	Experiments in Engineering Materials Science and	NASA thesaurus. Volume 3: Definitions
[NASA-TP-2786] p 39 N90-28806	Technology	[NASA-SP-7064-VOL-3] p 70 N89-1330
TEMPERATURE MEASURING INSTRUMENTS	(NASA-CP-3074) p 28 N90-24350	NASA Thesaurus supplement: A four part cumulative
Noncontact Temperature Measurement	THERMAL CONTROL COATINGS	supplement to the 1988 edition of the NASA Thesaurus
[NASA-CP-2503] p 32 N88-23895	Fifteenth Space Simulation Conference: Support the	(supplement 3)
Measurement of local high-level, transient surface heat	Highway to Space Through Testing	[NASA-SP-7064-SUPPL-3] p 71 N90-22438
flux [NASA-TP-2840] p 39 N88-30099	[NASA-CP-3015] p 25 N89-12582	THICKNESS  Pressure measurements on a thick cambered and
TEMPERATURE PROFILES	Turbine Engine Hot Section Technology 1986 [NASA-CP-2444] p 45 N89-12876	twisted 58 deg delta wing at high subsonic speeds
Velocity profiles in laminar diffusion flames	Thermal Barrier Coatings. Abstracts and figures	[NASA-TP-2713] p 6 N87-27643
[NASA-TP-2596] p 36 N87-18035	[NASA-CP-10019] p 31 N89-13642	THIN FILMS
Nimbus-7 Stratospheric and Mesospheric Sounder	Turbine Engine Hot Section Technology, 1987	Traveling-wave-tube efficiency improvement by a
(SAMS) experiment data user's guide	[NASA-CP-2493] p 45 N89-17298	low-cost technique for deposition of carbon on multistage
[NASA-RP-1221] p 53 N89-26304 TEMPERATURE SENSORS	THERMAL CYCLING TESTS	depressed collector [NASA-TP-2719] p 35 N87-21239
Probabilistic risk analysis of flying the space shuttle with	Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum	Influence of the deposition conditions on radiofrequency
and without fuel turbine discharge temperature redline	[NASA-TP-2612] p 28 N87-10184	magnetron sputtered MoS2 films
protection	Effects of continuous and cyclic thermal exposures on	[NASA-TP-2994] p 33 N90-21210
[NASA-TP-2759] p 65 N87-27474	boron- and borsic-reinforced 6061 aluminum composites	THIN WALLS
TENSILE CREEP	[NASA-TP-1063] p 28 N88-70029	Mixed finite element models for free vibrations o
Material characterization of superplastically formed	THERMAL ENVIRONMENTS	thin-walled beams
titanium (Ti-6Al-2Sn-4Zr-2Mo) sheet (NASA-TP-2674) p 30 N87-20407	Fourteenth Space Simulation Conference: Testing for	[NASA-TP-2868] p 45 N89-19579 THIN WINGS
TENSILE PROPERTIES	a Permanent Presence in Space [NASA-CP-2446] p 25 N88-10829	Applicability of linearized-theory attached-flow methods
Spectroscopic comparison of effects of electron	Thermal-distortion analysis of an antenna strongback	to design and analysis of flap systems at low speeds for
radiation on mechanical properties of two polyimides	for geostationary high-frequency microwave applications	thin swept wings with sharp leading edges
(NASA-TP-2663) p 27 N87-18611	[NASA-TP-3016] p 26 N90-27738	[NASA-TP-2653] p.3 N87-15174
TENSILE STRENGTH	THERMAL FATIGUE	THREADS
Heat treatment study of the SiC/Ti-15-3 composite	Turbine Engine Hot Section Technology, 1987	Fastener design manual
system (NASA-TP-2970) p 29 N90-19302	{NASA-CP-2493} p 45 N89-17298 THERMAL PROTECTION	[NASA-RP-1228] p 42 N90-1874
[NASA-TP-2970] p 29 N90-19302 TERMINAL FACILITIES	Aerothermal tests of spherical dome protuberances on	A general-purpose balloon-borne pointing system to
Simulation evaluation of TIMER, a time-based, terminal	a flat plate at a Mach number of 6.5	solar scientific instruments
air traffic, flow-management concept	[NASA-TP-2631] p 35 N87-13664	[NASA-TP-3013] p 33 N90-21219
[NASA-TP-2870] p 13 N89-15901	Aerothermal evaluation of a spherically blunted body	THREE DIMENSIONAL FLOW
TERMINOLOGY	with a trapezoidal cross section in the Langley 8-foot	Evaluation of diffuse-illumination holographic
NASA thesaurus: Astronomy vocabulary	high-temperature tunnel	cinematography in a flutter cascade
(NASA-SP-7069) p 74 N88-24553	[NASA-TP-2641] p 36 N87-18782	[NASA-TP-2593] p 39 N87-1373: Numerical simulation of scramjet inlet flow fields
NASA Thesaurus supplement: A four part cumulative	Aerothermal tests of quilted dome models on a flat plate at a Mach number of 6.5	[NASA-TP-2517] p.8 N88-2373
supplement to the 1988 edition of the NASA Thesaurus	[NASA-TP-2804] p.37 N88-22325	Three-dimensional multigrid algorithms for the flux-spli
(supplement 3)	Aerodynamic pressure and heating-rate distributions in	Euler equations
[NASA-SP-7064-SUPPL-3] p 71 N90-22438	tile gaps around chine regions with pressure gradients at	[NASA-TP-2829] p 65 N89-12310
TERRAIN  Figuretion of a reale-model experiment to investigate	a Mach number of 6.6	An upwind-biased, point-implicit relaxation algorithm fo
Evaluation of a scale-model experiment to investigate long-range acoustic propagation	[NASA-TP-2988] p 38 N90-23670	viscous, compressible perfect-gas flows
(NASA-TP-2746) p 66 N88-11450	THERMAL RADIATION	[NASA-TP-2953] p 38 N90-1704
TERRESTRIAL RADIATION	NASA/SDIO Space Environmental Effects on Materials	An approximate method for calculating three-dimensional inviscid hypersonic flow fields
Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral	Workshop, part 2 {NASA-CP-3035-PT-2} p 28 N89-23547	[NASA-TP-3018] p 39 N90-27060
scan solar irradiance and Earth radiance product user's	THERMISTORS p 28 N89-23547	THRUST
guide	Preliminary estimates of radiosonde thermistor errors	Evaluation of various thrust calculation techniques or
[NASA-RP-1199] p 48 N88-17096	[NASA-TP-2637] p 55 N87-12086	an F404 engine
Angular radiation models for Earth-atmosphere system.	THERMODYNAMIC PROPERTIES	[NASA-TP-3001] p 16 N90-2513
Volume 1: Shortwave radiation	Simplified curve fits for the thermodynamic properties	THRUST CONTROL
(NASA-RP-1184) p 56 N88-27677	of equilibrium air	Large-scale static investigation of
Summary of along-track data from the earth radiation	[NASA-RP-1181] p 36 N87-26309	circulation-control-wing concepts applied to upper
budget satellite for several representative ocean regions	The M-type stars	surface-blowing aircraft
[NASA-RP-1206] p 56 N89-14634	[NASA-SP-492] p 75 N88-11592	[NASA-TP-2684] p 13 N87-15959

THRUST REVERSAL	Advances in anatost alregithms and their application to	TRADECEE
Interference effects of thrust reversing on horizontal tail	Advances in contact algorithms and their application to tires	TRADEOFFS  Effect of a trade between boattail angle and wedge size
effectiveness of twin-engine fighter aircraft at Mach	[NASA-TP-2781] p 44 N88-21456	on the performance of a nonaxisymmetric wedge nozzle
numbers from 0.15 to 0.90	Computational Methods for Structural Mechanics and	[NASA-TP-2717] p 5 N87-23593
[NASA-TP-2350] p 19 N87-10870 Effect of port corner geometry on the internal	Dynamics, part 1 [NASA-CP-3034-PT-1] p 46 N89-24638	TRAILING EDGE FLAPS
performance of a rotating-vane-type thrust reverser	TISSUES (BIOLOGY)	Flight and wind-tunnel measurements showing base drag reduction provided by a trailing disk for high Reynolds
[NASA-TP-2624] p 3 N87-12541	Cosmic ray heavy ion LET mapping for aluminum, silicon,	number turbulent flow for subsonic and transonic Mach
Aerodynamics in ground effect and predicted landing	and tissue targets	numbers
ground roll of a fighter configuration with a	[NASA-RP-1180] p 79 N87-25984 Space Bioreactor Science Workshop	[NASA-TP-2638] p 37 N88-14299
secondary-nozzle thrust reverser [NASA-TP-2834] p 8 N88-29752	[NASA-CP-2485] p 58 N88-17168	TRAINING SIMULATORS Graphics Technology in Space Applications (GTSA
Thrust-reverser flow investigation on a twin-engine	TITAN	1989)
transport	The Cassini mission: Infrared and microwave	[NASA-CP-3045] p 62 N90-20651
[NASA-TP-2856] p 9 N89-14213	spectroscopic measurements [NASA-RP-1213] p 78 N89-16709	TRAJECTORY ANALYSIS
Static internal performance of a nonaxisymmetric vaned thrust reverser with flow splay capability	TITANATES	A synchronous data analyzer for the Minimum Delay Data Format (MDDF) and Launch Trajectory Acquisition
[NASA-TP-2933] p 10 N89-27634	Heat treatment study of the SiC/Ti-15-3 composite	System (LTAS)
THRUST VECTOR CONTROL	system [NASA-TP-2970] p 29 N90-19302	[NASA-TP-2743] p 34 N87-24590
Static internal performance of single-expansion-ramp	TITANIUM	Trajectory characteristics and heating of hypervelocity
nozzles with thrust-vectoring capability up to 60 deg [NASA-TP-2364] p 3 N87-10839	Performance of a multistage depressed collector with	projectiles having large ballistic coefficients [NASA-TP-2614] p 7 N88-19412
Static internal performance of a two-dimensional	machined titanium electrodes [NASA-TP-2891] p 35 N89-15337	TRAJECTORY OPTIMIZATION
convergent-divergent nozzle with thrust vectoring	[NASA-TP-2891] p 35 N89-15337 Secondary electron emission characteristics of	The effect of interplanetary trajectory options on a
[NASA-TP-2721] p 5 N87-24432	untreated and ion-textured titanium	manned Mars aerobrake configuration
Multiaxis control power from thrust vectoring for a	[NASA-TP-2902] p 30 N89-17650	[NASA-TP-3019] p 24 N90-26036 TRANSDUCERS
supersonic fighter aircraft model at Mach 0.20 to 2.47 [NASA-TP-2712] p.5 N87-24433	TITANIUM ALLOYS  Effect of LID (Registered) processing on the	Analog signal conditioning for flight-test
Effects of the installation and operation of jet-exhaust	microstructure and mechanical properties of Ti-6Al-4V and	instrumentation
yaw vanes on the longitudinal and lateral-directional	Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials	[NASA-RP-1159] p 17 N87-29533
characteristics of the F-14 airplane	[NASA-TP-2677] p 30 N87-18644	TRANSFER ORBITS
[NASA-TP-2769] p 6 N88-12455 Static performance of an axisymmetric nozzle with	Material characterization of superplastically formed titanium (Ti-6Al-2Sn-4Zr-2Mo) sheet	Forbidden tangential orbit transfers between intersecting Keplerian orbits
post-exit vanes for multiaxis thrust vectoring	[NASA-TP-2674] p 30 N87-20407	[NASA-TP-3031] p 23 N90-26028
[NASA-TP-2800] p 8 N88-20280	Shot peening for Ti-6Al-4V alloy compressor blades	Advanced Earth-to-Orbit Propulsion Technology 1988,
Static performance of nonaxisymmetric nozzles with yaw	[NASA-TP-2711] p 43 N87-20566	volume 1
thrust-vectoring vanes [NASA-TP-2813] p.8 N88-21118	Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb	[NASA-CP-3012-VOL-1] p 27 N90-28611 TRANSIENT HEATING
A closed-form trim solution yielding minimum trim drag	[NASA-TP-2955] p 31 N90-10248	Measurement of local high-level, transient surface heat
for airplanes with multiple longitudinal-control effectors	Oxidation characteristics of Ti-14Al-21Nb ingot alloy	flux
[NASA-TP-2907] p 20 N89-23468	(NASA-TP-3012) p 31 N90-25206	[NASA-TP-2840] p 39 N88-30053
Static internal performance of a nonaxisymmetric vaned thrust reverser with flow splay capability	TOLERANCES (MECHANICS)	TRANSIENT RESPONSE
[NASA-TP-2933] p 10 N89-27634	A Protection And Detection Surface (PADS) for damage tolerance	Steady-state and transitional aerodynamic characteristics of a wing in simulated heavy rain
Static investigation of a two-dimensional	[NASA-TP-3011] p 29 N90-27788	[NASA-TP-2932] p 10 N89-25951
convergent-divergent exhaust nozzle with multiaxis thrust-vectoring capability	TOLERANCES (PHYSIOLOGY)	A transient response method for linear coupled
[NASA-TP-2973] p 11 N90-19193	Annoyance caused by advanced turboprop aircraft	substructures
Internal performance of two nozzles utilizing gimbal	flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p 67 N88-17441	[NASA-TP-2926] p 23 N90-13444 TRANSITION TEMPERATURE
concepts for thrust vectoring	TOLLMIEN-SCHLICHTING WAVES	Indentation plasticity and fracture in silicon
[NASA-TP-2991] p 11 N90-19200 THUNDERSTORMS	Interactions of Tollmien-Schlichting waves and Dean	[NASA-TP-2863] p 30 N89-10996
NASA/MSFC FY-85 Atmospheric Processes Research	vortices. Comparison of direct numerical simulation and	TRANSMISSION EFFICIENCY
Review	a weakly nonlinear theory [NASA-TP-2919] p 10 N89-25118	Bit-error-rate testing of high-power 30-GHz traveling wave tubes for ground-terminal applications
[NASA-CP-2402] p 55 N87-13043 TILES	TOPOGRAPHY	[NASA-TP-2635] p 33 N87-17971
Aerothermal tests of spherical dome protuberances on	Surface topography of the Greenland Ice Sheet from	TRANSMISSIONS (MACHINE ELEMENTS)
a flat plate at a Mach number of 6.5	satellite radar altimetry	Testing of UH-60A helicopter transmission in NASA
[NASA-TP-2631] p 35 N87-13664	[NASA-SP-503] p 54 N90-22850 TORQUE	Lewis 2240-kW (3000-hp) facility [NASA-TP-2626] p 41 N87-10391
Aerodynamic pressure and heating-rate distributions in tile gaps around chine regions with pressure gradients at	Wind-tunnel investigation at supersonic speeds of a	Vibration characteristics of OH-58A helicopter main rotor
a Mach number of 6.6	remote-controlled canard missile with a free-rolling-tail	transmission
[NASA-TP-2988] p 38 N90-23670	brake torque system	[NASA-TP-2705] p 41 N87-20555
TIME DIVISION MULTIPLE ACCESS  Digitally modulated bit error rate measurement system	[NASA-TP-2401] p 4 N87-17668 TORSION	Gear tooth stress measurements on the UH-60A helicopter transmission
for microwave component evaluation	An experimental investigation of the flap-lag-torsion	[NASA-TP-2698] p 41 N87-22235
[NASA-TP-2912] p 23 N89-28545	aeroelastic stability of a small-scale hingeless helicopter	Efficiency testing of a helicopter transmission planetary
Satellite-matrix-switched, time-division-multiple-access	rotor in hover [NASA-TP-2546] p 7 N88-20257	reduction stage [NASA-TP-2795] p 41 N88-15224
network simulator [NASA-TP-2944] p 34 N90-11915	TOTAL OZONE MAPPING SPECTROMETER	Dynamic analysis of multimesh-gear helicopter
TIME LAG	Scientific and Operational Requirements for TOMS	transmissions
Piloted simulator study of allowable time delays in	Data	[NASA-TP-2789] p 41 N88-17045
large-airplane response [NASA-TP-2652] p 19 N87-16849	[NASA-CP-2497] p 47 N88-13774	Comparison of predicted and measured temperatures of UH-60A helicopter transmission
TIME SERIES ANALYSIS	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas	[NASA-TP-2911] p 41 N89-24607
Polar microwave brightness temperatures from	[NASA-RP-1201] p 49 N88-20714	TRANSONIC FLIGHT
Nimbus-7 SMMR: Time series of daily and monthly maps	The 1989 Airborne Arctic Stratospheric Expedition	Sensitivity of F-106B leading-edge-vortex images to
from 1978 to 1987 {NASA-RP-1223} p 48 N89-26275	Nimbus-7 TOMS data atlas	flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760
TIMING DEVICES	[NASA-RP-1227] p 57 N89-27302	TRANSONIC FLOW
Ground-based time-guidance algorithm for control of	Nimbus-7 TOMS Antarctic ozone atlas: August through November, 1989	Transonic flow analysis for rotors. Part 2:
airplanes in a time-metered air traffic control environment:  A piloted simulation study	[NASA-RP-1237] p 58 N90-23837	Three-dimensional, unsteady, full-potential calculation {NASA-TP-2375-PT-2} p 3 N87-10841
[NASA-TP-2616] p 16 N87-10864	TRACE ELEMENTS	Effects of winglet on transonic flutter characteristics of
TIP VANES	A high-resolution atlas of the infrared spectrum of the	a cantilevered twin-engine-transport wing model
Transonic flow analysis for rotors. Part 2:	Sun and the Earth atmosphere from space: A compilation of ATMOS spectra of the region from 650 to 4800 cm	[NASA-TP-2627] p 43 N87-13789
Three-dimensional, unsteady, full-potential calculation [NASA-TP-2375-PT-2] p 3 N87-10841	(2.3 to 16 micron). Volume 1: The Sun	Calculation of viscous effects on transonic flow for oscillating airfoils and comparisons with experiment
TIRES	[NASA-RP-1224-VOL-1] p 53 N90-13893	[NASA-TP-2731] p 6 N87-27622
Exploiting symmetries in the modeling and analysis of	TRACKING (POSITION)	A transonic-small-disturbance wing design
tires [NASA-TP-2649] p 13 N87-17690	Solar array flight dynamic experiment [NASA-TP-2598] p 23 N87-12581	methodology [NASA-TP-2806] p 7 N88-17614
Cornering characteristics of the main-gear tire of the	Effect of motion cues during complex curved approach	Transonic Unsteady Aerodynamics and Aeroelasticity
space shuttle orbiter	and landing tasks: A piloted simulation study	1987, part 1
[NASA-TP-2790] p 14 N88-18583	[NASA-TP-2773] p 14 N88-12480	[NASA-CP-3022-PT-1] p 9 N89-19234

TRANSONIC SPEED SUBJECT INDEX

Transonic Unsteady Aerodynamics and Aeroelasticity	Performance of textured carbon on copper electrode	TURBINE PUMPS
1967, part 2 [NASA-CP-3022-PT-2] p 9 N89-19247	multistage depressed collectors with medium-power traveling wave tubes	Space shuttle main engine high pressure fuel pump aft platform seal cavity flow analysis
Transonic Symposium: Theory, Application, and	[NASA-TP-2665] p 34 N87-17990	[NASA-TP-2685] p 36 N87-17000
Experiment, volume 1, part 2 {NASA-CP-3020-VOL-1-PT-2} p.9 N89-20942	Calculation of secondary electron trajectories in	Straight cylindrical seal for high-performance turbomachines
Laser anemometer measurements in a transonic	multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991	[NASA-TP-1850] p 36 N87-23936
axial-flow fan rotor	Design, fabrication and performance of small, graphite	Three-step cylindrical seal for high-performance turbomachines
[NASA-TP-2879] p 38 N90-11245 FRANSONIC SPEED	electrode, multistage depressed collectors with 200-W, CW, 8- to 18-GHz traveling-wave tubes	[NASA-TP-1849] p 36 N87-24639
Effects of tail span and empennage arrangement on	[NASA-TP-2693] p 35 N87-20474	Computer-aided design analysis of 57-mm,
drag of a typical single-engine fighter aft end [NASA-TP-2352] p 3 N87-10838	Traveling-wave-tube efficiency improvement by a low-cost technique for deposition of carbon on multistage	angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 41 N88-18933
Forward-swept wing configuration designed for high	depressed collector	Experimental evaluation of a tuned electromagnetic
maneuverability by use of a transonic computational method	[NASA-TP-2719] p 35 N87-21239	damper for vibration control of cryogenic turbopump rotors
[NASA-TP-2628] p.3 N87-11702	Revised NASA axially symmetric ring model for coupled-cavity traveling-wave tubes	[NASA-TP-3005] p 18 N90-23403
An experimental investigation of an advanced turboprop	(NASA-TP-2675) p 35 N87-22923	TURBOCOMPRESSORS  Rotordynamic Instability Problems in High-Performance
installation on a swept wing at subsonic and transonic speeds	Analytical and experimental performance of a dual-mode traveling wave tube and multistage depressed collector	Turbomachinery, 1986
(NASA-TP-2729) p 6 N87-26883	[NASA-TP-2752] p 35 N87-25532	[NASA-CP-2443] p 41 N87-22199
Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack	Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-	TURBOFAN ENGINES  Large-scale static investigation of
(NASA-TP-2716) p 14 N87-29497	to 9.6-GHz traveling wave tube	circulation-control-wing concepts applied to upper
Comparison of wind tunnel and flight test afterbody and	[NASA-TP-2788] p 35 N6J-15146	surface-blowing aircraft [NASA-TP-2684] p 13 N87-15959
nozzle pressures for a twin-jet fighter aircraft at transonic speeds	Design, fabrication, and performance of brazed, graphite electrode, multistage depressed collectors with 500-W,	Evaluation of installed performance of a
(NASA-TP-2588) p.6 N88-10765	continuous wave, 4.8- to 9.6-GHz traveling-wave tubes	wing-tip-mounted pusher turboprop on a semispan wing (NASA-TP-2739) p 14 N87-26041
Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds	[NASA-TP-2904] p 35 N89-21171 Secondary electron emission characteristics of	(NASA-TP-2739) p 14 N87-26041 Advanced detection, isolation, and accommodation of
[NASA-TP-2753] p.6 N88-10771	molybdenum-masked, ion-textured OFHC copper	sensor failures in turbofan engines: Real-time
TRANSONIC WIND TUNNELS	[NASA-TP-2967] p 31 N90-15211	microcomputer implementation [NASA-TP-2925] p 20 N90-15112
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter	Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz	TURBOMACHINERY
transonic cryogenic tunnel	coupled-cavity traveling-wave tube	Rotordynamic Instability Problems in High-Performance
[NASA-TP-2749] p 21 N87-28570 Effect of tail size reductions on longitudinal aerodynamic	[NASA-TP-3039] p 35 N90-27965	Turbomachinery, 1986 [NASA-CP-2443] p 41 N87-22199
characteristics of a three surface F-15 model with	TRIBOLOGY The 20th Aerospace Mechanics Symposium	Three-step labyrinth seal for high-performance
nonaxisymmetric nozzles	(NASA-CP-2423-REV) p 43 N87-16321	turbomachines [NASA-TP-1848] p 36 N87-23921
[NASA-TP-3036] p 11 N90-25938 TRANSPORT AIRCRAFT	Structural Ceramics [NASA-CP-2427] p 31 N88-23872	[NASA-TP-1848] p 36 N87-23921 Straight cylindrical seal for high-performance
Piloted simulator study of allowable time delays in	The 24th Aerospace Mechanisms Symposium	turbornachines
large-airplane response	[NASA-CP-3062] . p 47 N90-22079	(NASA-TP-1850) p 36 N87-23936 Aeropropulsion '87. Session 3: Internal Fluid Mechanics
[NASA-TP-2652] p 19 N87-16849 Summary of studies to reduce wing-mounted propfan	TROPICAL METEOROLOGY  On requirements for a satellite mission to measure	Research
installation drag on an M = 0.8 transport	tropical rainfall	[NASA-CP-10003-SESS-3] p 18 N88-15790
[NASA-TP-2678] p 14 N87-20990 Effect of Reynolds number variation on aerodynamics	[NASA-RP-1183] p 55 N87-20701 TROPICAL STORMS	Technique for temperature compensation of eddy-current proximity probes
of a hydrogen-fueled transport concept at Mach 6	On requirements for a satellite mission to measure	[NASA-TP-2880] p 39 N89-15380
[NASA-TP-2728] p 5 N87-26031	tropical rainfall	Rotordynamic Instability Problems in High-Performance Turbomachinery, 1988
Jet transport flight operations using cockpit display of traffic information during instrument meteorological	[NASA-RP-1183] p 55 N87-20701 TROPOSPHERE	[NASA-CP-3026] p 41 N89-22891
conditions: Simulation evaluation	Future directions for H sub x O sub y detection	Computer code for predicting coolant flow and heat
[NASA-TP-2567] p 12 N87-29469 Handling qualities of a wide-body transport airplane	[NASA-CP-2448] p 51 N87-15528 Space Opportunities for Tropospheric Chemistry	transfer in turbomachinery [NASA-TP-2985] p 18 N90-27722
utilizing Pitch Active Control Systems (PACS) for relaxed	Research	TURBOPROP AIRCRAFT
static stability application	[NASA-CP-2450] p 51 N87-18248	Advanced turboprop project [NASA-SP-495] p 18 N89-12565
[NASA-TP-2482] p 19 N88-14987 Aeropropulsion 87, Session 6: High-Speed Propulsion	Scientific and Operational Requirements for TOMS  Data	Low-speed wind-tunnel investigation of the flight
Technology	[NASA-CP-2497] p 47 N88-13774	dynamic characteristics of an advanced turboprop business/commuter aircraft configuration
[NASA-CP-10003-SESS-6] p 18 N88-15807 Thrust-reverser flow investigation on a twin-engine	Forty-eight-inch lidar aerosol measurements taken at the Langley Research Center, May 1974 to December 1987	[NASA-TP-2982] p 20 N90-19239
transport	[NASA-RP-1209] p 52 N88-29234	TURBOPROP ENGINES
[NASA-TP-2856] p.9 N89-14213	TRUSSES	Evaluation of installed performance of a wing-tip-mounted pusher turboprop on a semispan wing
Integration effects of pylon geometry on a high-wing transport airplane	NASA/DOD Control/Structures Interaction Technology, 1986	[NASA-TP-2739] p 14 N87-26041
[NASA-TP-2877] p 9 N89-15888	[NASA-CP-2447-PT-1] p 24 N87-16014	An experimental investigation of an advanced turboprop
Comparison of flying qualities derived from in-flight and ground-based simulators for a jet-transport airplane for the	Modeling of joints for the dynamic analysis of truss structures	installation on a swept wing at subsonic and transonic speeds
approach and landing pilot tasks	[NASA-TP-2661] p 43 N87-20567	[NASA-TP-2729] p 6 N87-26883
[NASA-TP-2962] p 20 N90-11757	Continuum modeling of large lattice structures: Status	Low-speed aerodynamic characteristics of a twin-engine general aviation configuration with aft-fuselage-mounted
Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various	and projections [NASA-TP-2767] p 25 N88-14115	pusher propellers
runway surface types and conditions. A summary of test	TUNGSTEN	[NASA-TP-2763] p 6 N87-29462
results from joint FAA/NASA Runway Friction Program [NASA-TP-2917] p 16 N90-15902	Tungsten fiber reinforced copper matrix composites: A review	TURBULENCE Multiscale turbulence effects in supersonic jets
TRANSPORT PROPERTIES	[NASA-TP-2924] p 29 N89-27796	exhausting into still air
BRYNTRN: A baryon transport model (NASA-TP-2887) p 80 N89-17562	TURBINE BLADES	[NASA-TP-2707] p 36 N87-24672 Application of turbulence modeling to predict surface
[NASA-TP-2887] p.80 N89-17562 A review of reaction rates and thermodynamic and	Lewis inverse design code (LINDES): Users manual [NASA-TP-2676] p.4 N87-20238	heat transfer in stagnation flow region of circular cylinder
transport properties for an 11-species air model for	Turbine Engine Hot Section Technology, 1985	[NASA-TP-2758] p.37 N87-27161 Stereopsis cueing effects on hover-in-turbulence
chemical and thermal nonequilibrium calculations to 30000 K	[NASA-CP-2405] p.43 N88-11140 Lewis Structures Technology, 1988. Volume 1: Structural	performance in a simulated rotorcraft
[NASA-RP-1232] p 36 N90-27064	Dynamics	[NASA-TP-2980] p 17 N90-21004
TRANSPORT THEORY  Benchmark solutions for the galactic ion transport	[NASA-CP-3003-VOL-1] p 44 N88-23226 Turbine Engine Hot Section Technology, 1987	TURBULENCE EFFECTS  Jet model for slot film cooling with effect of free-stream
equations: Energy and spatially dependent problems	[NASA-CP-2493] p 45 N89-17298	and coolant turbulence
[NASA-TP-2878] p 79 N89-16714	TURBINE ENGINES	[NASA-TP-2655] p 36 N87-18034 Experimental evaluation of honeycomb/screen
TRAPPING Hydrogen trapping and the interaction of hydrogen with	Turbine Engine Hot Section Technology, 1984 [NASA-CP-2339] p 43 N87-11180	configurations and short contraction section for NASA
metals	Advanced detection, isolation and accommodation of	Lewis Research Center's altitude wind tunnel
[NASA-TP-2744] p 30 N87-25463	sensor failures: Real-time evaluation  NASA-TP-2740  p.19 N87-25331	NASA-TP-2692  p 21 N87-23662 TURBULENT BOUNDARY LAYER
TRAVELING WAVE TUBES Bit-error-rate testing of high-power 30-GHz traveling	Aeropropulsive characteristics of isolated combined	Aerothermal tests of spherical dome protuberances on
wave tubes for ground-terminal applications	turbojet/ramjet nozzles at Mach numbers from 0 to 1.20	a flat plate at a Mach number of 6.5 (NASA-TP-2631) p 35 N87-13664
[NASA-TP-2635] p 33 N87-17971	(NASA-TP-2814) p.8 N88-23757	[NASA-TP-2631] p 35 N87-13664

		***************************************
Aerothermal tests of quilted dome models on a flat plate	UNSTEADY AERODYNAMICS	VANADIUM
at a Mach number of 6.5	Steady and unsteady aerodynamic forces from the	Shot peening for Ti-6Al-4V alloy compressor blades
[NASA-TP-2804] p 37 N88-22325 A review of high-speed, convective, heat-transfer	SOUSSA surface-panel method for a fighter wing with tip missile and comparison with experiment and PANAIR	[NASA-TP-2711] p 43 N87-20566 VANES
computation methods	[NASA-TP-2736] p 5 N87-26032	Effect of port corner geometry on the internal
[NASA-TP-2914] p 38 N89-27116	Transonic Unsteady Aerodynamics and Aeroelasticity	performance of a rotating-vane-type thrust reverser
Fluctuating pressures measured beneath a high-temperature, turbulent boundary layer on a flat plate	1987, part 1 {NASA-CP-3022-PT-1} p 9 N89-19234	[NASA-TP-2624] p 3 N87-12541 Experimental evaluation of two turning vane designs for
at Mach number of 5	Transonic Unsteady Aerodynamics and Aeroelasticity	fan drive corner of 0.1-scale model of NASA Lewis
[NASA-TP-2947] p 67 N90-10680	1987, part 2	Research Center's proposed altitude wind tunnel
TURBULENT FLOW	[NASA-CP-3022-PT-2] p 9 N89-19247 UNSTEADY FLOW	[NASA-TP-2646] p 21 N87-18576 Turbine Engine Hot Section Technology, 1985
Experimental evaluation of honeycomb/screen configurations and short contraction section for NASA	Steady and unsteady aerodynamic forces from the	[NASA-CP-2405] p 43 N88-11140
Lewis Research Center's altitude wind tunnel	SOUSSA surface-panel method for a fighter wing with tip	Static performance of an axisymmetric nozzle with
[NASA-TP-2692] p 21 N87-23662	missile and comparison with experiment and PANAIR [NASA-TP-2736] p.5 N87-26032	post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 8 N88-20280
Flight and wind-tunnel measurements showing base drag reduction provided by a trailing disk for high Reynolds	UPPER ATMOSPHERE	The effectiveness of vane-aileron excitation in the
number turbulent flow for subsonic and transonic Mach	Present state of knowledge of the upper atmosphere	experimental determination of flutter speed by parameter
numbers	1988: An assessment report [NASA-RP-1206] p 52 N88-29233	identification [NASA-TP-2971] p 16 N90-15100
[NASA-TP-2638] p 37 N88-14299	Present state of knowledge of the upper atmosphere	VAPORS
Numerical simulation of scramjet inlet flow fields [NASA-TP-2517] p.8 N88-23735	1990: An assessment report	Sensitivity of F-106B leading-edge-vortex images to
Mixing and Demixing Processes in Multiphase Flows	[NASA-RP-1242] p 54 N90-28929  UPPER SURFACE BLOWING	flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760
With Application to Propulsion Systems	Large-scale static investigation of	VARIABILITY
[NASA-CP-3006] p 37 N89-11153 TWISTED WINGS	circulation-control-wing concepts applied to upper	Effects of variables upon pyrotechnically induced shock
Pressure measurements on a thick cambered and	surface-blowing aircraft [NASA-TP-2684] p 13 N87-15959	response spectra [NASA-TP-2603] p 43 N87-12921
twisted 58 deg delta wing at high subsonic speeds	URANUS ATMOSPHERE	VARIABLE STARS
[NASA-TP-2713] p 6 N87-27643	The Jovian Atmospheres	The M-type stars
TWO BODY PROBLEM  Forbidden tangential orbit transfers between intersecting	[NASA-CP-2441] p 77 N87-17598  URBAN DEVELOPMENT	[NASA-SP-492] p 75 N88-11592 VARIABLE SWEEP WINGS
Keplerian orbits	Earth resources: A continuing bibliography with indexes	Flight-determined aerodynamic derivatives of the AD-1
[NASA-TP-3031] p 23 N90-26028	(issue 57)	oblique-wing research airplane
TWO DIMENSIONAL FLOW	[NASA-SP-7041(57)] p 49 NB8-23314 USER MANUALS (COMPUTER PROGRAMS)	[NASA-TP-2222] p 19 N87-10871
Experimental validation of a two-dimensional shear-flow model for determining acoustic impedance	Pulse Code Modulation (PCM) encoder handbook for	VATOL AIRCRAFT The 1987 Ground Vortex Workshop
[NASA-TP-2679] p 66 N87-20798	Aydin Vector MMP-600 series system	[NASA-CP-10008] p 9 N89-10849
Static internal performance of a two-dimensional	[NASA-RP-1171] p 33 N87-11916 Lewis inverse design code (LINDES): Users manual	VECTORS (MATHEMATICS)
convergent-divergent nozzle with thrust vectoring [NASA-TP-2721] p 5 N87-24432	[NASA-TP-2676] p 4 N87-20238	Proceedings of the Scientific Data Compression Workshop
Evolution, calibration, and operational characteristics of	Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral	[NASA-CP-3025] p 63 N89-22332
the two-dimensional test section of the Langley 0.3-meter	scan solar irradiance and Earth radiance product user's quide	VEGETATION GROWTH
transonic cryogenic tunnel	[NASA-RP-1199] p 48 N88-17096	Controlled Ecological Life Support System: Regenerative Life Support Systems in Space
[NASA-TP-2749] p 21 N87-28570 TWO DIMENSIONAL MODELS	SAM 2 data user's guide	[NASA-CP-2480] p 60 N88-12251
Experimental validation of a two-dimensional shear-flow	[NASA-RP-1200] p 52 N88-25094 User's guide for the Nimbus 7 Scanning Multichannel	VELOCITY
model for determining acoustic impedance	Microwave Radiometer (SMMR) CELL-ALL tape	Development and evaluation of an airplane electronic display format aligned with the inertial velocity vector
[NASA-TP-2679] p 66 N87-20798	[NASA-RP-1210] p 56 N89-14648	[NASA-TP-2648] p 16 N87-13438
Two-Dimensional Intercomparison of Stratospheric Models	User's manual for interactive LINEAR: A FORTRAN	VELOCITY DISTRIBUTION
[NASA-CP-3042] p 53 N90-11405	program to derive linear aircraft models [NASA-TP-2835] p 65 N89-16437	Laser anemometer measurements in a transonic axial-flow fan rotor
TWO PHASE FLOW	Nimbus-7 Stratospheric and Mesospheric Sounder	[NASA-TP-2879] p 38 N90-11245
Workshop on Two-Phase Fluid Behavior in a Space Environment	(SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304	VELOCITY MEASUREMENT
[NASA-CP-3043] p 38 N89-26184	Nimbus-7 ERB Solar Analysis Tape (ESAT) user's	Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035
	guide	Three component laser anemometer measurements in
U	[NASA-RP-1211] p 79 N89-30151 Nimbus 7 solar backscatter ultraviolet (SBUV) ozone	an annular cascade of core turbine vanes with contoured
•	products user's guide	end wall [NASA-TP-2846] p.8 N89-10844
U-2 AIRCRAFT	[NASA-RP-1234] p 53 N90-17227	VERTICAL AIR CURRENTS
Global stratospheric change: Requirements for a	The NASTRAN demonstration problem manual, level	Spanwise measurements of vertical components of
Very-High-Altitude Aircraft for Atmospheric Research [NASA-CP-10041] p 16 N90-14220	17.5 {NASA-SP-224(05)} p 42 N81-71592	atmospheric turbulence [NASA-TP-2963] p 58 N90-19718
UH-60A HELICOPTER	The NASTRAN programmers manual, level 17.5	VERTICAL DISTRIBUTION
Gear tooth stress measurements on the UH-60A	[NASA-SP-223(05)] p 42 N81-71594	Forty-eight-inch lidar aerosol measurements taken at the
helicopter transmission [NASA-TP-2698] p 41 N87-22235	USER REQUIREMENTS	Langley Research Center, May 1974 to December 1987 [NASA-RP-1209] p 52 N88-29234
Comparison of predicted and measured temperatures	The Langley 14- by 22-foot subsonic tunnel: Description, flow characteristics, and guide for users	VERTICAL LANDING
of UH-60A helicopter transmission	[NASA-TP-3008] p 12 N90-27649	Proceedings of the 1985 NASA Ames Research Center's
[NASA-TP-2911] p 41 N89-24607		Ground-Effects Workshop [NASA-CP-2462] p 5 N87-24410
ULTRAVIOLET RADIATION International ultraviolet explorer spectral atlas of	V	VERTICAL ORIENTATION
planetary nebulae, central stars, and related objects	•	Effects of combining vertical and horizontal information
[NASA-RP-1203] p 76 N88-28843	V/STOL AIRCRAFT	into a primary flight display {NASA-TP-2783} p 17 N88-12487
ULTRAVIOLET SPECTROMETERS  Calibration of the spin-scan ozone imager aboard the	Proceedings of the 1985 NASA Ames Research Center's Ground-Effects Workshop	VERTICAL TAKEOFF AIRCRAFT
dynamics Explorer 1 satellite	[NASA-CP-2462] p 5 N87-24410	The 1987 Ground Vortex Workshop (NASA-CP-10008) p 9 N89-10849
[NASA-TP-2723] p 55 N87-28491	A review of technologies applicable to low-speed flight	[NASA-CP-10008] p 9 N89-10849 Powered-lift aircraft technology
UNIVERSITIES	of high-performance aircraft investigated in the Langley 14- x 22-foot subsonic tunnel	[NASA-SP-501] p 15 N90-12589
The 1986 Get Away Special Experimenter's Symposium	(NASA-TP-2796) p 7 N88-20264	VERY LARGE SCALE INTEGRATION
[NASA-CP-2438] p 22 N87-20302	VACUUM EFFECTS	A technique for evaluating the application of the pin-level stuck-at fault mode' to VLSI circuits
Orders of magnitude: A history of the NACA and NASA,	Reaction of perfluoroalkylpolyethers (PFPE) with 440C	[NASA-TP-2738] p 42 N87-28025
1915-1990 [NASA-SP-4406] p 81 N89-26805	steel in vacuum under sliding conditions at room temperature	VERY LOW FREQUENCIES
Joint University Program for Air Transportation	[NASA-TP-2883] p 31 N89-26091	A lunar far-side very low frequency array [NASA-CP-3039] p 75 N90-10805
Research, 1988-1989	VACUUM SYSTEMS	VHSIC (CIRCUITS)
[NASA-CP-3063] p. 2 N90-20921 The MSFC/UAH Data Management Symposium	Introduction to total- and partial-pressure measurements in vacuum systems	Computer Sciences and Data Systems, volume 2 [NASA-CP-2459-VOL-2] p 62 N87-19932
[NASA-CP-2040] p 62 N78-74659	[NASA-RP-1219] p 40 N90-10412	VIBRATION p 62 N67-19832
UNMANNED SPACECRAFT	VACUUM TESTS	Evaluation of the ride quality of a light twin engine
Status and future of lunar geoscience [NASA-SP-484] p 77 N87-19322	Outgassing data for selecting spacecraft materials [NASA-RP-1124] p 28 N88-10117	airplane using a ride quality meter [NASA-TP-2913] p.2 N89-22568
[NASA-SP-484] p 77 N87-19322	P 20   1400-1011/	[HU00-11-5010] D C 1103-22300

NOTATION DAMPING		SUBJECT INDEX
IBRATION DAMPING	Helicopter blade-vortex interaction locations:	WEATHER
NASA/DOD Control/Structures Interaction Technology.	Scale-model acoustics and free-wake analysis results	Meteorological and Environmental Inputs to Aviation
1986 [NASA-CP-2447-PT-1] p 24 N87-16014	[NASA-TP-2658] p 4 N87-18537	Systems
NASA/DOD Control/Structures Interaction Technology,	Study of lee-side flows over conically cambered delta wings at supersonic speeds, part 1	[NASA-CP-2498] p 56 N88-25105 WEATHER FORECASTING
1986	[NASA-TP-2660-PT-1] p 5 N87-23597	Atmospheric Turbulence Relative to Aviation, Missile,
[NASA-CP-2447-PT-2] p 25 N87-24495	Measurement of velocity and vorticity fields in the wake	and Space Programs
The 58th Shock and Vibration Symposium, volume 1 [NASA-CP-2488-VOL-1] p 43 N88-13609	of an airfoil in periodic pitching motion	[NASA-CP-2468] p 55 N87-22341 <b>WEAVING</b>
Lewis Structures Technology, 1988. Volume 1: Structural	[NASA-TP-2780] p 66 N88-13002 Sensitivity of F-106B leading-edge-vortex images to	The interlaminar fracture toughness of woven
Dynamics	flight and vapor-screen parameters	graphite/epoxy composites
[NASA-CP-3003-VOL-1] p 44 N88-23226 Experimental evaluation of a tuned electromagnetic	[NASA-TP-2818] p.8 N88-23760	[NASA-TP-2950] p 29 N90-10179
damper for vibration control of cryogenic turbopump	The 1987 Ground Vortex Workshop	WEDGES  Effect of a trade between boattail angle and wedge size
rotors	[NASA-CP-10008] p 9 N89-10849	on the performance of a nonaxisymmetric wedge nozzle
[NASA-TP-3005] p 18 N90-23403 //BRATION ISOLATORS	Interactions of Tollmien-Schlichting waves and Dean vortices. Comparison of direct numerical simulation and	[NASA-TP-2717] p 5 N87-23593
The 58th Shock and Vibration Symposium, volume 1	a weakly nonlinear theory	WEIGHT REDUCTION
[NASA-CP-2488-VOL-1] p 43 N88-13609	[NASA-TP-2919] p 10 N89-25118	Preliminary structural design of composite main rotor blades for minimum weight
The 22nd Aerospace Mechanisms Symposium [NASA-CP-2506] p 44 N88-21468	Discrete-vortex model for the symmetric-vortex flow on cones	[NASA-TP-2730] p 28 N87-25435
Development and approach to low-frequency	[NASA-TP-2989] p 11 N90-20946	WEIGHTLESSNESS
microgravity isolation systems	A time-accurate adaptive grid method and the numerical	Microgravity Fluid Management Symposium
[NASA-TP-2984] p 33 N90-28754	simulation of a shock-vortex interaction	(NASA-CP-2465) p 32 N87-21141 <b>WELDING</b>
VIBRATION MEASUREMENT Testing of UH-60A helicopter transmission in NASA	[NASA-TP-2998] p 61 N90-21524 VORTICITY	Weld stresses beyond elastic limit: Materials
Lewis 2240-kW (3000-hp) facility	Measurement of velocity and vorticity fields in the wake	discontinuity
[NASA-TP-2626] p 41 N87-10391	of an airfoil in periodic pitching motion	[NASA-TP-2935] p 46 N89-27214
Vibration characteristics of OH-58A helicopter main roths transmission	NASA-TP-2780  p 66 N88-13002	WIND (METEOROLOGY)  NASA/MSFC FY-85 Atmospheric Processes Research
[NASA-TP-2705] p 41 N87-20555	•••	Review
VIDEO COMMUNICATION	W	[NASA-CP-2402] p 55 N87-13043
Jet transport flight operations using cockpit display of traffic information during instrument meteorological		WIND SHEAR
conditions: Simulation evaluation	WAKES  Helicopter blade-vortex interaction locations:	Doppler Radar Detection of Wind Shear [NASA-CP-2435] p 12 N87-10054
[NASA-TP-2567] p 12 N87-29469	Scale-model acoustics and free-wake analysis results	Wind Shear/Turbulence Inputs to Flight Simulation and
VISCOPLASTICITY  Nonlinear Constitution Relations for High Tompositure	[NASA-TP-2658] p 4 N87-18537	Systems Certification
Nonlinear Constitutive Relations for High Temperature Applications, 1986	Measurement of velocity and vorticity fields in the wake	[NASA-CP-2474] p 1 N87-25267
[NASA-CP-10010] p 44 N88-21498	of an airfoil in periodic pitching motion [NASA-TP-2780] p 66 N88-13002	Wind shear detection. Forward-looking sensor technology
Thermoviscoplastic model with application to copper	Galileo probe parachute test program: Wake properties	[NASA-CP-10004] p 12 N88-14970
[NASA-TP-2845] p 45 N89-16183	of the Galileo probe at Mach numbers from 0.25 to 0.95	Airborne Wind Shear Detection and Warning Systems:
Calculation of viscous effects on transonic flow for	[NASA-RP-1130] p 37 N88-18884	First Combined Manufacturers' and Technologists' Conference
oscillating airfoils and comparisons with experiment	WALL JETS  Jet model for slot film cooling with effect of free-stream	[NASA-CP-10006] p 12 N88-17616
[NASA-TP-2731] p 6 N87-27622 Transonic Unsteady Aerodynamics and Aeroelasticity	and coolant turbulence	Influence of wind shear on the aerodynamic
1987, part 2	(NASA-TP-2655) p 36 N87-18034	characteristics of airplanes
[NASA-CP-3022-PT-2] p 9 N89-19247	WALL TEMPERATURE	[NASA-TP-2827] p 12 N88-26344 Piloted-simulation evaluation of escape guidance for
An upwind-biased, point-implicit relaxation algorithm for viscous, compressible perfect-gas flows	Experimental evaluation of heat transfer on a 1030:1 area ratio rocket nozzle	microburst wind shear encounters
[NASA-TP-2953] p 38 N90-17042	[NASA-TP-2726] p 27 N87-25424	[NASA-TP-2886] p 17 N89-16820
VISUAL OBSERVATION	WARNING SYSTEMS	Joint University Program for Air Transportation
Atlas of Comet Halley 1910 II [NASA-SP-488] p 75 N87-30235	Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists'	Research, 1988-1989 [NASA-CP-3063] p 2 N90-20921
VISUAL PERCEPTION	Conference	WIND TUNNEL APPARATUS
Spatial Displays and Spatial Instruments	{NASA-CP-10006} p 12 N88-17616	Experimental evaluation of wall Mach number
[NASA-CP-10032] p 61 N90-22918 VISUAL SIGNALS	Joint University Program for Air Transportation	distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel
Determination of depth-viewing volumes for stereo	Research, 1988-1989 [NASA-CP-3063] p.2 N90-20921	[NASA-TP-2666] p 21 N87-17717
three-dimensional graphic displays	WATER	Experimental evaluation of two turning vane designs for
[NASA-TP-2999] p 61 N90-22965 VOICE COMMUNICATION	Development testing of large volume water sprays for	fan drive corner of 0.1-scale model of NASA Lewis
A simulator investigation of the use of digital data link	warm fog dispersal [NASA-TP-2607] p 24 N87-12585	Research Center's proposed altitude wind tunnel [NASA-TP-2646] p 21 N87-18576
for pilot/ATC communications in a single pilot operation	Future directions for H sub x O sub y detection	Detailed flow surveys of turning vanes designed for a
[NASA-TP-2837] p 13 N89-11726	[NASA-CP-2448] p 51 N87-15528	0.1-scale model of NASA Lewis Research Center's
VOLCANOES Airborne lidar measurements of El Chichon stratosphene	Finite-rate water condensation in combustion-heated wind tunnels	proposed altitude wind tunnel
aerosols, May 1983	[NASA-TP-2833] p 22 N88-28075	[NASA-TP-2680] p 21 N87-20295 Experimental evaluation of turning vane designs for
[NASA-RP-1172] p 51 N87-11358	WATER COLOR	high-speed and coupled fan-drive corners of 0.1-scale
Airborne lidar measurements of El Chichon stratospheric	Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152	model of NASA Lewis Research Center's proposed altitude
aerosols, January 1984 [NASA-RP-1175] p 51 N87-20663	[NASA-RP-1215] p 48 N89-22152 WAVE INTERACTION	wind tunnel [NASA-TP-2681] p 21 N88-17686
On the statistics of El Nino occurrences and the	Interactions of Tollmien-Schlichting waves and Dean	The Langley 14- by 22-foot subsonic tunnel: Description,
relationship of El Nino to volcanic and solar/geomagnetic	vortices. Comparison of direct numerical simulation and	flow characteristics, and guide for users
activity	a weakly nonlinear theory [NASA-TP-2919] p 10 N89-25118	[NASA-TP-3008] p 12 N90-27649
[NASA-TP-2948] p 79 N90-12456 VORTEX FLAPS	WAVE PROPAGATION	WIND TUNNEL CALIBRATION
Applicability of linearized-theory attached-flow methods	Propagation of sound waves in tubes of noncircular cross	Experimental evaluation of honeycomb/screen configurations and short contraction section for NASA
to design and analysis of flap systems at low speeds for	section [NASA-TP-2601] p.3 N87-14284	Lewis Research Center's altitude wind tunnel
thin swept wings with sharp leading edges [NASA-TP-2653] p 3 N87-15174	Evaluation of a scale-model experiment to investigate	[NASA-TP-2692] p 21 N87-23662
Wind-tunnel free-flight investigation of a 0.15-scale	long-range acoustic propagation	WIND TUNNEL DRIVES  Experimental evaluation of two turning vane designs for
model of the F-106B airplane with vortex flaps	[NASA-TP-2748] p 66 N88-11450 Propagation effects on satellite systems at frequencies	fan drive corner of 0.1-scale model of NASA Lewis
[NASA-TP-2700] p 4 N87-21855	below 10 GHz: A handbook for satellite systems design	Research Center's proposed altitude wind tunnel
Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane	(NASA-RP-1108/2) p 34 N88-14226	[NASA-TP-2646] p 21 N87-18576
[NASA-TP-2747] p 19 N87-26922	Propagation effects nandbook for satellite systems design. A summary of propagation impairments on 10 to	Detailed flow surveys of turning vanes designed for a 0.1-scale model of NASA Lewis Research Center's
VORTEX SHEDDING	100 GHz satellite links with techniques for system	proposed altitude wind tunnel
Airfoil self-noise and prediction	design	[NASA-TP-2680] p 21 N87-20295

design (NASA-RP-1082(04))

Theory for computing the field scattered from a smooth inflected surface [NASA-TP-2632] p 68 N87-13264

WAVE SCATTERING

p 67 N89-25673

p 34 N89-1 2060

Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p. 21 N88-17686

VORTICES

[NASA-RP-1218]

Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow {NASA-TP-2650} p. 66 N87-18399

WIND TUNNEL MODELS Wind-tunnel free-flight investigation of a 0.15-scale model of the F-106B airplane with vortex flaps p 4 N87-21855 [NASA-TP-2700] Experimental evaluation of blockage ratio and plenum evacuation system flow effects on pressure distribution for bodies of revolution in 0.1 scale model test section of NASA Lewis Research Center's proposed altitude wind INASA-TP-27021 p 21 N87-22694 Companson of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic INASA-TP-25881 n.6 N88-10765 Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model INASA-TP-26191 p 7 N88-18567 WIND TUNNEL STABILITY TESTS Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane INASA-TP-27691 p 6 N88-12455 WIND TUNNEL TESTS Wind-tunnel investigation of the flight characteristics of a canard general-aviation airplane configuration [NASA-TP-2623] p 3 N87-10039 In-flight total forces, moments and static aeroelastic characteristics of an oblique-wing research airplane p 19 N87-10103 INASA-TP-22241 Interference effects of thrust reversing on horizontal tail effectiveness of twin-engine fighter aircraft at Mach numbers from 0.15 to 0.90 p 19 N87-10870 INASA-TP-23501 Effect of port corner geometry on the internal performance of a rotating-vane-type thrust reverser p 3 N87-12541 NASA-TP-26241 Effects of winglet on transonic flutter characteristics of a cantilevered twin-engine-transport wing model INASA-TP-26271 p 43 N87-13789 Wind-tunnel investigation at supersonic speeds of a remote-controlled canard missile with a free-rolling-tail brake torque system p 4 N87-17668 Correlation of helicopter impulsive noise from blade-vortex interaction with rotor mean inflow p 66 N87-18399 INASA-TP-26501 Summary of studies to reduce wing-mounted propfan stallation drag on an M = 0.8 transport p 14 N87-20990 (NASA-TP-2678) Wind-tunnel free-flight investigation of a 0.15-scale model of the F-106B airplane with vortex flaps p 4 N87-21855 [NASA-TP-2700] Experimental evaluation of blockage ratio and plenum evacuation system flow effects on pressure distribution for bodies of revolution in 0.1 scale model test section of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2702] Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow [NASA-TP-2772] Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic INASA-TP-25881 p 6 N88-10765 Flight and wind-tunnel measurements showing base drag reduction provided by a trailing disk for high Reynolds number turbulent flow for subsonic and transonic Mach NASA-TP-26381 p 37 N88-14299

A review of technologies applicable to low-speed flight of high-performance aircraft investigated in the Langley

Helicopter main-rotor noise: Determination of source

Steady and unsteady transonic pressure measurements

on a clipped delta wing for pitching and control-surface

Transonic Symposium. Theory, Application, and Experiment, Volume 1, Part 1

Hot-let simulation in cryogenic wind tunnels

thrust reverser with flow splay capability

Transonic Symposium: Theory, Application, and

Static internal performance of a nonaxisymmetric varied

p 7 N88-20264

p 67 N88-26907

p 8 N88-28895

n 9 N89-20925

n 9 N89-20942

p 15 N89-23448

p 10 N89-27634

|NASA-TP-2772|

INASA-TP-28061

INASA-TP-28181

methodology

transonic-small-disturbance

light and vapor-screen parameters

Sensitivity of F-106B leading-edge-vortex images to

p 6 N88-10009

p 7 N88-17614

n 8 N88-23760

14- x 22-foot subsonic tunnel

[NASA-CP-3020-VOL-1-PT-1]

Experiment, volume 1, part 2

INASA-CP-3020-VOL-1-PT-21

contributions using scaled model data

INASA-TP-27961

[NASA-TP-2825]

[NASA-TP-2594]

[NASA-TP-2933]

Research in Natural Laminar Flow and Laminar-Flow INASA.CP-2487-PT-21 p 10 N90-12519 Measured and predicted aerodynamic coefficients and shock shapes for Aeroassist Flight Experiment (AFE) configuration CAST-10-2/DOA 2 Airfoil Studies Workshop Results INASA-CP-30521 p 22 N90-17647 Low-speed wind-tunnel investigation of the flight dynamic characteristics of an advanced turboprop business/commuter aircraft configuration p 20 N90-19239 Laser-velocimeter-measured flow field around an advanced, swept, eight-blade propeller at Mach 0.8 NASA-TP-2462 p 2 N90-20942 WIND TUNNEL WALLS Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel [NASA-TP-2666] p 21 N87-17717 NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic cryogenic tunnel NASA-TP-28901 p 9 N89-17568 WIND TUNNELS Aeronautical facilities assessment p 21 N87-10876 INASA-RP-11461 Engineer in charge: A history of the Langley Aeronautical aboratory, 1917-1958 INASA-SP-43051 p 80 N87-24390 WIND TURBINES Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 44 N88-2 p 44 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics INASA-CP-3003-VOL-1 p 44 N88-23226 WIND VELOCITY Spanwise measurements of vertical components of atmospheric turbulence p 58 N90-19718 WING LOADING Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2 [NASA-TP-2660-PT-2] p 5 N87-25301 Shape sensitivity analysis of wing static aeroelastic characteristics p 15 N88-22031 INASA-TP-28081 Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure at elevated temperature INASA-TP-29211 p 46 N89-28034 WING PROFILES Shape sensitivity analysis of wing static aeroelastic INASA.TP-28081 p 15 N88-22031 WING TIP VORTICES Evaluation of installed performance of ing-tip-mounted pusher turboprop on a semispan wir INASA-TP-27391 p 14 N87-26041 WINGLETS Effects of winglet on transonic flutter characteristics of cantilevered twin-engine-transport wing model p 43 N87-13789 INASA-TP-26271 Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model [NASA-TP-2619] p 7 N88-1i p 7 N88-18567 WINGS Effects of winglet on transonic flutter characteristics of a cantilevered twin-engine-transport wing model [NASA-TP-2627] p 43 N87-13789 Subsonic maneuver capability of a supersonic cruise INASA-TP-26421 p 3 N87-15184 Flight investigation of the effects of an outboard wing-leading-edge modification on stall/spin characteristics of a low-wing, single-engine, T-tail light INASA-TP-26911 p 14 N87-23614 Steady and unsteady aerodynamic forces from the SOUSSA surface-panel method for a fighter wing with tip missile and comparison with experiment and PANAIR p 5 N87-26032 Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow


ZONAL HARMONICS integration effects of pylon geometry on a high-wing transport airplane p 9 N89-15888 and transitional aerodynamic Steady-state characteristics of a wing in simulated heavy rain p 10 N89-25951 INASA-TP-29321 WOLF-RAYET STARS O stars and Wolf-Rayet stars [NASA-SP-497] p 74 N89-11657 WORKLOADS (PSYCHOPHYSIOLOGY) Jet transport flight operations using cockpit display of traffic information during instrument meteorological conditions: Simulation evaluation p 12 N87-29469 INASA-TP-25671 Effect of motion cues during complex curved approach and landing tasks: A piloted simulation study p 14 N88-12480 INASA-TP-27731 Mental-State Estimation, 1987 p 60 N88-23370 NASA-CP-25041 WORKSTATIONS Mental-State Estimation, 1987 p 60 N88-23370 INASA-CP-25041 X X RAY ASTRONOMY Essays in Space Science [NASA-CP-2464] p 72 N87-24247 X RAY SPECTROSCOPY FORTRAN program for x ray photoelectron spectroscopy data reformatting NASA-TP-2957 p 69 N90-12348 X RAYS Rapid Fluctuations in Solar Flares NASA-CP-24491 p 79 N87-21785 X WING ROTORS Proceedings of the Circulation-Control Workshop, INASA-CP-24321 p 7 N88-17586 YAWING MOMENTS Cornering characteristics of the main-gear tire of the space shuttle orbiter NASA-TP-27901 p 14 N88-18583 Z ZENITH Surface bidirectional reflectance properties of two southwestern Arizona deserts for wavelengths between 0.4 and 2.2 micrometers [NASA-TP-2643] p 48 N87-22281 ZERO LIFT Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 6 N88-12454 ZONAL FLOW (METEOROLOGY) Comparison of satellite-derived dynamical quantities for the stratosphere of the Southern Hemisphere p 53 N89-25540 NASA-CP-30441 ZONAL HARMONICS An economical semi-analytical orbit theory for micro-computer applications p 66 N89-14052 INASA-TP-28111

## PERSONAL AUTHOR INDEX

ARPASI, DALE J.

NASA Scientific and Technical Publications 1987-1990

#### Typical Personal Author Index Listing



Listings in this index are arranged alphabetically by personal author. The title of the document provides the user with a brief description of the subject matter. The report number helps to indicate the type of document listed (e.g., NASA report, translation, NASA contractor report). The page and accession numbers are located beneath and to the right of the title. Under any one author's name the accession numbers are arranged in sequence with the AIAA accession numbers appearing first.

#### A

A
ABBOTT, TERENCE S.  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 17 N88-12487
A simulation evaluation of the engine monitoring and control system display [NASA-TP-2960] p 17 N90-18393
ABDOL-HAMID, KHALED S.  Multiscale turbulence effects in supersonic jets exhausting into still air [NASA-TP-2707] p 36 N87-24672
ABEL, PHILLIP B. FORTRAN program for x ray photoelectron spectroscopy data reformatting [NASA-TP-2957] p 69 N90-12344
ABRAHAMSON, A. LOUIS  Measured and calculated acoustic attenuation rates of tuned resonator arrays for two surface impedance distribution models with flow
[NASA-TP-2766] p 67 N88-17440 ADAMS, MARY S. Fuselage design for a specified Mach-sliced area distribution
[NASA-TP-2975] p 16 N90-18385

ADAMS, WILLIAM M., JR.

Nonlinear programming extensions to rational function approximation methods for unsteady aerodynamic forces [NASA-TP-2776] p 15 N88-24623

[NASA-1P-2/76] p.15 N88-24623

ADELMAN, HOWARD M.
Sensitivity Analysis in Engineering
INASA-CP-24571 p.43 N87-18855

ADMIRE, J. R.
A transient response method for linear coupled substructures [NASA-TP-2926] p 23 N90-13444
AHMED, RAFIQ

Cyclic loads tests of carbon involute solid rocket motor outer boot ring segments [NASA-TP-2884] p 45 N89-16192 Loads analysis and testing of flight configuration solid

rocket motor outer boot ring segments [NASA-TP-3028] p 47 N90-25366 AIKIN, ARTHUR C. Polar Ozone Workshop, Abstracts INASA-CP-10014] p 51 N89-14503 ALBERTSON, CINDY W. Aerothermal evaluation of a soherically blunted body with a trapezoidal cross section in the Langley 8-foot high-temperature tunnel p 36 N87-18782 INASA-TP-26411 Fluctuating pressures measured beneath high-temperature, turbulent boundary layer on a flat plate at Mach number of 5 [NASA-TP-2947] o 67 N90-10680 ALFORD, WILLIAM L LANDSAT-4 and LANDSAT-5 multispectral scanner coherent noise characterization and removal INASA-TP-2595-PETT p 49 N89-12114 ALLEN JOHN E. JR. First International Conference on Laboratory Research for Planetary Atmospheres p 78 N90-26744 INASA-CP-30771 ALLISON, MICHAEL The Jovian Atmospheres (NASA-CP-2441) p 77 N87-17598 ALTHOFF, SUSAN L Effect of advanced rotorcraft airfoil sections on the hove performance of a small-scale rotor model INASA-TP-28321 p 10 N89-24264 ALTON, BRADLEY M.

Nimbus-7 ERB Solar Analysis Tape (ESAT) user's guide [NASA-RP-1211] p 79 N89-30151 ANDERSEN, CARL M.

Exploiting symmetries in the modeling and analysis of tires [NASA-TP-2649] p 13 N87-17690 ANDERSON, B. J.

Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585 ANDERSON, W. KYLE Three-dimensional multigrid algorithms for the flux-split

Euler equations
[NASA-TP-2829] p 65 N89-12316
ANDRO. MONTY

Satellite-matrix-switched, time-division-multiple-access network simulator [NASA-TP-2944] p 34 N90-11915 ANTONIEWICZ, ROBERT F.

User's manual for LINEAR, a FORTRAN program to derive linear aircraft models [NASA-TP-2768] p. 65 N88-21740 Derivation and definition of a linear aircraft model [NASA-RP-1207] p. 19 N89-15123 User's manual for interactive LINEAR: A FORTRAN

program to derive linear aircraft models
[NASA-TP-2835] p 65 N89-16437
APPLIN, ZACHARY T.

Low-speed aerodynamic characteristics of a twin-engine general aviation configuration with aft-fuselage-mounted pusher propellers [NASA-TP-2763] p 6 N87-29462

Experimental and theoretical aerodynamic characteristics of a high-lift semispan wing model (NASA-TP-2990)
The Landley 14- by 22-foot subsonic tunnel: Description.

flow characteristics, and guide for users [NASA-TP-3008] p 12 N90-27649 ARDANUY, PHILIP E.

The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 49 N88-20714

ARDIZZONE, JOSÉPH
Five year global dataset: NMC operational analyses (1978 to 1982)
[NASA-RP-1194] p.55 N87-29996

ARMSTRONG, ELIZABETH S.

Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p41 N88-18933 High-pressure calorimeter chamber tests for liquid oxygen/kerosene (LOX/RP-1) rocket combustion [NASA-TP-2862] p 27 N89-15979

Applications and requirements for real-time simulators in ground-test facilities INASA-TP-26721 p 64 N87-23202 ASAL KEISUKE Hot-jet simulation in cryogenic wind tunnels INASA-RP-12201 p 15 N89-23448 ATHAY G Theoretical Problems in High Resolution Solar Physics. p 79 N88-11609 INASA-CP-24831 ATWELL WILLIAM Improved model for solar cosmic ray exposure in manned Earth orbital flights INASA-TP-29871 p 80 N90-25031 AYDELOTT, JOHN C. Cryogenic Fluid Management Technology Workshop. e 1: Presentation material and discussion p 37 N88-15924 INASA-CP-100011

### В

BADI, DEBORAH

OEXP Analysis Tools Workshop
[NASA-CP-10013]

BADI, DEBORAH M.

Conceptual design of a synchronous Mars
telecommunications satellite

[NASA-TP-2942] p 78 N90-10814

BALCKBURN, LINDA B.

Effect of LID (Registered) processing on the microstructure and mechanical properties of Ti-6Al-4V and

Ti-6Al-2Sn-4Zr-2Mo titanium foil-gauge materials [NASA-TP-2677] p 30 N87-18644 BALDASARE, PAUL

BALDASARE, PAUL

Evaluation of two transport aircraft and several ground test vehicle friction measurements obtained for various runway surface types and conditions. A summary of test results from joint FAA/NASA Runway Friction Program [NASA-TP-2917]

p 16 N90-15902

BALDWIN, RICHARD S.
Space Electrochemical Research and Technology (SERT), 1989
[NASA-CP-3056] p 50 N90-20454

BALLARD, RODNEY W.
Proceedings of a conference on Cardiovascular
Bioinstrumentation
[NASA-CP-10022] p 59 N89-17997

BALLIN, MARK G.
Rotorcraft flight-propulsion control integration: An eclectic design concept

[NASA-TP-2815] p 19 N88-19475

BANGERT, LINDA S.

Effects of afterbody boattail design and empennage arrangement on aeropropulsive characteristics of a twin-engine fighter model at transonic speeds [NASA-TP-2704] p.4 N87-21873

Static internal performance of a nonaxisymmetric varied thrust reverser with flow splay capability

[NASA-TP-2933] p 10 N89-27634

BANKS, DANIEL W.

A review of technologies applicable to low-speed flight

of high-performance aircraft investigated in the Langley 14- x 22-foot subsonic tunnel [NASA-TP-2796] p 7 N88-20264

Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser

[NASA-TP-2834] p 8 N88-29752 BANKS, PETER M.

Solar-Terrestrial Science Strategy Workshop [NASA-CP-3048] p.73 N90-18329 BARE, E. ANN

Effect of a trade between boattail angle and wedge size on the performance of a nonaxisymmetric wedge nozzle [NASA-TP-2717] p.5 N87-23593
Static internal performance of a two-dimensional convergent-divergent nozzle with thrust vectoring [NASA-TP-2721] p.5 N87-24432

		DI LOUFORD CARV A
Multiaxis control power from thrust vectoring for a supersonic fighter aircraft model at Mach 0.20 to 2.47	BELTON, MICHAEL J. S. Time-Variable Phenomena in the Jovian System	BLACKFORD, GARY A.  Secondary electron emission characteristics of
[NASA-TP-2712] p 5 N87-24433	[NASA-SP-494] p 78 N89-28474	untreated and ion-textured titanium
BARGER, R. L.	BELVIN, W. KEITH	[NASA-TP-2902] p 30 N89-17650
Theory for computing the field scattered from a smooth	Modeling of joints for the dynamic analysis of truss	BLAIR, A. B., JR.
inflected surface	structures	Wind-tunnel investigation at supersonic speeds of a
[NASA-TP-2632] p 68 N87-13264	[NASA-TP-2661] p 43 N87-20567	remote-controlled canard missile with a free-rolling-tail
Some path-following techniques for solution of nonlinear	BERGEN, FRED D.	brake torque system [NASA-TP-2401] p 4 N87-17668
equations and comparison with parametric differentiation [NASA-TP-2654] p 64 N87-14054	Shape sensitivity analysis of wing static aeroelastic	BLAIR, ROBERT W., JR.
BARGER, RAYMOND L.	characteristics	Geomorphology from space: A global overview of
On minimizing the number of calculations in	[NASA-TP-2808] p 15 N88-22031	regional landforms
design-by-analysis codes	BERKE, LASZLO	[NASA-SP-486] p 47 N87-18139
[NASA-TP-2706] p 5 N87-23586	Integrated force method versus displacement method for finite element analysis	BLAND, SAMUEL R.
A simplified approach to axisymmetric dual-reflector	[NASA-TP-2937] p 47 N90-18081	Calculation of viscous effects on transonic flow for
antenna design	BERRIER, B. L.	oscillating airfoils and comparisons with experiment
[NASA-TP-2797] p 7 N88-16662	Effects of tail span and empennage arrangement on	[NASA-TP-2731] p 6 N87-27622
A performance index approach to aerodynamic design	drag of a typical single-engine fighter aft end	Transonic Unsteady Aerodynamics and Aeroelasticity 1987, part 1
with the use of analysis codes only [NASA-TP-2805] p 7 N88-18552	[NASA-TP-2352] p 3 N87-10838	[NASA-CP-3022-PT-1] p 9 N89-19234
Weak-wave analysis of shock interaction with a	Static internal performance of single-expansion-ramp	Transonic Unsteady Aerodynamics and Aeroelasticity
slipstream	nozzles with thrust-vectoring capability up to 60 deg	1987, part 2
[NASA-TP-2848] p 8 N89-10020	[NASA-TP-2364] p 3 N87-10839	[NASA-CP-3022-PT-2] p 9 N89-19247
A procedure for computing surface wave trajectories on	Effect of port corner geometry on the internal	BLECH, RICHARD A.
an inhomogeneous surface	performance of a rotating-vane-type thrust reverser	Applications and requirements for real-time simulators
[NASA-TP-2929] p 10 N89-26811	[NASA-TP-2624] p 3 N87-12541	in ground-test facilities
Fuselage design for a specified Mach-sliced area	BERRIER, BOBBY L	[NASA-TP-2672] p 64 N87-23202
distribution	Effects of the installation and operation of jet-exhaust	Parallel Gaussian elimination of a block tridiagonal matrix using multiple microcomputers
[NASA-TP-2975] p 16 N90-18385 BARKER, L. KEITH	yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane	[NASA-TP-2892] p 64 N89-17422
Optimized resolved rate control of	[NASA-TP-2769] p 6 N88-12455	BOCKELIE, MICHAEL J.
seven-degree-of-freedom Laboratory Telerobotic	Static performance of an axisymmetric nozzle with	A time-accurate adaptive grid method and the numerical
Manipulator (LTM) with application to three-dimensional	post-exit vanes for multiaxis thrust vectoring	simulation of a shock-vortex interaction
graphics simulation	[NASA-TP-2800] p 8 N88-20280	[NASA-TP-2998] p 61 N90-21524
[NASA-TP-2938] p 64 N90-10618	Static performance of nonaxisymmetric nozzles with yaw	BOGUE, RODNEY K.
BARRANGER, JOHN P.	thrust-vectoring vanes	Analog signal conditioning for flight-test
Low-cost FM oscillator for capacitance type of blade	[NASA-TP-2813] p 8 N88-21118	instrumentation
tip clearance measurement system	Internal performance of two nozzles utilizing gimbal	[NASA-RP-1159] p 17 N87-29533
[NASA-TP-2746] p 17 N87-24481	concepts for thrust vectoring	BOLDMAN, DONALD R.
BARRETT, RICHARD T. Fastener design manual	[NASA-TP-2991] p 11 N90-19200	Experimental evaluation of two turning vane designs for
(NASA-RP-1228) p 42 N90-18740	BESS, T. DALE	fan drive corner of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel
BARTH, J. M.	Atlas of wide-field-of-view outgoing longwave radiation	[NASA-TP-2646] p 21 N87-18576
Cosmic ray heavy ion LET mapping for aluminum, silicon,	derived from Nimbus 6 Earth radiation budget data set,	Detailed flow surveys of turning vanes designed for a
and tissue targets	July 1975 to June 1978 [NASA-RP-1185] p 55 N87-26489	0.1-scale model of NASA Lewis Research Center's
[NASA-RP-1180] p 79 N87-25984	• • • • • • • • • • • • • • • • • • • •	proposed altitude wind tunnel
BARTHELEMY, JEAN-FRANCOIS M.	Atlas of wide-field-of-view outgoing longwave radiation derived from Nimbus 7 Earth radiation budget data set -	[NASA-TP-2680] p 21 N87-20295
Shape sensitivity analysis of wing static aeroelastic	November 1978 to October 1985	Experimental evaluation of turning vane designs for
characteristics	[NASA-RP-1186] p 55 N88-10451	high-speed and coupled fan-drive corners of 0.1-scale
[NASA-TP-2808] p 15 N88-22031 Recent Advances in Multidisciplinary Analysis and	Atlas of albedo and absorbed solar radiation derived	model of NASA Lewis Research Center's proposed altitude
Optimization, part 1	from Nimbus 6 earth radiation budget data set, July 1975	wind tunnel
[NASA-CP-3031-PT-1] p 15 N89-25146	to May 1978	[NASA-TP-2681] p 21 N88-17686
Recent Advances in Multidisciplinary Analysis and	[NASA-RP-1230] p 57 N90-14741	BOOTH, EARL R., JR.
Optimization, part 2	Atlas of albedo and absorbed solar radiation derived	Measurement of velocity and vorticity fields in the wake
(NASA-CP-3031-PT-2) p 15 N89-25173	from Nimbus 7 Earth radiation budget data set, November	of an airfoil in periodic pitching motion [NASA-TP-2780] p 66 N88-13002
Recent Advances in Multidisciplinary Analysis and	1978 to October 1985	BORUCKI, WILLIAM J.
Optimization, part 3	[NASA-RP-1231] p 57 N90-17233	Second Workshop on Improvements to Photometry
[NASA-CP-3031-PT-3] p 15 N89-25201	BEZOS, GAUDY M.	[NASA-CP-10015] p 74 N89-13310
BARTHELME, NEAL The 1987 Get Away Special Experimenter's	Steady-state and transitional aerodynamic characteristics of a wing in simulated heavy rain	BOUSMAN, WILLIAM G.
Symposium	[NASA-TP-2932] p 10 N89-25951	Integrated Technology Rotor Methodology Assessment
[NASA-CP-2500] p 22 N88-17691	BHARTIA, P. K.	Workshop
BARTLETT, GLYNN R.	Nimbus 7 solar backscatter ultraviolet (SBUV) ozone	[NASA-CP-10007] p 2 N88-27148
Evaluation of installed performance of a	products user's guide	The effects of structural flap-lag and pitch-lag coupling
wing-tip-mounted pusher turboprop on a semispan wing	[NASA-RP-1234] p 53 N90-17227	on soft inplane hingeless rotor stability in hover
[NASA-TP-2739] p 14 N87-26041	BHATIA, K. G.	[NASA-TP-3002] p 12 N90-28503
BATTEN, CARMEN E. Closed-Cycle. Frequency-Stable CO2 Laser	Effects of winglet on transonic flutter characteristics of	BOWKER, DAVID E.
	a cantilevered twin-engine-transport wing model	Effects of aerosols and surface shadowing on bidirectional reflectance measurements of deserts
Technology [NASA-CP-2456] p 40 N87-20522	[NASA-TP-2627] p 43 N87-13789	[NASA-TP-2756] p 49 N87-28162
BATTERSON, JAMES G.	BIGGERS, SHERRILL B.	Earth Sciences Requirements for the Information
Analysis of flight data from a High-Incidence Research	A Protection And Detection Surface (PADS) for damage	Sciences Experiment System
Model by system identification methods	tolerance [NASA-TP-3011] p 29 N90-27788	[NASA-CP-3072] p 50 N90-27140
[NASA-TP-2940] p 20 N90-10074		BOWLES, ROLAND L.
BAVUSO, SALVATORE J.	BILSTEIN, ROGER E.	Wind Shear/Turbulence Inputs to Flight Simulation and
Applications of the hybrid automated reliability predictor:		
	Orders of magnitude: A history of the NACA and NASA, 1915-1990	Systems Certification
Revised edition	1915-1990	Systems Certification [NASA-CP-2474] p 1 N87-25267
[NASA-TP-2760-REV] p 63 N90-11454	1915-1990	[NASA-CP-2474] p.1 N87-25267 Airborne Wind Shear Detection and Warning Systems:
[NASA-TP-2760-REV] p 63 N90-11454 BEARD, K. V.	1915-1990 [NASA-SP-4406] p 81 N89-26805	[NASA-CP-2474] p 1 N87-25267 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists'
[NASA-TP-2760-REV] p 63 N90-11454  BEARD, K. V.  Development testing of large volume water sprays for	1915-1990 [NASA-SP-4406] p.81 N89-26805 BINDSCHADLER, ROBERT A. Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland	[NASA-CP-2474] p.1 N87-25267 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference
[NASA-TP-2760-REV] p 63 N90-11454 BEARD, K. V.	1915-1990 [NASA-SP-4406] p 81 N89-26805  BINDSCHADLER, ROBERT A. Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562	[NASA-CP-2474] p 1 N87-25267 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 12 N88-17616
[NASA-TP-2760-REV] p 63 N90-11454  BEARD, K. V.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585  BECKER, LAWRENCE E.	1915-1990  INASA-SP-4406] p 81 N89-26805  BINDSCHADLER, ROBERT A.  Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland  INASA-RP-1233-VOL-11 p 54 N90-20562  Satellite radar altimetry over ice. Volume 2: Users' guide	[NASA-CP-2474] p 1 N87-25267 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 12 N88-17616 BOWMAN, JAMES S., JR.
[NASA-TP-2760-REV] p 63 N90-11454  BEARD, K. V.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2807] p 24 N87-12585  BECKER, LAWRENCE E. Handling qualities of a wide-body transport airplane	1915-1990 [NASA-SP-4406] p 81 N89-26805  BINDSCHADLER, ROBERT A. Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat	[NASA-CP-2474] p.1 N87-25267 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p.12 N88-17616 BOWMAN, JAMES S., JR. Measurements of pressures on the tail and aft fuselage
[NASA-TP-2760-REV] p 63 N90-11454  BEARD, K. V.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2807] p 24 N87-12585  BECKER, LAWRENCE E.  Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed	1915-1990 [NASA-SP-4406]  BINDSCHADLER, ROBERT A.  Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1]  Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2]  p 54  N90-20563	[NASA-CP-2474] p. 1 N87-25267 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p. 12 N88-17616 BOWMAN, JAMES S., JR. Measurements of pressures on the tail and aft fuselage of an airplane model during rotary motions at spin
[NASA-TP-2760-REV] p 63 N90-11454 BEARD, K. V.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585 BECKER, LAWRENCE E.  Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application	1915-1990 [NASA-SP-4406] p 81 N89-26805  BINDSCHADLER, ROBERT A.  Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562  Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563  Satellite radar altimetry over ice. Volume 4: Users' guide	[NASA-CP-2474] p 1 N87-25267 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 12 N88-17616 BOWMAN, JAMES S., JR.  Measurements of pressures on the tail and aft fuselage of an airplane model during rotary motions at spin attitudes
[NASA-TP-2760-REV] p 63 N90-11454  BEARD, K. V. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585  BECKER, LAWRENCE E. Handling qualities of a wide-body transport airplane utilizing Prich Active Control Systems (PACS) for relaxed static stability application (NASA-TP-2482) p 19 N88-14987	1915-1990 [NASA-SP-4406] p 81 N89-26805  BINDSCHADLER, ROBERT A. Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563 Satellite radar altimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat	[NASA-CP-2474] p 1 N87-25267 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 12 N88-17616 BOWMAN, JAMES S., JR.  Measurements of pressures on the tail and aft fuselage of an airplane model during rotary motions at spin attitudes [NASA-TP-2939] p 10 N90-10829
[NASA-TP-2760-REV] p 63 N90-11454  BEARD, K. V.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2807] p 24 N87-12585  BECKER, LAWRENCE E.  Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application [NASA-TP-2482] p 19 N88-14987  BEDKE, JOHN	1915-1990 [NASA-SP-4406]  BINDSCHADLER, ROBERT A.  Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1]  Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2]  Satellite radar altimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4]  p 54  N90-20564	[NASA-CP-2474] p 1 N87-25267 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 12 N88-17616 BOWMAN, JAMES S., JR.  Measurements of pressures on the tail and aft fuselage of an airplane model during rotary motions at spin attitudes
[NASA-TP-2760-REV] p 63 N90-11454 BEARD, K. V.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585 BECKER, LAWRENCE E.  Handling qualities of a wide-body transport airplane utilizing Prich Active Control Systems (PACS) for refaxed static stability application (NASA-TP-2482] p 19 N88-14987 BEDKE, JOHN  Attas of galaxies useful for measuring the cosmological	1915-1990 [NASA-SP-4406]  BINDSCHADLER, ROBERT A.  Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1]  p 54 N90-20562 Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2]  p 54 N90-20563 Satellite radar altimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4]  p 54 N90-20564 SeaRISE: A Multidisciplinary Research Initiative to	[NASA-CP-2474] p 1 N87-25267 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 12 N88-17616 BOWMAN, JAMES S., JR.  Measurements of pressures on the tail and aft fuselage of an airplane model during rotary motions at spin attitudes [NASA-TP-2939] p 10 N90-10829 BOYD, MARK  Applications of the hybrid automated reliability predictor: Revised edition
[NASA-TP-2760-REV] p 63 N90-11454  BEARD, K. V.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2807] p 24 N87-12585  BECKER, LAWRENCE E.  Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application [NASA-TP-2482] p 19 N88-14987  BEDKE, JOHN	1915-1990 [NASA-SP-4406]  BINDSCHADLER, ROBERT A.  Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1]  Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2]  Satellite radar altimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4]  p 54  N90-20564	[NASA-CP-2474] p. 1 N87-25267 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-1006] p. 12 N88-17616  BOWMAN, JAMES S., JR.  Measurements of pressures on the tail and aft fuselage of an airplane model during rotary motions at spin attitudes [NASA-TP-2939] p. 10 N90-10829  BOYD, MARK  Applications of the hybrid automated reliability predictor: Revised edition [NASA-TP-2760-REV] p. 63 N90-11454
[NASA-TP-2760-REV] p 63 N90-11454 BEARD, K. V. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585 BECKER, LAWRENCE E. Handling qualities of a wide-body transport airplane utilizing Prich Active Control Systems (PACS) for relaxed static stability application (NASA-TP-2482] p 19 N88-14987 BEDKE, JOHN Attas of galaxies useful for measuring the cosmological distance scale	1915-1990 [NASA-SP-4406] p 81 N89-26805  BINDSCHADLER, ROBERT A.  Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562  Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563  Satellite radar altimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4] p 54 N90-20564  SeaRISE: A Multidisciplinary Research Initiative to Predict Rapid Changes in Global Sea Level Caused by Collapse of Marine Ice Sheets [NASA-CP-3075] p 48 N90-22824	[NASA-CP-2474] p. 1 N87-25267 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p. 12 N88-17616 BOWMAN, JAMES S., JR. Measurements of pressures on the tail and aft fuselage of an airplane model during rotary motions at spin attitudes [NASA-TP-2939] p. 10 N90-10829 BOYD, MARK Applications of the hybrid automated reliability predictor: Revised edition [NASA-TP-2760-REV] p. 63 N90-11454 BRACALENTE, E. M.
[NASA-TP-2760-REV] p 63 N90-11454 BEARD, K. V. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585 BECKER, LAWRENCE E. Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application (NASA-TP-2482] p 19 N88-14987 BEDKE, JOHN Attas of galaxies useful for measuring the cosmological distance scale [NASA-SP-496] p 74 N89-12513 BEICHMAN, C. A. Infrared astronomical satellite (IRAS) catalogs and	1915-1990 [NASA-SP-4406]  BINDSCHADLER, ROBERT A.  Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1]  Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2]  Satellite radar altimetry over ice. Volume 2: Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4]  Sea RISE: A Multidisciplinary Research initiative to Predict Rapid Changes in Global Sea Level Caused by Collapse of Marine Ice Sheets [NASA-CP-3075]  P 8 N90-22824 Surface topography of the Greenland Ice Sheet from	[NASA-CP-2474] p 1 N87-25267 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 12 N88-17616 BOWMAN, JAMES S., JR.  Measurements of pressures on the tail and att fuselage of an airplane model during rotary motions at spin attitudes [NASA-TP-2939] p 10 N90-10829 BOYD, MARK Applications of the hybrid automated reliability predictor: Revised edition [NASA-TP-2760-REV] p 63 N90-11454 BRACALENTE, E. M. Wind shear detection. Forward-looking sensor
[NASA-TP-2760-REV] p 63 N90-11454 BEARD, K. V. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2807] p 24 N87-12585 BECKER, LAWRENCE E. Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application (NASA-TP-2482] p 19 N88-14987 BEDKE, JOHN Atlas of galaxies useful for measuring the cosmological distance scale [NASA-SP-496] p 74 N89-12513 BEICHMAN, C. A.	1915-1990 [NASA-SP-4406] p 81 N89-26805  BINDSCHADLER, ROBERT A.  Satellite radar altimetry over ice. Volume 1: Processing and corrections of Seasat data over Greenland [NASA-RP-1233-VOL-1] p 54 N90-20562  Satellite radar altimetry over ice. Volume 2: Users' guide for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563  Satellite radar altimetry over ice. Volume 4: Users' guide for Antarctica elevation data from Seasat [NASA-RP-1233-VOL-4] p 54 N90-20564  SeaRISE: A Multidisciplinary Research Initiative to Predict Rapid Changes in Global Sea Level Caused by Collapse of Marine Ice Sheets [NASA-CP-3075] p 48 N90-22824	[NASA-CP-2474] p. 1 N87-25267 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p. 12 N88-17616 BOWMAN, JAMES S., JR. Measurements of pressures on the tail and aft fuselage of an airplane model during rotary motions at spin attitudes [NASA-TP-2939] p. 10 N90-10829 BOYD, MARK Applications of the hybrid automated reliability predictor: Revised edition [NASA-TP-2760-REV] p. 63 N90-11454 BRACALENTE, E. M.

BRANDON, JAY M.
Piloted-simulation study of effects of vortex flaps on
low-speed handling qualities of a Delta-wing airptane
[NASA-TP-2747] p 19 N87-26922
BRANDT, JOHN C. Atlas of Comet Halley 1910 II
[NASA-SP-488] p 75 N87-30235
BRASLOW, ALBERT L.
Simulated-airline-service flight tests of laminar-flow
control with perforated-surface suction system
[NASA-TP-2966] p 16 N90-17627
BRAUN, ROBERT D.
The effect of interplanetary trajectory options on a
manned Mars aerobrake configuration
[NASA-TP-3019] p 24 N90-26036 BRENNER, ANITA C.
Satellite radar altimetry over ice. Volume 1: Processing
and corrections of Seasat data over Greenland
[NASA-RP-1233-VOL-1] p 54 N90-20562
Satellite radar altimetry over ice. Volume 2: Users' guide
for Greenland elevation data from Seasat
[NASA-RP-1233-VOL-2] p 54 N90-20563
Satellite radar altimetry over ice. Volume 4: Users' guide
for Antarctica elevation data from Seasat
[NASA-RP-1233-VOL-4] p 54 N90-20564
Surface topography of the Greenland Ice Sheet from satellite radar altimetry
[NASA-SP-503] p 54 N90-22850
BRESSETTE, WALTER E.
Calibration of the spin-scan ozone imager aboard the
dynamics Explorer 1 satellite
[NASA-TP-2723] p 55 N87-26491
BROOKS, CUYLER W., JR.
The NASA Langley Laminar-Flow-Control (LFC)
experiment on a swept, supercritical airfoil: Design
Overview
[NASA-TP-2809] p 8 N88-21117 BROOKS, DAVID R.
Summary of along-track data from the Earth radiation
budget satellite for several major desert regions
[NASA-RP-1197] p 56 N88-20772
Summary of along-track data from the earth radiation
budget satellite for several representative ocean regions
[NASA-RP-1206] p 56 N89-14634
BROOKS, THOMAS F.
BROOKS, THOMAS F. Helicopter main-rotor noise: Determination of source
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data
BROOKS, THOMAS F. Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825]  Airfoil self-noise and prediction
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907  Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  BROOM, BETH H.
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  BROOM, BETH H.  Liquid drop stability for protein crystal growth in
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907  Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727  BROWN, GERALD V.
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907  Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727  BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907  Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727  BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907  Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727  BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403 BROWN, P. W.
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403 BROWN, P. W.  Piloted simulation study of the effects of an automated
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403 BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403 BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843 BROWN, PHILIP W.
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403 BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843 BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403 BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843 BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403 BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843 BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data  [NASA-TP-2825] p 67 N88-26907  Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity  [NASA-TP-2724] p 58 N87-20727  BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors  [NASA-TP-3005] p 18 N90-23403  BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative  [NASA-TP-2633] p 3 N87-10843  BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane (NASA-TP-2747) p 19 N87-26922  Handling qualities of a wide-body transport airplane
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403 BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843 BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane utilizing Pitch Active Control Systems (PACS) for relaxed
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data  [NASA-TP-2825] p 67 N88-26907  Airfoil self-noise and prediction  [NASA-RP-1218] p 67 N89-25673  BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity  [NASA-TP-2724] p 58 N87-20727  BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors  [NASA-TP-3005] p 18 N90-23403  BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative  [NASA-TP-2633] p 3 N87-10843  BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane (NASA-TP-2747)  Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data  [NASA-TP-2825] p 67 N88-26907  Airfoil self-noise and prediction  [NASA-RP-1218] p 67 N89-25673  BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity  [NASA-TP-2724] p 58 N87-20727  BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors  [NASA-TP-3005] p 18 N90-23403  BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative  [NASA-TP-2633] p 3 N87-10843  BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane (NASA-TP-2747)  Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403 BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843 BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application [NASA-TP-2642] p 19 N88-14987
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403 BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843 BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application [NASA-TP-2692] p 19 N88-14987 BRUNO, LEONARD C.  NASA historical data book. Volume 1: NASA resources 1958-1968
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403 BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843 BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application [NASA-TP-2482] p 19 N88-14987 BRUNO, LEONARD C.  NASA historical data book. Volume 1: NASA resources 1958-1968 [NASA-SP-4012-VOL-1] p 80 N88-25428
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data  [NASA-TP-2825] p 67 N88-26907  Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727  BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403  BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843  BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922  Handling qualities of a wide-body transport airplane utilizing Prich Active Control Systems (PACS) for relaxed static stability application [NASA-TP-2482] p 19 N88-14987  BRUNO, LEONARD C.  NASA historical data book. Volume 1: NASA resources 1958-1968 [NASA-SP-4012-VOL-1] p 80 N88-25428
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403 BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843 BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane utilizing Ptich Active Control Systems (PACS) for relaxed static stability application [NASA-TP-2482] p 19 N88-14987 BRUNO, LEONARD C.  NASA historical data book. Volume 1: NASA resources 1958-1968 [NASA-SP-4012-VOL-1] p 80 N88-25428 BRUNTY, J. A.  A transient response method for linear coupled
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403 BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843 BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane (INASA-TP-2747] p 19 N87-26922 Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application [NASA-TP-2482] p 19 N88-14987 BRUNO, LEONARD C.  NASA historical data book. Volume 1: NASA resources 1956-1968 [NASA-SP-4012-VOL-1] p 80 N88-25428 BRUNTY, J. A.  A transient response method for linear coupled substructures
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data  [NASA-TP-2825] p 67 N88-26907  Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727  BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403  BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843  BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane (NASA-TP-2747) p 19 N87-26922  Handling qualities of a wide-body transport airplane utilizing Pritch Active Control Systems (PACS) for relaxed static stability application [NASA-TP-2482] p 19 N88-14987  BRUND, LEONARD C.  NASA historical data book. Volume 1: NASA resources 1958-1968 [NASA-SP-4012-VOL-1] p 80 N88-25428  BRUNTY, J. A.  A transient response method for linear coupled substructures [NASA-TP-2926] p 23 N90-13444
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403 BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843 BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Detta-wing airplane utilizing Ptich Active Control Systems (PACS) for relaxed static stability application [NASA-TP-2482] p 19 N88-14987 BRUNO, LEONARD C.  NASA historical data book. Volume 1: NASA resources 1958-1968 [NASA-SP-4012-VOL-1] p 80 N88-25428 BRUNTY, J. A.  A transient response method for linear coupled substructures [NASA-TP-2282] p 23 N90-13444 BRUTON, WILLIAM M.
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data  [NASA-TP-2825] p 67 N88-26907  Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673  BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727  BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403  BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843  BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane (NASA-TP-2747) p 19 N87-26922  Handling qualities of a wide-body transport airplane utilizing Pritch Active Control Systems (PACS) for relaxed static stability application [NASA-TP-2482] p 19 N88-14987  BRUND, LEONARD C.  NASA historical data book. Volume 1: NASA resources 1958-1968 [NASA-SP-4012-VOL-1] p 80 N88-25428  BRUNTY, J. A.  A transient response method for linear coupled substructures [NASA-TP-2926] p 23 N90-13444
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403 BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843 BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane (NASA-TP-2747] p 19 N87-26922 Handling qualities of a wide-body transport airplane utilizing Ptch Active Control Systems (PACS) for relaxed static stability application [NASA-TP-2482] p 19 N88-14987 BRUNO, LEONARD C.  NASA historical data book. Volume 1: NASA resources 1956-1968 [NASA-SP-4012-VOL-1] p 80 N88-25428 BRUNTY, J. A.  A transient response method for linear coupled substructures [NASA-TP-2926] p 23 N90-13444 BRUTON, WILLIAM M.  Advanced detection, isolation and accommodation of
BROOKS, THOMAS F.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p 67 N88-26907 Airfoil self-noise and prediction [NASA-RP-1218] p 67 N89-25673 BROOM, BETH H.  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724] p 58 N87-20727 BROWN, GERALD V.  Experimental evaluation of a tuned electromagnetic damper for vibration control of cryogenic turbopump rotors [NASA-TP-3005] p 18 N90-23403 BROWN, P. W.  Piloted simulation study of the effects of an automated trim system on flight characteristics of a light twin-engine airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843 BROWN, PHILIP W.  Piloted-simulation study of effects of vortex flaps on low-speed handling qualities of a Delta-wing airplane [NASA-TP-2747] p 19 N87-26922 Handling qualities of a wide-body transport airplane utilizing Prich Active Control Systems (PACS) for relaxed static stability application [NASA-TP-2482] p 19 N88-14987 BRUNO, LEONARD C.  NASA historical data book. Volume 1: NASA resources 1958-1968 [NASA-SP-4012-VOL-1] p 80 N88-25428 BRUNTY, J. A.  A transient response method for linear coupled substructures [NASA-TP-2926] p 23 N90-13444 BRUTON, WILLIAM M.  Advanced detection, isolation and accommodation of sensor failures: Real-time evaluation

and antiquelei

[NASA-TP-2741]

INASA-TP-28871

BUDINGER, JAMES M.

INASA-TP-29121

Kaon-nucleus scattering [NASA-TP-2920]

BRYNTRN: A baryon transport model

wave component evaluation

Digitally modulated bit error rate measurement system

p 68 N87-24977

p 80 N89-17562

p 80 N89-25103

p 23 N89-28545

methodology [NASA-TP-2806]

Satellite-matrix-switched, time-division-multiple-access network simulator [NASA-TP-2944] **BUGLIA, JAMES J.** Compilation of methods in orbital mechanics and solar aeometry (NASA-RP-1204) Effect of ephemeris errors on the accuracy of the computation of the tangent point altitude of a solar scanning ray as measured by the SAGE 1 and 2 instruments [NASA-TP-2866] **BURGESS, ERIC** Into the thermosphere: The atmosphere explorers [NASA-SP-490] BURKEN, JOHN J. Control surface spanwise placement in active flutter suppression systems [NASA-TP-2873] BURLEY, C. L. Power cepstrum technique with application to model helicopter acoustic data [NASA-TP-2586] BURLEY, J. R., II Effects of tail span and empennage arrangement on drag of a typical single-engine fighter aft end [NASA-TP-2352] BURLEY, JAMES R., II Effect of a trade between boattail angle and wedge size on the performance of a nonaxisymmetric wedge nozzle [NASA-TP-2717] Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] BURLEY, RICHARD R. Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel INASA-TP-26661 Experimental evaluation of blockage ratio and plenum evacuation system flow effects on pressure distribution for bodies of revolution in 0.1 scale model test section of NASA Lewis Research Center's proposed altitude wind [NASA-TP-2702] Experimental evaluation of honeycomb/screen configurations and short contraction section for NASA Lewis Research Center's altitude wind tunnel INASA-TP-2692] BURNS, JACK O. Future Astronomical Observatories on the Moon [NASA-CP-2489] A lunar far-side very low frequency array [NASA-CP-3039] BURNS, R. A. Development testing of large volume water sprays for rarm fog dispersal INASA-TP-26071 BURNS, ROWLAND E. Forbidden tangential orbit transfers between intersecting Keplerian orbits INASA-TP-30311 BUSH, HAROLD G. Lightweight structural design of a bolted case joint for the space shuttle solid rocket motor INASA-TP-28511 BUTLER, RICKY W. SURE reliability analysis: Program and mathematics [NASA-TP-2764] The Fault Tree Compiler (FTC): Program and mathematics [NASA-TP-2915] CALLAHAN, PAUL X. Cells in Space INASA-CP-100341 CAMP, DENNIS W. and Space Programs INASA-CP-24681

CAMPBELL, THOMAS G. Earth Science Geostationary Platform Technology p 24 N90-19249 p 34 N90-11915 INASA-CP-30401 CAMPBELL, WILLIAM A., JR. Outgassing data for selecting spacecraft materials p 28 N88-10117 INASA-RP-11241 p 52 N89-10420 CAMPBELL, WILLIAM J. Arctic Sea ice, 1973-1976: Satellite passive-microwave observations INASA-SP-4891 p 58 N87-24870 CANNING, THOMAS N. p 65 N89-16415 Galileo probe parachute test program: Wake properties of the Galileo probe at Mach numbers from 0.25 to 0.95 [NASA-RP-1130] p 37 N88-18884 p 52 N88-18084 CAPONE, F. J. Interference effects of thrust reversing on horizontal tail effectiveness of twin-engine fighter aircraft at Mach numbers from 0.15 to 0.90 p 45 N89-16196 [NASA-TP-2350] p 19 N87-10870 Effect of port corner geometry on the internal performance of a rotating-vane-type thrust reverser [NASA-TP-2624] p 3 N87-12541 p 66 N87-17479 CAPONE, FRANCIS J. Effects of empennage surface location on aerodynamic characteristics of a twin-engine afterbody model with p 3 N87-10838 nonaxisymmetric nozzles INASA-TP-23921 p 14 N87-17693 Multiaxis control power from thrust vectoring for a supersonic fighter aircraft model at Mach 0.20 to 2.47 p 5 N87-23593 [NASA-TP-2712] p 5 N87-24433 CAPRON, WILLIAM R. Simulation evaluation of TIMER, a time-based, terminal p 6 N88-10771 air traffic, flow-management concept p 13 N89-15901 INASA-TP-28701 Delivery performance of conventional aircraft by terminal-area, time-based air traffic control: A real-time simulation evaluation p 21 N87-17717 p 13 N90-18378 INASA-TP-29781 CARDEN, HUEY D. Evaluation of energy absorption of new concepts of aircraft composite subfloor intersections p 16 N90-26823 INASA-TP-29511 CAREK, GERALD A. Shot peening for Ti-6Al-4V alloy compressor blades [NASA-TP-2711] p 43 N87-20566 p 21 N87-22694 CARLBERG, INGRID A. Evaluation of a scale-model experiment to investigate p 21 N87-23662 long-range acoustic propagation [NASA-TP-2748] p 66 N88-11450 CARLSON, HARRY W. p 74 N89-15810 Applicability of linearized-theory attached-flow methods to design and analysis of flap systems at low speeds for p 75 N90 10805 thin swept wings with sharp leading edges p3 N87-15174 INASA-TP-26531 Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance p 24 N87-12585 of simple hinged-flap systems for thin swept wings p 8 N89-10024 INASA-TP-28281 Validation of a computer code for analysis of subsonic aerodynamic performance of wings with flaps in p 23 N90-26028 combination with a canard or horizontal tail and an application to optimization INASA-TP-2961 p 11 N90-14187 CARLSON, JOHN R. p 25 N89-12580 An experimental investigation of an advanced turboprop installation on a swept wing at subsonic and transonic [NASA-TP-2729] p 65 N88-17380 p 6 N87-26883 Integration effects of pylon geometry on a high-wing transport airplane p 64 N89-24815 INASA-TP-28771 p 9 N89-15888 CARSON, GEORGE T., JR. Effects of empennage surface location on aerodynamic characteristics of a twin-engine afterbody model with nonaxisymmetric nozzles p 14 N87-17693 INASA-TP-2392]

Effect of a trade between boattail angle and wedge size p 61 N90-13939 on the performance of a nonaxisymmetric wedge nozzle [NASA-TP-2717] p 5 N87-23593 Atmospheric Turbulence Relative to Aviation, Missile, Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 p 55 N87-22341 (NASA-TP-28141 p.8 N88-23757 Meteorological and Environmental Inputs to Aviation Effect of tail size reductions on longitudinal aerodynamic characteristics of a three surface F-15 model with [NASA-CP-2498] p 56 N88-25105 nonaxisymmetric nozzles CAMPBELL, BRYAN A. INASA-TP-30361 p 11 N90-25938 and transitional Steady-state aerodynamic CASTELLI, A. characteristics of a wing in simulated heavy rain The MSFC/UAH Data Management Symposium INASA-TP-29321 p 10 N89-25951 INASA-CP-20401 p 62 N78-74659 CAMPBELL, RICHARD L. CAVALIERI, DONALD J. Arctic Sea ice, 1973-1976: Satellite passive-microwave A transonic-small-disturbance

observations NASA-SP-4891

wing

design

p 7 N88-17614

p 58 N87-24870

CAZIER, F. W., JR.	COE, PAUL L., JR.	CU, C. C.
Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface	Low-speed wind-tunnel investigation of the flight	User's guide for the Nimbus 7 Scanning Multichannel
oscillations	dynamic characteristics of an advanced turboprop business/commuter aircraft configuration	Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p 56 N89-14648
[NASA-TP-2594] p 8 N88-28895	[NASA-TP-2982] p 20 N90-19239	CUCINOTTA, FRANCIS A.
CEBULA, RICHARD P.	COHEN, MARC M.	Doubly differential cross sections for galactic heavy-ion
Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral	Space Station Human Factors Research Review.	fragmentation
scan solar irradiance and Earth radiance product user's quide	Volume 3: Space Station Habitability and Function: Architectural Research	[NASA-TP-2659] p 68 N87-17487 Eikonal solutions to optical model coupled-channel
[NASA-RP-1199] p 48 N88-17096	[NASA-CP-2426-VOL-3] p 59 N88-19883	equations
Nimbus 7 solar backscatter ultraviolet (SBUV) ozone	Space Station Human Factors Research Review.	[NASA-TP-2830] p 68 N88-30402
products user's guide	Volume 1: EVA Research and Development	A general formalism for phase space calculations
[NASA-RP-1234] p 53 N90-17227	[NASA-CP-2426-VOL-1] p 59 N88-24145 Space Station Human Factors Research Review.	[NASA-TP-2843] p 66 N89-14053
CHANG, I. C. Transonic flow analysis for rotors. Part 2:	Volume 4: Inhouse Advanced Development and	BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562
Three-dimensional, unsteady, full-potential calculation	Research	Improved model for solar cosmic ray exposure in manned
[NASA-TP-2375-PT-2] p 3 N87-10841	[NASA-CP-2426-VOL-4] p 59 N88-24148	Earth orbital flights
CHANG, S. C.	COKELEY, R.	[NASA-TP-2987] p 80 N90-25031
Solution of elliptic partial differential equations by fast	Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed	Comparison of dose estimates using the buildup-factor
Poisson solvers using a local relaxation factor. 2: Two-step method	static stability application	method and a Baryon transport code (BRYNTRN) with
[NASA-TP-2530] p 64 N87-14918	[NASA-TP-2482] p 19 N88-14987	Monte Carlo results (NASA-TP-3021) p 80 N90-29290
CHANG, SHERWOOD	COLLINS, WILLIAM D.  Absorbed dose thresholds and absorbed dose rate	CUNNINGHAM, HERBERT J.
Carbon in the Galaxy: Studies from Earth and Space	limitations for studies of electron radiation effects on	Steady and unsteady aerodynamic forces from the
[NASA-CP-3061] p 73 N90-27562	polyetherimides	SOUSSA surface-panel method for a fighter wing with tip
CHEESEMAN, PETER	[NASA-TP-2928] p 31 N89-25332	missile and comparison with experiment and PANAIR
Automatic classification of spectra from the Infrared Astronomical Satellite (IRAS)	COMISO, JOSEFINO C.	[NASA-TP-2736] p 5 N87-26032
[NASA-RP-1217] p 75 N90-10807	Arctic Sea ice, 1973-1976: Satellite passive-microwave observations	CURREN, ARTHUR N.  Performance of textured carbon on copper electrode
CHEGINI, HOSHANG	[NASA-SP-489] p 58 N87-24870	multistage depressed collectors with medium-power
A simplified method for determining heat of combustion	Polar microwave brightness temperatures from	traveling wave tubes
of natural gas	Nimbus-7 SMMR: Time series of daily and monthly maps	[NASA-TP-2665] p 34 N87-17990
[NASA-TP-2682] p 39 N87-20514	from 1978 to 1987	Secondary electron emission characteristics of
CHESTER, THOMAS J. Infrared astronomical satellite (IRAS) catalogs and	[NASA-RP-1223] p 48 N89-26275 COMPTON, WILLIAM DAVID	untreated and ion-textured titanium [NASA-TP-2902] p 30 N89-17650
atlases. Volume 1: Explanatory supplement	Where no man has gone before: A history of Apollo	Secondary electron emission characteristics of
[NASA-RP-1190-VOL-1] p 76 N89-14194	lunar exploration missions	molybdenum-masked, ion-textured OFHC copper
CHOY, FRED K.	[NASA-SP-4214] p 81 N89-25946	[NASA-TP-2967] p 31 N90-15211
Dynamic analysis of multimesh-gear helicopter	COMSTOCK, J. RAYMOND, JR.	CURRIER, S. F.
transmissions (NASA-TP-2789) p.41 N88-17045	Mental-State Estimation, 1987 [NASA-CP-2504] p 60 N88-23370	Pulse Code Modulation (PCM) encoder handbook for
CHU, JULIO	CONNOR, ANDREW B.	Aydin Vector MMP-600 series system [NASA-RP-1171] p 33 N87-11916
Pressure measurements on a thick cambered and	Correlation of helicopter impulsive noise from	CURRY, R. E.
twisted 58 deg delta wing at high subsonic speeds	blade-vortex interaction with rotor mean inflow	In-flight total forces, moments and static aeroelastic
(NASA-TP-2713) p 6 N87-27643	[NASA-TP-2650] p 66 N87-18399 CONTI, PETER S.	characteristics of an oblique-wing research airplane
CHU, W. P.	O stars and Wolf-Rayet stars	[NASA-TP-2224] p 19 N87-10103
SAM 2 data user's guide [NASA-RP-1200] p 52 N88-25094	[NASA-SP-497] p 74 N89-11657	Flight-determined aerodynamic derivatives of the AD-1
· · · · · · · · · · · · · · · · · · ·	COOK, GEORGE E.	oblique-wing research airplane [NASA-TP-2222] p 19 N87-10871
CHUN, SANG Y. BRYNTRN: A baryon transport model	A generalized method for automatic downhand and	
	wirefeed control of a welding robot and positioner	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 CICOLANI, L. S.		CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 CICOLANI, L. S. General equilibrium characteristics of a dual-lift	wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 CORALLO, GREGORY R. Electron stimulated desorption of atomic oxygen from	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research
BRYNTRN: A baryon transport model {NASA-TP-2887  p 80 N89-17562 CICOLANI, L. S. General equilibrium characteristics of a dual-lift helicopter system	wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 CORALLO, GREGORY R. Electron stimulated desorption of atomic oxygen from silver	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223] p 19 N87-18570
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 CICOLANI, L. S. General equilibrium characteristics of a dual-lift	wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R. Integrated tools for control-system analysis	wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 CORALLO, GREGORY R. Electron stimulated desorption of atomic oxygen from silver	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223] p 19 N87-18570
BRYNTRN: A baryon transport model {NASA-TP-2887} p 80 N89-17562  CICOLANI, L. S. General equilibrium characteristics of a dual-lift helicopter system {NASA-TP-2615} p 2 N88-19407  CLARK, DAVID R. Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309	wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223] p 19 N87-18570  D  DAHL, MILO D.
BRYNTRN: A baryon transport model {NASA-TP-2887  p 80 N89-17562}  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.	wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869 CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629 CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223] p 19 N87-18570  D  DAHL, MILO D. Comparison between design and installed acoustic
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of	wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel [NASA-TP-2666] p 21 N87-17717	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  D  DAHL, MILO D. Companison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb	wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869  CORALLO, GREGORY R. Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  CORBAN, ROBERT R. Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel [NASA-TP-2866] p 21 N87-17717  COULSON, KINSELL L.	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  D  D  DAHL, MILO D. Comparison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of	wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel [NASA-TP-2666] p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  D  D  DAHL, MILO D. Companson between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment
BRYNTRN: A baryon transport model [NASA-TP-2887] p80 N89-17562  CICOLANI, L. S. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p2 N88-19407  CLARK, DAVID R. Integrated tools for control-system analysis [NASA-TP-2885] p20 N89-19309  CLARK, R. K. Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p31 N90-10248  CLARK, RONALD K. Cuidation characteristics of Ti-14Al-21Nb ingot alloy	wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869  CORALLO, GREGORY R. Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  CORBAN, ROBERT R. Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel [NASA-TP-2666] p 21 N87-17717  COULSON, KINSELL L. Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189  COVELL, PETER F.	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  D  D  D  D  D  D  D  D  D  D  D  D  D
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, ROMALD K.  Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869 CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629 CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717 COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-CP-3014) p 72 N89-14189 COVELL, PETER F.  Investigation of leading-edge flap performance on delta	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  D  D  D  D  D  D  D  D  D  D  D  D  D
BRYNTRIN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K.  Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012]  CLEARWATER, YVONNE A.	wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869  CORALLO, GREGORY R. Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  CORBAN, ROBERT R. Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel [NASA-TP-2666] p 21 N87-17717  COULSON, KINSELL L. Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189  COVELL, PETER F.	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  D  D  D  D  D  D  D  D  D  D  D  D  D
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R. Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K. Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K. Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206  CLEARWATER, YVONNE A. Space Station Human Factors Research Review.	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-CP-3014) p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233  Effects of winglets on a first-generation jet transport	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  D  DAHL, MILO D. Comparison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2986]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K.  Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012]  CLEARWATER, YVONNE A.  Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-CP-3014) p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233  Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  DAHL, MILO D. Companson between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2986]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K.  Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206  CLEARWATER, YVONNE A.  Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and	wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel [NASA-TP-2666] p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233  Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223] p 19 N87-18570  DAHL, MILO D. Companison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2996] p 22 N90-19242 DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] p 30 N89-19406 DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R. Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K. Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K. Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206  CLEARWATER, VYONNE A. Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148  CLEGG, P. E.	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869 CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629 CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717 COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-CP-3014) p 72 N89-14189 COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) P 4 N87-20233 Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model (NASA-TP-2619) P 7 N88-18567	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  D  DAHL, MILO D. Companison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2996]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715]  p 30 N87-21076
BRYNTRN: A baryon transport model [NASA-TP-2887] p80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p31 N90-10248  CLARK, RONALD K.  Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p31 N90-25206  CLEARWATER, YVONNE A.  Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p59 N88-24148  CLEGG, P. E.  Infrared astronomical satellite (IRAS) catalogs and	wirefeed control of a welding robot and positioner [NASA-TP-2807] p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver [NASA-TP-2668] p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel [NASA-TP-2666] p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light [NASA-CP-3014] p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233  Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  D  DAHL, MILO D. Comparison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2996]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715]  p 30 N87-21076 Hydrogen trapping and the interaction of hydrogen with
BRYNTRI: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K.  Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206  CLEARWATER, YVONNE A.  Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148  CLEGG, P. E.  Infrared astronomical satellite (IRAS) catalogs and atlases. Volume 1: Explanatory supplement	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869 CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629 CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717 COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-CP-3014) p 72 N89-14189 COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233 Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model (NASA-TP-2619) p 7 N88-18567 COY, JOHN J.  Vibration characteristics of OH-58A helicopter main rotor transmission	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  D  DAHL, MILO D. Companison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2996]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715]  p 30 N87-21076
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K.  Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206  CLEARWATER, YVONNE A.  Space Station Human Factors Research Review. Votume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148  CLEGG, P. E.  Infrared astronomical satellite (IRAS) catalogs and atlasses. Volume 1: Explanatory supplement [NASA-RP-1190-VOL-1] p 76 N89-14194	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-TP-2666) p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233  Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model (NASA-TP-2619) p 7 N88-18567  COY, JOHN J.  Vibration characteristics of OH-58A helicopter main rotor transmission (NASA-TP-2705) p 41 N87-20555	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  DAHL, MILO D. Companison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2965]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715]  Hydrogen trapping and the interaction of hydrogen with metals
BRYNTRI: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K.  Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206  CLEARWATER, YVONNE A.  Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148  CLEGG, P. E.  Infrared astronomical satellite (IRAS) catalogs and atlases. Volume 1: Explanatory supplement	wirefeed control of a welding robot and positioner (NASA-TP-2007) p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA-Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-CP-3014) p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233  Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model (NASA-TP-2619) p 7 N88-18567  COY, JOHN J.  Vibration characteristics of OH-58A helicopter main rotor transmission (NASA-TP-2705) p 41 N87-20555  CRAM, LAWRENCE E.	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  DAHL, MILO D. Companson between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2996]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715]  P 30 N87-21076 Hydrogen trapping and the interaction of hydrogen with metals [NASA-TP-2744]  DANIEL, RON Liquid drop stability for protein crystal growth in
BRYNTRI: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K.  Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206  CLEARWATER, YVONNE A.  Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148  CLEGG, P. E.  Infrared astronomical satellite (IRAS) catalogs and atlases. Volume 1: Explanatory supplement [NASA-RP-1190-VOL-1] p 76 N89-14194  CLEMMONS, JAMES I., JR.  Frequency domain laser velocimeter signal processor: A new signal processing scheme	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-TP-2666) p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233  Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model (NASA-TP-2619) p 7 N88-18567  COY, JOHN J.  Vibration characteristics of OH-58A helicopter main rotor transmission (NASA-TP-2705) p 41 N87-20555	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  DAHL, MILO D. Companison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2996] DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820] DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715] Hydrogen trapping and the interaction of hydrogen with metals [NASA-TP-2744] DANIEL, RON Liquid drop stability for protein crystal growth in microgravity
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R. Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K. Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K. Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206  CLEARWATER, YVONNE A. Space Station Human Factors Research Review. Votume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148  CLEGG, P. E. Infrared astronomical satellite (IRAS) catalogs and atlasses. Volume 1: Explanatory supplement [NASA-RP-1190-VOL-1] p 76 N89-14194  CLEMMONS, JAMES I., JR. Frequency domain laser velocimeter signal processor: A new signal processing scheme [NASA-TP-2735] p 40 N87-27994	wirefeed control of a welding robot and positioner (NASA-TP-2007) p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-CP-3014) p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233  Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model (NASA-TP-2619) p 7 N88-18567  COY, JOHN J.  Vibration characteristics of OH-58A helicopter main rotor transmission (NASA-TP-2705) p 41 N87-20555  CRAM, LAWRENCE E.  FGK stars and T Tauri stars: Monograph series on onthermal phenomena in stellar atmospheres (NASA-SP-502) p 77 N90-18344	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  DAHL, MILO D. Companison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2996]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715]  Hydrogen trapping and the interaction of hydrogen with metals [NASA-TP-2744]  DANIEL, RON Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724]  P 58 N87-20727
BRYNTRN: A baryon transport model [NASA-TP-2887] p80 N89-17562  CICOLANI, L. S. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p2 N88-19407  CLARK, DAVID R. Integrated tools for control-system analysis [NASA-TP-2885] p20 N89-19309  CLARK, R. K. Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p31 N90-10248  CLARK, RONALD K. Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p31 N90-25206  CLEARWATER, YVONNE A. Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p59 N88-24148  CLEGG, P. E. Infrared astronomical satellite (IRAS) catalogs and attases. Volume 1: Explanatory supplement [NASA-RP-1190-VOL-1] p76 N89-14194  CLEMMONS, JAMES I., JR. Frequency domain laser velocimeter signal processor: A new signal processing scheme [NASA-TP-2735] p40 N87-27994  CLINE, THOMAS L.	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-CP-3014) p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233  Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model (NASA-TP-2619) p 7 N88-18567  COY, JOHN J.  Vibration characteristics of OH-58A helicopter main rotor transmission (NASA-TP-2705) p 41 N87-20555  CRAM, LAWRENCE E.  FGK stars and T Tauri stars: Monograph series on nonthermal phenomena in stellar atmospheres (NASA-SP-502) p 77 N90-18344  CREDEUR, LEONARD	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  DAHL, MILO D. Companson between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2996]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715]  Hydrogen trapping and the interaction of hydrogen with metals [NASA-TP-2744]  DANIEL, RON  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724]  DARDEN, CHRISTINE M. Applicability of linearized-theory attached-flow methods
BRYNTRI: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K.  Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012]  CLARK, RONALD K.  Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148  CLEGG, P. E.  Infrared astronomical satellite (IRAS) catalogs and attases. Volume 1: Explanatory supplement [NASA-RP-1190-VOL-1] p 76 N89-14194  CLEMMONS, JAMES I., JR.  Frequency domain laser velocimeter signal processor: A new signal processing scheme [NASA TP-2735] p 40 N87-27994  CLINE, THOMAS L. Essays in Space Science	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-CP-3014) p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233  Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model (NASA-TP-2619)  COY, JOHN J.  Vibration characteristics of OH-58A helicopter main rotor transmission (NASA-TP-2705) p 41 N87-20555  CRAM, LAWRENCE E.  FGK stars and T Tauri stars: Monograph series on nonthermal phenomena in stellar atmospheres (NASA-SP-502) p 77 N90-18344  CREDEUR, LEONARD  Simulation evaluation of TIMER, a time-based, terminal	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  D  DAHL, MILO D. Companison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2996]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715]  Hydrogen trapping and the interaction of hydrogen with metals [NASA-TP-2744]  DANIEL, RON Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724]  DARDEN, CHRISTINE M. Applicability of linearized-theory attached-flow methods to design and analysis of flap systems at low speeds for
BRYNTRI: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K.  Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206  CLEARWATER, YVONNE A.  Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148  CLEGG, P. E.  Infrared astronomical satellite (IRAS) catalogs and atlases. Volume 1: Explanatory supplement [NASA-RP-1190-VOL-1] p 76 N89-14194  CLEMMONS, JAMES I., JR.  Frequency domain laser velocimeter signal processor: A new signal processing scheme [NASA-TP-2735] p 40 N87-27994  CLIRE, THOMAS L.  Essays in Space Science [NASA-CP-2464] p 72 N87-24247	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-CP-3014) p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233  Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model (NASA-TP-2619) p 7 N88-18567  COY, JOHN J.  Vibration characteristics of OH-58A helicopter main rotor transmission (NASA-TP-2705) p 41 N87-20555  CRAM, LAWRENCE E.  FGK stars and T Tauri stars: Monograph series on nonthermal phenomena in stellar atmospheres (NASA-SP-502) p 77 N90-18344  CREDEUR, LEONARD	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  DAHL, MILO D. Companson between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2996]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715]  P 30 N87-21076 Hydrogen trapping and the interaction of hydrogen with metals [NASA-TP-2744]  DANIEL, RON Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724]  DANDEN, CHRISTINE M. Applicability of linearized-theory attached-flow methods to design and analysis of flap systems at low speeds for thin swept wings with sharp leading edges
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R. Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K. Emittance, catalysis, and dynamic oxidation of Ti-14AI-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K. Oxidation characteristics of Ti-14AI-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206  CLEARWATER, YVONNE A. Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148  CLEGG, P. E. Infrared astronomical satellite (IRAS) catalogs and atlasses. Volume 1: Explanatory supplement [NASA-RP-1190-VOL-1] p 76 N89-14194  CLEMMONS, JAMES I., JR. Frequency domain laser velocimeter signal processor: A new signal processing scheme [NASA-TP-2735] p 40 N87-27994  CLINE, THOMAS L. Essays in Space Science [NASA-CP-2464] p 72 N87-24247  COE, H. H.	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-TP-2666) p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233  Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model (NASA-TP-2619) p 7 N88-18567  COY, JOHN J.  Vibration characteristics of OH-58A helicopter main rotor transmission  (NASA-TP-2705) p 41 N87-20555  CRAM, LAWRENCE E.  FGK stars and T Tauri stars: Monograph series on nonthermal phenomena in stellar atmospheres (NASA-SP-502) p 77 N90-18344  CREDEUR, LEONARD  Simulation evaluation of TIMER, a time-based, terminal air traffic, flow-management concept (NASA-TP-2870) p 13 N89-15901  Delivery performance of conventional aircraft by	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  DAHL, MILO D. Companison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2965]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715]  Hydrogen trapping and the interaction of hydrogen with metals [NASA-TP-2744]  DANIEL, RON Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724]  DANDEN, CHRISTINE M. Applicability of linearized-theory attached-flow methods to design and analysis of flap systems at low speeds for thin swept wings with sharp leading edges [NASA-TP-2653]  p 19 N87-15174
BRYNTRI: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K.  Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206  CLEARWATER, YVONNE A.  Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148  CLEGG, P. E.  Infrared astronomical satellite (IRAS) catalogs and atlases. Volume 1: Explanatory supplement [NASA-RP-1190-VOL-1] p 76 N89-14194  CLEMMONS, JAMES I., JR.  Frequency domain laser velocimeter signal processor: A new signal processing scheme [NASA-TP-2735] p 40 N87-27994  CLIRE, THOMAS L.  Essays in Space Science [NASA-CP-2464] p 72 N87-24247	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-CP-3014) p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233  Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model (NASA-TP-2619) p 7 N88-18567  COY, JOHN J.  Vibration characteristics of OH-58A helicopter main rotor transmission (NASA-TP-2705) p 41 N87-20555  CRAM, LAWRENCE E.  FGK stars and T Tauri stars: Monograph series on nonthermal phenomena in stellar atmospheres (NASA-SP-502) p 77 N90-18344  CREDEUR, LEONARD  Simulation evaluation of TIMER, a time-based, terminal air traffic, flow-management concept (NASA-TP-2870) p 13 N89-15901  Delivery performance of conventional aircraft by terminal-area, time-based air traffic control: A real-time	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  DAHL, MILO D. Companison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2996]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715]  Hydrogen trapping and the interaction of hydrogen with metals [NASA-TP-2744]  DANIEL, RON Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724]  DARDEN, CHRISTINE M. Applicability of linearized-theory attached-flow methods to design and analysis of flap systems at low speeds for thin swept wings with sharp leading edges [NASA-TP-25172]  Validation of a pair of computer codes for estimation
BRYNTRN: A baryon transport model [NASA-TP-2887] p80 N89-17562  CICOLANI, L. S. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p2 N88-19407  CLARK, DAVID R. Integrated tools for control-system analysis [NASA-TP-2885] p20 N89-19309  CLARK, R. K. Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p31 N90-10248  CLARK, RONALD K. Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p31 N90-25206  CLARK, RONALD K. Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p59 N88-24148  CLEGG, P. E. Infrared astronomical satellite (IRAS) catalogs and attases. Volume 1: Explanatory supplement [NASA-RP-1190-VOL-1] p76 N89-14194  CLEMMONS, JAMES I., JR. Frequency domain laser velocimeter signal processor: A new signal processing scheme [NASA-TP-2735] p40 N87-27994  CLINE, THOMAS L. Essays in Space Science [NASA-CP-2464] p72 N87-24247  COE, H. H. Testing of UH-60A helicopter transmission in NASA	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-CP-3014) p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233  Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model (NASA-TP-2619) p 7 N88-18567  COY, JOHN J.  Vibration characteristics of OH-58A helicopter main rotor transmission (NASA-TP-2705) p 41 N87-20555  CRAM, LAWRENCE E.  FGK stars and T Tauri stars: Monograph series on nonthermal phenomena in stellar atmospheres (NASA-TP-2870) p 77 N90-18344  CREDEUR, LEONARD  Simulation evaluation of TIMER, a time-based, terminal air traffic, flow-management concept (NASA-TP-2870) p 13 N89-15901  Delivery performance of conventional aircraft by terminal-area, time-based air traffic control: A real-time simulation evaluation	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  DAHL, MILO D. Companison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2965]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715]  Hydrogen trapping and the interaction of hydrogen with metals [NASA-TP-2744]  DANIEL, RON Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724]  DANDEN, CHRISTINE M. Applicability of linearized-theory attached-flow methods to design and analysis of flap systems at low speeds for thin swept wings with sharp leading edges [NASA-TP-2653]  p 19 N87-15174
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R. Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K. Emittance, catalysis, and dynamic oxidation of Ti-14AI-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K. Oxidation characteristics of Ti-14AI-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206  CLEARWATER, YVONNE A. Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148  CLEGG, P. E. Infrared astronomical satellite (IRAS) catalogs and atlases. Volume 1: Explanatory supplement [NASA-RP-1190-VOL-1] p 76 N89-14194  CLEMMONS, JAMES I., JR. Frequency domain laser velocimeter signal processor: A new signal processing scheme [NASA-TP-2735] p 40 N87-27994  CLINE, THOMAS L. Essays in Space Science [NASA-CP-2464] p 72 N87-24247  COE, H. H. Testing of UH-60A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility [NASA-TP-2626] p 41 N87-10391	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-CP-3014) p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233  Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model (NASA-TP-2619) p 7 N88-18567  COY, JOHN J.  Vibration characteristics of OH-58A helicopter main rotor transmission (NASA-TP-2705) p 41 N87-20555  CRAM, LAWRENCE E.  FGK stars and T Tauri stars: Monograph series on nonthermal phenomena in stellar atmospheres (NASA-SP-502) p 77 N90-18344  CREDEUR, LEONARD  Simulation evaluation of TIMER, a time-based, terminal air traffic, flow-management concept (NASA-TP-2870) p 13 N89-15901  Delivery performance of conventional aircraft by terminal-area, time-based air traffic control: A real-time	CURRY, ROBERT E.  Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  DAHL, MILO D.  Comparison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2996]  DANFORD, M. D.  An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D.  The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715]  Hydrogen trapping and the interaction of hydrogen with metals [NASA-TP-2744]  DANIEL, RON  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724]  DARDEN, CHRISTINE M.  Applicability of linearized-theory attached-flow methods to design and analysis of flap systems at low speeds for thin swept wings with sharp leading edges [NASA-TP-2653]  P 3 N87-15174  Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828]  P 8 N89-10024
BRYNTRIN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K.  Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206  CLEARWATER, YVONNE A.  Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148  CLEGG, P. E.  Infrared astronomical satellite (IRAS) catalogs and attases. Volume 1: Explanatory supplement [NASA-RP-1190-VOL-1] p 76 N89-14194  CLEMMONS, JAMES I., JR.  Frequency domain laser velocimeter signal processor: A new signal processing scheme [NASA-TP-2755] p 40 N87-27994  CLIME, THOMAS L.  Essays in Space Science [NASA-CP-2464] p 72 N87-24247  COE, H. H.  Testing of UH-60A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility [NASA-TP-2628] p 41 N87-10391  COE, MAROLD H.  Computer-aided design analysis of 57-mm,	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869 CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629 CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717 COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-CP-3014) p 72 N89-14189 COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233 Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model (NASA-TP-2619) p 7 N88-18567 COY, JOHN J.  Vibration characteristics of OH-58A helicopter main rotor transmission (NASA-TP-2705) p 41 N87-20555 CRAM, LAWRENCE E.  FGK stars and T Tauri stars: Monograph series on nonthermal phenomena in stellar atmospheres (NASA-SP-502) p 77 N90-18344 CREDEUR, LEONARD  Simulation evaluation of TIMER, a time-based, terminal air traffic, flow-management concept (NASA-TP-2870) p 13 N89-15901 Delivery performance of conventional aircraft by terminal-area, time-based air traffic control: A real-time simulation evaluation (NASA-TP-2878) p 13 N90-18378 CROSLEY, DAVID R.  Future directions for H sub x O sub y detection	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  DAHL, MILO D. Companson between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2996]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715]  P 30 N87-21076  Hydrogen trapping and the interaction of hydrogen with metals [NASA-TP-2744]  DANIEL, RON  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724]  DANDEN, CHRISTINE M. Applicability of linearized-theory attached-flow methods to design and analysis of flap systems at low speeds for thin swept wings with sharp leading edges [NASA-TP-2653]  Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828]  P 8 N89-10024
BRYNTRIN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K.  Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206  CLEARWATER, YVONNE A.  Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148  CLEGG, P. E.  Infrared astronomical satellite (IRAS) catalogs and atlases. Volume 1: Explanatory supplement [NASA-RP-1190-VOL-1] p 76 N89-14194  CLEMMONS, JAMES I., JR.  Frequency domain laser velocimeter signal processor: A new signal processing scheme [NASA-TP-2735] p 40 N87-27994  CLINE, THOMAS L.  Essays in Space Science [NASA-CP-2464] p 72 N87-24247  COE, H. H.  Testing of UH-60A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility [NASA-TP-2626] p 41 N87-10391  COE, MAROLD H.  Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-TP-2666) p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233  Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model (NASA-TP-2619) p 7 N88-18567  COY, JOHN J.  Vibration characteristics of OH-58A helicopter main rotor transmission  (NASA-TP-2705) p 41 N87-20555  CRAM, LAWRENCE E.  FGK stars and 7 Tauri stars: Monograph series on nonthermal phenomena in stellar atmospheres (NASA-SP-502) p 77 N90-18344  CREDEUR, LEONARD  Simulation evaluation of TIMER, a time-based, terminal air traffic, flow-management concept (NASA-TP-2870) p 13 N89-15901  Delivery performance of conventional aircraft by terminal-area, time-based air traffic control: A real-time simulation evaluation (NASA-TP-2978) p 13 N90-18378  CROSLEY, DAVID R.  Future directions for H sub x O sub y detection (NASA-CP-2448) p 51 N87-15528	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  DAHL, MILO D. Companson between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2996]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715]  P 30 N87-21076  Hydrogen trapping and the interaction of hydrogen with metals [NASA-TP-2744]  DANIEL, RON  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724]  DANDEN, CHRISTINE M. Applicability of linearized-theory attached-flow methods to design and analysis of flap systems at low speeds for thin swept wings with sharp leading edges [NASA-TP-2653]  Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828]  P 8 N89-10024  Status of sonic boom methodology and understanding NASA-CP-3027]
BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562 CICOLANI, L. S. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407 CLARK, DAVID R. Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309 CLARK, R. K. Emittance, catalysis, and dynamic oxidation of Ti-14AI-21Nb [NASA-TP-2955] p 31 N90-10248 CLARK, RONALD K. Oxidation characteristics of Ti-14AI-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206 CLEARWATER, YVONNE A. Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148 CLEGG, P. E. Infrared astronomical satellite (IRAS) catalogs and atlases. Volume 1: Explanatory supplement [NASA-RP-1190-VOL-1] p 76 N89-14194 CLEMMONS, JAMES I., JR. Frequency domain laser velocimeter signal processor: A new signal processing scheme [NASA-TP-2735] p 40 N87-27994 CLINE, THOMAS L. Essays in Space Science [NASA-CP-2464] p 72 N87-24247 COE, H. H. Testing of UH-60A helicopter transmission in NASA Lews 2240-kW (3000-hp) facility [NASA-TP-2626] p 41 N87-10391 COE, MAROLD H. Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings [NASA-TP-2616] p 41 N88-18933	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-TP-2666) p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233  Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model (NASA-TP-2619) p 7 N88-18567  COY, JOHN J.  Vibration characteristics of OH-58A helicopter main rotor transmission (NASA-TP-2705) p 41 N87-20555  CRAM, LAWRENCE E.  FGK stars and T Tauri stars: Monograph series on nonthermal phenomena in stellar atmospheres (NASA-SP-502) p 77 N90-18344  CREDEUR, LEONARD Simulation evaluation of TIMER, a time-based, terminal air traffic, flow-management concept (NASA-TP-2870) p 13 N89-15901  Delivery performance of conventional aircraft by terminal-area, time-based air traffic control: A real-time simulation evaluation (NASA-TP-2878) p 13 N90-18378  CROSLEY, DAVID R.  Future directions for H sub x O sub y detection (NASA-TP-2878) CROSLEY, DAVID R.	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  DAHL, MILO D. Comparison between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2965]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715]  Hydrogen trapping and the interaction of hydrogen with metals [NASA-TP-2741]  DANIEL, RON  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724]  DANDEN, CHRISTINE M. Applicability of linearized-theory attached-flow methods to design and analysis of flap systems at low speeds for thin swept wings with sharp leading edges [NASA-TP-2653]  Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828]  Pa N89-10024  Status of sonic boom methodology and understanding pa N89-23415  Effect of milling machine roughness and wing dihedral
BRYNTRIN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  CICOLANI, L. S.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  CLARK, DAVID R.  Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309  CLARK, R. K.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248  CLARK, RONALD K.  Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206  CLEARWATER, YVONNE A.  Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and Research [NASA-CP-2426-VOL-4] p 59 N88-24148  CLEGG, P. E.  Infrared astronomical satellite (IRAS) catalogs and atlases. Volume 1: Explanatory supplement [NASA-RP-1190-VOL-1] p 76 N89-14194  CLEMMONS, JAMES I., JR.  Frequency domain laser velocimeter signal processor: A new signal processing scheme [NASA-TP-2735] p 40 N87-27994  CLINE, THOMAS L.  Essays in Space Science [NASA-CP-2464] p 72 N87-24247  COE, H. H.  Testing of UH-60A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility [NASA-TP-2626] p 41 N87-10391  COE, MAROLD H.  Computer-aided design analysis of 57-mm, angular-contact, cryogenic turbopump bearings	wirefeed control of a welding robot and positioner (NASA-TP-2807) p 32 N88-17869  CORALLO, GREGORY R.  Electron stimulated desorption of atomic oxygen from silver (NASA-TP-2668) p 29 N87-18629  CORBAN, ROBERT R.  Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for NASA Lewis Research Center's altitude wind tunnel (NASA-TP-2666) p 21 N87-17717  COULSON, KINSELL L.  Remote Sensing in Polarized Light (NASA-TP-2666) p 72 N89-14189  COVELL, PETER F.  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds (NASA-TP-2656) p 4 N87-20233  Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model (NASA-TP-2619) p 7 N88-18567  COY, JOHN J.  Vibration characteristics of OH-58A helicopter main rotor transmission  (NASA-TP-2705) p 41 N87-20555  CRAM, LAWRENCE E.  FGK stars and 7 Tauri stars: Monograph series on nonthermal phenomena in stellar atmospheres (NASA-SP-502) p 77 N90-18344  CREDEUR, LEONARD  Simulation evaluation of TIMER, a time-based, terminal air traffic, flow-management concept (NASA-TP-2870) p 13 N89-15901  Delivery performance of conventional aircraft by terminal-area, time-based air traffic control: A real-time simulation evaluation (NASA-TP-2978) p 13 N90-18378  CROSLEY, DAVID R.  Future directions for H sub x O sub y detection (NASA-CP-2448) p 51 N87-15528	CURRY, ROBERT E. Flight characteristics of the AD-1 oblique-wing research aircraft [NASA-TP-2223]  DAHL, MILO D. Companson between design and installed acoustic characteristics of NASA Lewis 9- by 15-foot low-speed wind tunnel acoustic treatment [NASA-TP-2996]  DANFORD, M. D. An electrochemical study of corrosion protection by primer-topcoat systems on 4130 steel with ac impedance and dc methods [NASA-TP-2820]  DANFORD, MERLIN D. The corrosion mechanisms for primer coated 2219-T87 aluminum [NASA-TP-2715]  P 30 N87-21076  Hydrogen trapping and the interaction of hydrogen with metals [NASA-TP-2744]  DANIEL, RON  Liquid drop stability for protein crystal growth in microgravity [NASA-TP-2724]  DANDEN, CHRISTINE M. Applicability of linearized-theory attached-flow methods to design and analysis of flap systems at low speeds for thin swept wings with sharp leading edges [NASA-TP-2653]  Validation of a pair of computer codes for estimation and optimization of subsonic aerodynamic performance of simple hinged-flap systems for thin swept wings [NASA-TP-2828]  P 8 N89-10024  Status of sonic boom methodology and understanding NASA-CP-3027]

		,
Validation of a computer code for analysis of subsonic	DESHPANDE, SURESH M.	DUNHAM, DANA MORRIS
aerodynamic performance of wings with flaps in	A second-order accurate kinetic-theory-based method	Low-speed aerodynamic characteristics of a twin-engine
combination with a canard or horizontal tail and an	for inviscid compressible flows	general aviation configuration with aft-fuselage-mounted
application to optimization	[NASA-TP-2613] p 36 N87-18783	pusher propellers
[NASA-TP-2961] p t1 N90-14187	DEUTCHMAN, PHILIP A.	[NASA-TP-2763] p 6 N87-29462
DAUGHERTY, ROBERT H.	A general formalism for phase space calculations [NASA-TP-2843] p 66 N89-14053	DURBIN, P. A.
Measurements of flow rate and trajectory of aircraft tire-generated water spray	DEVOL, WILLIAM	Asymptotic analysis of corona discharge from thin electrodes
(NASA-TP-2718) p 14 N87-24458	Cryogenic Fluid Management Technology Workshop.	[NASA-TP-2645] p 68 N87-14998
Cornering characteristics of the main-gear tire of the	Volume 1: Presentation material and discussion	DURIC, NEBOJSA
space shuttle orbiter	[NASA-CP-10001] p 37 N88-15924	A lunar far-side very low frequency array
[NASA-TP-2790] p 14 N88-18583	DEYOUNG, RUSSELL J.	[NASA-CP-3039] p 75 N90-10805
DAVIDSON, M. R.	Second Beamed Space-Power Workshop	DWOYER, DOUGLAS L.
Auger electron intensity variations in oxygen-exposed	[NASA-CP-3037] p 27 N90-10140	Efficient solutions to the Euler equations for supersonic
large grain polycrystalline silver	DICARLO, DANIEL J.	flow with embedded subsonic regions
(NASA-TP-2930) p 67 N89-30022	Flight investigation of the effects of an outboard wing-leading-edge modification on stall/spin	(NASA-TP-2523) p 3 N87-15183
DAVIS, M. H.	characteristics of a low-wing, single-engine, T-tail light	
Upper and Middle Atmospheric Density Modeling	airplane	E
Requirements for Spacecraft Design and Operations	[NASA-TP-2691] p 14 N87-23614	-
[NASA-CP-2460] p 52 N87-20665 DAVIS, PAMELA A.	DIRUSSO, ELISEO	EARLS, MICHAEL R.
Langley Aircraft Landing Dynamics Facility	Experimental evaluation of a tuned electromagnetic	Flight control systems development and flight test
[NASA-RP-1189] p 21 N87-29544	damper for vibration control of cryogenic turbopump	experience with the HiMAT research vehicles
Static mechanical properties of 30 x 11.5 - 14.5, type	rotors [NASA-TP-3005] p.18 N90-23403	[NASA-TP-2822] p 20 N89-15929
8 aircraft tires of bias-ply and radial-belted design	DOIRON, SCOTT D.	EBIHARA, BEN
(NASA-TP-2810) p 15 N88-21157	The 1987 Airborne Antarctic Ozone Experiment: The	Design, fabrication, and performance of brazed, graphite electrode, multistage depressed collectors with 500-W.
DAVIS, RICHARD E.	Nimbus-7 TOMS data atlas	continuous wave, 4.8- to 9.6-GHz traveling-wave tubes
Effects of aerosols and surface shadowing on	[NASA-RP-1201] p 49 N88-20714	[NASA-TP-2904] p 35 N89-21171
bidirectional reflectance measurements of deserts	The 1989 Airborne Arctic Stratospheric Expedition	EBIHARA, BEN T.
[NASA-TP-2756] p 49 N87-28162	Nimbus-7 TOMS data atlas	Design, fabrication and performance of small, graphite
DAVIS, W. J.	[NASA-RP-1227] p 57 N89-27302	electrode, multistage depressed collectors with 200-W,
Handling qualities of a wide-body transport airplane	The 1988 Antarctic ozone monitoring Nimbus-7 TOMS data atlas	CW, 8- to 18-GHz traveling-wave tubes
utilizing Pitch Active Control Systems (PACS) for relaxed static stability application	[NASA-RP-1225] p 57 N89-28983	[NASA-TP-2693] p 35 N87-20474 Traveling-wave-tube efficiency improvement by a
[NASA-TP-2482] p 19 N88-14987	Nimbus-7 TOMS Antarctic ozone atlas: August through	low-cost technique for deposition of cart : on multistage
DAVIS, WANDA, L.	November, 1989	depressed collector
Exobiology and Future Mars Missions	[NASA-RP-1237] p 58 N90-23837	[NASA-TP-2719] p.35 N87-21239
[NASA-CP-10027] p 59 N89-26334	DOLLMAN, THOMAS	Performance of a small, graphite electrode, multistage
DEATON, JERRY W.	Second Conference on Artificial Intelligence for Space	depressed collector with a 500-W, continuous wave, 4.8-
The interlaminar fracture toughness of woven	Applications	to 9.6-GHz traveling wave tube
graphite/epoxy composites	[NASA-CP-3007] p 63 N88-29351	[NASA-TP-2788] p 35 N88-15146
[NASA-TP-2950] p 29 N90-10179	DOMINEK, A. K.	Performance of a multistage depressed collector with
DECKER, A. J.	Theory for computing the field scattered from a smooth inflected surface	machined titanium electrodes [NASA-TP-2891] p 35 N89-15337
Evaluation of diffuse-illumination holographic	[NASA-TP-2632] p 68 N87-13264	EDWARDS, THOMAS M.
cinematography in a flutter cascade	DONN, BERTRAM	Galileo probe parachute test program: Wake properties
[NASA-TP-2593] p 39 N87-13731	Atlas of Comet Halley 1910 II	of the Galileo probe at Mach numbers from 0.25 to 0.95
DECKER, RAND Miving and Demiving Brossesses in Multiphage Flower	[NASA-SP-488] p 75 N87-30235	[NASA-RP-1130] p 37 N88-18884
Mixing and Demixing Processes in Multiphase Flows With Application to Propulsion Systems	DORSEY, JOHN T.	EHERNBERGER, L. J.
[NASA-CP-3006] p 37 N89-11153	Lightweight structural design of a bolted case joint for	Qualitative evaluation of a flush air data system at
Constitutive Relationships and Models in Continuum	the space shuttle solid rocket motor	transonic speeds and high angles of attack
Theories of Multiphase Flows	(NASA-TP-2851) p 25 N89-12580	[NASA-TP-2716] p 14 N87-29497 EICHOLD, ALICE
[NASA-CP-3047] p 38 N90-10385	DOTSON, KELLY J.	Space Station Human Factors Research Review.
DECKERT, W. H.	Development of confidence limits by pivotal functions	Volume 3: Space Station Habitability and Function:
Powered-lift aircraft technology	for estimating software reliability [NASA-TP-2709] p 65 N87-23244	Architectural Research
(NASA-SP-501) p 15 N90-12589	Analysis and testing of the SURE program	[NASA-CP-2426-VOL-3] p 59 N88-19883
DEFREES, DOUG J.	[NASA-TP-2817] p 65 N88-22653	EISEMAN, PETER R.
Carbon in the Galaxy: Studies from Earth and Space	DOW, MARVIN B.	A time-accurate adaptive grid method and the numerical
[NASA-CP-3061] p 73 N90-27562 DEJARNETTE, FRED R.	The ACEE program and basic composites research at	simulation of a shock-vortex interaction
An approximate method for calculating	Langley Research Center (1975 to 1986): Summary and	[NASA-TP-2998] p 61 N90-21524 ELLIOTT, J. W.
three-dimensional inviscid hypersonic flow fields	bibliography	Advancing-side directivity and retreating-side
[NASA-TP-3018] p 39 N90-27066	[NASA-RP-1177] p 28 N87-29612	interactions of model rotor blade-vortex interaction noise
DELAAT, JOHN C.	Properties of two composite materials made of	[NASA-TP-2784] p 67 N88-22710
Advanced detection, isolation and accommodation of	toughened epoxy resin and high-strain graphite fiber	ELLIS, STEPHEN R.
sensor failures: Real-time evaluation	[NASA-TP-2826] p 28 N88-25480	Interactive orbital proximity operations planning
[NASA-TP-2740] p 19 N87-25331 Advanced detection, isolation, and accommodation of	DRACHMAN, RICHARD J.  Annihilation in Gases and Galavies	system [NASA-TP-2839] p 61 N89-18039
sensor failures in turbotan engines: Real-time	Annihilation in Gases and Galaxies [NASA-CP-3058] p 66 N90-18957	[NASA-TP-2839] p 61 N89-18039 Spatial Displays and Spatial Instruments
microcomputer implementation	DRESS, DAVID A.	(NASA-CP-10032) p 61 N90-22918
[NASA-TP-2925] p 20 N90-15112	Drag measurements on a laminar-flow body of revolution	ENGLAR, R. J.
DELNORE, V. E.	in the 13-inch magnetic suspension and balance system	Large-scale static investigation of
Doppler Radar Detection of Wind Shear	(NASA-TP-2895) p 9 N89-19232	circulation-control-wing concepts applied to upper
[NASA-CP-2435] p 12 N87-10054	DRIES, G. A.	surface-blowing aircraft
Wind shear detection. Forward-looking sensor	Effects of thermal cycling on graphie-fiber-reinforced	[NASA-TP-2684] p 13 N87-15959
technology [NASA-CP-10004] p 12 N88-14970	6061 aluminum	ENGLERT, GERALD W.
DENNIS, BRIAN R.	[NASA-TP-2612] p 28 N87-10184	Parametric study of power absorption from electromagnetic waves by small ferrite spheres
Rapid Fluctuations in Solar Flares	DUGAN, JOANNE BECHTA	[NASA-TP-2949] p 66 N90-12282
[NASA-CP-2449] p 79 N87-21785	Applications of the hybrid automated reliability predictor: Revised edition	EPPEL, J. C.
DENTON, JUDITH S.	[NASA-TP-2760-REV] p 63 N90-11454	Large-scale static investigation of
Third Conference on Artificial Intelligence for Space	DUKE, EUGENE L.	circulation-control-wing concepts applied to upper
Applications, part 1	Development and flight test of an experimental	surface-blowing aircraft
[NASA-CP-2492-Pt-1] p 62 N88-16360	maneuver autopilot for a highly maneuverable aircraft	[NASA-TP-2684] p 13 N87-15959
Third Conference on Artificial Intelligence for Space Applications, part 2	[NASA-TP-2618] p 15 N88-21153	ERICKSON, WAYRE D.  A rapid method for the computation of equilibrium
NASA-CP-2492-PT-2  p 63 N88-24188	User's manual for LINEAR, a FORTRAN program to	chemical composition of air to 15000 K
Fourth Conference on Artificial Intelligence for Space	derive linear aircraft models	[NASA-TP-2792] p 30 N88-16830
Applications	[NASA-TP-2768] p 65 N88-21740	Finite-rate water condensation in combustion-heated
[NASA-CP-3013] p 63 N89-15549	Derivation and definition of a linear aircraft model	wind tunnels
DESHPANDE, S. M.	[NASA-RP-1207] p 19 N89-15123	[NASA-TP-2833] p 22 N88-28075
On the Maxwellian distribution, symmetric form, and	User's manual for interactive LINEAR: A FORTRAN	ESPENAK, F.
entropy conservation for the Euler equations (NASA-TP-2583) p 35 N87-11963	program to derive linear aircraft models [NASA-TP-2835] p 65 N89-16437	Ten year planetary ephemeris: 1986-1995 (NASA-RP-1176) p 73 N87-14219
[140041 F 2004] P 33 1407-11903	1.00001 b op 14031	[1707-70 -1110] P.12 (407-14212)

•		Manager and Engineering Inputs to Autotion
ESPENAK, FRED	Nimbus-7 data product summary {NASA-RP-1215} p 48 N89-22152	Meteorological and Environmental Inputs to Aviation Systems
Fifty year canon of solar eclipses: 1986 - 2035 [NASA-RP-1178-REV] p 73 N87-25906	Nimbus 7 solar backscatter ultraviolet (SBUV) ozone	[NASA-CP-2498] p 56 N88-25105
Fifty year canon of lunar eclipses: 1986-2035	products user's guide	FUCHS, A.
[NASA-RP-1216] p 75 N90-18342 EZELL LINDA NEUMAN	[NASA-RP-1234] p 53 N90-17227	Flight Mechanics/Estimation Theory Symposium [NASA-CP-2002] p 22 N78-76855
NASA historical data book. Volume 2: Programs and	Propagation effects on satellite systems at frequencies	FUJIKAWA, GENE
projects 1958-1968	below 10 GHz: A handbook for satellite systems design	Bit-error-rate testing of high-power 30-GHz traveling
[NASA-SP-4012-VOL-2] p 80 N88-25429 NASA historical data book. Volume 3: Programs and	[NASA-RP-1108/2] p 34 N88-14226	wave tubes for ground-terminal applications [NASA-TP-2635] p 33 N87-17971
projects 1969-1978	FLOM, YURY AMSAHTS 1990: Advances in Materials Science and	FULLER, CHARLES A.
[NASA-SP-4012-VOL-3] p 81 N88-25430	Applications of High Temperature Superconductors	Proceedings of a conference on Cardiovascular
•	[NASA-CP-10043] p 29 N90-27792	Bioinstrumentation [NASA-CP-10022] p 59 N89-17997
F	FOGLEMAN, GUY Gas-Grain Simulation Facility: Fundamental studies of	FULLER, W. H., JR.
FAIRCHILD, KYLE	particle formation and interactions. Volume 1: Executive	Forty-eight-inch lidar aerosol measurements taken at the
Report of the In Situ Resources Utilization Workshop	summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022	Langley Research Center, May 1974 to December 1987 [NASA-RP-1209] p 52 N88-29234
[NASA-CP-3017] p 72 N89-14188 FARMER, CROFTON B.	[NASA-CP-10026-VOL-1] p 59 N89-24022 Gas-Grain Simulation Facility: Fundamental studies of	FUNK, JOAN G.
A high-resolution atlas of the infrared spectrum of the	particle formation and interactions. Volume 2: Abstracts,	The effects of simulated space environmental
sun and the earth atmosphere from space. A compilation	candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023	parameters on six commercially available composite materials
of ATMOS spectra of the region from 650 to 4800 cm-1 (2,3 to 16 microns). Volume 2: Stratosphere and	[NASA-CP-10026-VOL-2] p 59 N89-24023 FONDA, MARK L.	(NASA-TP-2906) p 29 N89-19385
mesosphere, 650 to 3350 cm-1	Gas-Grain Simulation Facility: Fundamental studies of	The interlaminar tracture toughness of woven
[NASA-RP-1224-VOL-2] p 53 N89-28969	particle formation and interactions. Volume 1: Executive	graphite/epoxy composites [NASA-TP-2950] p 29 N90-10179
A high-resolution atlas of the infrared spectrum of the Sun and the Earth atmosphere from space: A compilation	summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022	(14A3A-11-2930) p 23 1100 10110
of ATMOS spectra of the region from 650 to 4800 cm	Gas-Grain Simulation Facility: Fundamental studies of	G
(2.3 to 16 micron). Volume 1: The Sun	particle formation and interactions. Volume 2: Abstracts,	G
[NASA-RP-1224-VOL-1] p 53 N90-13893 FARMER, JEFFREY T.	candidate experiments and feasibility study [NASA-CP-10026-VOL-2] p 59 N89-24023	GABB, TIMOTHY P.
Conceptual design of a synchronous Mars	FORCE, DALE A.	Heat treatment study of the SiC/Ti-15-3 composite
telecommunications satellite INASA-TP-29421 p.78 N90-10814	Calculation of secondary electron trajectories in	system INASA-TP-29701 p 29 N90-19302
[NASA-TP-2942] p 78 N90-10814 Thermal-distortion analysis of an antenna strongback	multistage depressed collectors for microwave amplifiers [NASA-TP-2664] p 34 N87-17991	[NASA-TP-2970] p 29 N90-19302 GAINER, THOMAS G.
for geostationary high-frequency microwave applications	Analytical and experimental performance of a dual-mode	Discrete-vortex model for the symmetric-vortex flow on
[NASA-TP-3016] p 26 N90-27738 FAST, THOMAS N.	traveling wave tube and multistage depressed collector	cones [NASA-TP-2989] p 11 N90-20946
Cells in Space	(NASA-TP-2752) p 35 N87-25532	[NASA-TP-2989] p 11 N90-20946 GALIMORE, REGINALD N.
[NASA-CP-10034] p 61 N90-13939	Spent-beam refocusing analysis and multistage depressed collector design for a 75-W, 59- to 64-GHz	The 1987 Airborne Antarctic Ozone Experiment: The
FEIBELMAN, WALTER A. International ultraviolet explorer spectral atlas of	coupled-cavity traveling-wave tube	Nimbus-7 TOMS data atlas (NASA-RP-1201) p 49 N88-20714
planetary nebulae, central stars, and related objects	[NASA-TP-3039] p 35 N90-27965	[NASA-RP-1201] p 49 N88-20714  GALLAGHER, RICHARD H.
[NASA-RP-1203] p 76 N88-28843	FOUGHNER, JEROME T., JR.  Transonic Symposium: Theory, Application, and	Integrated force method versus displacement method
FELDMAN, GENE CARL Nimbus-7 data product summary	Experiment, Volume 1, Part 1	for finite element analysis
[NASA-RP-1215] p 48 N89-22152	[NASA-CP-3020-VOL-1-PT-1] p 9 N89-20925	(NASA-TP-2937) p 47 N90-18081 GANAPOL, BARRY D.
FENN, MARTA A.	Transonic Symposium: Theory, Application, and Experiment, volume 1, part 2	Benchmark solutions for the galactic ion transport
Summary of along-track data from the Earth radiation budget satellite for several major desert regions	[NASA-CP-3020-VOL-1-PT-2] p 9 N89-20942	equations: Energy and spatially dependent problems
[NASA-RP-1197] p 56 N88-20772	FOUSHEE, H. CLAYTON	(NASA-TP-2878) p 79 N89-16714 BRYNTRN: A baryon transport model
Summary of along-track data from the earth radiation budget satellite for several representative ocean regions	Cockpit Resource Management Training [NASA-CP-2455] p 12 N87-22634	[NASA-TP-2887] p 80 N89-17562
[NASA-RP-1206] p 56 N89-14634	FOX, CHARLES H., JR.	GARDNER, JAMES E.
FERNANDEZ, KEN	Subsonic maneuver capability of a supersonic cruise	National Educators' Workshop: Update 1989 Standard Experiments in Engineering Materials Science and
A generalized method for automatic downhand and wirefeed control of a welding robot and positioner	fighter wing concept [NASA-TP-2642] p 3 N87-15184	Technology
[NASA-TP-2807] p 32 N88-17869	Subsonic longitudinal and lateral-directional	[NASA-CP-3074] p 28 N90-24350
FEW, DAVID D.	characteristics of a forward-swept-wing fighter	GARHART, MATTHEW P. International ultraviolet explorer spectral atlas of
A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the	configuration at angles of attack up to 47 deg [NASA-TP-2727] p 6 N87-26874	planetary nebulae, central stars, and related objects
Rotorcraft and Powered-Lift Flight Projects Division.	Flight and wind-tunnel measurements showing base	(NASA-RP-1203) p 76 N88-28843
1970-1985	drag reduction provided by a trailing disk for high Reynolds	GARN, PAUL A.  Conceptual design of a synchronous Mars
[NASA-RP-1187] p 14 N88-19467 FICHTEL, CARL E.	number turbulent flow for subsonic and transonic Mach numbers	telecommunications satellite
The Energetic Gamma-Ray Experiment Telescope	[NASA-TP-2638] p 37 N88-14299	[NASA-TP-2942] p 78 N90-10814
(EGRET) Science Symposium	FOX, KENNETH First International Conference on Laboratory Research	GARRETT, L. BERNARD
(NASA-CP-3071) p 77 N90-23294 FICHTER, W. B.	for Planetary Atmospheres	OEXP Analysis Tools Workshop [NASA-CP-10013] p 63 N89-11407
Measured and predicted root-mean-square errors in	[NASA-CP-3077] p 78 N90-26744	GATLIN, GREGORY M.
square and triangular antenna mesh facets (NASA-TP-2896) p 45 N89-17892	FRANKLIN, J. A.  Powered-lift aircraft technology	A review of technologies applicable to low-speed flight
[NASA-TP-2896] p 45 N89-17892 FICHTL GEORGE H.	[NASA-SP-501] p 15 N90-12589	of high-performance aircraft investigated in the Langley 14- x 22-foot subsonic tunnel
Spacelab 3 Mission Science Review	FRASSINELLI, MARK C.  Effect of tail size reductions on longitudinal aerodynamic	[NASA-TP-2796] p 7 N88-20264
[NASA-CP-2429] p 36 N87-22103	characteristics of a three surface F-15 model with	Thrust-reverser flow investigation on a twin-engine
FINDLAY, JOHN T. OEXP Analysis Tools Workshop	nonaxisymmetric nozzles	transport [NASA-TP-2856] p 9 N89-14213
[NASA-CP-10013] p 63 N89-11407	[NASA-TP-3036] p 11 N90-25938 FREED, ALAN D.	Low-speed, high-lift aerodynamic characteristics of
FINELLI, GEORGE B.	Thermoviscoplastic model with application to copper	slender, hypersonic accelerator-type configurations
A technique for evaluating the application of the pin-level stuck-at fault model to VLSI circuits	[NASA-TP-2845] p 45 N89-16183 FREEMAN, MICHAEL S.	[NASA-TP-2945] p 10 N90-10830
[NASA-TP-2738] p 42 N87-28025	Third Conference on Artificial Intelligence for Space	The Langley 14- by 22-foot subsonic tunnel: Description, flow characteristics, and guide for users
FINGER, HERBERT J.	Applications, part 1	[NASA-TP-3008] p 12 N90-27649
Proceedings of a conference on Cardiovascular Bioinstrumentation	[NASA-CP-2492-Pt-1] p 62 N88-16360 Third Conference on Artificial Intelligence for Space	GELDER, THOMAS F.
[NASA-CP-10022] p 59 N89-17997	Applications, part 2	Detailed flow surveys of turning vanes designed for a 0.1-scale model of NASA Lewis Research Center's
FISCHER, JAMES R.	[NASA-CP-2492-PT-2] p 63 N88-24188	proposed altitude wind tunnel
Frontiers of Massively Parallel Scientific Computation [NASA-CP-2478] p 62 N87-26531	FROST, WALTER  Atmospheric Turbulence Relative to Aviation, Missile,	[NASA-TP-2680] p 21 N87-20295
FLEIG, ALBERT J.	and Space Programs	Experimental evaluation of turning vane designs for
Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral	[NASA-CP-2468] p 55 N87-22341 Wind Shear/Turbulence Inputs to Flight Simulation and	high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude
scan solar irradiance and Earth radiance product user's		wind tunnel
quide	Systems Certification I NASA-CP-24741 p.1 N87-25267	[NASA-TP-2681] p 21 N88-17686

Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409

GENTRY, GARL L., JR. Low-speed aerodynamic characteristics of a twin-engine	GRANTHAM, WILLIAM D. Piloted simulator study of allowable time delays in	Н
general aviation configuration with aft-fuselage-mounted pusher propellers	large-airplane response [NASA-TP-2652] p 19 N87-16849	HABERLE, ROBERT M.
[NASA-TP-2763] p 6 N87-29462	Handling qualities of a wide-body transport airplane	Proceedings of the Polar Processes on Mars Workshop
Experimental and theoretical aerodynamic	utilizing Pitch Active Control Systems (PACS) for relaxed	[NASA-CP-10021] p 78 N89-18373
Characteristics of a high-lift semispan wing model	static stability application	HABING, H. J.
[NASA-TP-2990] p 11 N90-20046 The Langley 14- by 22-foot subsonic tunnel: Description.	[NASA-TP-2482] p 19 N88-14987	Infrared astronomical satellite (IRAS) catalogs and
flow characteristics, and guide for users	Comparison of flying qualities derived from in-flight and	atlases. Volume 1: Explanatory supplement [NASA-RP-1190-VOL-1] p 76 N89-14194
[NASA-TP-3008] p 12 N90-27649	ground-based simulators for a jet-transport airplane for the approach and landing pilot tasks	HAFTKA, RAPHAEL T.
GEORGE, ALBERT R.	[NASA-TP-2962] p 20 N90-11757	Sensitivity Analysis in Engineering
Status of sonic boom methodology and understanding [NASA-CP-3027] p.9 N89-23415	GRAY, STEPHANIE L.	[NASA-CP-2457] p 43 N87-18855 HAGAMAN, JANE A.
GEZARI, DANIEL Y.	Absorbed dose thresholds and absorbed dose rate	Space Construction
Infrared source cross-index, first edition	limitations for studies of electron radiation effects on polyetherimides	[NASA-CP-2490] p 25 N88-10870
[NASA-RP-1182] p 73 N87-22573	[NASA-TP-2928] p 31 N89-25332	HAGER, ROY D. Advanced turboprop project
Catalog of infrared observations. Part 1: Data	GREELEY, RONALD	(NASA-SP-495) p 18 N89-12565
[NASA-RP-1196-PT-1-ED-2] p 73 N88-15738 Catalog of infrared observations. Part 2: Appendixes	Experiments in Planetary and Related Sciences and the	HAGGARD, K. V.
[NASA-RP-1196-PT-2-ED-2] p 74 N88-16615	Space Station [NASA-CP-2494] p 72 N89-14998	Description of data on the Nimbus 7 LIMS map archive
Far infrared supplement: Catalog of infrared	Mars landing site catalog	tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022
observations, second edition	[NASA-RP-1238] p 78 N90-27607	HAGGARD, KENNETH V.
[NASA-RP-1205] p 74 N88-30545	GREEN, ANDREW J.	Description of data on the Nimbus 7 LIMS map archive
Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470	A synchronous data analyzer for the Minimum Delay	tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 56 N88-14572
GILYARD, GLENN B.	Data Format (MDDF) and Launch Trajectory Acquisition	HALFORD, GARY R.
A piloted evaluation of an oblique-wing research aircraft	System (LTAS) { NASA-TP-2743   p 34 N87-24590	Life prediction of thermomechanical fatigue using total
motion simulation with decoupling control laws [NASA-TP-2874] p 20 N89-15930	GREEN, R. N.	strain version of strainrange partitioning (SRP): A
[NASA-TP-2874] p 20 N89-15930 Method for experimental determination of flutter speed	Angular radiation models for Earth-atmosphere system.	proposal [NASA-TP-2779] p 44 N88-15263
by parameter identification	Volume 1: Shortwave radiation	HAN, D.
[NASA-TP-2923] p 15 N89-26844	[NASA-RP-1184] p 56 N88-27677	User's guide for the Nimbus 7 Scanning Multichannel
GLASS, C. E.	Angular radiation models for earth-atmosphere system.  Volume 2: Longwave radiation	Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p 56 N89-14648
Aerothermal tests of spherical dome protuberances on a flat plate at a Mach number of 6.5	[NASA-RP-1184-VOL-2] p 57 N89-20587	HAN, DAESOO
[NASA-TP-2631] p 35 N87-13664	GREENBERG, PAUL S.	Nimbus-7 data product summary
GLASS, CHRISTOPHER E.	Microgravity Combustion Diagnostics Workshop	[NASA-RP-1215] p 48 N89-22152 HANAWAY, JOHN F.
Aerothermal tests of quilted dome models on a flat plate	[NASA-CP-10017] p 32 N89-17682	Space shuttle avionics system
at a Mach number of 6.5 [NASA-TP-2804] p 37 N88-22325	GRIFFIN, SANDY	[NASA-SP-504] p 24 N90-25160
GLOERSEN, P.	First Annual Workshop on Space Operations Automation and Robotics (SOAR 87)	HANDSCHUH, ROBERT F.
User's guide for the Nimbus 7 Scanning Multichannel	(NASA-CP-2491) p 61 N88-17206	Efficiency testing of a helicopter transmission planetary reduction stage
Microwave Radiometer (SMMR) CELL-ALL tape [NASA-RP-1210] p.56 N89-14648	Second Annual Workshop on Space Operations	[NASA-TP-2795] p 41 N88-15224
GLOERSEN, PER	Automation and Robotics (SOAR 1988) [NASA-CP-3019] p 61 N89-19817	HANNER, MARTHA S.
Arctic Sea ice, 1973-1976: Satellite passive-microwave	[NASA-CP-3019] p 61 N89-19817 Graphics Technology in Space Applications (GTSA	Infrared Observations of Comets Halley and Wilson and Properties of the Grains
observations	1989)	[NASA-CP-3004] p 74 N89-13330
[NASA-SP-489] p 58 N87-24870 <b>GNOFFO, PETER A.</b>	[NASA-CP-3045] p 62 N90-20651	HANSEN, JAMES R.
Conservation equations and physical models for	Third Annual Workshop on Space Operations	Engineer in charge: A history of the Langley Aeronautical Laboratory, 1917-1958
hypersonic air flows in thermal and chemical	Automation and Robotics (SOAR 1989) [NASA-CP-3059] p 62 N90-25503	[NASA-SP-4305] p 80 N87-24390
nonequilibrium	[NASA-CP-3059] p 62 N90-25503 GRIGORIEV, ANATOLI I.	HARDY, GORDON H.
[NASA-TP-2867] p 38 N89-16115 An upwind-biased, point-implicit relaxation algorithm for	Joint US/USSR study: Comparison of effects of	Longitudinal stability and control characteristics of the Quiet Short-Haut Research Aircraft (QSRA)
viscous, compressible perfect-gas flows	horizontal and head-down bed rest	{NASA-TP-2965} p 20 N90-17639
[NASA-TP-2953] p 38 N90-17042	[NASA-TP-3037] p 60 N90-28965	HARRINGTON, DOUGLAS E.
GOEBEL, JOHN	GRODSINSKY, CARLOS M.	Experimental evaluation of wall Mach number distributions of the octagonal test section proposed for
Automatic classification of spectra from the Infrared Astronomical Satellite (IRAS)	Development and approach to low-frequency microgravity isolation systems	NASA Lewis Research Center's altitude wind tunnel
[NASA-RP-1217] p 75 N90-10807	[NASA-TP-2984] p 33 N90-28754	[NASA-TP-2666] p 21 N87-17717
GOLDBERG, BENJAMIN E.	GRUNWALD, ARTHUR J.	Experimental evaluation of blockage ratio and plenum
Microgravity crystallization of macromolecules: An	Interactive orbital proximity operations planning	evacuation system flow effects on pressure distribution for bodies of revolution in 0.1 scale model test section
interim report and proposal for continued research [NASA-TP-2671] p 31 N87-20423	system [NASA-TP-2839] p 61 N89-18039	of NASA Lewis Research Center's proposed altitude wind
GOLDBERG, LEO	Spatial Displays and Spatial Instruments	tunnel
The M-type stars	[NASA-CP-10032] p 61 N90-22918	[NASA-TP-2702] p 21 N87-22694 Experimental evaluation of honeycomb/screen
[NASA-SP-492] p 75 N88-11592	GUIMARAES, PATRICIA T.	configurations and short contraction section for NASA
GOLDMAN, LOUIS J.  Three component laser anemometer measurements in	The 1989 Airborne Arctic Stratospheric Expedition	Lewis Research Center's attitude wind tunnel
an annular cascade of core turbine vanes with contoured	Nimbus-7 TOMS data atlas [NASA-RP-1227] p 57 N89-27302	(NASA-TP-2692) p 21 N87-23662 HARRIS, CHARLES D.
end wall	The 1988 Antarctic ozone monitoring Nimbus-7 TOMS	The NASA Langley Laminar-Flow-Control (LFC)
[NASA-TP-2846] p 8 N89-10844  GONG, LESLIE	data atlas	experiment on a swept, supercritical airfoil: Design
Finite-element reentry heat-transfer analysis of space	[NASA-RP-1225] p 57 N89-28983	overview [NASA-TP-2809] p.8 N88-21117
shuttle Orbiter	Nimbus-7 TOMS Antarctic ozone atlas: August through	NASA supercritical airfoils: A matrix of family-related
[NASA-TP-2657] p 37 N87-29795	November, 1989	airfoils
GOODRICH, KENNETH H.  A closed-form trim solution yielding minimum trim drag	[NASA-RP-1237] p 58 N90-23837	[NASA-TP-2969] p 11 N90-16710
A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors	GUPTA, ROOP N.  Conservation equations and physical models for	HARRIS, E. Proceedings of the 5th Annual Users' Conference
[NASA-TP-2907] p 20 N89-23468	hypersonic air flows in thermal and chemical	[NASA-CP-2399] p 62 N87-10720
GORDLEY, L. L.	nonequilibrium	HARRIS, ELFRIEDA
Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid	[NASA-TP-2867] p 38 N89-16115	Sixth Annual Users' Conference [NASA-CP-2463] p 62 N87-23156
[NASA-TP-2625] p 51 N87-13022	A review of reaction rates and thermodynamic and	HARTMAN, EDWARD R.
GORDON, R. A.	transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000	Mach 6 experimental and theoretical stability and
An economical semi-analytical orbit theory for micro-computer applications	K	performance of a cruciform missile at angles of attack up to 65 degrees
[NASA-TP-2811] p 66 N89-14052	[NASA-RP-1232] p 38 N90-27064	NASA-TP-2733   p 5 N87-23592
GRACIA-SALCEDO, CARMEN M.	GYEKENYESI, JOHN P.	HARTUNG, LIN C.

GYEKENYESI, JOHN P.
Ceramics Analysis and Reliability Evaluation of Structures (CARES). Users and programmers manual [NASA-TP-2916] p 47 N90-28099

p 24 N90-26036

The effect of interplanetary trajectory options on a manned Mars aerobrake configuration [NASA-TP-3019] p 24 N90-26036

HARVEY, WILLIAM D.
The NASA Langley Laminar-Flow-Control (LFC)
experiment on a swept, supercritical airfoil: Design overview
[NASA-TP-2809] p 8 N88-21117
HATHAWAY, MICHAEL D.  Laser anemometer measurements in a transonic
axial-flow fan rotor
{NASA-TP-2879} p 38 N90-11245 HAYDUK, ROBERT J.
Computational Methods for Structural Mechanics and
Dynamics, part 1 [NASA-CP-3034-PT-1] p 46 N89-24638
Computational Methods for Structural Mechanics and
Dynamics [NASA-CP-3034-PT-2] p 46 N89-24654
HAYES, WALLACE D.  Status of sonic boom methodology and understanding
[NASA-CP-3027] p 9 N89-23415 HEATH, DONALD F.
Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral
scan solar irradiance and Earth radiance product user's
guide [NASA-RP-1199] p 48 N88-17096
Nimbus 7 solar backscatter ultraviolet (SBUV) ozone
products user's guide (NASA-RP-1234) p.53 N90-17227
HEDGLEY, DAVID R., JR.
A general solution to the silhouette problem [NASA-TP-2695] p 61 N88-14629
HEERS, SUSAN
Space Station Human Factors Research Review.
Volume 3: Space Station Habitability and Function: Architectural Research
(NASA-CP-2426-VOL-3) p 59 N88-19883 HEFNER, JERRY N.
Research in Natural Laminar Flow and Laminar-Flow Control, part 1
[NASA-CP-2487-PT-1] p 10 N90-12503
Research in Natural Laminar Flow and Laminar-Flow
Control, part 2 {NASA-CP-2487-PT-2} p 10 N90-12519
Research in Natural Laminar Flow and Laminar-Flow
Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539
HELLINGS, RONALD W.
Relativistic Gravitational Experiments in Space [NASA-CP-3046] p 77 N90-19940
HELOU, GEORGE
Infrared astronomical satellite (IRAS) catalogs and atlases. Volume 7: The small scale structure catalog
[NASA-RP-1190-VOL-7] p 76 N89-14199
HENDERSON, WILLIAM P.  Effect of empennage arrangement on single-engine
nozzle/afterbody static pressures at transonic speeds
[NASA-TP-2753] p 6 N88-10771
HENDRICKS, ROBERT C.  Three-step labyrinth seal for high-performance
turbomachines (NASA-TP-1848) p 36 N87-23921
Straight cylindrical seal for high-performance
turbomachines [NASA-TP-1850] p 36 N87-23936
[NASA-TP-1850] p 36 N87-23936 Three-step cylindrical seal for high-performance
turbomachines
[NASA-TP-1849] p 36 N87-24639 HESS, ROBERT W.
Steady and unsteady transonic pressure measurements
on a clipped delta wing for pitching and control-surface oscillations
[NASA-TP-2594] p 8 N88-28895
HEYMAN, JOSEPH S.  Electronics reliability and measurement technology
[NASA-CP-2472] p 42 N87-27204
Nimbus-7 ERB Solar Analysis Tape (ESAT) user's
guide
[NASA-RP-1211] p 79 N89-30151 HIGGINS. R. H.
An electrochemical study of corrosion protection by
primer-topcoat systems on 4130 steel with ac impedance and dc methods
[NASA-TP-2820] p 30 N89-19406
HILL, ACQUILLA S. CAST-10-2/DOA 2 Airfoil Studies Workshop Results
[NASA-CP-3052] p 22 N90-17647
HILL, CHARLES K.
Spacelab 3 Mission Science Review {NASA-CP-2429} p 36 N87-22103
HIMMANT, HOWARD E.

Derivation of a tappered p-version beam finite element

A simulation evaluation of a pilot interface with an

automatic terminal approach system

p 46 N89-26255

p 16 N87-19393

A simulator investigation of the use of digital data link	Flight and wind-tunnel measurements showing base
for pilot/ATC communications in a single pilot operation	drag reduction provided by a trailing disk for high Reynolds
[NASA-TP-2837] p 13 N89-11726	number turbulent flow for subsonic and transonic Mach
Piloted-simulation evaluation of escape guidance for	numbers
microburst wind shear encounters	[NASA-TP-2638] p 37 N88-14299
[NASA-TP-2886] p 17 N89-16820	HUFFMAN, P. D.  Preliminary estimates of radiosonde thermistor errors
HOAD, DANNY R.	[NASA-TP-2637] p 55 N87-12086
Helicopter blade-vortex interaction locations:	HUGHES, PETER
Scale-model acoustics and free-wake analysis results [NASA-TP-2658] p 4 N87-18537	The 1988 Goddard Conference on Space Applications
Rotor induced-inflow-ratio measurements and CAMRAD	of Artificial Intelligence
calculations	[NASA-CP-3009] p 64 N88-30330
[NASA-TP-2946] p 11 N90-15882	HULTBERG, RANDY S.
HOBAN, FRANCIS T.	Measurements of pressures on the tail and aft fuselage
Issues in NASA program and project management	of an airplane model during rotary motions at spin attitudes
(NASA-SP-6101) p 69 N89-12479	[NASA-TP-2939] p 10 N90-10829
Issues in NASA program and project management	HUMES, D. H.
(NASA-SP-6101(02)) p 69 N90-13277	Diode laser satellite systems for beamed power
HODGE, A. J.	transmission
An examination of impact damage in glass-phenolic and	[NASA-TP-2992] p 40 N90-24585
aluminum honeycomb core composite panels [NASA-TP-3042] p 29 N90-27876	HUNT, GEORGE E.
HOELL, JAMES M.	Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed
Future directions for H sub x O sub y detection	static stability application
[NASA-CP-2448] p 51 N87-15528	[NASA-TP-2482] p 19 N88-14987
HOFFMAN, LAWRENCE H.	HUNT, L. R.
Calculation and accuracy of ERBE scanner	Aerothermal tests of spherical dome protuberances on
measurement locations	a flat plate at a Mach number of 6.5
[NASA-TP-2670] p 72 N87-28471	[NASA-TP-2631] p 35 N87-13664
HOFLUND, G. B.	HUNT, L. ROANE
Auger electron intensity variations in oxygen-exposed	Aerothermal tests of quilted dome models on a flat plate at a Mach number of 6.5
large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022	[NASA-TP-2804] p 37 N88-22325
HOFLUND, GAR B.	Aerodynamic pressures and heating rates on surfaces
Electron stimulated desorption of atomic oxygen from	between split elevons at Mach 6.6
Silver	[NASA-TP-2855] p 37 N89-12822
[NASA-TP-2668] p 29 N87-18629	Aerodynamic pressure and heating-rate distributions in
Permeation of oxygen through high purity, large grain	tile gaps around chine regions with pressure gradients at
silver	a Mach number of 6.6
[NASA-TP-2755] p 30 N87-27024	[NASA-TP-2988] p 38 N90-23670 HUNT, W. H.
Low-Temperature CO-Oxidation Catalysts for Long-Life CO2 Lasers	Forty-eight-inch lidar aerosol measurements taken at the
[NASA-CP-3076] p 40 N90-24586	Langley Research Center, May 1974 to December 1987
HOLT, HENRY E.	[NASA-RP-1209] p 52 N88-29234
Sapping features of the Colorado Plateau: A comparative	HUNTER, STANLEY D.
planetary geology field guide	The Energetic Gamma-Ray Experiment Telescope
[NASA-SP-491] p 49 N89-10401	(EGRET) Science Symposium
HONG, B. S.	[NASA-CP-3071] p 77 N90-23294
BRYNTRN: A baryon transport model	HUNTER, WILLIAM F.  Research in structures, structural dynamics and
[NASA-TP-2887] p 80 N89-17562 HONG, BYUNGSIK	materials, 1989
Kaon-nucleus scattering	[NASA-CP-10024] p 46 N89-24626
[NASA-TP-2920] p 80 N89-25103	HUNTINGTON, JUDITH L.
HOPSON, P.	Gas-Grain Simulation Facility: Fundamental studies of
An Auger electron spectroscopy study of	particle formation and interactions. Volume 1: Executive
surface-preparation contaminants	summary and overview
[NASA-TP-2972] p 33 N90-16968	[NASA-CP-10026-VOL-1] p 59 N89-24022
HOUCK, JACOB A.	Gas-Grain Simulation Facility: Fundamental studies of particle formation and interactions. Volume 2: Abstracts,
Delivery porformance of conventional aircraft by terminal-area, time-based air traffic control: A real-time	candidate experiments and feasibility study
simulation evaluation	[NASA-CP-10026-VOL-2] p 59 N89-24023
[NASA-TP-2978] p 13 N90-18378	HURLEY, EDWARD J.
HOUSNER, JERROLD M.	Nimbus-7 data product summary
Computational Methods for Structural Mechanics and	[NASA-RP-1215] p 48 N89-22152
Dynamics, part 1	HUSSAINI, M. YOUSUFF
[NASA-CP-3034-PT-1] p 46 N89-24638 Computational Methods for Structural Mechanics and	A spectral collocation solution to the compressible
Dynamics	stability eigenvalue problem
[NASA-CP-3034-PT-2] p 46 N89-24654	[NASA-TP-2858] p 9 N89-12543
HOWARD, ALAN D.	<u>-</u>
Sapping features of the Colorado Plateau: A comparative	
planetary geology field guide	-
[NASA-SP-491] p 49 N89-10401	IBRAHIM, K. Y.
HOWARD, BRIAN T.	Payland orang utilization for appealah missions

Laser-velocimeter-measured flow field around an

Probabilistic risk analysis of flying the space shuttle with

and without fuel turbine discharge temperature redline

Calculation of viscous effects on transonic flow for

Visual Information Processing for Television and

Subsonic longitudinal and lateral-directional characteristics of a forward-swept-wing fighter

configuration at angles of attack up to 47 deg

oscillating airfoils and comparisons with experiment

p 2 N90-20942

p 6 N87-27622

p 40 N90-16204

p 6 N87-26874

advanced, swept, eight-blade propeller at Mach 0.8

[NASA-TP-2462]

HOWELL LEONARD

[NASA-TP-2759]

INASA.TP.27311

INASA-CP-30531

INASA-TP-27271

HUFFMAN, JARRETT K.

Telerobotics

HUCK, FRIEDRICH O.

HOWLETT, JAMES T.

protection

Payload crew utilization for spacelab missions p 24 N90-14256 INASA-TP-29761

ILIFF, KENNETH W.

Application of parameter estimation to aircraft stability and control: The output-error approach

[NASA-RP-1168] p 14 N87-29499

IMBERT, N.

Ground-based time-quidance algorithm for control of airplanes in a time-metered air traffic control environment: A piloted simulation study INASA-TP-26161 p 16 N87-10864

IPPOLITO, LOUIS J.

Propagation effects handbook for satellite systems design. A summary of propagation impairments on 10 to 100 GHz satellite links with techniques for system

[NASA-RP-1082(04)] p 34 N89-17060 IVANCIC, WILLIAM D.

Satellite-matrix-switched, time-division-multiple-access

network simulator INASA-TP-29441 p 34 N90-11915

INASA-TP-29311

HINTON, DAVID A.

INASA-TP-26691

IVEY, EDWARD W.  Space station structures and dynamics test program	Measured and calculated acoustic attenuation rates of
[NASA-TP-2710] p 43 N87-20568	tuned resonator arrays for two surface impedance distribution models with flow
p 40 1107-20300	[NASA-TP-2766] p 67 N88-17440
•	Fluctuating pressures measured beneath a
J	high-temperature, turbulent boundary layer on a flat plate
	at Mach number of 5
JACHIMOWSKI, CASIMIR J.	[NASA-TP-2947] p 67 N90-10680
An analytical study of the hydrogen-air reaction	JONES, WILLIAM H.
mechanism with application to scramjet combustion [NASA-TP-2791] p 30 N88-15846	Combined aerodynamic and structural dynamic problem emulating routines (CASPER): Theory and
JACKMAN, CHARLES H.	implementation
Two-Dimensional Intercomparison of Stratospheric	[NASA-TP-2418] p.4 N87-17669
Models	JONES, WILLIAM R., JR.
(NASA-CP-3042) p 53 N90-11405	Ester oxidation on an aluminum surface using
JACOBS, JAMES A.	chemiluminescence
National Educators' Workshop: Update 1989 Standard	[NASA-TP-2611] p 31 N87-18666
Experiments in Engineering Materials Science and Technology	JORDAN, FRANK L., JR. Wind-tunnel investigation of a full-scale general aviation
[NASA-CP-3074] p 28 N90-24350	airplane equipped with an advanced natural laminar flow
JALUFKA, N. W.	wing
Laser-powered MHD generators for space application	[NASA-TP-2772] p 6 N88-10009
[NASA-TP-2621] p 68 N87-10764	JORDAN, STUART
Laser production and heating of plasma for MHD application	The M-type stars [NASA-SP-492] p 75 N88-11592
[NASA-TP-2798] p 68 N88-18443	O stars and Wolf-Rayet stars
JAMES, ODETTE B.	[NASA-SP-497] p 74 N89-11657
Planetary geosciences, 1988	JORDAN, T. M.
[NASA-SP-498] p 48 N89-26274	Cosmic ray heavy ion LET mapping for aluminum, silicon,
JANSON, BETTE R.	and tissue targets
Astronautics and aeronautics, 1978: A chronology	[NASA-RP-1180] p 79 N87-25984 JUHASZ, AL
[NASA-SP-4023] p 80 N88-14062 Astronautics and aeronautics, 1985: A chronology	Workshop on Two-Phase Fluid Behavior in a Space
[NASA-SP-4025] p 81 N89-26803	Environment
Astronautics and Aeronautics, 1979-1984: A	[NASA-CP-3043] p 38 N89-26184
chronology	
[NASA-SP-4024] p 81 N90-25928	K
JENKINS, RENALDO V.	
NASA SC(2)-0714 airfoil data corrected for sidewall boundary-layer effects in the Langley 0.3-meter transonic	KACYNSKI, KENNETH J.
cryogenic tunnel	Experimental thrust performance of a high-area-ratio
[NASA-TP-2890] p 9 N89-17568	rocket nozzie
JENNETT, LISA A.	[NASA-TP-2720] p 26 N87-20381 Comparison of theoretical and experimental thrust
In-flight surface oil-flow photographs with comparisons	performance of a 1030:1 area ratio rocket nozzle at a
to pressure distribution and boundary-layer data [NASA-TP-2395] p 4 N87-20966	chamber pressure of 2413 kN/m2 (350 psia)
JENSEN, KENNETH A.	[NASA-TP-2725] p 26 N87-25423
Secondary electron emission characteristics of	Experimental evaluation of heat transfer on a 1030:1
untreated and ion-textured titanium	area ratio rocket nozzle
(NASA-TP-2902) p 30 N89-17650	[NASA-TP-2726] p 27 N87-25424
(NASA-TP-2902) p 30 N89-17650 Secondary electron emission characteristics of	[NASA-TP-2726] p 27 N87-25424 KAISER, MARY K.
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper	[NASA-TP-2726] p 27 N87-25424
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K.  Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G.
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K.  Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G.  General equilibrium characteristics of a dual-lift
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 JOBSON, DANIEL J. Spatial vision processes: From the optical image to the symbolic structures of contour information	[NASA-TP-2726] p 27 N87-25424 KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918 KANNING, G. General equilibrium characteristics of a dual-lift helicopter system
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 JOBSON, DANIEL J. Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K.  Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 JOBSON, DANIEL J. Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 JOHNSON, D. L.	[NASA-TP-2726] p 27 N87-25424 KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918 KANNING, G. General equilibrium characteristics of a dual-lift helicopter system
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 JOBSON, DANIEL J. Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 JOHNSON, D. L. Upper and Middle Atmospheric Density Modeling	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K.  Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G.  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J.  Earth Sciences Requirements for the Information Sciences Experiment System
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 JOBSON, DANIEL J. Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 JOHNSON, D. L.	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 JOBSON, DANIEL J. Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 JOHNSON, D. L. Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations	[NASA-TP-2726] p 27 N87-25424 KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918 KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407 KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140 KAUPMAN, BARBARA A.
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 JOBSON, DANIEL J. Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 JOHNSON, D. L. Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665 JOHNSON, HOLLIS RALPH The M-type stars	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KAZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  JOBSON, DANIEL J. Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762  JOHNSON, D. L. Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665  JOHNSON, HOLLIS RALPH The M-type stars [NASA-SP-492] p 75 N88-11592	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 JOBSON, DANIEL J. Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 JOHNSON, D. L. Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665 JOHNSON, HOLLIS RALPH The M-type stars [NASA-SP-492] p 75 N88-11592 JOHNSON, J. BLAIR	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KAZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 JOBSON, DANIEL J. Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 JOHNSON, D. L. Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665 JOHNSON, HOLLIS RALPH The M-type stars [NASA-SP-492] p 75 N88-11592 JOHNSON, J. BLAIR Qualitative evaluation of a flush air data system at	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 JOBSON, DANIEL J. Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 JOHNSON, D. L. Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665 JOHNSON, HOLLIS RALPH The M-type stars [NASA-SP-492] p 75 N88-11592 JOHNSON, J. BLAIR	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2684] p 30 N87-16902
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 JOBSON, DANIEL J. Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 JOHNSON, D. L. Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665 JOHNSON, HOLLIS RALPH The M-type stars [NASA-SP-492] p 75 N88-11592 JOHNSON, J. BLAIR Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack [NASA-TP-2716] JOHNSON, STEWART	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2694] p 30 N87-16902  KEATING, GERALD M.
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  JOBSON, DANIEL J.  Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762  JOHNSON, D. L.  Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665  JOHNSON, HOLLIS RALPH The M-type stars [NASA-SP-492] p 75 N88-11592  JOHNSON, J. BLAIR  Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack [NASA-TP-2716] p 14 N87-29497  JOHNSON, STEWART A lunar far-side very low frequency array	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2694] p 30 N87-16902  KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 JOBSON, DANIEL J. Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 JOHNSON, D. L. Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665 JOHNSON, HOLLIS RALPH The M-type stars [NASA-SP-492] p 75 N88-11592 JOHNSON, J. BLAIR Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack [NASA-TP-2716] p 14 N87-29497 JOHNSON, STEWART A funar far-side very low frequency array [NASA-CP-3039] p 75 N90-10805	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2684] p 30 N87-16902  KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  JOBSON, DANIEL J.  Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762  JOHNSON, D. L.  Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665  JOHNSON, HOLLIS RALPH  The M-type stars [NASA-SP-492] p 75 N88-11592  JOHNSON, J. BLAIR  Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack [NASA-TP-2716]  JOHNSON, STEWART  A lunar far-side very low frequency array [NASA-CP-3039] p 75 N90-10805  JOHNSON, THOMAS D., JR.	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2694] p 30 N87-16902  KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 JOBSON, DANIEL J. Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 JOHNSON, D. L. Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665 JOHNSON, HOLLIS RALPH The M-type stars [NASA-SP-492] p 75 N88-11592 JOHNSON, J. BLAIR Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack [NASA-TP-2716] p 14 N87-29497 JOHNSON, STEWART A funar far-side very low frequency array [NASA-CP-3039] p 75 N90-10805	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2694] p 30 N87-16902  KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491  KEETON, L. W. Space shuttle main engine high pressure fuel pump aft
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 JOBSON, DANIEL J.  Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 JOHNSON, D. L.  Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665 JOHNSON, HOLLIS RALPH The M-type stars [NASA-SP-492] p 75 N88-11592 JOHNSON, J. BLAIR  Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack [NASA-TP-2716] p 14 N87-29497 JOHNSON, STEWART A funar far-side very low frequency array [NASA-CP-3039] p 75 N90-10805 JOHNSON, THOMAS D., JR. Sensitivity of F-1068 leading-edge-vortex images to	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2894] p 30 N87-16902  KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491  KEETON, L. W. Space shuttle main engine high pressure fuel pump aft platform seal cavity flow analysis
NASA-TP-2902  p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 JOBSON, DANIEL J. Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762 JOHNSON, D. L. Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665 JOHNSON, HOLLIS RALPH The M-type stars [NASA-SP-492] p 75 N88-11592 JOHNSON, J. BLAIR Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack [NASA-TP-2716] p 14 N87-29497 JOHNSON, STEWART A tunar far-side very low frequency array [NASA-CP-3039] p 75 N90-10805 JOHNSON, THOMAS D., JR. Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2816] p 8 N88-23760 JOHNSTON, PATRICK J.	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2694] p 30 N87-16902  KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491  KEETON, L. W. Space shuttle main engine high pressure fuel pump aft platform seal cavity flow analysis [NASA-TP-2885] p 36 N87-17000
Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  JOBSON, DANIEL J.  Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762  JOHNSON, D. L.  Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665  JOHNSON, HOLLIS RALPH  The M-type stars [NASA-SP-492] p 75 N88-11592  JOHNSON, J. BLAIR  Qualitative evaluation of a flush air data system at transpric speeds and high angles of attack [NASA-TP-2716] p 14 N87-29497  JOHNSON, STEWART  A lunar far-side very low frequency array [NASA-CP-3039] p 75 N90-10805  JOHNSON, THOMAS D., JR.  Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760  JOHNSTON, PATRICK J.  Mach 6 experimental and theoretical stability and	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2694] p 30 N87-16902  KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491  KEETON, L. W. Space shuttle main engine high pressure fuel pump aft platform seal cavity flow analysis [NASA-TP-2885] p 36 N87-17000  KELLER, V. W.
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  JOBSON, DANIEL J.  Spatial vision processes: From the optical image to the symbolic structures of contour information  [NASA-TP-2838] p 39 N89-13762  JOHNSON, D. L.  Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations  [NASA-CP-2460] p 52 N87-20665  JOHNSON, HOLLIS RALPH  The M-type stars  [NASA-SP-492] p 75 N88-11592  JOHNSON, J. BLAIR  Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack  [NASA-TP-2716] p 75 N90-10805  JOHNSON, STEWART  A tunar far-side very low frequency array  [NASA-CP-3039] p 75 N90-10805  JOHNSON, THOMAS D., JR.  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters  [NASA-TP-2818] p 8 N88-23760  JOHNSTON, PATRICK J.  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2694] p 30 N87-16902  KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491  KEETON, L. W. Space shuttle main engine high pressure fuel pump aft platform seal cavity flow analysis [NASA-TP-2885] p 36 N87-17000
Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  JOBSON, DANIEL J. Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762  JOHNSON, D. L. Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665  JOHNSON, HOLLIS RALPH The M-type stars [NASA-SP-492] p 75 N88-11592  JOHNSON, J. BLAIR Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack [NASA-TP-2716] p 14 N87-29497  JOHNSON, STEWART A tunar far-side very low frequency array [NASA-CP-3039] p 75 N90-10805  JOHNSON, THOMAS D., JR. Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2816]  JOHNSTON, PATRICK J. Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2694] p 30 N87-16902  KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491  KEETON, L. W. Space shuttle main engine high pressure fuel pump aft platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  KELLER, V. W. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585
[NASA-TP-2902] p 30 N89-17650 Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  JOBSON, DANIEL J.  Spatial vision processes: From the optical image to the symbolic structures of contour information  [NASA-TP-2838] p 39 N89-13762  JOHNSON, D. L.  Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations  [NASA-CP-2460] p 52 N87-20665  JOHNSON, HOLLIS RALPH  The M-type stars  [NASA-SP-492] p 75 N88-11592  JOHNSON, J. BLAIR  Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack  [NASA-TP-2716] p 75 N90-10805  JOHNSON, STEWART  A tunar far-side very low frequency array  [NASA-CP-3039] p 75 N90-10805  JOHNSON, THOMAS D., JR.  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters  [NASA-TP-2818] p 8 N88-23760  JOHNSTON, PATRICK J.  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2884] p 30 N87-16902  KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491  KEETON, L. W. Space shuttle main engine high pressure fuel pump aft platform seal cavity flow analysis [NASA-TP-2885] p 36 N87-17000  KELLER, V. W. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585
Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p.31 N90-15211  JOBSON, DANIEL J.  Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p.39 N89-13762  JOHNSON, D. L.  Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p.52 N87-20665  JOHNSON, HOLLIS RALPH  The M-type stars [NASA-SP-492] p.75 N88-11592  JOHNSON, J. BLAIR  Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack [NASA-TP-2716]  JOHNSON, STEWART  A turnar far-side very low frequency array [NASA-CP-3039] p.75 N90-10805  JOHNSON, THOMAS D., JR.  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p.8 N88-23760  JOHNSTON, PATRICK J.  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p.5 N87-23592  JOLLY, J. RALPH, JR.  Helicopter main-rotor noise: Determination of source	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2884] p 30 N87-16902  KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491  KEETON, L W. Space shuttle main engine high pressure fuel pump aft platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  KELLER, V. W. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2807] p 24 N87-12585
Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  JOBSON, DANIEL J.  Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762  JOHNSON, D. L.  Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665  JOHNSON, HOLLIS RALPH  The M-type stars [NASA-SP-492] p 75 N88-11592  JOHNSON, J. BLAIR  Qualitative evaluation of a flush air data system at transoric speeds and high angles of attack [NASA-TP-2716] p 14 N87-29497  JOHNSON, STEWART  A lunar far-side very low frequency array [NASA-CP-3039] p 75 N90-10805  JOHNSON, THOMAS D., JR.  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760  JOHNSTON, PATRICK J.  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p 5 N87-23592  JOLLY, J. RALPH, JR.  Helicopter main-rotor noise: Determination of source contributions using scaled model data	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2694] p 30 N87-16902  KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491  KEETON, L. W. Space shuttle main engine high pressure fuel pump aft platform seal cavity flow analysis [NASA-TP-2885] p 36 N87-17000  KELLER, V. W. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2807] p 24 N87-12585  KEMMERLY, GUY T. A review of technologies applicable to low-speed flight of high-performance aircraft investigated in the Langley
Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  JOBSON, DANIEL J.  Spatial vision processes: From the optical image to the symbolic structures of contour information  [NASA-TP-2838] p 39 N89-13762  JOHNSON, D. L.  Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations  [NASA-CP-2460] p 52 N87-20665  JOHNSON, HOLLIS RALPH  The M-type stars  [NASA-SP-492] p 75 N88-11592  JOHNSON, J. BLAIR  Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack  [NASA-TP-2716] p 14 N87-29497  JOHNSON, STEWART  A tunar far-side very low frequency array  [NASA-CP-3039] p 75 N90-10805  JOHNSON, THOMAS D., JR.  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters  [NASA-TP-2818] p 8 N88-23760  JOHNSTON, PATRICK J.  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees  [NASA-TP-2733] p 5 N87-23592  JOLLY, J. RALPH, JR.  Helicopter main-rotor noise: Determination of source contributions using scaled model data  [NASA-TP-2825] p 67 N88-28907	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2884] p 30 N87-16902  KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491  KEETON, L W. Space shuttle main engine high pressure fuel pump aft platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  KELLER, V. W. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2807] p 24 N87-12585
Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p.31 N90-15211  JOBSON, DANIEL J.  Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p.39 N89-13762  JOHNSON, D. L.  Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p.52 N87-20665  JOHNSON, HOLLIS RALPH  The M-type stars [NASA-SP-492] p.75 N88-11592  JOHNSON, J. BLAIR  Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack [NASA-TP-27816] p.14 N87-29497  JOHNSON, STEWART  A turnar far-side very low frequency array [NASA-CP-3039] p.75 N90-10805  JOHNSON, THOMAS D., JR.  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p.8 N88-23760  JOHNSTON, PATRICK J.  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p.5 N87-23592  JOLLY, J. RALPH, JR.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825]  JONES, FRANK P.	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-26894] p 30 N87-16902  KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491  KEETON, L. W. Space shuttle main engine high pressure fuel pump aft platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  KELLER, V. W. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585  KEMMERLY, GUY T. A review of technologies applicable to low-speed flight of high-performance aircraft investigated in the Langley 14-x 22-foot subsonic tunnel
Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  JOBSON, DANIEL J.  Spatial vision processes: From the optical image to the symbolic structures of contour information  [NASA-TP-2838] p 39 N89-13762  JOHNSON, D. L.  Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations  [NASA-CP-2460] p 52 N87-20665  JOHNSON, HOLLIS RALPH  The M-type stars  [NASA-SP-492] p 75 N88-11592  JOHNSON, J. BLAIR  Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack  [NASA-TP-2716] p 14 N87-29497  JOHNSON, STEWART  A tunar far-side very low frequency array  [NASA-CP-3039] p 75 N90-10805  JOHNSON, THOMAS D., JR.  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters  [NASA-TP-2818] p 8 N88-23760  JOHNSTON, PATRICK J.  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees  [NASA-TP-2733] p 5 N87-23592  JOLLY, J. RALPH, JR.  Helicopter main-rotor noise: Determination of source contributions using scaled model data  [NASA-TP-2825] p 67 N88-28907	[NASA-TP-2726] p 27 N87-25424 KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918 KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407 KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140 KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152 KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2684] p 30 N87-16902 KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491 KEETON, L. W. Space shuttle main engine high pressure fuel pump aft platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000 KELLER, V. W. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585 KEMMERLY, GUY T. A review of technologies applicable to low-speed flight of high-performance aircraft investigated in the Langley 14 x 22-loot subsonic tunnel [NASA-TP-2796] p 7 N88-20264 Dynamic ground-effect measurements on the F-15 STOL and Maneuver Technology Demonstrator (S/MTD)
Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  JOBSON, DANIEL J.  Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762  JOHNSON, D. L.  Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665  JOHNSON, HOLLIS RALPH  The M-type stars [NASA-SP-492] p 75 N88-11592  JOHNSON, J. BLAIR  Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack [NASA-TP-2761]  JOHNSON, STEWART  A funar far-side very low frequency array [NASA-CP-3039] p 75 N90-10805  JOHNSON, THOMAS D., JR.  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760  JOHNSTON, PATRICK J.  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p 5 N87-23592  JOLLY, J. RALPH, JR.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-285]  JONES, FRANK P.  Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2818] p 15 N88-21153	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2894] p 30 N87-16902  KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491  KEETON, L W. Space shuttle main engine high pressure fuel pump aft platform seal cavity flow analysis [NASA-TP-2885] p 36 N87-17000  KELLER, V. W. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585  KEMBERLY, GUY T. A review of technologies applicable to low-speed flight of high-performance aircraft investigated in the Langley 14 x 22-foot subsonic tunnel [NASA-TP-2796] p 7 N88-20264  Dynamic ground-effect measurements on the F-15 STOL and Maneuver Technology Demonstrator (S/MTD) configuration
Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  JOBSON, DANIEL J.  Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762  JOHNSON, D. L.  Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665  JOHNSON, HOLLIS RALPH  The M-type stars  [NASA-SP-492] p 75 N88-11592  JOHNSON, J. BLAIR  Qualitative evaluation of a flush air data system at transoric speeds and high angles of attack [NASA-TP-2716] p 14 N87-29497  JOHNSON, STEWART  A lunar far-side very low frequency array [NASA-CP-3039] p 75 N90-10805  JOHNSON, THOMAS D., JR.  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760  JOHNSTON, PATRICK J.  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2818]  JOHNSTON, PATRICK J.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825]  JONES, FRAMK P.  Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2618]  JONES, LISA E.	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2894] p 30 N87-16902  KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2894] p 55 N87-26491  KEETON, L W. Space shuttle main engine high pressure fuel pump aft platform seal cavity flow analysis [NASA-TP-2885] p 36 N87-17000  KELLER, V. W. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2807] p 24 N87-12585  KEMMERLY, GUY T. A review of technologies applicable to low-speed flight of high-performance aircraft investigated in the Langley 14 x 22-loot subsonic tunnel [NASA-TP-2896] p 7 N88-20264  Dynamic ground-effect measurements on the F-15 STOL and Maneuver Technology Demonstrator (S/MTD) configuration [NASA-TP-3000] p 11 N90-22531
Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p.31 N90-15211  JOBSON, DANIEL J.  Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p.39 N89-13762  JOHNSON, D. L.  Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p.52 N87-20665  JOHNSON, HOLLIS RALPH  The M-type stars  [NASA-SP-492] p.75 N88-11592  JOHNSON, J. BLAIR  Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack [NASA-TP-2716] p.14 N87-29497  JOHNSON, STEWART  A funar far-side very low frequency array [NASA-CP-3039] p.75 N90-10805  JOHNSON, THOMAS D., JR.  Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p.8 N88-23760  JOHNSTON, PATRICK J.  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2733] p.5 N87-23592  JOLLY, J. RALPH, JR.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825] p.67 N88-26907  JONES, FRANK P.  Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2618] p.15 N88-21153  JONES, LISA E.  Evaluation of energy absorption of new concepts of	[NASA-TP-2726] p 27 N87-25424 KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918 KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407 KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140 KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152 KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2684] p 30 N87-16902 KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2723] p 55 N87-26491 KEETON, L. W. Space shuttle main engine high pressure fuel pump aft platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000 KELLER, V. W. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585 KEMMERLY, GUY T. A review of technologies applicable to low-speed flight of high-performance aircraft investigated in the Langley 14 x 22-1001 subsonic tunnel [NASA-TP-2796] p 7 N88-20264 Dynamic ground-effect measurements on the F-15 STOL and Maneuver Technology Demonstrator (S/MTD) configuration [NASA-TP-3000] p 11 N90-22531
Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  JOBSON, DANIEL J.  Spatial vision processes: From the optical image to the symbolic structures of contour information [NASA-TP-2838] p 39 N89-13762  JOHNSON, D. L.  Upper and Middle Atmospheric Density Modeling Requirements for Spacecraft Design and Operations [NASA-CP-2460] p 52 N87-20665  JOHNSON, HOLLIS RALPH  The M-type stars  [NASA-SP-492] p 75 N88-11592  JOHNSON, J. BLAIR  Qualitative evaluation of a flush air data system at transoric speeds and high angles of attack [NASA-TP-2716] p 14 N87-29497  JOHNSON, STEWART  A lunar far-side very low frequency array [NASA-CP-3039] p 75 N90-10805  JOHNSON, THOMAS D., JR.  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760  JOHNSTON, PATRICK J.  Mach 6 experimental and theoretical stability and performance of a cruciform missile at angles of attack up to 65 degrees [NASA-TP-2818]  JOHNSTON, PATRICK J.  Helicopter main-rotor noise: Determination of source contributions using scaled model data [NASA-TP-2825]  JONES, FRAMK P.  Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2618]  JONES, LISA E.	[NASA-TP-2726] p 27 N87-25424  KAISER, MARY K. Spatial Displays and Spatial Instruments [NASA-CP-10032] p 61 N90-22918  KANNING, G. General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 2 N88-19407  KATZBERG, STEVE J. Earth Sciences Requirements for the Information Sciences Experiment System [NASA-CP-3072] p 50 N90-27140  KAUFMAN, BARBARA A. Nimbus-7 data product summary [NASA-RP-1215] p 48 N89-22152  KAZAROFF, JOHN M. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2894] p 30 N87-16902  KEATING, GERALD M. Calibration of the spin-scan ozone imager aboard the dynamics Explorer 1 satellite [NASA-TP-2894] p 55 N87-26491  KEETON, L W. Space shuttle main engine high pressure fuel pump aft platform seal cavity flow analysis [NASA-TP-2885] p 36 N87-17000  KELLER, V. W. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2807] p 24 N87-12585  KEMMERLY, GUY T. A review of technologies applicable to low-speed flight of high-performance aircraft investigated in the Langley 14 x 22-loot subsonic tunnel [NASA-TP-2896] p 7 N88-20264  Dynamic ground-effect measurements on the F-15 STOL and Maneuver Technology Demonstrator (S/MTD) configuration [NASA-TP-3000] p 11 N90-22531

Experimental validation of a two-dimensional shear-flow

p 66 N87-20798

of for determining acoustic impedance

INASA-TP-26791

KERN. F. A. Introduction to total- and partial-pressure measurements INASA-RP-12191 p 40 N90-10412 KHAN, FERDOUS BRYNTRN: A baryon transport model p 80 N89-17562 [NASA-TP-2887] KHANDELWAL, GOVIND S. Doubly differential cross sections for galactic heavy-ion fragmentation [NASA-TP-2659] p 68 N87-17487 Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 68 N88-30402 KIBLER, JAMES F. Calculation and accuracy of ERBE scanner measurement locations [NASA-TP-2670] p 72 N87-28471 KIM, KYUN O. Mixed formulation for frictionless contact problems [NASA-TP-2897] p 45 N89-19580 Modeling and analysis of the space shuttle nose-gear tire with semianalytic finite elements [NASA-TP-2977] p 42 N90-19595 User's guide for the Nimbus 7 Scanning Multichannel Microwave Radiometer (SMMR) CELL-ALL tape p 56 N89-14648 [NASA-RP-1210] KING, TRACY K. Contamination of liquid oxygen by pressurized gaseous nitrogen [NASA-TP-2894] p 38 N89-19499 KIPLINGER, ALAN L Rapid Fluctuations in Solar Flares [NASA-CP-2449] p 79 N87-21785 KLEIN, VLADISLAV Analysis of flight data from a High-Incidence Research Model by system identification methods [NASA-TP-2940] p 20 N90-10074 KLENK, K. F. Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's quide [NASA-RP-1234] p 53 N90-17227 KNOCKEMUS, WARD W. The corrosion mechanisms for primer coated 2219-T87 aluminum p 30 N87-21076 KNOX, C. E. Ground-based time-guidance algorithm for control of airplanes in a time-metered air traffic control environment: A piloted simulation study INASA-TP-26161 p 16 N87-10864 KO, WILLIAM L. Finite-element reentry heat-transfer analysis of space p 37 N87-29795 INASA-TP-26571 KOCHEL, R. CRAIG Sapping features of the Colorado Plateau: A comparative planetary geology field guide [NASA-SP-491] p 49 N89-10401 KOSMAHL, HENRY G. Analytical and experimental performance of a dual-mode traveling wave tube and multistage depressed collector [NASA-TP-2752] p 35 N87-25532 p 35 N87-25532 KRAMBEER, KEITH D. Derivation and definition of a linear aircraft model [NASA-RP-1207] p 19 N89-15123 KRIST. STEVEN E. Numerical simulation of channel flow transition. resolution requirements and structure of the hairpin [NASA-TP-2667] p.4 N87-19351 KROPP, JACK Solar-Terrestrial Science Strategy Workshop [NASA-CP-3048] p 73 N90-18329 KRUEGER, ARLIN J. Scientific and Operational Requirements for TOMS Data p 47 N88-13774 [NASA-CP-2497] The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas p 49 N88-20714 [NASA-RP-1201] The 1989 Airborne Arctic Stratospheric Expedition Nimbus-7 TOMS data atlas [NASA-RP-1227] p 57 N89-27302 The 1988 Antarctic ozone monitoring Nimbus-7 TOMS INASA-RP-12251 p 57 N89-28983 Nimbus-7 TOMS Antarctic ozone atlas: August through November, 1989 INASA-RP-12371 p 58 N90-23837 KUDLINSKI, ROBERT A. Digital enhancement of flow field images INASA-TP-27701 p 62 N88-20833

A piloted evaluation of an oblique-wing research aircraft

p 20 N89-15930

on simulation with decoupling control law

INASA-TP-28741

KUHI, LEONARD V.	LARKO, DAVID E.	LIEBERT, CURT H.
FGK stars and T Tauri stars: Monograph series on	The 1987 Airborne Antarctic Ozone Experiment: The	Measurement of local high-level, transient surface heat
nonthermal phenomena in stellar atmospheres [NASA-SP-502] p 77 N90-18344	Nimbus-7 TOMS data atlas [NASA-RP-1201] p 49 N88-20714	flux (NASA-TP-2840) p 39 N88-30099
KUMAR, AJAY	The 1989 Airborne Arctic Stratospheric Expedition	LITVIN, FAYDOR L.
Numerical simulation of scramjet inlet flow fields	Nimbus-7 TOMS data atlas	Theory of gearing
[NASA-TP-2517] p 8 N88-23735 KUNDE, V. G.	[NASA-RP-1227] p 57 N89-27302	[NASA-RP-1212] p 42 N90-19593
The Cassini mission: Infrared and microwave	The 1988 Antarctic ozone monitoring Nimbus-7 TOMS	LOHR, GARY W.  A simulator investigation of the use of digital data link
spectroscopic measurements	data atlas [NASA-RP-1225] p 57 N89-28983	for pilot/ATC communications in a single pilot operation
(NASA-RP-1213) p 78 N89-16709	Nimbus-7 TOMS Antarctic ozone atlas: August through	[NASA-TP-2837] p 13 N89-11726
KUNDU, MUKUL.  Energetic Phenomena on the Sun: The Solar Maximum	November, 1989	A piloted simulation study of data link ATC message
Mission Flare Workshop. Proceedings	[NASA-RP-1237] p 58 N90-23837	exchange [NASA-TP-2859] p 13 N89-15900
[NASA-CP-2439] p 79 N87-19328	LARSON, TERRY J.  Qualitative evaluation of a flush air data system at	Delivery performance of conventional aircraft by
KURKOV, ANATOLE P. Optical measurement of propeller blade deflections	transonic speeds and high angles of attack	terminal-area, time-based air traffic control: A real-time
[NASA-TP-2841] p 39 N88-28286	[NASA-TP-2716] p 14 N87-29497	simulation evaluation
KURYLO, M. J.	LEATHERWOOD, JACK D.	[NASA-TP-2978] p 13 N90-18378
Present state of knowledge of the upper atmosphere	Annoyance response to simulated advanced turboprop aircraft interior noise containing tonal beats	LONG, EDWARD R., JR.  Spectroscopic comparison of effects of electron
1988: An assessment report [NASA-RP-1208] p 52 N88-29233	[NASA-TP-2689] p 66 N87-24161	radiation on mechanical properties of two polyimides
Present state of knowledge of the upper atmosphere	LEAVITT, L. D.	[NASA-TP-2663] p 27 N87-18611
1990: An assessment report	Static internal performance of single-expansion-ramp	Absorbed dose thresholds and absorbed dose rate limitations for studies of electron radiation effects on
[NASA-RP-1242] p 54 N90-28929 KURZEJA, R. J.	nozzles with thrust-vectoring capability up to 60 deg [NASA-TP-2364] p.3 N87-10839	polyetherimides
Description of data on the Nimbus 7 LIMS map archive	LEAVITT, LAURENCE D.	[NASA-TP-2928] p 31 N89-25332
tape: Ozone and nitric acid	Effects of afterbody boattail design and empennage	LONG, SHEILA ANN T.
[NASA-TP-2625] p 51 N87-13022 KURZEJA, ROBERT J.	arrangement on aeropropulsive characteristics of a	Spectroscopic comparison of effects of electron radiation on mechanical properties of two polyimides
Description of data on the Nimbus 7 LIMS map archive	twin-engine fighter model at transonic speeds [NASA-TP-2704] p 4 N87-21873	[NASA-TP-2663] p 27 N87-18611
tape: Water vapor and nitrogen dioxide	Static internal performance of a nonaxisymmetric varied	Absorbed dose thresholds and absorbed dose rate
[NASA-TP-2761] p 56 N88-14572	thrust reverser with flow splay capability	limitations for studies of electron radiation effects on
KUTLER, PAUL Supercomputing in Aerospace	[NASA-TP-2933] p 10 N89-27634	polyetherimides [NASA-TP-2928] p 31 N89-25332
[NASA-CP-2454] p 5 N87-25998	LECROY, STUART R.  Surface bidirectional reflectance properties of two	LONG. W. RUSS
KWON, J. H.	southwestern Arizona deserts for wavelengths between	Workshop on Two-Phase Fluid Behavior in a Space
Diode laser satellite systems for beamed power	0.4 and 2.2 micrometers	Environment
transmission {NASA-TP-2992} p.40 N90-24585	[NASA-TP-2643] p 48 N87-22281	[NASA-CP-3043] p 38 N89-26184 LOPEZ. MERCEDES C.
KYLE, H. LEE	LEE, G. Automated Reduction of Data from Images and	Static mechanical properties of 30 x 11.5 - 14.5, type
Nimbus-7 data product summary	Holograms	8 aircraft tires of bias-ply and radial-belted design
[NASA-RP-1215] p 48 N89-22152	[NASA-CP-2477] p 6 N87-29432	[NASA-TP-2810] p 15 N88-21157
Nimbus-7 ERB Solar Analysis Tape (ESAT) user's quide	LEE, KAM-PUI	LORD, DOUGLAS R.  Spacelab: An international success story
[NASA-RP-1211] p 79 N89-30151	A review of reaction rates and thermodynamic and transport properties for an 11-species air model for	[NASA-SP-487] p 72 N88-19375
,,	chemical and thermal nonequilibrium calculations to 30000	LOWRY, S. A.
í	K (NACA DD 1000)	Space shuttle main engine high pressure fuel pump aft
L	[NASA-RP-1232] p 38 N90-27064	platform seal cavity flow analysis
L LADSON, CHARLES L	[NASA-RP-1232] p 38 N90-27064 LEE, LARRY D.	
Evolution, calibration, and operational characteristics of	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000 LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086
Evolution, calibration, and operational characteristics of	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J.
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 LALA, G. G.	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000 LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 LALA, G. G.  Development testing of large volume water sprays for	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035 Determination of combustion gas temperatures by
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 LALA, G. G.  Development testing of large volume water sprays for warm fog dispersal	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K.  Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J.  Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 LALA, G. G.  Development testing of large volume water sprays for	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035 Determination of combustion gas temperatures by
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 LALA, G. G.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p. 21 N87-28570 LALA, G. G.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p. 24 N87-12585 LALLMAN, FREDERICK J.  A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035 Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p. 21 N87-28570  LALA, G. G.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p. 24 N87-12585  LALLMAN, FREDERICK J.  A closed-form trim solution yielding minimum trim drag	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212	platform seal cavity flow analysis [NASA-TP-2905] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p. 21 N87-28570 [LALA, G. G. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p. 24 N87-12585 [LALLMAN, FREDERICK J. A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p. 20 N89-23468 [LAMAR, JOHN E. Pressure measurements on a thick cambered and	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 LALA, G. G.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585 LALLMAN, FREDERICK J.  A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 LAMAR, JOHN E.  Pressure measurements on a thick cambered and twisted 58 deg detta wing at high subsonic speeds	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035 Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409  M  MACARAEG, MICHELE G. A spectral collocation solution to the compressible stability eigenvalue problem
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570  LALA, G. G.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585  LALLMAN, FREDERICK J.  A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468  LAMAR, JOHN E.  Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409  M  MACARAEG, MICHELE G. A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 LALA, G. G.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585 LALLMAN, FREDERICK J.  A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 LAMAR, JOHN E.  Pressure measurements on a thick cambered and twisted 58 deg detta wing at high subsonic speeds	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000 LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086 LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035 Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] M  MACARAEG, MICHELE G. A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2686] p 9 N89-12543 MACELROY, ROBERT D.
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p. 21 N87-28570  LALA, G. G.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p. 24 N87-12585  LALLMAN, FREDERICK J.  A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p. 20 N89-23468  LAMAR, JOHN E.  Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p. 6 N87-27643  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters  [NASA-TP-2818] p. 8 N88-23760	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409  M  MACARAEG, MICHELE G. A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543  MACELROY, ROBERT D. Controlled Ecological Life Support System: Regenerative Life Support Systems in Space
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p. 21 N87-28570  LALA, G. G. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p. 24 N87-12585  LALLMAN, FREDERICK J. A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p. 20 N89-23468  LAMAR, JOHN E. Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p. 6 N87-27643  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p. 8 N88-23760  LAMB, MILTON	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-1229] p 77 N89-27612  LERCH, BRADLEY A.	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K.  Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J.  Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] W  MACARAEG, MICHELE G.  A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543  MACELROY, ROBERT D.  Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-12251
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 LALA, G. G.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585 LALLMAN, FREDERICK J.  A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 LAMAR, JOHN E.  Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760 LAMB, MILTON  Aeropropulsive characteristics of isolated combined	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-1229] p 77 N89-27612  LERCH, BRADLEY A.  Least reatment study of the SiC/Ti-15-3 composite	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409  M  MACARAEG, MICHELE G. A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543  MACELROY, ROBERT D. Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-12251  Controlled Ecological Life Support System: Design,
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p. 21 N87-28570  LALA, G. G. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p. 24 N87-12585  LALLMAN, FREDERICK J. A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p. 20 N89-23468  LAMAR, JOHN E. Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p. 6 N87-27643  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p. 8 N88-23760  LAMB, MILTON	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-1229] p 77 N89-27612  LERCH, BRADLEY A.  Heat treatment study of the SiC/Ti-15-3 composite system	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K.  Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J.  Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] W  MACARAEG, MICHELE G.  A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543  MACELROY, ROBERT D.  Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-12251
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 LALA, G. G. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585 LALLMAN, FREDERICK J. A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 LAMAR, JOHN E. Pressure measurements on a thick cambered and twisted 58 deg defta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760 LAMB, MILTON Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 8 N88-23757 Integration effects of pylon geometry on a high-wing	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-1229] p 77 N89-27612  LERCH, BRADLEY A.  Least reatment study of the SiC/Ti-15-3 composite	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000 LUERS, J. K.  Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086 LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035 Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] M  MACARAEG, MICHELE G. A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543 MACELROY, ROBERT D. Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-1251 Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 60 N88-13852
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 LALA, G. G.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585 LALLMAN, FREDERICK J.  A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 LAMAR, JOHN E.  Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760 LAMB, MILTON  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 8 N88-23757 Integration effects of pylon geometry on a high-wing transport airplane	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-1229] p 77 N89-27612  LERCH, BRADLEY A.  Heat treatment study of the SiC/Ti-15-3 composite system [NASA-TP-2970] p 29 N90-19302  LESNY, GARY G.  Performance of a small, graphite electrode, multistage	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409  MACARAEG, MICHELE G. A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2658] p 9 N89-12543  MACELROY, ROBERT D. Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-12251  Controlled Ecological Life Support System: Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 60 N88-13852  Report of the 1st Planning Workshop for CELSS Flight
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p. 21 N87-28570  LALA, G. G.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p. 24 N87-12585  LALLMAN, FREDERICK J.  A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p. 20 N89-23468  LAMAR, JOHN E.  Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p. 6 N87-27643  Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters  [NASA-TP-2818] p. 8 N88-23760  LAMB, MILTON  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20  [NASA-TP-2814] p. 8 N88-23757  Integration effects of pylon geometry on a high-wing transport airplane  [NASA-TP-2877] p. 9 N89-15888	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-129] p 77 N89-27612  LERCH, BRADLEY A.  Heat treatment study of the SiC/Ti-15-3 composite system [NASA-TP-2970] p 29 N90-19302  LESNY, GARY G.  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035 Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409  WM  MACARAEG, MICHELE G. A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543  MACELROY, ROBERT D. Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-12251 Controlled Ecological Life Support System. Desynchyment, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 60 N88-13852 Report of the 1st Planning Workshop for CELSS Flight Experimentation
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 LALA, G. G.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585 LALLMAN, FREDERICK J.  A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 LAMAR, JOHN E.  Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760 LAMB, MILTON  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 8 N88-23757 Integration effects of pylon geometry on a high-wing transport airplane	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-1229] p 77 N89-27612  LERCH, BRADLEY A.  Heat treatment study of the SiC/Ti-15-3 composite system [NASA-TP-2970] p 29 N90-19302  LESNY, GARY G.  Performance of a small, graphite electrode, multistage	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409  MACARAEG, MICHELE G. A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2658] p 9 N89-12543  MACELROY, ROBERT D. Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-12251  Controlled Ecological Life Support System: Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 60 N88-13852  Report of the 1st Planning Workshop for CELSS Flight
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p. 21 N87-28570  LALA, G. G.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p. 24 N87-12585  LALLMAN, FREDERICK J.  A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p. 20 N89-23468  LAMAR, JOHN E.  Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p. 6 N87-27643  Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters  [NASA-TP-2818] p. 8 N88-23760  LAMB, MILTON  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p. 8 N88-23757 Integration effects of pylon geometry on a high-wing transport airplane [NASA-TP-2877] p. 9 N89-15888  LAMKIN, 8. L.  BRYNTRIN: A baryon transport model [NASA-TP-2887] p. 80 N89-17562	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-1229] p 77 N89-27612  LERCH, BRADLEY A.  Heat treatment study of the SiC/Ti-15-3 composite system [NASA-TP-2780] p 29 N90-19302  LESNY, GARY G.  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8- to 9.6-GHz traveling wave tube [NASA-TP-2788] p 35 N88-15146  LEVIN, ALAN D.	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035 Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409  W  MACARAEG, MICHELE G. A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2958] p 9 N89-12543  MACELROY, ROBERT D. Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-12251 Controlled Ecological Life Support System Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 60 N88-13852 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  MACK, ROBERT J. Aerodynamic characteristics of wings designed with a
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570  LALA, G. G. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585  LALLMAN, FREDERICK J. A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468  LAMAR, JOHN E. Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760  LAMB, MILTON  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 8 N88-23757 Integration effects of pylon geometry on a high-wing transport airplane [NASA-TP-2877] p 9 N89-15888  LAMKIN, S. L. BRYNTRIN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  LANCE, D. G.	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-1229] p 77 N89-27612  LERCH, BRADLEY A.  Heat treatment study of the SiC/Ti-15-3 composite system [NASA-TP-270] p 29 N90-19302  LESNY, GARY G.  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube [NASA-TP-2788] p 35 N88-15146  LEVIN, ALAN D.  Summary of studies to reduce wing-mounted propfan	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000 LUERS, J. K.  Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086 LYONS, VALERIE J.  Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035 Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] M  MACARAEG, MICHELE G.  A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2688] p 9 N89-12543 MACELROY, ROBERT D.  Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-12251 Controlled Ecological Life Support System Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 60 N88-13852 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898 MACK, ROBERT J.  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p. 21 N87-28570  LALA, G. G. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p. 24 N87-12585  LALLMAN, FREDERICK J. A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p. 20 N89-23468  LAMAR, JOHN E. p. 20 N89-23468  LAMAR, JOHN E. p. 20 N89-23468  [NASA-TP-2913] p. 6 N87-27643  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p. 8 N88-23760  LAMB, MILTON Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20  [NASA-TP-2814] p. 8 N88-23757  Integration effects of pylon geometry on a high-wing transport airplane [NASA-TP-2877] p. 9 N89-15888  LAMKIN, 8. L. BRYNTRIN: A baryon transport model [NASA-TP-2887] p. 80 N89-17562  LANCE, D. G. Low velocity instrumented impact testing of four new	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-1229] p 77 N89-27612  LERCH, BRADLEY A.  Heat treatment study of the SiC/Ti-15-3 composite system [NASA-TP-2970] p 29 N90-19302  LESNY, GARY G.  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz travel/mg wave tube [NASA-TP-2788] p 35 N88-15146  LEVIN, ALAN D.  Summary of studies to reduce wing-mounted proptan installation drag on an M = 0.8 transport	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035 Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409  MACARAEG, MICHELE G. A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543  MACELROY, ROBERT D. Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-12251 Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 60 N88-13852 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  MACK, ROBERT J. Aerodynamic characteristics of wings designed with a
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570  LALA, G. G. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585  LALLMAN, FREDERICK J. A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468  LAMAR, JOHN E. Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760  LAMB, MILTON  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 8 N88-23757 Integration effects of pylon geometry on a high-wing transport airplane [NASA-TP-2877] p 9 N89-15888  LAMKIN, S. L. BRYNTRIN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  LANCE, D. G.	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-1229] p 77 N89-27612  LERCH, BRADLEY A.  Heat treatment study of the SiC/Ti-15-3 composite system [NASA-TP-270] p 29 N90-19302  LESNY, GARY G.  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube [NASA-TP-2788] p 35 N88-15146  LEVIN, ALAN D.  Summary of studies to reduce wing-mounted propfan	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000 LUERS, J. K.  Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086 LYONS, VALERIE J.  Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035 Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] M  MACARAEG, MICHELE G.  A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543 MACELROY, ROBERT D.  Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-12251 Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 60 N88-13852 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898 MACK, ROBERT J.  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 7 N88-19420 MACKALL, DALE A.
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p. 21 N87-28570  LALA, G. G. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p. 24 N87-12585  LALLMAN, FREDERICK J. A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p. 20 N89-23468  LAMAR, JOHN E. Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p. 6 N87-27643  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p. 8 N88-23760  LAMB, MILTON Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p. 8 N88-23757 Integration effects of pylon geometry on a high-wing transport airplane [NASA-TP-2887] p. 9 N89-15888  LAMKIN, 8. L. BRYNTRI: A baryon transport model [NASA-TP-2887] p. 80 N89-17562  LAMCE, D. G. Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p. 29 N90-25198  An examination of impact damage in glass-phenolic and	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-1229] p 77 N89-27612  LERCH, BRADLEY A.  Heat treatment study of the SiC/Ti-15-3 composite system [NASA-TP-2970] p 29 N90-19302  LESNY, GARY G.  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube [NASA-TP-2788] p 35 N88-15146  LEVIN, ALAN D.  Summary of studies to reduce wing-mounted propfan installation drag on an M = 0.8 transport [NASA-TP-2090]  LEVINE, JOEL S.  Space Opportunities for Tropospheric Chemistry	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K.  Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J.  Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409  MACARAEG, MICHELE G.  A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543  MACELROY, ROBERT D.  Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-12251  Controlled Ecological Life Support System: Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 60 N88-13852  Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  MACK, ROBERT J.  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 7 N88-19420  MACKALL, DALE A.  Development and flight test experiences with a
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570  LALA, G. G. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585  LALLMAN, FREDERICK J. A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468  LAMAR, JOHN E. Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760  LAMB, MILTON Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 8 N88-23757 Integration effects of pylon geometry on a high-wing transport airplane [NASA-TP-2877] p 9 N89-15888  LAMKIN, S. L. BRYNTRN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  LANCE, D. G. Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 An examination of impact damage in glass-phenolic and aluminum honeycomb core composite panels	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-1229] p 77 N89-27612  LERCH, BRADLEY A.  Heat treatment study of the SiC/Ti-15-3 composite system [NASA-TP-2970] p 29 N90-19302  LESNY, GARY G.  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube [NASA-TP-2788] p 35 N88-15146  LEVIN, ALAN D.  Summary of studies to reduce wing-mounted propfan installation drag on an M = 0.8 transport [NASA-TP-2678] p 14 N87-20990  LEVINE, JOEL S.  Space Opportunities for Tropospheric Chemistry Research	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K. Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J. Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409  MACARAEG, MICHELE G. A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543  MACELROY, ROBERT D. Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-12251  Controlled Ecological Life Support System: Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 60 N88-13852  Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  MACK, ROBERT J. Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799] p 7 N88-19420  MACKALL, DALE A. Development and flight test experiences with a flight-crucial digital control system
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570  LALA, G. G. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585  LALLMAN, FREDERICK J. A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468  LAMAR, JOHN E. Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2713] p 6 N87-27643  Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760  LAMB, MILTON Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 8 N88-23757 Integration effects of pylon geometry on a high-wing transport airplane [NASA-TP-2877] p 9 N89-15888  LAMKIN, 8. L. BRYNTRIN: A baryon transport model [NASA-TP-2887] p 80 N89-17562  LANCE, D. G. Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p 29 N90-25198 An examination of impact damage in glass-phenolic and aluminum honeycomb core composite panels [NASA-TP-3042] p 29 N90-27876	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-1229] p 77 N89-27612  LERCH, BRADLEY A.  Heat treatment study of the SiC/Ti-15-3 composite system [NASA-TP-2780] p 29 N90-19302  LESNY, GARY G.  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8- to 9.6-GHz traveling wave tube [NASA-TP-2788] p 35 N88-15146  LEVIN, ALAN D.  Summary of studies to reduce wing-mounted propfan installation drag on an M = 0.8 transport [NASA-TP-27678] p 14 N87-20990  LEVINE, JOEL S.  Space Opportunities for Tropospheric Chemistry Research [NASA-CP-2450] p 51 N87-18248	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K.  Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J.  Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409  MACARAEG, MICHELE G.  A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543  MACELROY, ROBERT D.  Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-12251  Controlled Ecological Life Support System: Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 60 N88-13852  Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  MACK, ROBERT J.  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 7 N88-19420  MACKALL, DALE A.  Development and flight test experiences with a
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p. 21 N87-28570  LALA, G. G. Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p. 24 N87-12585  LALLMAN, FREDERICK J. A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p. 20 N89-23468  LAMAR, JOHN E. p. 20 N89-23468  LAMAR, JOHN E. p. 20 N89-23468  LAMAR, JOHN E. p. 30 N89-23468  [NASA-TP-2911] p. 6 N87-27643  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p. 8 N88-23760  LAMB, MILTON Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20  [NASA-TP-2814] p. 8 N88-23757  Integration effects of pylon geometry on a high-wing transport airplane [NASA-TP-2887] p. 9 N89-15888  LAMKIN, 8. L. BRYNTRN: A baryon transport model [NASA-TP-2887] p. 90 N89-17562  LANCE, D. G. Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-3029] p. 29 N90-25198  An examination of impact damage in glass-phenolic and aluminum honeycomb core composite panels [NASA-TP-3042] p. 29 N90-27876  LANSING, DONALD L. Quantitative analysis of the reconstruction performance	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-1229] p 77 N89-27612  LERCH, BRADLEY A.  Heat treatment study of the SiC/Ti-15-3 composite system [NASA-TP-2970] p 29 N90-19302  LESNY, GARY G.  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube [NASA-TP-2788] p 35 N88-15146  LEVIN, ALAN D.  Summary of studies to reduce wing-mounted propfan installation drag on an M = 0.8 transport [NASA-TP-2678] p 14 N87-20990  LEVINE, JOEL S.  Space Opportunities for Tropospheric Chemistry Research	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000 LUERS, J. K.  Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086 LYONS, VALERIE J.  Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035 Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] p 38 N89-25409  MACARAEG, MICHELE G.  A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543 MACELROY, ROBERT D.  Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-12251 Controlled Ecological Life Support System: Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 60 N88-13852 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898 MACK, ROBERT J.  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 7 N88-19420 MACKAL, DALE A.  Development and flight test experiences with a flight-crucial digital control system [NASA-TP-2857] p 20 N89-24327 MACKAY, REBECCA A.  Heat treatment study of the SiC/Ti-15-3 composite
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 LALA, G. G.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585 [NASA-TP-2607] p 24 N87-12585 LALLMAN, FREDERICK J.  A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 [NASA-TP-2907] p 20 N89-23468 [NASA-TP-2707] p 20 N89-23468 [NASA-TP-2707] p 30 N89-23468 [NASA-TP-2713] p 6 N87-27643 Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760 [NASA-TP-2818] p 8 N88-23760 [NASA-TP-2818] p 8 N88-23760 [NASA-TP-2814] p 8 N88-23757 [Integration effects of pylon geometry on a high-wing transport airplane [NASA-TP-2877] p 9 N89-15888 [NASA-TP-2887] p 9 N89-15888 [NASA-TP-2887] p 9 N89-1562 [NASA-TP-2887] p 9 N89-1562 [NASA-TP-2887] p 9 N89-1562 [NASA-TP-2887] p 9 N89-1562 [NASA-TP-2887] p 9 N90-25198 An examination of impact damage in glass-phenolic and aluminum honeycomb core composite systems [NASA-TP-3042] p 29 N90-27876	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-1229] p 77 N89-27612  LERCH, BRADLEY A.  Heat treatment study of the SiC/Ti-15-3 composite system [NASA-TP-2780] p 29 N90-19302  LESNY, GARY G.  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8- to 9.6-GHz traveling wave tube [NASA-TP-2788] p 35 N88-15146  LEVIN, ALAN D.  Summary of studies to reduce wing-mounted propfan installation drag on an M = 0.8 transport [NASA-TP-2788] p 14 N87-20990  LEVINE, JOEL S.  Space Opportunities for Tropospheric Chemistry Research [NASA-CP-2450] p 51 N87-18248  LEWICKI, DAVID G.  Predicted effect of dynamic load on pitting fatigue life for low-contact-ratio spur gears	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000 LUERS, J. K.  Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086 LYONS, VALERIE J.  Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035 Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] M  MACARAEG, MICHELE G.  A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543 MACELROY, ROBERT D.  Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-12251 Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 60 N88-13852 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898 MACK, ROBERT J.  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 7 N88-19420 MACKALL, DALE A.  Development and flight test experiences with a flight-crucial digital control system [NASA-TP-2857] p 20 N89-24327 MACKAY, REBECCA A.  Heat treatment study of the SiC/Ti-15-3 composite system
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570  LALA, G. G.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585  LALLMAN, FREDERICK J.  A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468  LAMAR, JOHN E.  Pressure measurements on a thick cambered and twisted 58 deg delta wing at high subsonic speeds [NASA-TP-2913] p 6 N87-27643  Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760  LAMB, MILTON  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 8 N88-23757 Integration effects of pylon geometry on a high-wing transport airplane [NASA-TP-2887] p 9 N89-15888  LAMKIN, S. L.  BRYNTRIN: A baryon transport model [NASA-TP-2887] p 8 N89-17562  LANCE, D. G.  Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems [NASA-TP-2029] p 29 N90-25198  An examination of impact damage in glass-phenolic and aluminum honeycomb core composite panels [NASA-TP-2088] p 29 N90-27876	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of fightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-1229] p 77 N89-27612  LERCH, BRADLEY A.  Heat treatment study of the SiC/Ti-15-3 composite system [NASA-TP-2970] p 29 N90-19302  LESNY, GARY G.  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube [NASA-TP-2788] p 35 N88-15146  LEVIN, ALAN D.  Summary of studies to reduce wing-mounted propfan installation drag on an M = 0.8 transport [NASA-TP-2787] p 14 N87-20990  LEVINE, OPEL S.  Space Opportunities for Tropospheric Chemistry Research [NASA-CP-2450] p 51 N87-18248  LEWICKI, DAVID G.  Predicted effect of dynamic load on pitting fatigue life for low-contact-ratio spur gears [NASA-TP-2610] p 41 N87-18095	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000  LUERS, J. K.  Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086  LYONS, VALERIE J.  Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035  Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] M  MACARAEG, MICHELE G.  A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-12543  MACELROY, ROBERT D.  Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-12251  Controlled Ecological Life Support System: Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 60 N88-13852  Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898  MACK, ROBERT J.  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 7 N88-19420  MACKALL, DALE A.  Development and flight test experiences with a flight-crucial digital control system [NASA-TP-2857] p 20 N89-24327  MACKAY, REBECCA A.  Heat treatment study of the SiC/Ti-15-3 composite system [NASA-TP-2970] p 29 N90-19302
Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 LALA, G. G.  Development testing of large volume water sprays for warm fog dispersal [NASA-TP-2607] p 24 N87-12585 [NASA-TP-2607] p 24 N87-12585 LALLMAN, FREDERICK J.  A closed-form trim solution yielding minimum trim drag for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468 [NASA-TP-2907] p 20 N89-23468 [NASA-TP-2707] p 20 N89-23468 [NASA-TP-2707] p 30 N89-23468 [NASA-TP-2713] p 6 N87-27643 Sensitivity of F-1068 leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 8 N88-23760 [NASA-TP-2818] p 8 N88-23760 [NASA-TP-2818] p 8 N88-23760 [NASA-TP-2814] p 8 N88-23757 [Integration effects of pylon geometry on a high-wing transport airplane [NASA-TP-2877] p 9 N89-15888 [NASA-TP-2887] p 9 N89-15888 [NASA-TP-2887] p 9 N89-1562 [NASA-TP-2887] p 9 N89-1562 [NASA-TP-2887] p 9 N89-1562 [NASA-TP-2887] p 9 N89-1562 [NASA-TP-2887] p 9 N90-25198 An examination of impact damage in glass-phenolic and aluminum honeycomb core composite systems [NASA-TP-3042] p 29 N90-27876	[NASA-RP-1232] p 38 N90-27064  LEE, LARRY D.  New methods and results for quantification of lightning-aircraft electrodynamics [NASA-TP-2737] p 4 N87-21871  LEE, MARK C.  Noncontact Temperature Measurement [NASA-CP-2503] p 32 N88-23895  LEE, W. S.  Auger electron intensity variations in oxygen-exposed large grain polycrystalline silver [NASA-TP-2930] p 67 N89-30022  LEHOCZKY, S. L.  Growth of solid solution single crystals [NASA-TP-2787] p 32 N88-14212  LEISAWITZ, DAVID  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 76 N88-29652  Commentary on interstellar matter associated with 18 open clusters [NASA-RP-1229] p 77 N89-27612  LERCH, BRADLEY A.  Heat treatment study of the SiC/Ti-15-3 composite system [NASA-TP-2780] p 29 N90-19302  LESNY, GARY G.  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8- to 9.6-GHz traveling wave tube [NASA-TP-2788] p 35 N88-15146  LEVIN, ALAN D.  Summary of studies to reduce wing-mounted propfan installation drag on an M = 0.8 transport [NASA-TP-2788] p 14 N87-20990  LEVINE, JOEL S.  Space Opportunities for Tropospheric Chemistry Research [NASA-CP-2450] p 51 N87-18248  LEWICKI, DAVID G.  Predicted effect of dynamic load on pitting fatigue life for low-contact-ratio spur gears	platform seal cavity flow analysis [NASA-TP-2685] p 36 N87-17000 LUERS, J. K.  Preliminary estimates of radiosonde thermistor errors [NASA-TP-2637] p 55 N87-12086 LYONS, VALERIE J.  Velocity profiles in laminar diffusion flames [NASA-TP-2596] p 36 N87-18035 Determination of combustion gas temperatures by infrared radiometry in sooting and nonsooting flames [NASA-TP-2900] M  MACARAEG, MICHELE G.  A spectral collocation solution to the compressible stability eigenvalue problem [NASA-TP-2858] p 9 N89-25409 MACELROY, ROBERT D.  Controlled Ecological Life Support System: Regenerative Life Support Systems in Space [NASA-CP-2480] p 60 N88-12251 Controlled Ecological Life Support System Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 60 N88-13852 Report of the 1st Planning Workshop for CELSS Flight Experimentation [NASA-CP-10020] p 60 N89-13898 MACK, ROBERT J.  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 7 N88-19420 MACKALL, DALE A.  Development and flight test experiences with a flight-crucial digital control system [NASA-TP-2857] p 20 N89-24327 MACKAY, REBECCA A.  Heat treatment study of the SiC/Ti-15-3 composite system

[NASA-CP-2476]

MARRIOTT, RICHARD S.

Outgassing data for selecting spacecraft materials | NASA-RP-1124| p 28 N88-10

p 24 N87-12585

p 4 N87-20966

MEYER, ROBERT R., JR.

[NASA-TP-2395]

In-flight surface oil-flow photographs with companisons to pressure distribution and boundary-layer data

MADDALON, DAL V.	MARSHALL, B. T.	Airborne lidar measurements of El Chichon stratospheric
Simulated-airline-service flight tests of laminar-flow	Description of data on the Nimbus 7 LIMS map archive	aerosols, January 1984
control with perforated-surface suction system	tape: Water vapor and nitrogen dioxide	[NASA-RP-1175] p 51 N87-20663
[NASA-TP-2966] p 16 N90-17627 MAINE, RICHARD E.	[NASA-TP-2761] p 56 N88-14572 MARTENSEN, ANNA L.	MCCURDY, DAVID A.
Application of parameter estimation to aircraft stability	The Fault Tree Compiler (FTC): Program and	Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration
and control: The output-error approach	mathematics	[NASA-TP-2782] p 67 N88-17441
[NASA-RP-1168] p 14 N87-29499	[NASA-TP-2915] p 64 N89-24815	Annoyance caused by advanced turboprop aircraft
MAINE, TRINDEL A.	MARTIN, COLIN A.	flyover noise: Counter-rotating-propeller configuration
A piloted evaluation of an oblique-wing research aircraft	Measurements of pressures on the tail and aft fuselage	[NASA-TP-3027] p 67 N90-29166
motion simulation with decoupling control laws	of an airplane model during rotary motions at spin attitudes	MCDANELS, DAVID L.
[NASA-TP-2874] p 20 N89-15930 MAINS, RICHARD	[NASA-TP-2939] p 10 N90-10829	Tungsten fiber reinforced copper matrix composites: A review
Proceedings of a conference on Cardiovascular	MARTIN, GARY L.	[NASA-TP-2924] p 29 N89-27796
Bioinstrumentation	Conceptual design of a synchronous Mars	MCDOUGAL, DAVID S.
[NASA-CP-10022] p 59 N89-17997	telecommunications sateilite	FIRE Science Results 1989
MAINS, RICHARD C.	[NASA-TP-2942] p 78 N90-10814 MARTIN, R. M.	[NASA-CP-3079] p 58 N90-28224
Cells in Space	Power cepstrum technique with application to model	MCKAY, CHRISTOPHER P.  Microgravity Particle Research on the Space Station
[NASA-CP-10034] p 61 N90-13939	helicopter acoustic data	[NASA-CP-2496] p 58 N88-15354
MAJOR, EUGENE Nimbus-7 ERB Solar Analysis Tape (ESAT) user's	(NASA-TP-2586) p 66 N87-17479	Exobiology and Future Mars Missions
quide	Correlation of helicopter impulsive noise from	(NASA-CP-10027) p 59 N89-26334
[NASA-RP-1211] p 79 N89-30151	blade-vortex interaction with rotor mean inflow [NASA-TP-2650] p 66 N87-18399	MCKINNEY, WILLIAM S., JR.
MAJOR, JUDITH A.	Advancing-side directivity and retreating-side	Optimized resolved rate control of seven-degree-of-freedom Laboratory Telerobotic
Satellite radar altimetry over ice. Volume 1: Processing	interactions of model rotor blade-vortex interaction noise	Manipulator (LTM) with application to three-dimensional
and corrections of Seasat data over Greenland	[NASA-TP-2784] p 67 N88-22710	graphics simulation
[NASA-RP-1233-VOL-1] p 54 N90-20562	MARTIN, THOMAS V.	(NASA-TP-2938) p 64 N90-10618
Satellite radar altimetry over ice. Volume 2: Users' guide	Satellite radar altimetry over ice. Volume 1: Processing	MCMASTER, L. R.
for Greenland elevation data from Seasat [NASA-RP-1233-VOL-2] p 54 N90-20563	and corrections of Seasat data over Greenland INASA-RP-1233-VOL-1] p 54 N90-20562	SAM 2 data user's guide
Satellite radar altimetry over ice. Volume 4: Users' guide	Satellite radar altimetry over ice. Volume 2: Users' guide	[NASA-RP-1200] p 52 N88-25094 MCMILLIN, NAOMI
for Antarctica elevation data from Seasat	for Greenland elevation data from Seasat	Planform effects on the supersonic aerodynamics of
[NASA-RP-1233-VOL-4] p 54 N90-20564	[NASA-RP-1233-VOL-2] p 54 N90-20563	multibody configurations
Surface topography of the Greenland Ice Sheet from	Satellite radar altimetry over ice. Volume 4: Users' guide	[NASA-TP-2762] p 6 N88-12454
satellite radar altimetry	for Antarctica elevation data from Seasat INASA-RP-1233-VOL-41 p 54 N90-20564	MCNEILL, WALTER E.
[NASA-SP-503] p 54 N90-22850 MALL, GERALD H.	[NASA-RP-1233-VOL-4] p 54 N90-20564 MASON, M. L.	A piloted evaluation of an oblique-wing research aircraft
A simplified method for determining heat of combustion	Interference effects of thrust reversing on horizontal tail	motion simulation with decoupling control laws [NASA-TP-2874] p 20 N89-15930
of natural gas	effectiveness of twin-engine fighter aircraft at Mach	MCNULTY, MICHAEL J.
[NASA-TP-2682] p 39 N87-20514	numbers from 0.15 to 0.90	Integrated Technology Rotor Methodology Assessment
Finite-rate water condensation in combustion-heated	[NASA-TP-2350] p 19 N87-10870	Workshop
wind tunnels	MASON, MARY L.	[NASA-CP-10007] p 2 N88-27148
[NASA-TP-2833] p 22 N88-28075 Analysis of positron lifetime spectra in polymers	Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring	MCPETERS, R. D.
[NASA-TP-2853] p 63 N89-12237	[NASA-TP-2800] p 8 N88-20280	Nimbus 7 solar backscatter ultraviolet (SBUV) ozone products user's guide
MANALO, NATIVIDAD	Static performance of nonaxisymmetric nozzles with yaw	[NASA-RP-1234] p 53 N90-17227
Limb-darkening functions as derived from along-track	thrust-vectoring vanes	MEAD, JAYLEE M.
operation of the ERBE scanning radiometer for January	[NASA-TP-2813] p 8 N88-21118	Infrared source cross-index, first edition
1985 (MASA DR 1914)	MASON, W. H. Supersonic, nonlinear, attached-flow wing design for	[NASA-RP-1182] p 73 N87-22573
[NASA-RP-1214] p 56 N89-17374 MANDERSCHEID, JANE M.	high lift with experimental validation	Catalog of infrared observations, Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 73 N88-15738
Ceramics Analysis and Reliability Evaluation of	[NASA-TP-2336] p 3 N87-10042	Catalog of infrared observations. Part 2: Appendixes
Structures (CARES). Users and programmers manual	MASSEY, D. E.	[NASA-RP-1196-PT-2-ED-2] p 74 N88-16615
[NASA-TP-2916] p 47 N90-28099	Pulse Code Modulation (PCM) data storage and analysis	Far infrared supplement: Catalog of infrared
MANN, M. J.	using a microcomputer [NASA-TP-2629] p 33 N87-12718	observations, second edition
Forward-swept wing configuration designed for high maneuverability by use of a transporic computational	[NASA-TP-2629] p 33 N87-12718 MASTERS, PHILIP A.	[NASA-RP-1205] p 74 N88-30545 MEADOR, MICHAEL A.
method	High-pressure calorimeter chamber tests for liquid	Ester oxidation on an aluminum surface using
[NASA-TP-2628] p.3 N87-11702	oxygen/kerosene (LOX/RP-1) rocket combustion	chemituminescence
MANN, MICHAEL J.	[NASA-TP-2862] p 27 N89-15979	[NASA-TP-2611] p 31 N87-18666
Subsonic longitudinal and lateral-directional	MASTERS, ROBERT M.	MEITNER, PETER L.
characteristics of a forward-swept-wing fighter	Technique for temperature compensation of eddy-current proximity probes	Computer code for predicting coolant flow and heat
configuration at angles of attack up to 47 deg [NASA-TP-2727] p 6 N87-26874	[NASA-TP-2880] p 39 N89-15380	[NASA-TP-2985] p 18 N90-27722
Validation of a computer code for analysis of subsonic	MAUNG, KHIN M.	MENDELL, WENDELL W.
aerodynamic performance of wings with flaps in	Eikonal solutions to optical model coupled-channel	Report of the In Situ Resources Utilization Workshop
combination with a canard or horizontal tail and an	equations	[NASA-CP-3017] p 72 N89-14188
application to optimization [NASA-TP-2961] p 11 N90-14187	[NASA-TP-2830] p 68 N88-30402	Future Astronomical Observatories on the Moon
JNASA-TP-2961) p 11 N90-14187  MANUEL, GREGORY S.	MAUNG, KHIN MAUNG	[NASA-CP-2489] p 74 N89-15810 MENDREK, M. J.
Low-speed aerodynamic characteristics of a twin-engine	Kaon-nucleus scattering [NASA-TP-2920] p 80 N89-25103	An electrochemical study of corrosion protection by
general aviation configuration with aft-fuselage-mounted	MCANINCH, GERRY L.	primer-topcoat systems on 4130 steel with ac impedance
pusher propellers	Evaluation of a scale-model experiment to investigate	and dc methods
[NASA-TP-2763] p 6 N87-29462	long-range acoustic propagation	[NASA-TP-2820] p 30 N89-19406
MARCOLINI, MICHAEL A.  Helicopter main-rotor noise: Determination of source	[NASA-TP-2748] p 66 N88-11450	MERCER, C. E.
contributions using scaled model data	MCCASKILL, MARY K.	Forward-swept wing configuration designed for high maneuverability by use of a transonic computational
[NASA-TP-2825] p 67 N88-26907	Grammar, punctuation, and capitalization: A handbook for technical writers and editors	method
Airfoil self-noise and prediction	[NASA-SP-7084] p 71 N90-26710	[NASA-TP-2628] p 3 N87-11702
[NASA-RP-1218] p 67 N89-25673	MCCLELLAN, V. A.	MERRILL, WALTER C.
MARCUM, DON C., JR.	Doppler Radar Detection of Wind Shear	Advanced detection, isolation and accommodation of
Effect of Reynolds number variation on aerodynamics of a hydrogen-fueled transport concept at Mach 6	[NASA-CP-2435] p 12 N87-10054	sensor failures: Real-time evaluation [NASA-TP-2740] p 19 N87-25331
[NASA-TP-2728] p 5 N87-26031	MCCORD, THOMAS B.	Advanced detection, isolation, and accommodation of
MARGASON, RICHARD J.	Reflectance spectroscopy in planetary science: Review	sensor failures in turbofan engines: Real-time
The 1987 Ground Vortex Workshop	and strategy for the future [NASA-SP-493] p 78 N88-24564	microcomputer implementation
[NASA-CP-10008] p 9 N89-10849 MARGLE, JANICE M.	MCCORMICK, M. P.	[NASA-TP-2925] p 20 N90-15112 MEYER, M. B.
Velocity profiles in laminar diffusion flames	Airborne lidar measurements of El Chichon stratospheric	Development testing of large volume water sprays for
[NASA-TP-2596] p 36 N87-18035	aerosols, May 1983	warm fog dispersal
Spacecraft Fire Salety	INASA-RP-11721 p.51 N87-11358	INASA.TP.26071 n.24 NR7.12585

MCCORMICK, M. PATRICK

[NASA-RP-1173]

SAGE aerosol measurements. Volume 3: January 1, 1981 to November 18, 1981

p 51 N87-17417

p 24 N88-12520

p 28 N88-10117

WE LEN, NODERT 1.
Effects of winglets on a first-generation jet transport
wing. 7: Sideslip effects on winglet loads and selected
wing loads at subsonic speeds for a full-span model
[NASA-TP-2619] p 7 N88-18567 <b>MEYER, ROBERT T.</b>
Piloted simulator study of allowable time delays in
large-airplane response
[NASA-TP-2652] p 19 N87-16849 MEYER, WILLIAM V.
NASA Laser Light Scattering Advanced Technology
Development Workshop, 1988
[NASA-CP-10033] p 40 N90-17085
MEYERS, JAMES F.
Frequency domain laser velocimeter signal processor: A new signal processing scheme
[NASA-TP-2735] p 40 N87-27994
MIDDEN, RAYMOND E.
Description and calibration of the Langley Hypersonic
CF4 tunnel: A facility for simulating low gamma flow as
occurs for a real gas [NASA-TP-2384] p 37 N87-29778
MIDDLETON, DAVID B.
Simulator evaluation of a display for a Takeoff
Performance Monitoring System
[NASA-TP-2908] p 20 N89-23469
MIHALOEW, JAMES R.  Rotorcraft flight-propulsion control integration: An
eclectic design concept
[NASA-TP-2815] p 19 N88-19475
MIKULAS, MARTIN M., JR.
Continuum modeling of large lattice structures: Status and projections
[NASA-TP-2767] p 25 N88-14115
MILES, THOMAS
Comparison of satellite-derived dynamical quantities for
the stratosphere of the Southern Hemisphere [NASA-CP-3044] p 53 N89-25540
[NASA-CP-3044] p 53 N89-25540 MILLER, CHARLES G., III
Description and calibration of the Langley Hypersonic
CF4 tunnel: A facility for simulating low gamma flow as
occurs for a real gas
[NASA-TP-2384] p 37 N87-29778 MILLER, D. S.
Supersonic, nonlinear, attached-flow wing design for
high lift with experimental validation
[NASA-TP-2336] p 3 N87-10042
MILLER, DAVID S. Investigation of leading-edge flap performance on delta
and double-delta wings at supersonic speeds
[NASA-TP-2656] p 4 N87-20233
MILLER, IRVIN M.
Closed-Cycle, Frequency-Stable CO2 Laser
Technology  NASA-CP-2456} p 40 N87-20522
MILLER, TERESA Y.
Continuous flow electrophoresis system experiments on
shuttle flights STS-6 and STS-7
[NASA-TP-2778] p 32 N88-10978
MIN, BYUNG-JIN  Mixed finite element models for free vibrations of
thin-walled beams
thin-walled beams [NASA-TP-2868] p 45 N89-19579
thin-walled beams [NASA-TP-2868] p 45 N89-19579 MINNIS, P.
thin-walled beams [NASA-TP-2868] p 45 N89-19579 MINNIS, P. Angular radiation models for Earth-atmosphere system.
thin-walled beams [NASA-TP-2868] p 45 N89-19579 MINNIS, P.
thin-walled beams [NASA-TP-2868] p 45 N89-19579 MINNIS, P. Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation
thin-walled beams [NASA-TP-2868] p 45 N89-19579  MINNIS, P. Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677  MITCHELL, A. M. Testing of UH-60A helicopter transmission in NASA
thin-walled beams [NASA-TP-2868] p 45 N89-19579  MINNIS, P.  Angular radiation models for Earth-atmosphere system.  Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677  MITCHELL, A. M.  Testing of UH-60A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility
thin-walled beams [NASA-TP-2868] p 45 N89-19579  MINNIS, P.  Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677  MITCHELL, A. M.  Testing of UH-60A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility [NASA-TP-2626] p 41 N87-10391
thin-walled beams [NASA-TP-2868] p 45 N89-19579  MINNIS, P. Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677  MITCHELL, A. M. Testing of UH-60A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility [NASA-TP-2626] p 41 N87-10391  MITCHELL, KERRY
thin-walled beams [NASA-TP-2868] p 45 N89-19579  MINNIS, P.  Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677  MITCHELL, A. M.  Testing of UH-60A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility [NASA-TP-2626] p 41 N87-10391  MITCHELL, KERRY  Proceedings of the 1985 NASA Ames Research Center's Ground-Effects Workshop
thin-walled beams [NASA-TP-2868] p 45 N89-19579 MINNIS, P. Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677 MITCHELL, A. M. Testing of UH-60A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility [NASA-TP-2626] p 41 N87-10391 MITCHELL, KERRY Proceedings of the 1985 NASA Ames Research Center's Ground-Effects Workshop [NASA-CP-2462] p 5 N87-24410
thin-walled beams [NASA-TP-2868] p 45 N89-19579  MINNIS, P. Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677  MITCHELL, A. M. Testing of UH-60A helicopter transmission in NASA Lewis 2240-kw (3000-hp) facility [NASA-TP-2626] p 41 N87-10391  MITCHELL, KERRY Proceedings of the 1985 NASA Ames Research Center's Ground-Effects Workshop [NASA-CP-2462] p 5 N87-24410  MOITRA, ANUTOSH
thin-walled beams [NASA-TP-2868] p 45 N89-19579  MINNIS, P. Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677  MITCHELL, A. M. Testing of UH-60A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility [NASA-TP-2626] p 41 N87-10391  MITCHELL, KERRY Proceedings of the 1985 NASA Ames Research Center's Ground-Effects Workshop [NASA-CP-2462] p 5 N87-24410  MOITRA, ANUTOSH On minimizing the number of calculations in
thin-walled beams [NASA-TP-2868] p 45 N89-19579  MINNIS, P. Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677  MITCHELL, A. M. Testing of UH-60A helicopter transmission in NASA Lewis 2240-kw (3000-hp) facility [NASA-TP-2626] p 41 N87-10391  MITCHELL, KERRY Proceedings of the 1985 NASA Ames Research Center's Ground-Effects Workshop [NASA-CP-2462] p 5 N87-24410  MOITRA, ANUTOSH
thin-walled beams [NASA-TP-2888] p 45 N89-19579  MINNIS, P. Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation (NASA-RP-1184] p 56 N88-27677  MITCHELL, A. M. Testing of UH-60A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility [NASA-TP-2626] p 41 N87-10391  MITCHELL, KERRY Proceedings of the 1985 NASA Ames Research Center's Ground-Effects Workshop [NASA-CP-2462] p 5 N87-24410  MOTTRA, ANUTOSH On minimizing the number of calculations in design-by-analysis codes
thin-walled beams [NASA-TP-2868] p 45 N89-19579  MINNIS, P. Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation (NASA-RP-1184] p 56 N88-27677  MITCHELL, A. M.  Testing of UH-60A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility (NASA-TP-2626) p 41 N87-10391  MITCHELL, KERRY Proceedings of the 1985 NASA Ames Research Center's Ground-Effects Workshop (NASA-CP-2462) p 5 N87-24410  MOITRA, ANUTOSH On minimizing the number of calculations in design-by-analysis codes [NASA-TP-2706] p 5 N87-23586

MEYER, ROBERT T.	
Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected	MOORE, R
wing loads at subsonic speeds for a full-span model [NASA-TP-2619] p 7 N88-18567 #EYER, ROBERT T.	fan drive Research (NASA-T
Piloted simulator study of allowable time delays in	Detaile
large-airplane response [NASA-TP-2652] p 19 N87-16849	0.1-scale
MEYER, WILLIAM V.	proposed (NASA-T
NASA Laser Light Scattering Advanced Technology Development Workshop, 1988	Experi
[NASA-CP-10033] p 40 N90-17085	high-spec model of l
MEYERS, JAMES F.	wind tunn
Frequency domain laser velocimeter signal processor:  A new signal processing scheme	(NASA-T
[NASA-TP-2735] p 40 N87-27994	MOOREHE Space
MIDDEN, RAYMOND E.  Description and calibration of the Langley Hypersonic	[NASA-S
CF4 tunnel: A facility for simulating low gamma flow as	MOOREHE
occurs for a real gas [NASA-TP-2384] p 37 N87-29778	A Stud (NASA-C
MIDDLETON, DAVID B.	MOOREHE
Simulator evaluation of a display for a Takeoff Performance Monitoring System	Double j NASA-C
[NASA-TP-2908] p 20 N89-23469	MORALES
MIHALOEW, JAMES R.	Ester
Rotorcraft flight-propulsion control integration: An eclectic design concept	chemilum (NASA-T
[NASA-TP-2815] p 19 N88-19475	Surface
MIKULAS, MARTIN M., JR.  Continuum modeling of large lattice structures: Status	perfluoro
and projections	(NASA-T Degrad
[NASA-TP-2767] p 25 N88-14115	polyether
MILES, THOMAS  Comparison of satellite-derived dynamical quantities for	[NASA-T
the stratosphere of the Southern Hemisphere	Reaction Steel in
[NASA-CP-3044] p 53 N89-25540 WILLER, CHARLES G., III	temperat
Description and calibration of the Langley Hypersonic	NASA-T MORI, SHI
CF4 tunnel: A facility for simulating low gamma flow as occurs for a real gas	Degrad
[NASA-TP-2384] p 37 N87-29778	polyether [NASA-T
WILLER, D. S. Supersonic, nonlinear, attached-flow wing design for	Reaction
high lift with experimental validation	steel in
[NASA-TP-2336] p 3 N87-10042 WILLER, DAVID S.	temperati [NASA-T
Investigation of leading-edge flap performance on delta	MORRELL
and double-delta wings at supersonic speeds [NASA-TP-2656] p 4 N87-20233	Joint
[NASA-TP-2656] p.4 N87-20233 WILLER, IRVIN M.	Research [NASA-C
Closed-Cycle, Frequency-Stable CO2 Laser	Joint
Technology [NASA-CP-2456] p 40 N87-20522	Research [NASA-C
WILLER, TERESA Y.	Joint
Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7	Research
[NASA-TP-2778] p 32 N88-10978	(NASA-C Joint
MIN, BYUNG-JIN  Mixed finite element models for free vibrations of	Research
thin-wailed beams	(NASA-C
(NASA-TP-2868) p 45 N89-19579	Joint Research
MINNIS, P. Angular radiation models for Earth-atmosphere system.	(NASA-C
Volume 1: Shortwave radiation	Joint Research
{NASA-RP-1184} p 56 N88-27677 WITCHELL A. M.	NASA-C
Testing of UH-60A helicopter transmission in NASA	MORRISO
Lewis 2240-kW (3000-hp) facility {NASA-TP-2626} p 41 N87-10391	Space (NASA-C
MITCHELL, KERRY	MORROW,
Proceedings of the 1985 NASA Ames Research Center's Ground-Effects Workshop	The 1
[NASA-CP-2462] p 5 N87-24410	Worksho (NASA-C
MOITRA, ANUTOSH	MORROW,
On minimizing the number of calculations in design-by-analysis codes	The 1 Worksho
[NASA-TP-2706] p 5 N87-23586	(NASA-C
A performance index approach to aerodynamic design with the use of analysis codes only	MOSIER, F
[NASA-TP-2805] p 7 N88-18552	Symposii
MONTGOMERY, H. E.	INASA-C
Sensor performance analysis [NASA-RP-1241] p 50 N90-23780	The Symposit
MOORE, CARLETON J.	INASA-C
Space station structures and dynamics test program [NASA-TP-2710] p 43 N87-20568	The Symposic
SRM propellent and polymer materials structural test	INASA-C

	PERSONAL AUTHOR INDEX
MOORE, ROYCE D.	N
Experimental evaluation of two turning varie designs for	••
fan drive corner of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2646] p 21 N87-18576	NAGARAJA, K. S.  Effects of winglet on transonic flutter characteristics of a cantilevered twin-engine-transport wing model
Detailed flow surveys of turning vanes designed for a	[NASA-TP-2627] p 43 N87-13789
0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel	NAGY, LAWRENCE A. Satellite-matrix-switched, time-division-multiple-access
[NASA-TP-2680] p 21 N87-20295	network simulator [NASA-TP-2944] p.34 N90-11915
Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale	NAIDU, DESINENI S.
model of NASA Lewis Research Center's proposed altitude wind tunnel	Singular perturbations and time scales in the design of digital flight control systems
[NASA-TP-2681] p 21 N88-17686	[NASA-TP-2844] p 19 N89-1/2569 NAMKUNG, J. S.
MOOREHEAD, ROBERT W. Space shuttle avionics system	Atlas of absorption lines from 0 to 17900 cm (sup)-1 [NASA-RP-1188] p 49 N87-28955
[NASA-SP-504] p 24 N90-25160 MOOREHEAD, T. W.	NATAUPSKY, MARK  Effects of combining vertical and horizontal information
A Study of Space Station Contamination Effects [NASA-CP-3002] p 72 N88-25390	into a primary flight display [NASA-TP-2783] p 17 N88-12487
MOOREHEAD, TAUNA W.	NATHAL, MICHAEL V.
Double ' -yers in Astrophysics [NASA-CP-2469] p 72 N87-23313	Compatability of dispersion-strengthened platinum with resistojet propellants
MORALES, WILFREDO	[NASA-TP-2765] p 27 N88-12538 NEALY, JOHN E.
Ester oxidation on an aluminum surface using chemiluminescence	Solar-flare shielding with Regolith at a lunar-base site [NASA-TP-2869] p 79 N89-14210
(NASA-TP-2611) p 31 N87-18666	BRYNTRN: A baryon transport model
Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C	[NASA-TP-2887] p 80 N89-17562 Radiation exposure for manned Mars surface missions
[NASA-TP-2774] p 27 N88-12543	[NASA-TP-2979] p. 80 N90-18357 Improved model for solar cosmic ray exposure in manned
Degradation and crosslinking of perfluoroalkyl polyethers under X-ray irradiation in ultrahigh vacuum	Earth orbital flights
[NASA-TP-2910] p 31 N89-21103  Reaction of perfluoroalkylpolyethers (PFPE) with 440C	[NASA-TP-2987] p 80 N90-25031 Comparison of dose estimates using the buildup-factor
steel in vacuum under sliding conditions at room	method and a Baryon transport code (BRYNTRN) with Monte Carlo results
temperature [NASA-TP-2883] p 31 N89-26091	[NASA-TP-3021] p 80 N90-29290
MORI, SHIGEYUKI Degradation and crosslinking of perfluoroalkyl	NEMETH, MICHAEL P.  Buckling and postbuckling behavior of square
polyethers under X-ray irradiation in ultrahigh vacuum	compression-loaded graphite-epoxy plates with circular cutouts
[NASA-TP-2910] p 31 N89-21103  Reaction of perfluoroalkylpolyethers (PFPE) with 440C	[NASA-TP-3007] p 29 N90-26077
steel in vacuum under sliding conditions at room	Buckling and postbuckling behavior of compression-loaded isotropic plates with cutouts
temperature [NASA-TP-2883] p 31 N89-26091	[NASA-TP-3024] p 47 N90-28859 NEMETH, NOEL N.
MORRELL, FREDERICK R.  Joint University Program for Air Transportation	Ceramics Analysis and Reliability Evaluation of Structures (CARES). Users and programmers manual
Research, 1983 [NASA-CP-2451] p.1 N87-18520	[NASA-TP-2916] p 47 N90-28099
Joint University Program for Air Transportation	NETTLES, A. T. Instrumented impact and residual tensile strength testing
Research, 1984 [NASA-CP-2452] p 1 N87-22604	of eight-ply carbon eopoxy specimens [NASA-TP-2981] p 29 N90-16007
Joint University Program for Air Transportation Research, 1985	Low velocity instrumented impact testing of four new damage tolerant carbon/epoxy composite systems
[NASA-CP-2453] p.1 N87-27596	[NASA-TP-3029] p 29 N90-25198
Joint University Program for Air Transportation Research, 1986	An examination of impact damage in glass-phenolic and aluminum honeycomb core composite panels
[NASA-CP-2502] p 2 N88-23715	[NASA-TP-3042] p 29 N90-27876 NEUGEBAUER, G.
Joint University Program for Air Transportation Research, 1987	Infrared astronomical satellite (IRAS) catalogs and atlases. Volume 1: Explanatory supplement
[NASA-CP-3028] p.2 N89-19230 Joint University Program for Air Transportation	[NASA-RP-1190-VOL-1] p 76 N89-14194
Research, 1988-1989	NEUMAN, HARVEY E.  Laser-velocimeter-measured flow field around an
[NASA-CP-3063] p.2 N90-20921 MORRISON, DENNIS R.	advanced, swept, eight-blade propeller at Mach 0.8 [NASA-TP-2462] p.2 N90-20942
Space Bioreactor Science Workshop [NASA-CP-2485] p.58 N88-17168	NEWSOM, JERRY R.
MORROW, G.	NASA/DOD Controls-Structures Interaction Technology 1989
The 1985 Goddard Space Flight Center Battery Workshop	[NASA-CP-3041] p 26 N90-21062 NGO, KIM CHI
[NASA-CP-2434] p 34 N87-11072 MORROW, GEORGE W.	Contamination of liquid oxygen by pressurized gaseous nitrogen
The 1986 Goddard Space Flight Center Battery	[NASA-TP-2894] p 38 N89-19499
Workshop [NASA-CP-2486] p 35 N88-11021	NICHOLS, J. H., JR.  Large-scale static investigation of
MOSIER, FRANCES L. The 1986 Get Away Special Experimenter's	circulation-control-wing concepts applied to upper surface-blowing aircraft
Symposium [NASA-CP-2438] p 22 N87-20302	[NASA-TP-2684] p 13 N87-15959
The 1987 Get Away Special Experimenter's	NICHOLSBOHLIN, JOY International ultraviolet explorer spectral atlas of
Symposium [NASA-CP-2500] p 22 N88-17691	planetary nebulae, central stars, and related objects [NASA-RP-1203] p 76 N88-28843
The 1988 Get Away Special Experimenter's Symposium	NIELSEN, JACK N. Proceedings of the Circulation Control Workshop.
[NASA-CP-3008] p 22 N89-10902	1986
MURRI, DANIEL G. Wind-tunnel investigation of a full-scale general aviation	[NASA-CP-2432] p 7 N88-17586 NISHIOKA, KENJI
airplane equipped with an advanced natural laminar flow wing	Workshop on Technology Development Issues for the Large Deployable Reflector (LDR)
[NASA-TP-2772] p 6 N88-10009	[NASA-CP-2407] p 75 N88-20235

program [NASA-TP-2821]

SRM propellant and polymer materials structural test

SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 45 N88-28343

p 44 N88-25013

		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
NISSIM, E.	NUGENT, JACK	OUTLAW, R. A.
Control surface spanwise placement in active flutter suppression systems	Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic	Electron stimulated desorption of atomic oxygen from silver
[NASA-TP-2873] p 45 N89-16196	speeds	[NASA-TP-2668] p 29 N87-18629
Method for experimental determination of flutter speed	[NASA-TP-2588] p 6 N88-10765	Permeation of oxygen through high purity, large grain
by parameter identification [NASA-TP-2923] p 15 N89-26844	NUTTER, S. T. Nimbus-7 Stratospheric and Mesospheric Sounder	Silver
	(SAMS) experiment data user's guide	[NASA-TP-2755] p 30 N87-27024 Auger electron intensity variations in oxygen-exposed
Effect of control surface mass unbalance on the stability of a closed-loop active control system	[NASA-RP-1221] p 53 N89-26304	large grain polycrystalline silver
[NASA-TP-2952] p 47 N90-12042		[NASA-TP-2930] p 67 N89-30022
NISSIM, ELI	0	Introduction to total- and partial-pressure measurements
The effectiveness of vane-aileron excitation in the	OAKES, ARNOLD G.	in vacuum systems {NASA-RP-1219} p 40 N90-10412
experimental determination of flutter speed by parameter identification	Nimbus-7 data product summary	An Auger electron spectroscopy study of
[NASA-TP-2971] p 16 N90-15100	[NASA-RP-1215] p 48 N89-22152	surface-preparation contaminants
NIXON, MARK W.	ODELL, STEPHEN L.	[NASA-TP-2972] p 33 N90-16968
Preliminary structural design of composite main rotor	Fourth Conference on Artificial Intelligence for Space Applications	OWEN, ROBERT B.  Liquid drop stability for protein crystal growth in
blades for minimum weight [NASA-TP-2730] p 28 N87-25435	[NASA-CP-3013] p 63 N89-15549	microgravity
NOLL, CAREY E.	ODELL, STEVE L.	[NASA-TP-2724] p 58 N87-20727
Crustal Dynamics Project: Catalogue of site	Fifth Conference on Artificial Intelligence for Space Applications	OWENS, D. BRUCE  Low-speed wind-tunnel investigation of the flight
information [NASA-RP-1198] p 52 N88-19037	(NASA-CP-3073) p 63 N90-27275	dynamic characteristics of an advanced turboprop
[NASA-RP-1198] p 52 N88-19037 NOONAN, KEVIN W.	OLIVERSEN, NANCY A.	business/commuter aircraft configuration
Aerodynamic characteristics of two rotorcraft airfoils	International ultraviolet explorer spectral atlas of planetary nebulae, central stars, and related objects	[NASA-TP-2982] p 20 N90-19239
designed for application to the inboard region of a main	[NASA-RP-1203] p 76 N88-28843	_
rotor blade [NASA-TP-3009] p 11 N90-24239	OLSEN, GEORGE C.	P
NOOR, AHMED K.	Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites	DACK HOMED O IT
Exploiting symmetries in the modeling and analysis of	[NASA-TP-1063] p 28 N88-70029	PACK, HOMER C., JR.  Solar array flight experiment/dynamic augmentation
tires [NASA-TP-2649] p 13 N87-17690	ONEILL, ALAN	experiment
[NASA-TP-2649] p 13 N87-17690 Continuum modeling of large lattice structures: Status	Comparison of satellite-derived dynamical quantities for the stratosphere of the Southern Hemisphere	[NASA-TP-2690] p 26 N87-20380
and projections	[NASA-CP-3044] p 53 N89-25540	PALUMBO, DANIEL L.  A technique for evaluating the application of the pin-level
[NASA-TP-2767] p 25 N88-14115	ORANGE, THOMAS W.	stuck-at fault model to VLSI circuits
Advances in contact algorithms and their application to	Stress intensity and crack displacement for small edge cracks	[NASA-TP-2738] p 42 N87-28025
tires [NASA-TP-2781] p 44 N88-21456	[NASA-TP-2801] p 44 N88-17095	PARK, J. H.
Partitioning strategy for efficient nonlinear finite element	ORLADY, HARRY W.	Atlas of absorption lines from 0 to 17900 cm (sup)-1 [NASA-RP-1188] p 49 N87-28955
dynamic analysis on multiprocessor computers	Cockpit Resource Management Training [NASA-CP-2455] p 12 N87-22634	PARK, STEPHEN K.
[NASA-TP-2850] p 45 N89-16170	Flight deck automation: Promises and realities	Quantitative analysis of the reconstruction performance of interpolants
Mixed finite element models for free vibrations of thin-walled beams	[NASA-CP-10036] p 17 N90-13384	[NASA-TP-2688] p 65 N87-22441
[NASA-TP-2868] p 45 N89-19579	ORMES, JONATHAN F. Essays in Space Science	Digital enhancement of flow field images
Mixed formulation for frictionless contact problems	[NASA-CP-2464] p 72 N87-24247	[NASA-TP-2770] p 62 N88-20833 Visual Information Processing for Television and
[NASA-TP-2897] p 45 N89-19580 Research in structures, structural dynamics and	ORMOND, F. M.	Telerobotics
materials, 1989	Present state of knowledge of the upper atmosphere 1990: An assessment report	[NASA-CP-3053] p 40 N90-16204
[NASA-CP-10024] p 46 N89-24626	[NASA-RP-1242] p 54 N90-28929	PARKINSON, CLAIRE L.  Arctic Sea ice, 1973-1976: Satellite passive-microwave
Modeling and analysis of the space shuttle nose-gear	ORWIG, LARRY E.	observations
tire with semianalytic finite elements [NASA-TP-2977] p 42 N90-19595	Rapid Fluctuations in Solar Flares [NASA-CP-2449] p 79 N87-21785	[NASA-SP-489] p 58 N87-24870
NORBURY, JOHN W.	OSBORN, M. T.	PARRISH, RUSSELL V. Stereopsis cueing effects on hover-in-turbulence
Doubly differential cross sections for galactic heavy-ion	Airborne lidar measurements of El Chichon stratospheric	performance in a simulated rotorcraft
fragmentation [NASA-TP-2659] p 68 N87-17487	aerosols, May 1983 [NASA-RP-1172] p 51 N87-11358	[NASA-TP-2980] p 17 N90-21004
Possible complementary cosmic-ray systems: Nuclei	Airborne lidar measurements of El Chichon stratospheric	Determination of depth-viewing volumes for stereo three-dimensional graphic displays
and antinuclei	aerosois, January 1984	[NASA-TP-2999] p 61 N90-22965
[NASA-TP-2741] p 68 N87-24977	[NASA-RP-1175] p 51 N87-20663 SAM 2 data user's quide	PARROTT, TONY L.
A general formalism for phase space calculations [NASA-TP-2843] p 66 N89-14053	[NASA-RP-1200] p 52 N88-25094	Experimental validation of a two-dimensional shear-flow model for determining acoustic impedance
Calculation of two-neutron multiplicity in photonuclear	Forty-eight-inch lidar aerosol measurements taken at the	[NASA-TP-2679] p 66 N87-20798
reactions	Langley Research Center, May 1974 to December 1987 [NASA-RP-1209] p 52 N88-29234	Evaluation of a scale-model experiment to investigate
[NASA-TP-2968] p 68 N90-14890	OSLIK, N.	long-range acoustic propagation [NASA-TP-2748] p 66 N88-11450
NORMAN, SUSAN D. Flight deck automation: Promises and realities	Nimbus-7 Stratospheric and Mesospheric Sounder	Measured and calculated acoustic attenuation rates of
[NASA-CP-10036] p 17 N90-13384	(SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304	tuned resonator arrays for two surface impedance
NORTON, ROBERT H.	OSSA, WILLIAM A.	distribution models with flow [NASA-TP-2766] p 67 N88-17440
A high-resolution atlas of the infrared spectrum of the sun and the earth atmosphere from space. A compilation	Material characterization of superplastically formed	Fluctuating pressures measured beneath a
of ATMOS spectra of the region from 650 to 4800 cm-1	titanium (Ti-6Al-2Sn-4Zr-2Mo) sheet [NASA-TP-2674] p 30 N87-20407	high-temperature, turbulent boundary layer on a flat plate
(2.3 to 16 microns). Volume 2: Stratosphere and	OSTROFF, AARON J.	at Mach number of 5 [NASA-TP-2947] p 67 N90-10680
mesosphere, 650 to 3350 cm-1 [NASA-RP-1224-VOL-2] p 53 N89-28969	Integrated tools for control-system analysis	PARSONS, C. L.
A high-resolution attas of the infrared spectrum of the	[NASA-TP-2885] p 20 N89-19309 OSTROW, H.	MARA (Multimode Airborne Radar Altimeter) system
Sun and the Earth atmosphere from space: A compilation	Sensor performance analysis	documentation. Volume 1: MARA system requirements document
of ATMOS spectra of the region from 650 to 4800 cm	[NASA-RP-1241] p 50 N90-23780	[NASA-RP-1226] p 39 N89-26209
(2.3 to 16 micron), Volume 1: The Sun [NASA-RP-1224-VOL-1] p 53 N90-13893	OSWALD, F. B. Testing of UH-60A helicopter transmission in NASA	PATNAIK, SURYA N.
NORUM, THOMAS D.	Lewis 2240-kW (3000-hp) facility	Integrated force method versus displacement method for finite element analysis
Shock structure and noise of supersonic jets in simulated	[NASA-TP-2626] p 41 N87-10391	[NASA-TP-2937] p 47 N90-18081
flight to Mach 0.4 (NASA-TP-2785) p 67 N88-18510	OSWALD, FRED B.  Gear tooth stress measurements on the UH-60A	PATTERSON, BRIAN P.
NOTESTINE, KRISTOPHER K.	helicopter transmission	User's manual for LINEAR, a FORTRAN program to derive linear aircraft models
Aerodynamic pressure and heating-rate distributions in	[NASA-TP-2698] p 41 N87-22235	[NASA-TP-2768] p 65 N88-21740
tile gaps around chine regions with pressure gradients at a Mach number of 6.6	Dynamic analysis of multimesh-gear helicopter transmissions	User's manual for interactive LINEAR: A FORTRAN program to derive linear aircraft models
[NASA-TP-2988] p 38 N90-23670	[NASA-TP-2789] p 41 N88-17045	[NASA-TP-2835] p 65 N89-16437
MOMAN BOREST :	OTTEMOTERS I ALIDA	DATTEROON IAMES C ID

NOWAK, ROBERT J.

Gas-jet and tangent-slot film cooling tests of a 12.5 deg cone at Mach number of 6.7

[NASA-TP-2786] p 39 N90-28806

OTTENSTEIN, LAURA
Workshop on Two-Phase Fluid Behavior in a Space
Environment
{NASA-CP-3043} p 38 N89-26184

[NASA-1P-2835] P 05 NOS-10437

PATTERSON, JAMES C., JR.
Evaluation of installed performance of a wing-tip-mounted pusher turboprop on a semispan wing [NASA-TP-2739] p 14 N87-26041

ATTON, JAMES M., JR. Flight investigation of the effect of tail configuration on	Mixed finite element models for free vibrations of thin-walled beams	POWELL, W. R. Pulse Code Modulation (PCM) encoder handbook for
stall, spin, and recovery characteristics of a low-wing	[NASA-TP-2868] p 45 N89-19579	Aydin Vector MMP-600 series system
general aviation research airplane	PHILLIPS, JAMES D.	[NASA-RP-1171] p 33 N87-11916
[NASA-TP-2644] p 13 N87-16815	Modal control of an oblique wing aircraft	POWERS, SHERYLL GOECKE
Flight investigation of the effects of an outboard wing-leading-edge modification on stall/spin	[NASA-TP-2898] p 20 N89-16845	Flight and wind-tunnel measurements showing base drag reduction provided by a trailing disk for high Reynolds
characteristics of a low-wing, single-engine, T-tail light	PHILLIPS, PAMELA S.	number turbulent flow for subsonic and transonic Mach
airplane	A transonic-small-disturbance wing design methodology	numbers
[NASA-TP-2691] p 14 N87-23614	[NASA-TP-2806] p 7 N88-17614	[NASA-TP-2638] p 37 N88-14299
AULSON, JOHN W., JR.	PICKETT, H. M.	Influence of base modifications on in-flight base drag
A review of technologies applicable to low-speed flight	Atlas of absorption lines from 0 to 17900 cm (sup)-1	in the presence of jet exhaust for Mach numbers from
of high-performance aircraft investigated in the Langley 14- x 22-foot subsonic tunnel	[NASA-RP-1188] p 49 N87-28955	0.7 to 1.5 [NASA-TP-2802] p 37 N88-18881
[NASA-TP-2796] p 7 N88-20264	PIERCE, ALLAN D.	PRABHU, RAMADAS K.
AVLI, ALBERT J.	Status of sonic boom methodology and understanding	A rapid method for the computation of equilibrium
Experimental thrust performance of a high-area-ratio	[NASA-CP-3027] p 9 N89-23415	chemical composition of air to 15000 K
rocket nozzie	PILKEY, BARBARA F. The 58th Shock and Vibration Symposium, volume 1	[NASA-TP-2792] p 30 N88-16830
[NASA-TP-2720] p 26 N87-20381	[NASA-CP-2488-VOL-1] p 43 N88-13609	Finite-rate water condensation in combustion-heated
Comparison of theoretical and experimental thrust performance of a 1030:1 area ratio rocket nozzle at a	The 58th Shock and Vibration Symposium, volume 2	wind tunnels [NASA-TP-2833] p 22 N88-28075
chamber pressure of 2413 kN/m2 (350 psia)	[NASA-CP-2488-VOL-2] p 44 N88-18948	PRASAD, CHUNCHU B.
[NASA-TP-2725] p 26 N87-25423	PILKEY, WALTER D.	A Protection And Detection Surface (PADS) for damage
Experimental evaluation of heat transfer on a 1030:1	The 58th Shock and Vibration Symposium, volume 1	tolerance
area ratio rocket nozzie	[NASA-CP-2488-VOL-1] p 43 N88-13609	[NASA-TP-3011] p 29 N90-27788
[NASA-TP-2726] p 27 N87-25424	The 58th Shock and Vibration Symposium, volume 2	PRATHER, M. J.
PECKER, JEAN-CLAUDE The Million stars	(NASA-CP-2488-VOL-2) p 44 N88-18948	Present state of knowledge of the upper atmosphere
The M-type stars [NASA-SP-492] p 75 N88-11592	PILTCH, NANCY D.  Microstravity Combustion Diagnostics Workshop	1988: An assessment report [NASA-RP-1208] p 52 N88-29233
PEET, SHELLY	Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682	Present state of knowledge of the upper atmosphere
Traveling-wave-tube efficiency improvement by a	PIROUZ. P.	1990: An assessment report
low-cost technique for deposition of carbon on multistage	Indentation plasticity and fracture in silicon	[NASA-RP-1242] p 54 N90-28929
depressed collector	(NASA-TP-2863) p 30 N89-10996	PRATHER, MICHAEL J.
[NASA-TP-2719] p 35 N87-21239	PITTMAN, J. L.	An assessment model for atmospheric composition
Performance of a small, graphite electrode, multistage	Supersonic, nonlinear, attached-flow wing design for	(NASA-CP-3023) p 57 N89-20586
depressed collector with a 500-W, continuous wave, 4.8- to 9.6-Gh2 traveling wave tube	high lift with experimental validation [NASA-TP-2336] p.3 N87-10042	Two-Dimensional Intercomparison of Stratospheric
[NASA-TP-2788] p 35 N88-15146	[NASA-TP-2336] p 3 N87-10042 PITTS, FELIX L.	Models [NASA-CP-3042] p 53 N90-1140
PENARANDA, F. E.	New methods and results for quantification of	PRICE, DOUGLAS B.
Aeronautical facilities assessment	lightning-aircraft electrodynamics	Singular perturbations and time scales in the design of
[NASA-RP-1146] p 21 N87-10876	[NASA-TP-2737] p 4 N87-21871	digital flight control systems
PENDERGRAFT, ODIS C., JR.	PLESCIA, JEFF L.	[NASA-TP-2844] p 19 N89-12569
An experimental investigation of an advanced turboprop installation on a swept wing at subsonic and transonic	Planetary geosciences, 1988	PRICE, HAROLD G.
speeds	[NASA-SP-498] p 48 N89-26274 POLAND, ARTHUR I.	High-pressure calorimeter chamber tests for liquid
(NASA-TP-2729) p.6 N87-26883	Coronal and Prominence Plasmas	oxygen/kerosene (LOX/RP-1) rocket combustion
Comparison of wind tunnel and flight test afterbody and	[NASA-CP-2442] p 79 N87-20871	[NASA-TP-2862] p 27 N89-15975
nozzle pressures for a twin-jet fighter aircraft at transonic	POLITES, M. E.	PROFFITT, MELISSA S.
speeds	A general-purpose balloon-borne pointing system for	Integrated tools for control-system analysis [NASA-TP-2885] p 20 N89-19309
[NASA-TP-2588] p 6 N88-10765 PENLAND, JIM A.	solar scientific instruments	PURGOLD, G. CARLTON
Effect of Reynolds number variation on aerodynamics	[NASA-TP-3013] p 33 N90-21219 POLITES, MICHAEL E.	Surface bidirectional reflectance properties of two
of a hydrogen-fueled transport concept at Mach 6	Modeling digital control systems with MA-prefiltered	southwestern Arizona deserts for wavelengths between
[NASA-TP-2728] p.5 N87-26031	measurements	0.4 and 2.2 micrometers
PENN, LANNING M.	(NASA-TP-2732) p 32 N87-22870	[NASA-TP-2643] p 48 N87-2228
The 1987 Airborne Antarctic Ozone Experiment: The	A new approach to state estimation in deterministic	
Nimbus-7 TOMS data atlas [NASA-RP-1201] p 49 N88-20714	digital control systems	Q
The 1989 Airborne Arctic Stratospheric Expedition	[NASA-TP-2745] p 32 N87-24585 Exact state reconstruction in deterministic digital control	<del></del>
Nimbus-7 TOMS data atlas	Systems	QUERCI, FRANCOIS R.
(NASA-RP-1227) p 57 N89-27302	[NASA-TP-2757] p 32 N87-27067	The M-type stars
The 1988 Antarctic ozone monitoring Nimbus-7 TOMS	Further developments in exact state reconstruction in	(NASA-SP-492) p 75 N88-11592
data atlas	deterministic digital control systems	QUILLEN, DIANA T.
[NASA-RP-1225] p 57 N89-28983 Nimbus-7 TOMS Antarctic ozone atlas: August through	[NASA-TP-2812] p 32 N88-18751	First International Conference on Laboratory Research
November, 1989	More on exact state reconstruction in deterministic digital	for Planetary Atmospheres [NASA-CP-3077] p 78 N90-26744
[NASA-RP-1237] p 58 N90-23837	control systems [NASA-TP-2847] p 33 N88-28177	QUINN, ROBERT D.
PERALA, RODNEY A.	The estimation error covariance matrix for the ideal state	Finite-element reentry heat-transfer analysis of space
New methods and results for quantification of	reconstructor with measurement noise	shuttle Orbiter
lightning-aircraft electrodynamics	[NASA-TP-2881] p 63 N89-13994	(NASA-TP-2657) p 37 N87-29795
[NASA-TP-2737] p.4 N87-21871	Further developments in modeling digital control	QUINTO, P. FRANK
PEREGOY, W. K.  Electron stimulated desorption of atomic oxygen from	systems with MA-prefiltered measurements	Low-speed aerodynamic characteristics of a twin-engine
silver	[NASA-TP-2909] p 33 N89-24507 A new state reconstructor for digital controls systems	general aviation configuration with aft-fuselage-mounted
[NASA-TP-2668] p 29 N87-18629	using weighted-average measurements	pusher propellers {NASA-TP-2763} p 6 N87-29462
Permeation of oxygen through high purity, large grain	[NASA-TP-2936] p 33 N89-27039	
silver	Rotating-unbalanced-mass devices for scanning	A review of technologies applicable to low-speed fligh of high-performance aircraft investigated in the Langler
[NASA-TP-2755] p 30 N87-27024	balloon-borne experiments, free-flying spacecraft, and	14- x 22-foot subsonic tunnel
PEREYDA, MARGARITA Time-Variable Phenomena in the Jovian System	space shuttle/space station experiments	[NASA-TP-2796] p 7 N88-2026
[NASA-SP-494] p 78 N89-28474	[NASA-TP-3030] p 33 N90-25255 POPE, D. STUART	Thrust-reverser flow investigation on a twin-engine
PERSON, LEE H., JR.	Airful self-noise and prediction	transport
Piloted simulator study of allowable time delays in	[NASA-RP-1218] p 67 N89-25673	[NASA-TP-2856] p 9 N89-14213
large-airplane response	PORTER, F.	The Langley 14- by 22-foot subsonic tunnel: Description
[NASA-TP-2652] p 19 N87-16849	NASA/MSFC FY-85 Atmospheric Processes Research	flow characteristics, and guide for users [NASA-TP-3008] p 12 N90-27649
Handling qualities of a wide-body transport airplane	Review	(1440A-17-0000) p 12 1190-2704:
utilizing Pitch Active Control Systems (PACS) for relaxed static stability application	[NASA-CP-2402] p 55 N87-13043 POWELL, CLEMANS A.	_
[NASA-TP-2482] p 19 N88-14987		R
	Status of sonic booin methodology and understanding	
Simulator evaluation of a display for a Takeoff	Status of sonic booin methodology and understanding [NASA-CP-3027] p.9 N89-23415	RAHE, JUERGEN

[NASA-TP-3019]

p 24 N90-26036

p 20 N89-23489

Atlas of Comet Halley 1910 II [NASA-SP-488]

Time-Variable Phenomena in the Jovian System
[NASA-5P-494] p 78 N89-28474

RAHE, JURGEN

p 75 N87-30235

[NASA-TP-2908]

PETERS, JEANNE M.

Partitioning strategy for efficient nonlinear finite element dynamic analysis on multiprocessor computers [NASA-TP-2850] p 45 N89-16170

Effects of the installation and operation of jet-exhaust

p 6 N88-12455

yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane

[NASA-TP-2769]

p 4 N87-20238

p 3 N87-10039

Wind-tunnel investigation of the flight characteristics of a canard general-aviation airplane configuration [NASA-TP-2623] p.3 N

SATRAN, D. R.

RAMAPRIYAN, H. K.	RHODES, PERCY H.	ROYSTER, DICK M.
Proceedings of the Scientific Data Compression Workshop	Preparative electrophoresis for space [NASA-TP-2777] p 32 N88-10977	Material characterization of superplastically formed
[NASA-CP-3025] p 63 N89-22332	[NASA-TP-2777] p 32 N88-10977 Continuous flow electrophoresis system experiments on	titanium (Ti-6Al-2Sn-4Zr-2Mo) sheet [NASA-TP-2674] p 30 N87-2040?
RAMATY, REUVEN	shuttle flights STS-6 and STS-7	RUDOLPH, TERENCE H.
Essays in Space Science	[NASA-TP-2778] p 32 N88-10978	New methods and results for quantification of
[NASA-CP-2464] p 72 N87-24247	RICHARDS, W. B. Propagation of sound waves in tubes of noncircular cross	lightning-aircraft electrodynamics
Performance of textured carbon on copper electrode	section	[NASA-TP-2737] p 4 N87-21871 RUHLIN, C. L.
multistage depressed collectors with medium-power	[NASA-TP-2601] p 3 N87-14284	Effects of winglet on transonic flutter characteristics of
traveling wave tubes	RICHARDSON, D. J.	a cantilevered twin-engine-transport wing model
[NASA-TP-2665] p 34 N87-17990	Atlas of absorption lines from 0 to 17900 cm (sup)-1	[NASA-TP-2627] p 43 N87-13789
Design, fabrication and performance of small, graphite	[NASA-RP-1188] p 49 N87-28955 RICHMOND, R. J.	RUMMEL, JOHN D.
electrode, multistage depressed collectors with 200-W, CW, 8- to 18-GHz traveling-wave tubes	Advanced Earth-to-Orbit Propulsion Technology 1986,	Controlled Ecological Life Support System, Design,
[NASA-TP-2693] p 35 N87-20474	volume 2	Development, and Use of a Ground-Based Plant Growth Module
Traveling-wave-tube efficiency improvement by a	[NASA-CP-2437-VOL-2] p 27 N89-12626	[NASA-CP-2479] p 60 N88-13852
low-cost technique for deposition of carbon on multistage	RICHMOND, ROBERT J.	RUSSELL, J. M., III
depressed collector	Advanced Earth-to-Orbit Propulsion Technology 1988,	Description of data on the Nimbus 7 LIMS map archive
[NASA-TP-2719] p 35 N87-21239	volume 1 {NASA-CP-3012-VOL-1} p 27 N90-28611	tape: Ozone and nitric acid
Analytical and experimental performance of a dual-mode traveling wave tube and multistage depressed collector	RIEBE, GREGORY D.	[NASA-TP-2625] p 51 N87-13022 RUSSELL, JAMES M., III
[NASA-TP-2752] p 35 N87-25532	Subsonic maneuver capability of a supersonic cruise	Description of data on the Nimbus 7 LIMS map archive
Performance of a small, graphite electrode, multistage	fighter wing concept	tape: Water vapor and nitrogen dioxide
depressed collector with a 500-W, continuous wave, 4.8-	[NASA-TP-2642] p 3 N87-15184	[NASA-TP-2761] p 56 N88-14572
to 9.6-GHz traveling wave tube	RILEY, CHRISTOPHER J.  An approximate method for calculating	RUTAN, DAVID
[NASA-TP-2788] p 35 N88-15146	An approximate method for calculating three-dimensional inviscid hypersonic flow fields	Atlas of albedo and absorbed solar radiation derived
Performance of a multistage depressed collector with machined titanium electrodes	[NASA-TP-3018] p 39 N90-27066	from Nimbus 6 earth radiation budget data set, July 1975 to May 1978
[NASA-TP-2891] p 35 N89-15337	RINSLAND, C. P.	[NASA-RP-1230] p 57 N90-14741
Design, fabrication, and performance of brazed, graphite	Atlas of absorption lines from 0 to 17900 cm (sup)-1	Atlas of albedo and absorbed solar radiation derived
electrode, multistage depressed collectors with 500-W,	[NASA-RP-1188] p 49 N87-28955	from Nimbus 7 Earth radiation budget data set, November
continuous wave, 4.8- to 9.6-GHz traveling-wave tubes	RISING, J. J.	1978 to October 1985
[NASA-TP-2904] p 35 N89-21171 Spent-beam refocusing analysis and multistage	Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed	(NASA-RP-1231) p 57 N90-17233
depressed collector design for a 75-W, 59- to 64-GHz	static stability application	RUTTLEDGE, D. C. G. Rotorcraft flight-propulsion control integration: An
coupled-cavity traveling-wave tube	[NASA-TP-2482] p 19 N88-14987	eclectic design concept
[NASA-TP-3039] p 35 N90-27965	RITCHIE, ELEANOR H.	[NASA-TP-2815] p 19 N88-19475
RAPP, DOUGLAS C.	Astronautics and Aeronautics, 1979-1984: A	RYAN, ROBERT S.
Analysis of quasi-hybrid solid rocket booster concepts for advanced earth-to-orbit vehicles	chronology [NASA-SP-4024] p 81 N90-25928	Structural Dynamics and Control Interaction of Flexible
[NASA-TP-2751] p 27 N87-25425	ROBERTS, WILLIAM T.	Structures [NASA-CP-2467-PT-1] p 23 N87-22702
RASH, JAMES	Solar-Terrestrial Science Strategy Workshop	Structural Dynamics and Control Interaction of Flexible
The 1988 Goddard Conference on Space Applications	[NASA-CP-3048] p 73 N90-18329	Structures
of Artificial Intelligence	ROBINSON, MARTHA P.	[NASA-CP-2467-PT-2] p 23 N87-22729
{NASA-CP-3009} p 64 N88-30330 The 1989 Goddard Conference on Space Applications	Cornering characteristics of the main-gear tire of the	Practices in adequate structural design
of Artificial Intelligence	space shuttle orbiter [NASA-TP-2790] p 14 N88-18583	[NASA-TP-2893] p 24 N89-18504
		RYBICKI, GEORGE C.
[NASA-CP-3033] p 64 N89-26578		
RASH, JAMES L.	RODDIER, CLAUDE	Indentation plasticity and fracture in silicon
RASH, JAMES L. The 1990 Goddard Conference on Space Applications		
RASH, JAMES L.	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODDIER, FRANCOIS	Indentation plasticity and fracture ir. silicon [NASA-TP-2863] p 30 N89-10996
RASH, JAMES L.  The 1990 Goddard Conference on Space Applications of Artificial Intelligence	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODDIER, FRANCOIS Spatial interferometry in optical astronomy	Indentation plasticity and fracture in silicon
RASH, JAMES L.  The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294  RAY, EDWARD J.  Evolution, calibration, and operational characteristics of	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470	Indentation plasticity and fracture ir. silicon [NASA-TP-2863] p 30 N89-10996
RASH, JAMES L The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWARD J. Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODGERS, C. D.	Indentation plasticity and fracture ic. silicon [NASA-TP-2863] p 30 N89-10996 S SABO, FRANCES E.
RASH, JAMES L.  The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWARD J.  Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470	Indentation plasticity and fracture ir. silicon [NASA-TP-2863] p 30 N89-10996
RASH, JAMES L The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWARD J. Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304	Indentation plasticity and fracture ir. silicon [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E. Research in Natural Laminar Flow and Laminar-Flow
RASH, JAMES L.  The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294  RAY, EDWARD J.  Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570  CAST-10-2/DOA 2 Airfol Studies Workshop Results [NASA-CP-3052] p 22 N90-17647	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304  ROGERS, JAMES L.	Indentation plasticity and fracture ir. silicon [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow
RASH, JAMES L.  The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294  RAY, EDWARD J.  Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnet [NASA-TP-2749] p 21 N87-28570  CAST-10-27DOA 2 Airfoil Studies Workshop Results [NASA-CP-3052] p 22 N90-17647  RAY, RONALD J.	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304 ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of	Indentation plasticity and fracture ir. silicon [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E. Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2
RASH, JAMES L The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWARD J. Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 CAST-10-2/DOA 2 Airfoll Studies Workshop Results [NASA-CP-3052] p 22 N90-17647 RAY, RONALD J. Evaluation of various thrust calculation techniques on	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304 ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem	Indentation plasticity and fracture ir. silicon: [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519
RASH, JAMES L.  The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294  RAY, EDWARD J.  Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnet [NASA-TP-2749] p 21 N87-28570  CAST-10-27DOA 2 Airfoil Studies Workshop Results [NASA-CP-3052] p 22 N90-17647  RAY, RONALD J.	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304 ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of	Indentation plasticity and fracture ir. silicon [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E. Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2
RASH, JAMES L The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWARD J. Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 CAST-10-2/DOA 2 Airfoll Studies Workshop Results [NASA-CP-3052] p 22 N90-17647 RAY, ROMALD J. Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134 REARDON, LAWRENCE F.	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304  ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2293] p 63 N89-23161	Indentation plasticity and fracture ir. silicon:  [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow and Laminar-Flow and Laminar-Flow and Laminar-Flow
RASH, JAMES L The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWARD J. Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 CAST-10-2/DDA 2 Airfoil Studies Workshop Results [NASA-CP-3052] p 22 N90-17647 RAY, RONALD J. Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134 REARDON, LAWRENCE F. Evaluation of a strain-gage load calibration on a	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304  ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23161  ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage	Indentation plasticity and fracture ir. silicon [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 SALTSMAN, JAMES F.
RASH, JAMES L.  The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWARD J.  Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 CAST-10-2/DOA 2 Airfoll Studies Workshop Results [NASA-CP-3052] p 22 N90-17647 RAY, RONALD J.  Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134 REARDON, LAWRENCE F.  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304 ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23161 ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 41 N88-15224	Indentation plasticity and fracture ir. silicon: [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 SALTSMAN, JAMES F. Life prediction of thermomechanical fatigue using total
RASH, JAMES L The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWARD J. Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 CAST-10-2/DOA 2 Airfoll Studies Workshop Results [NASA-CP-3052] p 22 N90-17647 RAY, ROMALD J. Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134 REARDON, LAWRENCE F. Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature [NASA-TP-2921] p 46 N89-28034	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304 ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23161 ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 41 N88-15224 ROMAN, ROBERT F.	Indentation plasticity and fracture ir. silicon:  [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow Control, part 1  [NASA-CP-2487-PT-1] p 10 N90-12503  Research in Natural Laminar Flow and Laminar-Flow Control, part 2  [NASA-CP-2487-PT-2] p 10 N90-12519  Research in Natural Laminar Flow and Laminar-Flow Control, part 3  [NASA-CP-2487-PT-3] p 10 N90-12539  SALTSMAN, JAMES F.  Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A
RASH, JAMES L.  The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWARD J.  Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 CAST-10-2/DOA 2 Airfoll Studies Workshop Results [NASA-CP-3052] p 22 N90-17647 RAY, RONALD J.  Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134 REARDON, LAWRENCE F.  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304 ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23161 ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 41 N88-15224	Indentation plasticity and fracture ir. silicon: [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 SALTSMAN, JAMES F. Life prediction of thermomechanical fatigue using total
RASH, JAMES L The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWaRD J. Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 CAST-10-2/DOA 2 Airfoll Studies Workshop Results [NASA-CP-3052] p 22 N90-17647 RAY, ROMALD J. Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134 REARDON, LAWRENCE F. Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature [NASA-TP-2921] p 46 N89-28034 REMSBERG, E. E. Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304  ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23161  ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 41 N88-15224  ROMAN, ROBERT F. Secondary electron emission characteristics of	Indentation plasticity and fracture ir. silicon: [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 SALTSMAN, JAMES F.  Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal [NASA-TP-2779] p 44 N88-15263 SANDAGE, ALLAN
RASH, JAMES L  The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294  RAY, EDWARD J.  Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570  CAST-10-2/DDA 2 Airfoil Studies Workshop Results [NASA-CP-3052] p 22 N90-17647  RAY, RONALD J.  Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134  REARDON, LAWRENCE F.  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature [NASA-TP-2921] p 46 N89-28034  REMSBERG, E. E.  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304 ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23161 ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 41 N88-15224 ROMAN, ROBERT F. Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 ROMANOFSKY, ROBERT R.	Indentation plasticity and fracture ir. silicon: [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 SALTSMAN, JAMES F.  Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal [NASA-TP-2779] p 44 N88-15263 SANDAGE, ALLAN Allas of galaxies useful for measuring the cosmological
RASH, JAMES L.  The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294  RAY, EDWARD J.  Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnet [NASA-TP-2749] p 21 N87-28570  CAST-10-2/DOA 2 Airfoil Studies Workshop Results [NASA-CP-3052] p 22 N90-17647  RAY, RONALD J.  Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134  REARDON, LAWRENCE F.  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature [NASA-TP-2921] p 46 N89-28034  REMSBERG, E. E.  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  REMSBERG, ELLIS E.	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304  ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23161  ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 41 N88-15224  ROMAN, ROBERT F. Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  ROMANOFSKY, ROBERT R. Universal test fixture for monolithic mm-wave integrated	Indentation plasticity and fracture ir. silicon:  [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow Control, part 1  [NASA-CP-2487-PT-1] p 10 N90-12503  Research in Natural Laminar Flow and Laminar-Flow Control, part 2  [NASA-CP-2487-PT-2] p 10 N90-12519  Research in Natural Laminar Flow and Laminar-Flow Control, part 3  [NASA-CP-2487-PT-3] p 10 N90-12539  SALTSMAN, JAMES F.  Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal  [NASA-TP-2779] p 44 N88-15263  SANDAGE, ALLAN  Atlas of galaxies useful for measuring the cosmological distance scale
RASH, JAMES L  The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294  RAY, EDWARD J.  Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570  CAST-10-2/DDA 2 Airfoil Studies Workshop Results [NASA-CP-3052] p 22 N90-17647  RAY, RONALD J.  Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134  REARDON, LAWRENCE F.  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature [NASA-TP-2921] p 46 N89-28034  REMSBERG, E. E.  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304 ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23161 ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 41 N88-15224 ROMAN, ROBERT F. Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 ROMANOFSKY, ROBERT R. Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm	Indentation plasticity and fracture ir. silicon: [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 SALTSMAN, JAMES F.  Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal [NASA-TP-2779] p 44 N88-15263 SANDAGE, ALLAN Allas of galaxies useful for measuring the cosmological
RASH, JAMES L  The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294  RAY, EDWARD J.  Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570  CAST-10-2/DDA 2 Airfoll Studies Workshop Results [NASA-CP-3052] p 22 N90-17647  RAY, RONALD J.  Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134  REARDON, LAWRENCE F.  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature [NASA-TP-2921] p 46 N89-28034  REMSBERG, E. E.  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  REMSBERG, ELLIS E.  Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 56 N88-14572	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304 ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23161 ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 41 N88-15224 ROMAN, ROBERT F. Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 ROMANOFSKY, ROBERT R. Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767	Indentation plasticity and fracture ir. silicon:  [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-2] p 10 N90-12539 SALTSMAN, JAMES F.  Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal [NASA-TP-2779] p 44 N88-15263 SANDAGE, ALLAN Allas of galaxies useful for measuring the cosmological distance scale [NASA-SP-496] p 74 N89-12513 SANDLER, HAROLD Joint US/USSR study: Comparison of effects of
RASH, JAMES L The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWaRD J. Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 CAST-10-2/DOA 2 Airfoll Studies Workshop Results [NASA-CP-3052] p 22 N90-17647 RAY, ROMALD J. Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134 REARDON, LAWRENCE F. Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature [NASA-TP-2921] p 46 N89-28034 REMSBERG, E. E. Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022 REMSBERG, ELLIS E. Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 56 N88-14572 REPAS, GEORGE A.	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304 ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23161 ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 41 N88-15224 ROMAN, ROBERT F. Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 ROMANOFSKY, ROBERT R. Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm	Indentation plasticity and fracture ir. silicon: [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 SALTSMAN, JAMES F.  Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal [NASA-TP-2779] p 44 N88-15263 SANDAGE, ALLAN  Allas of galaxies useful for measuring the cosmological distance scale [NASA-SP-496] p 74 N89-12513 SANDLER, HAROLD Joint US/USSR study: Comparison of effects of horizontal and head-down bed rest
RASH, JAMES L The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWARD J. Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 CAST-10-2/DOA 2 Airfoll Studies Workshop Results [NASA-CP-3052] p 22 N90-17647 RAY, RONALD J. Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134 REARDON, LAWRENCE F. Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature [NASA-TP-2921] p 46 N89-28034 REMSBERG, E. E. Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022 REMSBERG, E. LLIS E. Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2761] p 56 N88-14572 REMSBERG, E. LLIS E. Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 56 N88-14572 REPAS, GEORGE A. Conventionally cast and forged copper alloy for	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304  ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23161  ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 41 N88-15224  ROMAN, ROBERT F. Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  ROMANOFSKY, ROBERT R. Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767 Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines	Indentation plasticity and fracture ir. silicon:  [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 SALTSMAN, JAMES F.  Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal [NASA-CP-279] p 44 N88-15263 SANDAE, ALLAN Atlas of galaxies useful for measuring the cosmological distance scale [NASA-SP-496] p 74 N89-12513 SANDLER, HAROLD Joint US/USSR study: Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p 60 N90-28965
RASH, JAMES L The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWaRD J. Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 CAST-10-2/DOA 2 Airfoll Studies Workshop Results [NASA-CP-3052] p 22 N90-17647 RAY, ROMALD J. Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134 REARDON, LAWRENCE F. Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature [NASA-TP-2921] p 46 N89-28034 REMSBERG, E. E. Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022 REMSBERG, ELLIS E. Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 56 N88-14572 REPAS, GEORGE A.	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304  ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23161  ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 41 N88-15224  ROMAN, ROBERT F. Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2867] p 31 N90-15211  ROMANOFSKY, ROBERT R. Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767 Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169	Indentation plasticity and fracture ir. silicon [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-2] p 10 N90-12539 SALTSMAN, JAMES F.  Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal [NASA-TP-2779] p 44 N88-15263 SANDAGE, ALLAN Allas of galaxies useful for measuring the cosmological distance scate [NASA-SP-496] p 74 N89-12513 SANDLER, HAROLD Joint US/USSR study: Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p 60 N90-28965
RASH, JAMES L  The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294  RAY, EDWARD J.  Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570  CAST-10-2/DDA 2 Airfoll Studies Workshop Results [NASA-CP-3052] p 22 N90-17647  RAY, RONALD J.  Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134  REARDON, LAWRENCE F.  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature [NASA-TP-2921] p 46 N89-28034  REMSBERG, E. E.  Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2625] p 51 N87-13022  REMSBERG, ELLIS E.  Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 56 N88-14572  REPAS, GEORGE A.  Conventionally cast and forged copper alloy for high-heat-flux thrust chambers	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304  ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23161  ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2905] p 41 N88-15224  ROMAN, ROBERT F. Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  ROMANOFSKY, ROBERT R. Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  RONCOLI, RALPH B.	Indentation plasticity and fracture ir. silicon [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E. Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 SALTSMAN, JAMES F. Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal [NASA-TP-2779] p 44 N88-15263 SANDAE, ALLAN Atlas of galaxies useful for measuring the cosmological distance scale [NASA-SP-496] p 74 N89-12513 SANDLER, HAROLD Joint US/USSR study: Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p 60 N90-28965
RASH, JAMES L  The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294  RAY, EDWARD J.  Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570  CAST-10-2/DOA 2 Airfoll Studies Workshop Results [NASA-CP-3052] p 22 N90-17647  RAY, RONALD J.  Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134  REARDON, LAWRENCE F.  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature [NASA-TP-2921] p 46 N89-28034  REMSBERG, E. E.  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022  REMSBERG, E.LIS E.  Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 56 N88-14572  REPAS, GEORGE A.  Corrientionally cast and forged copper alloy for high-heal-flux thrust chambers [NASA-TP-2894] p 30 N87-16902  RESSLER, G. M.  Sensor performance analysis	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304  ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-231b1  ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 41 N88-15224  ROMAN, ROBERT F. Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  ROMANOFSKY, ROBERT R. Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767 Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  RONCOLI, RALPH B. Development and flight test of an experimental	Indentation plasticity and fracture ir. silicon [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-2] p 10 N90-12539 SALTSMAN, JAMES F.  Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal [NASA-TP-2779] p 44 N88-15263 SANDAGE, ALLAN Altas of galaxies useful for measuring the cosmological distance scate [NASA-SP-496] p 74 N89-12513 SANDLER, HAROLD Joint US/USSR study: Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p 60 N90-28965 SANKARAN, S. N. Emittance, catalysis, and dynamic oxidation of T-141-21Nb [NASA-TP-2955] p 31 N90-10248
RASH, JAMES L The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWARD J. Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 CAST-10-2/DOA 2 Airfoll Studies Workshop Results [NASA-CP-3052] p 22 N90-17647 RAY, ROMALD J. Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134 REARDON, LAWRENCE F. Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature [NASA-TP-3001] p 46 N89-28034 REMSBERG, E. E. Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2655] p 51 N87-13022 REMSBERG, ELLIS E. Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2654] p 56 N88-14572 REPAS, GEORGE A. Conventionally cast and forged high-heat-flux thrust chambers [NASA-TP-2694] p 30 N87-16902 RESSLER, G. M. Sensor performance analysis [NASA-RP-1241] p 50 N90-23780	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304  ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23161  ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2905] p 41 N88-15224  ROMAN, ROBERT F. Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  ROMANOFSKY, ROBERT R. Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  RONCOLI, RALPH B.	Indentation plasticity and fracture ir. silicon: [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow: Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow: Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow: Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 SALTSMAN, JAMES F.  Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal [NASA-TP-2779] p 44 N88-15263 SANDAGE, ALLAN  Atlas of galaxies useful for measuring the cosmological distance scale [NASA-SP-496] p 74 N89-12513 SANDLER, HAROLD  Joint US/USSR study: Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p 60 N90-28965 SANKARAN, S. N.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248 SANKARAN, SANKARAN.
RASH, JAMES L The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWARD J. Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 CAST-10-2/DOA 2 Airfoll Studies Workshop Results [NASA-CP-3052] p 22 N90-17647 RAY, RONALD J. Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134 REARDON, LAWRENCE F. Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature [NASA-TP-2921] p 46 N89-28034 REMSBERG, E. E. Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022 REMSBERG, ELLIS E. Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2684] p 56 N88-14572 REPAS, GEORGE A. Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2894] p 30 N87-16902 RESSLER, G. M. Sensor performance analysis [NASA-RP-1241] p 50 N90-23780	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304  ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23161  ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-295] p 41 N88-15224  ROMAN, ROBERT F. Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  ROMANOFSKY, ROBERT R. Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767 Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2892] p 35 N89-21169  RONCOLI, RALPH B. Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft	Indentation plasticity and fracture ir. silicon: [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E. Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 SALTSMAN, JAMES F. Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal [NASA-CP-2487-PT-3] p 44 N88-15263 SANDAE, ALLAN Atlas of galaxies useful for measuring the cosmological distance scale [NASA-SP-496] p 74 N89-12513 SANDLER, HAROLD Joint US/USSR study: Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p 60 N90-28965 SANKARAN, S. N. Emittance, catalysis, and dynamic oxidation of Ti-14AI-21Nb [NASA-TP-2955] p 31 N90-10248 SANKARAN, SANKARAN. Oxidation characteristics of Ti-14AI-21Nb ingot alloy
RASH, JAMES L The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWARD J. Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 CAST-10-2/DOA 2 Airfoll Studies Workshop Results [NASA-CP-3052] p 22 N90-17647 RAY, ROMALD J. Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134 REARDON, LAWRENCE F. Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature [NASA-TP-3001] p 46 N89-28034 REMSBERG, E. E. Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2655] p 51 N87-13022 REMSBERG, ELLIS E. Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2654] p 56 N88-14572 REPAS, GEORGE A. Conventionally cast and forged high-heat-flux thrust chambers [NASA-TP-2694] p 30 N87-16902 RESSLER, G. M. Sensor performance analysis [NASA-RP-1241] p 50 N90-23780	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470 RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304 ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23161 ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2975] p 41 N88-15224 ROMAN, ROBERT F. Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211 ROMANOFSKY, ROBERT R. Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767 Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169 RONCOLI, RALPH B. Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2618] ROSHOLT, ROBERT L. NASA historical data book. Volume 1: NASA resources	Indentation plasticity and fracture ir. silicon: [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow: Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow: Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow: Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 SALTSMAN, JAMES F.  Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal [NASA-TP-2779] p 44 N88-15263 SANDAGE, ALLAN  Atlas of galaxies useful for measuring the cosmological distance scale [NASA-SP-496] p 74 N89-12513 SANDLER, HAROLD  Joint US/USSR study: Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p 60 N90-28965 SANKARAN, S. N.  Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-2955] p 31 N90-10248 SANKARAN, SANKARAN.
RASH, JAMES L  The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWARD J.  Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 CAST-10-2/DOA 2 Airfoll Studies Workshop Results [NASA-CP-3052] p 22 N90-17647 RAY, RONALD J.  Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134 REARDON, LAWRENCE F.  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature [NASA-TP-2921] p 46 N89-28034 REMSBERG, E. E.  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022 REMSBERG, ELIS E.  Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 56 N88-14572 REPAS, GEORGE A.  Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2894] p 30 N87-16902 RESSLER, G. M.  Sensor performance analysis [NASA-RP-1241] p 50 N90-23780 REUBUSH, DAVID E.  Effects of afterbody boattail design and empennage arrangement on aeropropulsive characteristics of a twin-engine fighter model at transonic speeds	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304  ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-RP-1291] p 63 N89-23161  ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2903] p 41 N88-15224  ROMAN, ROBERT F. Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  ROMANOFSKY, ROBERT R. Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767 Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  RONCOLI, RALPH B. Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2618] p 15 N88-21153  ROSHOLT, ROBERT L. NASA historical data book. Volume 1: NASA resources	Indentation plasticity and fracture ir. silicon [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E. Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 SALTSMAN, JAMES F. Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal [NASA-CP-2487-PT-3] p 44 N88-15263 SANDAGE, ALLAN Atlas of galaxies useful for measuring the cosmological distance scale [NASA-SP-496] p 74 N89-12513 SANDAER, HAROLD Joint US/USSR study: Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p 60 N90-28965 SANKARAN, S. N. Emittance, catalysis, and dynamic oxidation of Ti-14AI-21Nb [NASA-TP-3012] p 31 N90-10248 SANKARAN, SANKARAN N. Oxidation characteristics of Ti-14AI-21Nb ingot alloy {NASA-TP-3012} p 31 N90-25206
RASH, JAMES L  The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294  RAY, EDWARD J.  Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570  CAST-10-2/DOA 2 Airfoil Studies Workshop Results [NASA-CP-3052] p 22 N90-17647  RAY, RONALD J.  Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134  REARDON, LAWRENCE F.  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature [NASA-TP-2821] p 46 N89-28034  REMSBERG, E. E.  Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitric acid [NASA-TP-2625] p 51 N87-13022  REMSBERG, ELLIS E.  Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2625] p 56 N88-14572  REPAS, GEORGE A.  Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2694] p 30 N87-16902  RESSLER, G. M.  Sensor performance analysis [NASA-RP-1241] p 50 N90-23780  REUBUSH, DAVID E.  Effects of afterbody boattail design and empennage arrangement on aeropropulsive characteristics of a twin-engine fighter model at transonic speeds [NASA-TP-2704] p 4 N87-21873	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304  ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-TP-2903] p 63 N89-23161  ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2903] p 41 N88-15224  ROMAN, ROBERT F. Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  ROMANOFSKY, ROBERT R. Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767  Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2892] p 35 N89-21169  RONCOLI, RALPH B. Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2618] p 15 N88-21153  ROSHOLT, ROBERT L. NASA historical data book. Volume 1: NASA resources 1958-1968 [NASA-SP-4012-VOL-1] p 80 N88-25428	Indentation plasticity and fracture ir. silicon [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E.  Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 SALTSMAN, JAMES F.  Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal [NASA-TP-2779] p 44 N88-15263 SANDAGE, ALLAN Allas of galaxies useful for measuring the cosmological distance scale [NASA-SP-496] p 74 N89-12513 SANDAGE, ALLAN Allas of galaxies useful for measuring the cosmological distance scale [NASA-SP-496] p 74 N89-12513 SANDAGE, ALLAN Allas of galaxies useful for measuring the cosmological for interpretation of galaxies useful for measuring the cosmological distance scale [NASA-TP-307] p 60 N90-28965 SANDAGE, ALLAN Allas of galaxies useful for measuring the cosmological distance call [NASA-TP-395] p 74 N89-12513 SANDAGE, ALLAN Emittance, catalysis, and dynamic oxidation of Ti-14Al-21Nb [NASA-TP-395] p 31 N90-10248 SANKARAN, SANKARAN N. Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206 SANTORO, GILBERT J. Microgravity Combustion Diagnostics Workshop [NASA-CP-10017] p 32 N89-17682
RASH, JAMES L  The 1990 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3068] p 64 N90-22294 RAY, EDWARD J.  Evolution, calibration, and operational characteristics of the two-dimensional test section of the Langley 0.3-meter transonic cryogenic tunnel [NASA-TP-2749] p 21 N87-28570 CAST-10-2/DOA 2 Airfoll Studies Workshop Results [NASA-CP-3052] p 22 N90-17647 RAY, RONALD J.  Evaluation of various thrust calculation techniques on an F404 engine [NASA-TP-3001] p 16 N90-25134 REARDON, LAWRENCE F.  Evaluation of a strain-gage load calibration on a low-aspect-ratio wing structure ai elevated temperature [NASA-TP-2921] p 46 N89-28034 REMSBERG, E. E.  Description of data on the Nimbus 7 LIMS map archive tape: Ozone and nitric acid [NASA-TP-2625] p 51 N87-13022 REMSBERG, ELIS E.  Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 56 N88-14572 REPAS, GEORGE A.  Conventionally cast and forged copper alloy for high-heat-flux thrust chambers [NASA-TP-2894] p 30 N87-16902 RESSLER, G. M.  Sensor performance analysis [NASA-RP-1241] p 50 N90-23780 REUBUSH, DAVID E.  Effects of afterbody boattail design and empennage arrangement on aeropropulsive characteristics of a twin-engine fighter model at transonic speeds	RODDIER, CLAUDE Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODDIER, FRANCOIS Spatial interferometry in optical astronomy [NASA-RP-1245] p 75 N90-28470  RODGERS, C. D. Nimbus-7 Stratospheric and Mesospheric Sounder (SAMS) experiment data user's guide [NASA-RP-1221] p 53 N89-26304  ROGERS, JAMES L. A knowledge-based tool for multilevel decomposition of a complex design problem [NASA-RP-1291] p 63 N89-23161  ROHN, DOUGLAS A. Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2903] p 41 N88-15224  ROMAN, ROBERT F. Secondary electron emission characteristics of molybdenum-masked, ion-textured OFHC copper [NASA-TP-2967] p 31 N90-15211  ROMANOFSKY, ROBERT R. Universal test fixture for monolithic mm-wave integrated circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767 Analytical and experimental procedures for determining propagation characteristics of millimeter-wave gallium arsenide microstrip lines [NASA-TP-2899] p 35 N89-21169  RONCOLI, RALPH B. Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2618] p 15 N88-21153  ROSHOLT, ROBERT L. NASA historical data book. Volume 1: NASA resources	Indentation plasticity and fracture ir. silicon [NASA-TP-2863] p 30 N89-10996  S  SABO, FRANCES E. Research in Natural Laminar Flow and Laminar-Flow Control, part 1 [NASA-CP-2487-PT-1] p 10 N90-12503 Research in Natural Laminar Flow and Laminar-Flow Control, part 2 [NASA-CP-2487-PT-2] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12519 Research in Natural Laminar Flow and Laminar-Flow Control, part 3 [NASA-CP-2487-PT-3] p 10 N90-12539 SALTSMAN, JAMES F. Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal [NASA-CP-2487-PT-3] p 44 N88-15263 SANDAGE, ALLAN Atlas of galaxies useful for measuring the cosmological distance scale [NASA-SP-496] p 74 N89-12513 SANDAER, HAROLD Joint US/USSR study: Comparison of effects of horizontal and head-down bed rest [NASA-TP-3037] p 60 N90-28965 SANKARAN, S. N. Emittance, catalysis, and dynamic oxidation of Ti-14AI-21Nb [NASA-TP-3012] p 31 N90-10248 SANKARAN, SANKARAN N. Oxidation characteristics of Ti-14AI-21Nb ingot alloy {NASA-TP-3012} p 31 N90-25206

ROTHMANN, BETH

[NASA-TP-2760 REV]

Applications of the hybrid automated reliability predictor: Revised edition

p 63 N90-11454

SCANLON, CHARLES H.	Universal test fixture for monolithic mm-wave integrated	SINGH, J. J.
Effect of motion cues during complex curved approach and landing tasks: A piloted simulation study	circuits calibrated with an augmented TRD algorithm [NASA-TP-2875] p 34 N89-17767	Investigation of the effects of cobalt ions on epoxy properties
[NASA-TP-2773] p 14 N88-12480	SHALKHAUSER, MARY JO	[NASA-TP-2639] p 31 N87-12680
SCHAFER, CHARLES F. Mixing and Demixing Processes in Multiphase Flows	Satellite-matrix-switched, time-division-multiple-access network simulator	SINGH, JAG J.  A simplified method for determining heat of combustion.
With Application to Propulsion Systems	[NASA-TP-2944] p 34 N90-11915	of natural gas
[NASA-CP-3006] p 37 N89-11153 SCHIESS, JAMES R.	SHALKHAUSER, MARY JO W. Digitally modulated bit error rate measurement system	[NASA-TP-2682] p 39 N87-20514 Nuclear techniques in studies of condensed matter
An algorithm for surface smoothing with rational	for microwave component evaluation	[NASA-RP-1195] p 68 N88-13015
splines [NASA-TP-2708] p 65 N87-22447	[NASA-TP-291?] p 23 N89-28545	Analysis of positron lifetime spectra in polymers [NASA-TP-2853] p 63 N89-12237
SCHLESINGER, BARRY M.	SHARPE, DAVIC L.  An experimental investigation of the flap-lag-torsion	Low-energy gamma ray attenuation characteristics of
Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral scan solar irradiance and Earth radiance product user's	aeroelastic sta xility of a small-scale hingeless helicopter	aviation fuels [NASA-TP-2974] p 63 N90-18882
guide {NASA-RP-1199} p.48 N88-17096	rotor in hover [NASA-TP-2546] p 7 N88-20257	SINHA, SUJIT
[NASA-RP-1199] p 48 N88-17096 Nimbus 7 solar backscatter ultraviolet (SBUV) ozone	SHEARIN, JOHN G.	A study to evaluate STS heads-up ascent trajectory performance employing a minimum-Hamiltonian
products user's guide [NASA-RP-1234] p.53 N90-17227	Shock structure and noise of supersonic jets in simulated flight to Mach 0.4	optimization strategy
[NASA-RP-1234] p 53 N90-17227 SCHLICKENMAIER, HERBERT	[NASA-TP-2785] p 67 N88-16510	[NASA-TP-2793] p 23 N88-15820 SLEEPER, ROBERT K.
Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists'	SHEN, CHIH-PING  Low-energy gamma ray attenuation characteristics of	Spanwise measurements of vertical components of atmospheric turbulence
Conference Manufacturers and recrimologists	aviation fuels	[NASA-TP-2963] p 58 N90-19718
{NASA-CP-10006} p 12 N88-17616 SCHMIDLIN, F. J.	[NASA-TP-2974] p 63 N90-18882 SHINN, JUDY L.	SLIWA, STEVEN M.  Flight investigation of the effect of tail configuration on
Preliminary estimates of radiosonde thermistor errors	Conservation equations and physical models for	stall, spin, and recovery characteristics of a low-wing
[NASA-TP-2637] p 55 N87-12086 SCHMITZ, MARION	hypersonic air flows in thermal and chemical nonequilibrium	general aviation research airplane [NASA-TP-2644] p 13 N87-16815
Infrared source cross-index, first edition	[NASA-TP-2867] p 38 N89-16115	A closed-form trim solution yielding minimum trim drag
[NASA-RP-1182] p 73 N87-22573 Catalog of infrared observations, Part 1: Data	Improved model for solar cosmic ray exposure in manned Earth orbital flights	for airplanes with multiple longitudinal-control effectors [NASA-TP-2907] p 20 N89-23468
[NASA-RP-1196-PT-1-ED-2] p 73 N88-15738	[NASA-TP-2987] p 80 N90-25031	SMERNOFF, DAVID T.
Catalog of infrared observations. Part 2: Appendixes [NASA-RP-1196-PT-2-ED-2] p 74 N88-16615	Comparison of dose estimates using the buildup-factor	Controlled Ecological Life Support System: Regenerative Life Support Systems in Space
Far infrared supplement: Catalog of infrared	method and a Baryon transport code (BRYNTRN) with Monte Carlo results	[NASA-CP-2480] p 60 N88-12251
observations, second edition [NASA-RP-1205] p 74 N88-30545	[NASA-TP-3021] p 80 N90-29290	Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth
SCHOCK, R. W.	SHORT, NICHOLAS M.  Geomorphology from space: A global overview of	Module
Solar array flight dynamic experiment [NASA-TP-2598] p 23 N87-12581	regional landforms	[NASA-CP-2479] p 60 N88-13352 SMITH, DONALD L.
SCHRYER, DAVID R.	[NASA-SP-486] p 47 N87-18139 SHOVLIN, M. D.	Properties of two composite materials made of
Low-Temperature CO-Oxidation Catalysts for Long-Life CO2 Lasers	Large-scale static investigation of	toughened epoxy resin and high-strain graphite fiber [NASA-TP-2826] p 28 N88-25480
[NASA-CP-3076] p 40 N90-24586	circulation-controf-wing concepts applied to upper surface-blowing aircraft	SMITH, G. L.
SCHULTZ, KJ.  Advancing-side directivity and retreating-side	[NASA-TP-2684] p 13 N87-15959	Angular radiation models for Earth-atmosphere system.  Volume 1: Shortwave radiation
interactions of model rotor blade-vortex interaction noise	SHUART, MARK J.  A Protection And Detection Surface (PADS) for damage	[NASA-RP-1184] p 56 N88-27677
[NASA-TP-2784] p 67 N88-22710 SCHWARTZ, DEBORAH E.	tolerance	Angular radiation models for earth-atmosphere system. Volume 2: Longwave radiation
Microgravity Particle Research on the Space Station	[NASA-TP-3011] p 29 N90-27788 SHYNE, RICKEY J.	[NASA-RP-1184-VOL-2] p 57 N89-20587
[NASA-CP-2496] p.58 N88-15354 Gas-Grain Simulation Facility: Fundamental studies of	Experimental evaluation of two turning vane designs for	SMITH, G. LOUIS  Atlas of wide-field-of-view outgoing longwave radiation
particle formation and interactions. Volume 1: Executive	fan drive corner of 0.1-scale model of NASA Lewis Research Center's proposed attitude wind tunnel	derived from Nimbus 6 Earth radiation budget data set,
summary and overview [NASA-CP-10026-VOL-1] p 59 N89-24022	[NASA-TP-2646] p 21 N87-18576	July 1975 to June 1978 [NASA-RP-1185] p.55 N87-26489
Gas-Grain Simulation Facility: Fundamental studies of	Detailed flow surveys of turning vanes designed for a 0.1-scale model of NASA Lewis Research Center's	Atlas of wide-field-of-view outgoing longwave radiation
particle formation and interactions. Volume 2: Abstracts, candidate experiments and feasibility study	proposed altitude wind tunnel	derived from Nimbus 7 Earth radiation budget data set - November 1978 to October 1985
[NASA-CP-10026-VOL-2] p 59 N89-24023	[NASA-TP-2680] p 21 N87-20295	[NASA-RP-1186] p 55 N88-10451
SCOFIELD, HAROLD N. Structural Dynamics and Control Interaction of Flexible	Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale	Limb-darkening functions as derived from along-track operation of the ERBE scanning radiometer for January
Structures [NASA-CP-2467-PT-1] p 23 N87-22702	model of NASA Lewis Research Center's proposed altitude	1985 [NASA-RP-1214] p 56 N89-17374
Structural Dynamics and Control Interaction of Flexible	wind tunnel [NASA-TP-2681] p 21 N88-17686	Atlas of albedo and absorbed solar radiation derived
Structures [NASA-CP-2467-PT-2] p 23 N87-22729	SIBONGA, JEAN D.	from Nimbus 6 earth radiation budget data set, July 1975 to May 1978
SCOTT, J. HOLLAND, JR.	Cells in Space [NASA-CP-10034] p 61 N90-13939	[NASA-RP-1230] p 57 N90-14741
Investigation of the misfueling of reciprocating piston aircraft engines	SIEMERS, PAUL M., III	Atlas of albedo and absorbed solar radiation derived
[NASA-TP-2803] p 12 N88-21144	Qualitative evaluation of a flush air data system at transonic speeds and high angles of attack	from Nimbus 7 Earth radiation budget data set, November 1978 to October 1985
SEALS, ROBERT K., JR. Two-Dimensional Intercomparison of Stratospheric	[NASA-TP-2716] p 14 N87-29497	[NASA-RP-1231] p 57 N90-17233
Models	SIM, A. G. In-flight total forces, moments and static aeroelastic	SMITH, J. L.  Effects of variables upon pyrotechnically induced shock
[NASA-CP-3042] p 53 N90-11405 SEASHOLTZ, RICHARD G.	characteristics of an oblique-wing research airplane	response spectra
Three component laser anemometer measurements in	[NASA-TP-2224] p 19 N87-10103 Flight-determined aerodynamic derivatives of the AD-1	[NASA-TP-2603] p 43 N87-12921 SMITH, JAMES LEE
an annular cascade of core turbine vanes with contoured end walf	oblique-wing research airplane	Effects of variables upon pyrotechnically induced shock
[NASA-TP-2846] p 8 N89-10844	[NASA-TP-2222] p 19 N87-10871 SIM, ALEX G.	responše spectra, part 2 [NASA-TP-2872] p.45 N89-13814
SECHRIST, FRANK S. The 1967 Airborne Antarctic Ozone Experiment: The	Flight characteristics of the AD-1 oblique-wing research	SMITH, KATHRYN A.
Nimbus-7 TOMS data atlas	aircraft [NASA-TP-2223] p 19 N87-18570	Software Reuse Issues [NASA-CP-3057] p 63 N90-14789
[NASA-RP-1201] p 49 N88-20714 <b>SELF, MATTHEW</b>	SIMON, FREDERICK F.	SMITH, PAUL M.
Automatic classification of spectra from the Infrared Astronomical Satellite (IRAS)	Jet model for slot film cooling with effect of free-stream and coolant turbulence	Piloted simulator study of allowable time delays in large-airplane response
[NASA-RP-1217] p 75 N90-10807	[NASA-TP-2655] p 36 N87-18034	[NASA-TP-2652] p 19 N87-16849
SERAFINI, JOHN A. Laser-velocimeter-measured flow field around an	SIMONSFN, LISA C.  Radiation exposure for manned Mars surface missions	SMITH, R. E. Upper and Middle Atmospheric Density Modeling
advanced, swept, eight-blade propeller at Mach 0.8	[NASA-TP-2979] p 80 N90-18357	Requirements for Spacecraft Design and Operations
[NASA-TP-2462] p 2 N90-20942	SINGER, BART A. Interactions of Tollmien-Schlichting waves and Dean	[NASA-CP-2460] p 52 N87-20665 SMITH, RONALD C.
SHALKHAUSER, KURT A.  Bit-error-rate testing of high-power 30-GHz traveling	vortices. Comparison of direct numerical simulation and	Summary of studies to reduce wing-mounted propfan
wave tubes for ground-terminal applications [NASA-TP-2635] p 33 N87-17971	a weakly nonlinear theory [NASA-TP-2919] p 10 N89-25118	installation drag on an M = 0.8 transport (NASA-TP-2678) p 14 N87-20990
114-00-11-2000) p 30 1107-17971	(	[p 14 1807/20090

SMITH, TAMARA A.	STECHER, JOSEPH L., III	CTDAIR DAVID
Experimental thrust performance of a high-area-ratio	Fourteenth Space Simulation Conference: Testing for	STRAUS, DAVID  Five year global dataset: NMC operational analyses
rocket nozzle	a Permanent Presence in Space	(1978 to 1982)
[NASA-TP-2720] p 26 N87-20381	[NASA-CP-2446] p 25 N88-10829	[NASA-RP-1194] p 55 N87-29996
Comparison of theoretical and experimental thrust	STECKER, FLOYD W.	STRAZISAR, ANTHONY J.
performance of a 1030:1 area ratio rocket nozzle at a chamber pressure of 2413 kN/m2 (350 psia)	The Energetic Gamma-Ray Experiment Telescope (EGRET) Science Symposium	Laser anemometer measurements in a transonic
[NASA-TP-2725] p 26 N87-25423	[NASA-CP-3071] p 77 N90-23294	axial-flow fan rotor [NASA-TP-2879] p 38 N90-11245
Experimental evaluation of heat transfer on a 1030:1	STEIN, BLAND A.	STREETT, CRAIG L
area ratio rocket nozzle	NASA/SDIO Space Environmental Effects on Materials	A spectral collocation solution to the compressible
[NASA-TP-2726] p 27 N87-25424	Workshop, part 1	stability eigenvalue problem
SNYDER, ROBERT S.  Liquid drop stability for protein crystal growth in	[NASA-CP-3035-PT-1] p 27 N89-23528 NASA/SDIO Space Environmental Effects on Materials	[NASA-TP-2858] p 9 N89-12543
microgravity	Workshop, part 2	STROUD, W. JEFFERSON  Computational Methods for Structural Mechanics and
[NASA-TP-2724] p 58 N87-20727	[NASA-CP-3035-PT-2] p 28 N89-23547	Dynamics, part 1
Preparative electrophoresis for space	Proceedings of the LDEF Materials Data Analysis	[NASA-CP-3034-PT-1] p 46 N89-24638
[NASA-TP-2777] p 32 N88-10977	Workshop	Computational Methods for Structural Mechanics and
Continuous flow electrophoresis system experiments on	[NASA-CP-10046] p 28 N90-26075	Dynamics
shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 32 N88-10978	STEIN, PETER A.  Lightweight structural design of a bolted case joint for	[NASA-CP-3034-PT-2] p 46 N89-24654 STUBBS, SANDY M.
SOBIESKI, J.	the space shuttle solid rocket motor	Measurements of flow rate and trajectory of aircraft
Recent Experiences in Multidisciplinary Analysis and	[NASA-TP-2851] p 25 N89-12580	tire-generated water spray
Optimization, part 1	STEINKE, RONALD J.	[NASA-TP-2718] p 14 N87-24458
[NASA-CP-2327-PT-1] p 13 N87-11717	Design of 9.271-pressure-ratio 5-stage core compressor and overall performance for first 3 stages	Langley Aircraft Landing Dynamics Facility
Recent Experiences in Multidisciplinary Analysis and Optimization, part 2	[NASA-TP-2597] p 17 N87-17699	[NASA-RP-1189] p 21 N87-29544 Cornering characteristics of the main-gear tire of the
[NASA-CP-2327-PT-2] p 13 N87-11750	STEINMANN, PIERRE A.	space shuttle orbiter
SPADY, AMOS A., JR.	Influence of the deposition conditions on radiofrequency	[NASA-TP-2790] p 14 N88-18583
Airborne Wind Shear Detection and Warning Systems:	magnetron sputtered MoS2 films	STUTZ, JOHN
First Combined Manufacturers' and Technologists'	[NASA-TP-2994] p 33 N90-21210	Automatic classification of spectra from the Infrared
Conference [NASA-CP-10006] p 12 N88-17616	STEINMETZ, G. G.  Development and evaluation of an airplane electronic	Astronomical Satellite (IRAS) [NASA-RP-1217] p 75 N90-10807
SPALVINS, TALIVALDIS	display format aligned with the inertial velocity vector	SUDER, KENNETH L.
Influence of the deposition conditions on radiofrequency	[NASA-TP-2648] p 16 N87-13438	Laser anemometer measurements in a transonic
magnetron sputtered MoS2 films	STEINMETZ, GEORGE G.	axial-flow fan rotor
[NASA-TP-2994] p 33 N90-21210	Effects of combining vertical and horizontal information into a primary flight display	[NASA-TP-2879] p 38 N90-11245
SPANN, J. F. A Study of Space Station Contamination Effects	[NASA-TP-2783] p 17 N88-12487	SULLIVAN, ROY M.
[NASA-CP-3002] p 72 N88-25390	STENGLE, THOMAS	Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 24 N88-14112
SPANN, JAMES F.	Flight Mechanics/Estimation Theory Symposium 1988	SUNG, C. C.
Space Station Induced Monitoring	[NASA-CP-3011] p 23 N89-15934	Mode-medium instability and its correction with a
[NASA-CP-3021] p 73 N89-15790	Flight Mechanics/Estimation Theory Symposium, 1989	Gaussian reflectivity mirror
SPICER, D. S.	[NASA-CP-3050] p 23 N90-13413 STEPHENS, J. BRISCOE	[NASA-TP-3023] p 68 N90-25673 SUTTLES, J. T.
Theoretical Problems in High Resolution Solar Physics, 2	System study of the carbon dioxide observational	Angular radiation models for Earth-atmosphere system.
[NASA-CP-2483] p 79 N88-11609	platform system (CO-OPS): Project overview	Volume 1: Shortwave radiation
SPLETTSTOESSER, W. R.	[NASA-TP-2696] p 23 N87-18588	[NASA-RP-1184] p 56 N88-27677
Advancing-side directivity and retreating-side	STEPHENS, R. M.	Angular radiation models for earth-atmosphere system. Volume 2: Longwave radiation
Interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 67 N88-22710	An Auger electron spectroscopy study of surface-preparation contaminants	[NASA-RP-1184-VOL-2] p 57 N89-20587
SPRINKLE, DANNY R.	[NASA-TP-2972] p 33 N90-16968	SUTTLES, JOHN T.
Analysis of positron lifetime spectra in polymers	STEPHENSON, JACK D.	Limb-darkening functions as derived from along-track
[NASA-TP-2853] p 63 N89-12237	Longitudinal stability and control characteristics of the	operation of the ERBE scanning radiometer for January 1985
Low-energy gamma ray attenuation characteristics of	Quiet Short-Haul Research Aircraft (QSRA) [NASA-TP-2965] p 20 N90-17639	[NASA-RP-1214] p 56 N89-17374
aviation fuels [NASA-TP-2974] p 63 N90-18882	STEWART, E. C.	SWANSON, THEODORE D.
SPUDIS, PAUL D.	Piloted simulation study of the effects of an automated	Workshop on Two-Phase Fluid Behavior in a Space Environment
Geoscience and a Lunar Base: A Comprehensive Plan	trim system on flight characteristics of a light twin-engine	[NASA-CP-3043] p 38 N89-26184
for Lunar Exploration	airplane with one engine inoperative [NASA-TP-2633] p 3 N87-10843	SYKES, GEORGE F., JR.
[NASA CP-3070] p 78 N90-25030 SQUYRES, STEVEN W.	[NASA-TP-2633] p 3 N87-10843 STEWART, ERIC C.	The effects of simulated space environmental
Microgravity Particle Research on the Space Station	Evaluation of the ride quality of a light twin engine	parameters on six commercially available composite materials
[NASA-CP-2496] p 58 N88-15354	airplane using a ride quality meter	[NASA-TP-2906] p 29 N89-19385
SREEKUMAR, PARAMESWARAN	[NASA-TP-2913] p 2 N89-22568	SYKES, NANCY P.
The Energetic Gamma-Ray Experiment Telescope (EGRET) Science Symposium	STIEF, LOUIS J.	NASA Workshop on Computational Structural
(NASA-CP-3071) p 77 N90-23294	First International Conference on Laboratory Research for Planetary Atmospheres	Mechanics 1987, part 1
SRINIVASAN, S.	[NASA-CP-3077] p 78 N90-26744	[NASA-CP-10012-PT-1] p 46 N89-29773 NASA Workshop on Computational Structural
Simplified curve fits for the thermodynamic properties	STITT, LEONARD E.	Mechanics 1987, part 2
of equilibrium air	Exhaust nozzles for propulsion systems with emphasis	[NASA-CP-10012-PT-2] p 46 N89-29789
[NASA-RP-1181] p 36 N87-26309 SRIVATSAN, RAGHAVACHARI	on supersonic cruise aircraft	NASA Workshop on Computational Structural
Simulator evaluation of a display for a Takeoff	[NASA-RP-1235] p 18 N90-21037 STOAKLEY, D. M.	Mechanics 1987, part 3 [NASA-CP-10012-PT-3] p 46 N89-29799
Performance Monitoring System	Investigation of the effects of cobalt ions on epoxy	SZCZUR, M.
[NASA-TP-2908] p 20 N89-23469	properties	Proceedings of the 5th Annual Users' Conference
STACK, SHARON H.  Langley Symposium on Aerodynamics, volume 1	[NASA-TP-2639] p 31 N87-12680	[NASA-CP-2399] p 62 N87-10720
[NASA-CP-2397] p 1 N88-14926	STOUGH, H. PAUL, III	SZCZUR, MARTHA Sixth Annual Users' Conference
STALLINGS, ROBERT L., JR.	Flight investigation of the effect of tail configuration on stall, spin, and recovery characteristics of a low-wing	[NASA-CP-2463] p 62 N87-23156
Experimental cavity pressure distributions at supersonic	general aviation research airplane	SZOFRAN, F. R.
speeds {NASA-TP-2683} p 5 N87-22626	[NASA-TP-2644] p 13 N87-16815	Growth of solid solution single crystals
STASSINOPOULOS, E. G.	Flight investigation of the effects of an outboard	[NASA-TP-2787] p 32 N88-14212
Cosmic ray heavy ion LET mapping for aluminum, silicon,	wing-leading-edge modification on stall/spin	<b>-</b>
and tissue targets	characteristics of a low-wing, single-engine, T-tail light airplane	i
[NASA-RP-1180] p 79 N87-25984 STAYLOR, W. F.	[NASA-TP-2691] p 14 N87-23614	TANNEHILL, J. C.
Angular radiation models for Earth-atmosphere system.	STOWE, L. L.	Simplified curve fits for the thermodynamic properties
Volume 1: Shortwave radiation	Angular radiation models for Earth-atmosphere system.	of equilibrium air
[NASA-RP-1184] p 5€ 488-27677	Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677	[NASA-RP-1181] p 36 N87-26309
STECHER, JOSEPH Fifteenth Space Simulation Conference: Support the	[NASA-RP-1184] p.56 N88-27677 Angular radiation models for earth-atmosphere system.	TANNER, JOHN A.  Exploiting symmetries in the modeling and analysis of
Highway to Space Through Testing	Volume 2: Longwave radiation	tires
[NASA-CP-3015] p 25 N89-12582	[NASA-RP-1184-VOL-2] p 57 N89-20587	[NASA-TP-2649] p 13 N87-17690

Langley Aircraft Landing Dynamics Facility	THOMPSON, RICHARD A.	TRIVEDI. KISHOR
[NASA-RP-1189] p 21 N87-29544	A review of reaction rates and thermodynamic and	Applications of the hybrid automated reliability predictor:
Advances in contact algorithms and their application to	transport properties for an 11-species air model for chemical and thermal nonequilibrium calculations to 30000	Revised edition [NASA-TP-2760-REV] p 63 N90-11454
tires [NASA-TP-2781] p.44 N88-21456	K	TROLINGER, JAMES D.
Computational Methods for Structural Mechanics and	[NASA-RP-1232] p 38 N90-27064	Automated Reduction of Data from Images and
Dynamics, part 1 {NASA-CP-3034-PT-1} p 46 N89-24638	THOMPSON, WILBUR E.  System study of the carbon dioxide observational	Holograms  NASA-CP-2477  p 6 N87-29432
Computational Methods for Structural Mechanics and	platform system (CO-OPS): Project overview	TURNER, STEVEN G.
Dynamics	[NASA-TP-2696] p 23 N87-18588	Low-speed wind-tunnel investigation of the flight dynamic characteristics of an advanced turboprop
[NASA-CP-3034-PT-2] p 46 N89-24654	THURSTON, GAYLEN A.  Application of Newton's method to the postbuckling of	business/commuter aircraft configuration
Modeling and analysis of the space shuttle nose-gear tire with semianalytic finite elements	rings under pressure loadings	[NASA-TP-2982] p 20 N90-19239
[NASA-TP-2977] p 42 N90-19595	[NASA-TP-2941] p 46 N89-29811 Modal interaction in postbuckled plates. Theory	υ
TANNER, TRIEVE Space Station Human Factors Research Review.	[NASA-TP-2943] p 47 N90-27121	<b>U</b>
Volume 4: Inhouse Advanced Development and	TIFFANY, SHERWOOD H.	UNDERHILL, ANNE B.
Research	Nonlinear programming extensions to rational function approximation methods for unsteady aerodynamic forces	O stars and Wolf-Rayet stars [NASA-SP-497] p 74 N89-11657
[NASA-CP-2426-VOL-4] p 59 N88-24148 TARTER, JILL C.	[NASA-TP-2776] p 15 N88-24623	UNNAM, JALAIAH
Carbon in the Galaxy: Studies from Earth and Space	TILTON, JAMES C.	Oxidation characteristics of Ti-14Al-21Nb ingot alloy [NASA-TP-3012] p 31 N90-25206
[NASA-CP-3061] p 73 N90-27562	LANDSAT-4 and LANDSAT-5 multispectral scanner coherent noise characterization and removal	(NASA-TP-3012) p 31 N90-25206
TAUBER, MICHAEL E.  Trajectory characteristics and heating of hypervelocity	[NASA-TP-2595-REV] p 49 N89-12114	V
projectiles having large ballistic coefficients	TINGAS, STEPHEN A.	•
[NASA-TP-2614] p 7 N88-19412	Piloted simulator study of allowable time delays in large-airplane response	VALLETTE, BRENDA J.
A review of high-speed, convective, heat-transfer computation methods	[NASA-TP-2652] p 19 N87-16849	Nimbus-7 ERB Solar Analysis Tape (ESAT) user's quide
[NASA-TP-2914] p 38 N89-27116	TOMPKINS, S. S.	[NASA-RP-1211] p 79 N89-30151
TAYLOR, F. W. Nimbus-7 Stratospheric and Mesospheric Sounder	Effects of thermal cycling on graphie-fiber-reinforced 6061 aluminum	VANNIMMEN, JANE NASA historical data book, Volume 1: NASA resources
(SAMS) experiment data user's guide	[NASA-TP-2612] p 28 N87-10184	1958-1968
[NASA-RP-1221] p 53 N89-26304	TOMPKINS, STEPHEN S.	[NASA-SP-4012-VOL-1] p 80 N88-25428
TAYLOR, G. JEFFREY A lunar tar-side very low frequency array	Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites	VAUGHAN, OTHA H. Spacelab 3 Mission Science Review
[NASA-CP-3039] p 75 N90-10805	[NASA-TP-1063] p 28 N88-70029	[NASA-CP-2429] p 36 N87-22103
Geoscience and a Lunar Base: A Comprehensive Plan	TORR, DOUGLASS	VAUGHAN, W. W.
for Lunar Exploration [NASA-CP-3070] p 78 N90-25030	Into the thermosphere: The atmosphere explorers [NASA-SP-490] p 52 N88-18084	NASA/MSFC FY-85 Atmospheric Processes Research Review
[NASA-CP-3070] p 78 N90-25030 TAYLOR, JOHN G.	TORR, M. R.	[NASA-CP-2402] p 55 N87-13043
Static investigation of a two-dimensional	A Study of Space Station Contamination Effects [NASA-CP-3002] p 72 N88-25390	VEATCH, DONALD W.  Analog signal conditioning for flight-test
convergent-divergent exhaust nozzle with multiaxis thrust-vectoring capability	TORR, MARSHA R.	instrumentation
[NASA-TP-2973] p 11 N90-19193	Space Station Induced Monitoring	[NASA-RP-1159] p 17 N87-29533
Internal performance of two nozzles utilizing gimbal	[NASA-CP-3021] p 73 N89-15790	VERDERAIME, V.  Weld stresses beyond elastic limit: Materials
concepts for thrust vectoring [NASA-TP-2991] p 11 N90-19200	TORRES, PABLO D. Stress corrosion study of PH13-8Mo stainless steel using	discontinuity
TAYLOR, STEVEN L.	the Slow Strain Rate Technique	[NASA-TP-2935] p 46 N89-27214 VEREEN, MARY
Nimbus 7 solar backscatter ultraviolet (SBUV) ozone	[NASA-TP-2934] p 30 N89-26976	Third Conference on Artificial Intelligence for Space
products user's guide [NASA-RP-1234] p 53 N90-17227	TOWNSEND, DENNIS P.  Dynamic analysis of multimesh-gear helicopter	Applications, part 1
TAYLOR, V. R.	transmissions	[NASA-CP-2492-Pt-1] p 62 N88-16360 Third Conference on Artificial Intelligence for Space
Angular radiation models for Earth-atmosphere system.	[NASA-TP-2789] p 41 N88-17045 TOWNSEND, JOHN S.	Applications, part 2
Volume 1: Shortwave radiation [NASA-RP-1184] p 56 N88-27677	Space station structures and dynamics test program	[NASA-CP-2492-PT-2] p 63 N88-24188 Fourth Conference on Artificial Intelligence for Space
Angular radiation models for earth-atmosphere system.	[NASA-TP-2710] p 43 N87-20568	Applications
Volume 2: Longwave radiation [NASA-RP-1184-VOL-2] p.57 N89-20587	Dynamic characteristics of a vibrating beam with periodic variation in bending stiffness	[NASA-CP-3013] p 63 N89-15549 VICROY, DAN D.
TAYLOR, WILLIAM	[NASA-TP-2697] p 44 N88-23988	Influence of wind shear on the aerodynamic
Automatic classification of spectra from the Infrared	TOWNSEND, LAWRENCE W.	characteristics of airplanes (NASA-TP-2827) p 12 N88-26344
Astronomical Satellite (IRAS) [NASA-RP-1217] p 75 N90-10807	Doubly differential cross sections for galactic heavy-ion fragmentation	[NASA-TP-2827] p 12 N88-26344 VOGLER, WILLIAM A.
TEICHMAN, LOUIS A.	[NASA-TP-2659] p 68 N87-17487	Evaluation of two transport aircraft and several ground
NASA/SDIO Space Environmental Effects on Materials	Possible complementary cosmic-ray systems: Nuclei and antinuclei	test vehicle friction measurements obtained for various runway surface types and conditions. A summary of test
Workshop, part 1 [NASA-CP-3035-PT-1] p 27 N89-23528	{NASA-TP-2741} p 68 N87-24977	results from joint FAA/NASA Runway Friction Program
NASA/SDIO Space Environmental Effects on Materials	Eikonal solutions to optical model coupled-channel	(NASA-TP-2917) p 16 N90-15902 VOIGT, SUSAN J.
Workshop, part 2 INASA-CP:3035-PT-21 p. 28 N89-23547	equations [NASA-TP-2830] p 68 N88-30402	Software Reuse Issues
[NASA-CP-3035-PT-2] p 28 N89-23547 THEON, JOHN S.	A general formalism for phase space calculations	[NASA-CP-3057] p 63 N90-14789
Spacelab 3 Mission Science Review	[NASA-TP-2843] p 66 N89-14053	VOLK, KEVIN  Automatic classification of spectra from the Infrared
[NASA-CP-2429] p 36 N87-22103	Solar-flare shielding with Regolith at a lunar-base site [NASA-TP-2869] p 79 N89-14210	Astronomical Satellite (IRAS)
On requirements for a satellite mission to measure	Benchmark solutions for the galactic ion transport	{NASA-RP-1217} p 75 N90-10807
tropical rainfall	equations: Energy and spatially dependent problems	VRABEL, DEBORAH Advanced turboprop project
[NASA-RP-1183] p 55 N87-20701	(NASA-TP-2878) p 79 N89-16714 BRYNTRN: A baryon transport model	[NASA-SP-495] p 18 N89-12565
THOMAS, JAMES L.  Three-dimensional multigrid algorithms for the flux-split	[NASA-TP-2887] p 80 N89-17562	VYKUKAL, H. C.
Euler equations	Calculation of two-neutron multiplicity in photonuclear	Space Station Human Factors Research Review.  Volume 1: EVA Research and Development
[NASA-TP-2829] p 65 N89-12316 THOMAS, LAWRENCE R.	reactions [NASA-TP-2968] p 68 N90-14890	[NASA-CP-2426-VOL-1] p 59 N88-24145
The 1986 Get Away Special Experimenter's	Radiation exposure for manned Mars surface missions	•••
Symposium [NASA-CP-2438] p.22 N87-20302	[NASA-TP-2979] p 80 N90-18357 Improved model for solar cosmic ray exposure in manned	W
[NASA-CP-2438] p 22 N87-20302 The 1988 Get Away Special Experimenter's	Earth orbital flights	WACCOUED EDGAD C
Symposium	[NASA-TP-2987] p 80 N90-25031 TRAVIS, LARRY D.	WAGGONER, EDGAR G. A transonic-small-disturbance wing design
[NASA-CP-3008] p 22 N89-10902	The Jovian Atmospheres	methodology
THOMAS, RICHARD	[NASA-CP-2441] p 77 N87-17598	[NASA-TP-2806] p.7 N88-17614
The M-type stars (NASA-SP-492) p 75 N88-11592	TREMOR, JOHN W.  Report of the 1st Planning Workshop for CELSS Flight	WAHLS, DEBORAH M.  Thermal-distortion analysis of an antenna strongback
O stars and Wolf-Rayet stars	Experimentation	for geostationary high-frequency microwave applications
[NASA-SP-497] p 74 N89-11657	[NASA-CP-10020] p 60 N89-13898	[NASA-TP-3016] p 26 N90-27738

WALKER, D. W.
Infrared astronomical satellite (IRAS) catalogs and atlases. Volume 7: The small scale structure catalog [NASA-RP-1190-VOL-7] p 76 N89-14199
WALKER, G. H.  Diode laser satellite systems for beamed power
transmission [NASA-TP-2992] p.40 N90-24585
WALKER, HELEN
Automatic classification of spectra from the Infrared Astronomical Satellite (IRAS)
[NASA-RP-1217] p 75 N90-10807 WALKER, I. J.
Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation
[NASA-RP-1184] p 56 N88-27677
Angular radiation models for earth-atmosphere system. Volume 2: Longwave radiation
[NASA-RP-1184-VOL-2] p 57 N89-20587 WALKER, IRA
Limb-darkening functions as derived from along-track
operation of the ERBE scanning radiometer for January 1985
[NASA-RP-1214] p 56 N89-17374 WALLER, MARVIN C.
A piloted simulation study of data link ATC message
exchange [NASA-TP-2859] p 13 N89-15900
WALTERS, R. W.  Some path-following techniques for solution of nonlinear
equations and comparison with parametric differentiation [NASA-TP-2654] p 64 N87-14054
WALTERS, ROBERT W.
Efficient solutions to the Euler equations for supersonic flow with embedded subsonic regions
[NASA-TP-2523] p 3 N87-15183 WANG, CHI R.
Application of turbulence modeling to predict surface
heat transfer in stagnation flow region of circular cylinder [NASA-TP-2758] p 37 N87-27161
WARSHAWSKY, ISIDORE Foundations of measurement and instrumentation
[NASA-RP-1222] p 40 N90-21351 WATSON, CAROLYN B.
Study of lee-side flows over conically cambered delta
wings at supersonic speeds, part 1 [NASA-TP-2660-PT-1] p 5 N87-23597
Study of lee-side flows over conically cambered Delta wings at supersonic speeds, part 2
[NASA-TP-2660-PT-2] p 5 N87-25301 WATSON, R. T.
Present state of knowledge of the upper atmosphere 1988: An assessment report
[NASA-RP-1208] p 52 N88-29233
Present state of knowledge of the upper atmosphere 1990: An assessment report
[NASA-RP-1242] p 54 N90-28929 WATSON, WILLIE R.
Experimental validation of a two-dimensional shear-flow model for determining acoustic impedance
[NASA-TP-2679] p 66 N87-20796 WATTS, MICHAEL E.
Tip aerodynamics and acoustics test: A report and data
survey [NASA-RP-1179] p 9 N89-17579
WEAVER, W. A.  Handling qualities of a wide-body transport airplane
utilizing Pitch Active Control Systems (PACS) for relaxed static stability application
(NASA-TP-2482) p 19 N88-14987 WEAVER, WILLIAM L.
Calculation and accuracy of ERBE scanner
measurement locations [NASA-TP-2670] p 72 N87-28471
WEBSTER, K. L.  Mode-medium instability and its correction with a
Gaussian reflectivity mirror [NASA-TP-3023] p 68 N90-25673
WEILER, J. D.
Payload crew utilization for spacelab missions [NASA-TP-2976] p 24 N90-14256
WEILMUENSTER, K. J. Simplified curve fits for the thermodynamic properties
of equilibrium air [NASA-RP-1181] p 36 N87-26309
WELLS, DOUGLAS C.  Jet transport flight operations using cockpit display of
traffic information during instrument meteorological
conditions: Simulation evaluation [NASA-TP-2567] p 12 N87-29469
WELLS, WILLIAM L.

Measured and predicted aerodynamic coefficients and

p 11 N90-14185

(NASA-CP-2494)

shock shapes for Aeroassist Flight Experiment (AFE)

configuration

[NASA-TP-2956]

```
Surface flow and heating distributions on a cylinder in near wake of Aeroassist Flight Experiment (AFE)
  configuration at incidence in Mach 10 Air
  INASA-TP-2954]
                                     p 38 N90-14493
WEST, ROBERT A.
    Time-Variable Phenomena in the Jovian System
  INASA-SP-4941
                                     p 78 N89-28474
WHALEN, MARGARET V.
   Compatability of dispersion-strengthened platinum with
  resistoiet propellants
 INASA-TP-27651
                                     p 27 N88-12538
WHIPPLE, DANIEL Y.
   Laser-velocimeter-measured flow field around an
  advanced, swept, eight-blade propeller at Mach 0.8
  (NASA-TP-2462)
                                     p 2 N90-20942
WHITCOMB, JOHN D.
    Three-dimensional analysis of a postbuckled embedded
  delamination
                                     p 44 N88-26684
 INASA-TP-28231
WHITE, ALLAN L.
   SURE reliability analysis: Program and mathemati
 INASA-TP-27641
                                     p 65 N88-17380
WHITEHEAD, VICTOR S.
 Remote Sensing in Polarized Light [NASA-CP-3014]
                                    p 72 N89-14189
WHITFIELD, DAVID L.
    Three-dimensional multigrid algorithms for the flux-split
  Euler equations
                                     p 65 N89-12316
WHITLOCK, CHARLES H.
   Surface bidirectional reflectance properties of two
  southwestern Arizona deserts for wavelengths between
  0.4 and 2.2 micrometers
 [NASA-TP-2643]
                                     p 48 N87-22281
WHITMORE, STEPHEN A.
   Qualitative evaluation of a flush air data system at
  transonic speeds and high angles of attack
                                     p 14 N87-29497
  [NASA-TP-2716]
WIEDEMANN, K. E.
   Emittance, catalysis, and dynamic oxidation of
  Ti-14Al-21Nb
  (NASA-TP-2955)
                                     p 31 N90-10248
WIEDEMANN, KARL E.
    Oxidation characteristics of Ti-14Al-21Nb ingot alloy
 [NASA-TP-3012]
                                     p 31 N90-25206
WIELICKI, B. A.
   Angular radiation models for Earth-atmosphere system.
  Volume 1: Shortwave radiation
  [NASA-RP-1184]
                                     p 56 N88-27677
    Angular radiation models for earth-atmosphere system.
  Volume 2: Longwave radiation
                                     p 57 N89-20587
 [NASA-RP-1184-VOL-2]
WILCOX, FLOYD J., JR.
   Experimental cavity pressure distributions at supersonic
  [NASA-TP-2683]
                                      p 5 N87-22626
   Drag measurements of blunt stores tangentially mounted
  on a flat plate at supersonic speeds
  [NASA-TP-2742]
                                      p 6 N87-27626
WILKINSON, R. ALLEN
   Raman intensity as a probe of concentration near a
  crystal growing in solution
  [NASA-TP-2865]
                                     p 39 N89-16139
WILLETTS, DAVID V.
   Closed-Cycle, Frequency-Stable CO2 Laser
  Technology
  INASA-CP-24561
                                     p 40 N87-20522
WILLEY, C. S.
   Handling qualities of a wide-body transport airplane
  utilizing Pitch Active Control Systems (PACS) for relaxed
  static stability application
 [NASA-TP-2482]
                                     o 19 N88-14987
WILLIAMS, ALTON C.
    Double Layers in Astrophysics
  [NASA-CP-2469]
                                     p 72 N87-23313
WILLIAMS, DAVID H.
    Jet transport flight operations using cockpit display of
  traffic information during instrument meteorological
 conditions: Simulation evaluation [NASA-TP-2567]
                                     p 12 N87-29469
WILLIAMS, LOUIS J.
    Laminar Flow Aircraft Certification
  [NASA-CP-2413]
                                      p 8 N88-23737
WILLIAMS, M. D.
   Analysis of Nd3+:glass, solar-pumped, high-powr laser
  [NASA-TP-2905]
                                     p 40 N89-17855
   Diode laser satellite systems for beamed power
  transmission
  [NASA-TP-2992]
                                     p 40 N90-24585
WILLIAMS, RICHARD J.
   Experiments in Planetary and Related Sciences and the
  Space Station
```

p 72 N89-14998

```
WILLIAMS, STEVEN P.
  Stereopsis cueing effects on hover-in-turbulence performance in a simulated rotorcraft
  [NASA-TP-2980]
                                    p 17 N90-21004
   Determination of depth-viewing volumes for stereo
  three-dimensional graphic displays
  [NASA-TP-2999]
                                     p 61 N90-22965
WILLSHIRE, K. F.
    Effects of background noise on total noise annoyance
  [NASA-TP-2630]
                                    p 66 N87-14120
WILMOTH, RICHARD G.
   Multiscale turbulence effects in supersonic iets
  exhausting into still air
  NASA-TP-2707
                                     p 36 N87-24672
WILSON, JEFFREY D.
   Revised NASA axially symmetric ring model for
  coupled-cavity traveling-wave tubes
                                     p 35 N87-22923
 [NASA-TP-2675]
    Spent-beam refocusing analysis
                                            multistage
  depressed collector design for a 75-W, 59- to 64-GHz
  coupled-cavity traveling-wave tube
  [NASA-TP-3039]
                                     p 35 N90-27965
WILSON, JOHN W.
    Possible complementary cosmic-ray systems: Nuclei
    d antinucle
  INASA-TP-27411
                                     p 68 N87-24977
   Eikonal solutions to optical model coupled-channel
  INASA-TP-28301
                                     p 68 N88-30402
   Solar-flare shielding with Regolith at a lunar-base site
  [NASA-TP-2869]
                                     p 79 N89-14210
   Benchmark solutions for the galactic ion transport
  equations: Energy and spatially dependent problems
  [NASA-TP-2878]
                                     p 79 N89-16714
    BRYNTRN: A baryon transport model
  [NASA-TP-2887]
                                     p 80 N89-17562
    Kaon-nucleus scattering
  [NASA-TP-2920]
                                     p 80 N89-25103
    Radiation exposure for manned Mars surface missions
                                    p 80 N90-18357
  INASA-TP-29791
    Improved model for solar cosmic ray exposure in manned
  (NASA-TP-2987)
                                     p 80 N90-25031
   Comparison of dose estimates using the buildup-factor
  method and a Baryon transport code (BRYNTRN) with
  Monte Carlo results
  [NASA-TP-3021]
                                     p 80 N90-29290
WILSON, R. GALE
   Earth Sciences Requirements for the Information
  Sciences Experiment System
  [NASA-CP-3072]
                                     p 50 N90-27140
WILSON, ROBERT M.
    Statistical aspects of solar flares
                                     p 79 N87-20947
  [NASA-TP-2714]
   On the statistics of El Nino occurrences and the
  relationship of El Nino to volcanic and solar/geomagnetic
 activity
[NASA-TP-2948]
                                     p 79 N90-12456
WINDMILLER, MARY JO
   Unique bit-error-rate measurement system for satellite
  communication systems
  [NASA-TP-2699]
                                     p 33 N87-20448
WINGET, CHARLES M.
   Cells in Space
  [NASA-CP-10034]
                                     p 61 N90-13939
WISLICENUS, GEORGE F.
   Preliminary design of turbopumps and related
 machinery
[NASA-RP-1170]
                                      p 3 N87-17665
WOOD, GEORGE M., JR.
    Closed-Cycle, Frequency-Stable CO2 Laser
  Technology
[NASA-CP-2456]
                                     p 40 N87-20522
WOOD, JERRY R.
   Laser anemometer measurements in a transonic
  axial-flow fan rotor
                                     p 38 N90-11245
  [NASA-TP-2879]
WOOD, RICHARD D.
    Summary of studies to :aduce wing-mounted propfan
  installation drag on an M = 0.8 transport
                                     p 14 N87-20990
 [NASA-TP-2678]
WOOD, RICHARD M.
  Investigation of leading-edge flap performance on delta and double-delta wings at supersonic speeds
  [NASA-TP-2656]
                                      p 4 N87-20233
   Study of lee-side flows over conically cambered delta
  wings at supersonic speeds, part 1
  NASA-TP-2660-PT-11
                                      p 5 N87-23597
    Study of lee-side flows over conically cambered Delta
   vings at supersonic speeds, part 2
  [NASA-TP-2660-PT-2]
                                      p 5 N87-25301
   Planform effects on the supersonic aerodynamics of
  multibody configurations
  INASA-TP-2762]
                                      p 6 N88-12454
    Supersonic aerodynamics of delta wings
                                      p 7 N88-17615
  [NASA-TP-2771]
```

#### **WOODGATE, BRUCE**


WOODGATE, BRUCE	
Energetic Phenomena on the Sun:	
Mission Flare Workshop, Proceedings [NASA-CP-2439]	p 79 N87-19328
WOODS, CLAUDIÁ M.	• • • • • • • • • • • • • • • • • • • •
Modification of the SHABERTH	
incorporate RP-1 and a discussion of INASA-TP-3017	p 42 N90-28066
WOODWARD, RICHARD P.	•
Comparison between design and	
characteristics of NASA Lewis 9- by wind tunnel acoustic treatment	15-1001 low-speed
[NASA-TP-2996]	p 22 N90-19242
WRIGHT, ROBERT L	
NASA/DOD Control/Structures Inte 1986	raction rectinology,
[NASA-CP-2447-PT-1]	p 24 N87-16014
NASA/DOD Control/Structures Inte	raction Technology,
1966 (NASA-CP-2447-PT-2)	p 25 N87-24495
OEXP Analysis Tools Workshop	,
[NASA-CP-10013]	p 63 N89-11407
Earth Science Geostationary Platfo [NASA-CP-3040]	m lechnology p 24 N90-19249
Thermal-distortion analysis of an	
for geostationary high-frequency mic	rowave applications
(NASA-TP-3016) WU, D.	p 26 N90-27738
An Auger electron spectro	scopy study of
surface-preparation contaminants	•
(NASA-TP-2972) WU, S. T.	p 33 N90-16968
Advanced Earth-to-Orbit Propulsio	n Technology 1986,
volume 2	
[NASA-CP-2437-VOL-2] Advanced Earth-to-Orbit Propulsio	p 27 N89-12626
volume 1	ii recimology 1900,
[NASA-CP-3012-VOL-1]	p 27 N90-28611
WUNSCHEL, ALFRED J.	of wortey flame on
Piloted-simulation study of effects low-speed handling qualities of a	
[NASA-TP-2747]	p 19 N87-26922
WYNNE, ELEANOR C.	a va maaa vamante
Steady and unsteady transonic pre- on a clipped delta wing for pitching	
oscillations	
(NASA-TP-2594)	p 8 N88-28895
v	
Y	
YAGER, THOMAS J.	
YAGER, THOMAS J. Evaluation of two transport aircraft	
Evaluation of two transport aircraft test vehicle friction measurements	obtained for various
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions	obtained for various . A summary of test
Evaluation of two transport aircraft test vehicle friction measurements	obtained for various . A summary of test
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917] YEE, HELEN	obtained for various . A summary of test vay Friction Program
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917] YEE, HELEN Supercomputing in Aerospace	obtained for various A summary of test yay Friction Program p 16 N90-15902
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917] YEE, HELEN Supercomputing in Aerospace [NASA-CP-2454]	obtained for various . A summary of test vay Friction Program
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917] YEE, HELEN Supercomputing in Aerospace (NASA-CP-2454) YEH, FREDERICK C. Application of turbulence modelin	obtained for various . A summary of test vay Friction Program p 16 N90-15902 p 5 N87-25998 g to predict surface
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN  Supercomputing in Aerospace [NASA-CP-2454]  YEM, FREDERICK C.  Application of turbulence modelin heat transfer in stagnation flow regic	obtained for various . A summary of test vay Friction Program p 16 N90-15902 p 5 N87-25998 g to predict surface of circular cylinder
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917] YEE, HELEN Supercomputing in Aerospace [NASA-CP-2454] YEM, FREDERICK C. Application of turbulence modelin heat transfer in stagnation flow regic [NASA-TP-2758]	obtained for various . A summary of test vay Friction Program p 16 N90-15902 p 5 N87-25998 g to predict surface
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN Supercomputing in Aerospace [NASA-CP-2454]  YEM, FREDERICK C. Application of turbulence modelin heat transfer in stagnation flow regic [NASA-TP-2758]  YENNI, K. R. Piloted simulation study of the effe	obtained for various . A summary of test vay Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface on of circular cylinder p 37 N87-27161 lects of an automated
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917] YEE, HELEN Supercomputing in Aerospace [NASA-CP-2454] YEM, FREDERICK C. Application of turbulence modelin heat transfer in stagnation flow regic [NASA-TP-2758] YEMM, K. R. Piloted simulation study of the efficition system on flight characteristics	obtained for various . A summary of test vay Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface of circular cylinder p 37 N87-27161 sets of an automated of a light twin-engine
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN Supercomputing in Aerospace (NASA-CP-2454)  YEM, FREDERICK C. Application of turbulence modelin heat transfer in stagnation flow regio (NASA-TP-2758)  YENNI, K. R. Piloted simulation study of the efficitim system on flight characteristics airplane with one engine inoperative	obtained for various . A summary of test ray Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface or of circular cylinder p 37 N87-27161 sects of an automated of a light twin-engine
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw (NASA-TP-2917)  YEE, HELEN Supercomputing in Aerospace (NASA-CP-2454)  YEN, FREDERICK C. Application of turbulence modelin heat transfer in stagnation flow regio (NASA-TP-2758)  YENMI, K. R. Piloted simulation study of the effettim system on flight characteristics airplane with one engine inoperative (NASA-TP-2833)	obtained for various . A summary of test vay Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface of circular cylinder p 37 N87-27161 sets of an automated of a light twin-engine
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN  Supercomputing in Aerospace [NASA-CP-2454]  YEM, FREDERICK C.  Application of turbulence modelin heat transfer in stagnation flow regic [NASA-TP-2758]  YENNI, K. R.  Piloted simulation study of the efficition system on flight characteristics airplane with one engine inoperative [NASA-TP-2833]  YI, THOMAS Y.  The 1986 Goddard Space File	obtained for various  A summary of test vary Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface of circular cylinder p 37 N87-27161 sets of an automated of a light twin-engine
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN  Supercomputing in Aerospace (NASA-CP-2454)  YEM, FREDERICK C.  Application of turbulence modelin heat transfer in stagnation flow regio (NASA-TP-2758)  YENNIK, K. R.  Piloted simulation study of the efficition system on flight characteristics airplane with one engine inoperative [NASA-TP-2833]  YI, THOMAS Y.  The 1986 Goddard Space Fill Workshop	obtained for various . A summary of test ray Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface of circular cylinder p 37 N87-27161 octs of an automated of a light twin-engine p 3 N87-10843 ght Center Battery
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN Supercomputing in Aerospace [NASA-CP-2454]  YEN, FREDERICK C. Application of turbulence modelin heat transfer in stagnation flow regic [NASA-TP-2758]  YENNI, K. R. Piloted simulation study of the efficition system on flight characteristics airplane with one engine inoperative [NASA-TP-2633]  YI, THOMAS Y. The 1986 Goddard Space Fill Workshop [NASA-CP-2486]	obtained for various  A summary of test vary Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface of circular cylinder p 37 N87-27161 sets of an automated of a light twin-engine
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN  Supercomputing in Aerospace (NASA-CP-2454)  YEH, FREDERICK C.  Application of turbulence modelin heat transfer in stagnation flow regio [NASA-TP-2758]  YEANNI, K. R.  Piloted simulation study of the effection system on flight characteristics airplane with one engine inoperative [NASA-TP-2633]  YI, THOMAS Y.  The 1986 Goddard Space Fil Workshop [NASA-CP-2466]  YIP, LONG P.  Wind-tunnel free-flight investigati	obtained for various . A summary of test rays Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface of circular cylinder p 37 N87-27161 locts of an automated of a light twin-engine p 3 N87-10843 ght Center Battery p 35 N88-11021
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN Supercomputing in Aerospace [NASA-CP-2454]  YEN, FREDERICK C. Application of turbulence modelin heat transfer in stagnation flow regic [NASA-TP-2758]  YENMI, K. R. Piloted simulation study of the effectivin system on flight characteristics airplane with one engine inoperative [NASA-TP-2633]  YI, THOMAS Y. The 1986 Goddard Space Fill Workshop [NASA-CP-2486]  YIP, LONG P. Wind-tunnel free-flight investigate model of the F-108B sirplane with v	obtained for various  A summary of test vary Friction Program p 16 N90-15902  p 5 N87-25998  g to predict surface of circular cylinder p 37 N87-27161  octs of an automated of a light twin-engine p 3 N87-10843  ght Center Battery p 35 N88-11021  on of a 0.15-scale ortex flaps
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN Supercomputing in Aerospace [NASA-CP-2454]  YEM, FREDERICK C. Application of turbulence modelin heat transfer in stagnation flow regic [NASA-TP-2758]  YENNI, K. R. Pitoted simulation study of the effection system on flight characteristics airplane with one engine inoperative [NASA-TP-2633]  YI, THOMAS Y. The 1986 Goddard Space Fill Workshop [NASA-CP-2486]  YIP, LONG P. Wind-turnel free-flight investigat model of the F-1088 airplane with v [NASA-TP-2700]	obtained for various . A summary of test rays Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface of circular cylinder p 37 N87-27161 locts of an automated of a light twin-engine p 3 N87-10843 ght Center Battery p 35 N88-11021
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN  Supercomputing in Aerospace (NASA-CP-2454)  YEH, FREDERICK C.  Application of turbulence modelin heat transfer in stagnation flow regio [NASA-TP-2758)  YEMMI, K. R.  Piloted simulation study of the effectivin system on flight characteristics airplane with one engine inoperative [NASA-TP-2633]  YI, THOMAS Y.  The 1986 Goddard Space Fil Workshop [NASA-CP-2486]  YIP, LONG P.  Wind-tunnel free-flight investigat model of the F-1068 airplane with v [NASA-TP-2700]  YOS. JERROOLD M.	obtained for various . A summary of test vary Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface of circular cylinder p 37 N87-27161 lects of an automated of a light twin-engine p 3 N87-10843 ght Center Battery p 35 N88-11021 lon of a 0.15-scale ortex flaps p 4 N87-21855
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN Supercomputing in Aerospace [NASA-CP-2454]  YEN, FREDERICK C. Application of turbulence modelin heat transfer in stagnation flow regic [NASA-TP-2758]  YENNI, K. R. Pitoted simulation study of the effectim system on flight characteristics airplane with one engine inoperative [NASA-TP-2633]  YI, THOMAS Y. The 1986 Goddard Space Fill Wortshop [NASA-CP-2486]  YIP, LONG P. Wind-turnel free-flight investigat model of the F-1068 airplane with v [NASA-TP-2700]  YOS, JERROLD M. A review of reaction rates and transport properties for an 11-spi	obtained for various  A summary of test vary Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface on of circular cylinder p 37 N87-27161 sets of an automated of a light twin-engine p 3 N87-10843 ght Center Battery p 35 N88-11021 son of a 0.15-scale ortex flaps p 4 N87-21855 thermodynamic and scies air model for
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN Supercomputing in Aerospace [NASA-CP-2454]  YEN, FREDERICK C. Application of turbulence modelin heat transfer in stagnation flow regic [NASA-TP-2758]  YENNI, K. R. Piloted simulation study of the effection system on flight characteristics airplane with one engine inoperative [NASA-TP-2633]  YI, THOMAS Y. The 1986 Goddard Space Fill Workshop [NASA-CP-2466]  YIP, LONG P. Wind-turnel free-flight investigat model of the F-1068 airplane with v [NASA-TP-2700]  YOS, JERROLD M. A review of reaction rates and transport properties for an 11-sp. chemical and thermal nonequilibrium	obtained for various  A summary of test vary Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface on of circular cylinder p 37 N87-27161 sets of an automated of a light twin-engine p 3 N87-10843 ght Center Battery p 35 N88-11021 son of a 0.15-scale ortex flaps p 4 N87-21855 thermodynamic and scies air model for
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN Supercomputing in Aerospace [NASA-CP-2454]  YEN, FREDERICK C. Application of turbulence modelin heat transfer in stagnation flow regic [NASA-TP-2758]  YENNI, K. R. Pitoted simulation study of the effectim system on flight characteristics airplane with one engine inoperative [NASA-TP-2633]  YI, THOMAS Y. The 1986 Goddard Space Fill Wortshop [NASA-CP-2486]  YIP, LONG P. Wind-turnel free-flight investigat model of the F-1068 airplane with v [NASA-TP-2700]  YOS, JERROLD M. A review of reaction rates and transport properties for an 11-spi	obtained for various  A summary of test vary Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface on of circular cylinder p 37 N87-27161 sets of an automated of a light twin-engine p 3 N87-10843 ght Center Battery p 35 N88-11021 son of a 0.15-scale ortex flaps p 4 N87-21855 thermodynamic and scies air model for
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN  Supercomputing in Aerospace [NASA-CP-2454]  YEN, FREDERICK C.  Application of turbulence modelin heat transfer in stagnation flow regic [NASA-TP-2758]  YENNI, K. R.  Piloted simulation study of the effetrim system on flight characteristics airplane with one engine inoperative [NASA-TP-2633]  YI, THOMAS Y.  The 1986 Goddard Space Fill Workshop [NASA-CP-2486]  YIP, LONG P.  Wind-tunnel free-flight investigate model of the F-1088 airplane with v [NASA-TP-2700]  YOS, JERROLD M.  A review of reaction rates and transport properties for an 11-spichemical and thermal nonequilibrium K [NASA-RP-1232]  YOUNG, D. F.	obtained for various. A summary of lest vay Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface on of circular cylinder p 37 N87-27161 sets of an automated of a light twin-engine p 3 N87-10843 ght Center Battery p 35 N88-11021 on of a 0.15-scale ortex flaps p 4 N87-21855 thermodynamic and acies air model for calculations to 30000 p 38 N90-27064
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN  Supercomputing in Aerospace (NASA-CP-2454)  YEH, FREDERICK C.  Application of turbulence modelin heat transfer in stagnation flow regio [NASA-TP-2758)  YEMMI, K. R.  Piloted simulation study of the effectivin system on flight characteristics airplane with one engine inoperative [NASA-TP-2633]  YI, THOMAS Y.  The 1986 Goddard Space Fil Workshop [NASA-CP-2466]  YIP, LONG P.  Wind-tunnel free-flight investigate model of the F-1068 airplane with vic [NASA-TP-2700]  YOS, JERROUD M.  A review of reaction rates and transport properties for an 11-spichemical and thermal nonequilibrium K.  {NASA-RP-1232}  YOUNG, D. F.  Angular radiation models for Earth	obtained for various. A summary of lest vay Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface on of circular cylinder p 37 N87-27161 sets of an automated of a light twin-engine p 3 N87-10843 ght Center Battery p 35 N88-11021 on of a 0.15-scale ortex flaps p 4 N87-21855 thermodynamic and acies air model for calculations to 30000 p 38 N90-27064
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN  Supercomputing in Aerospace [NASA-CP-2454]  YEN, FREDERICK C.  Application of turbulence modelin heat transfer in stagnation flow regic [NASA-TP-2758]  YENNI, K. R.  Piloted simulation study of the effetrim system on flight characteristics airplane with one engine inoperative [NASA-TP-2633]  YI, THOMAS Y.  The 1986 Goddard Space Fill Workshop [NASA-CP-2486]  YIP, LONG P.  Wind-tunnel free-flight investigate model of the F-1088 airplane with v [NASA-TP-2700]  YOS, JERROLD M.  A review of reaction rates and transport properties for an 11-spichemical and thermal nonequilibrium K [NASA-RP-1232]  YOUNG, D. F.	obtained for various. A summary of lest vay Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface on of circular cylinder p 37 N87-27161 sets of an automated of a light twin-engine p 3 N87-10843 ght Center Battery p 35 N88-11021 on of a 0.15-scale ortex flaps p 4 N87-21855 thermodynamic and acies air model for calculations to 30000 p 38 N90-27064
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN  Supercomputing in Aerospace (NASA-CP-2454)  YEH, FREDERICK C.  Application of turbulence modelin heat transfer in stagnation flow region [NASA-TP-2758]  YEMMI, K. R.  Piloted simulation study of the efficition system on flight characteristics airplane with one engine inoperative [NASA-TP-2633]  YI, THOMAS Y.  The 1986 Goddard Space Fill Workshop [NASA-CP-2486]  YIP, LONG P.  Wind-tunnel free-flight investigation model of the F-1068 airplane with virule [NASA-TP-2700]  YOS, JERROULD M.  A review of reaction rates and transport properties for an 11-spichemical and thermal nonequilibrium K.  {NASA-RP-1232}  YOUNG, D. F.  Angular radiation models for Earth Young, DAVID F.	obtained for various. A summary of lest vary Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface on of circular cylinder p 37 N87-27161 sects of an automated of a light twin-engine p 3 N87-10843 ght Center Battery p 35 N88-11021 on of a 0.15-scale ortex flaps p 4 N87-21855 thermodynamic and acies air model for calculations to 30000 p 38 N90-27084 -atmosphere system. p 56 N88-27677
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN Supercomputing in Aerospace (NASA-CP-2454)  YEM, FREDERICK C. Application of turbulence modelin heat transfer in stagnation flow regio (NASA-TP-2758)  YENNI, K. R. Piloted simulation study of the effection system on flight characteristics airplane with one engine inoperative (NASA-TP-2833)  YI, THOMAS Y. The 1986 Goddard Space Fill Workshop (NASA-CP-2486)  YIP, LONG P. Wind-tunnel free-flight investigate model of the F-106B airplane with v (NASA-TP-2700)  YOS, JERROLD M. A review of reaction rates and transport properties for an 11-sp-chemical and thermal nonequilibrium K  {NASA-RP-1232}  YOUNG, D. F. Anguler radiation models for Earth Yolume 1: Shortwave radiation (NASA-RP-1184)  YOUNG, DAVID F. Caltbration of the spin-scan ozon	obtained for various. A summary of lest vary Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface on of circular cylinder p 37 N87-27161 sects of an automated of a light twin-engine p 3 N87-10843 ght Center Battery p 35 N88-11021 on of a 0.15-scale ortex flaps p 4 N87-21855 thermodynamic and acies air model for calculations to 30000 p 38 N90-27084 -atmosphere system. p 56 N88-27677
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN  Supercomputing in Aerospace (NASA-CP-2454)  YEH, FREDERICK C.  Application of turbulence modelin heat transfer in stagnation flow region [NASA-TP-2758]  YEMMI, K. R.  Piloted simulation study of the efficition system on flight characteristics airplane with one engine inoperative [NASA-TP-2633]  YI, THOMAS Y.  The 1986 Goddard Space Fill Workshop [NASA-CP-2486]  YIP, LONG P.  Wind-tunnel free-flight investigation model of the F-1068 airplane with virule [NASA-TP-2700]  YOS, JERROULD M.  A review of reaction rates and transport properties for an 11-spichemical and thermal nonequilibrium K.  {NASA-RP-1232}  YOUNG, D. F.  Angular radiation models for Earth Young, DAYND F.	obtained for various. A summary of lest vary Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface on of circular cylinder p 37 N87-27161 sects of an automated of a light twin-engine p 3 N87-10843 ght Center Battery p 35 N88-11021 on of a 0.15-scale ortex flaps p 4 N87-21855 thermodynamic and acies air model for calculations to 30000 p 38 N90-27084 -atmosphere system. p 56 N88-27677
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw (NASA-TP-2917)  YEE, MELEN Supercomputing in Aerospace (NASA-CP-2454)  YEM, FREDERICK C. Application of turbulence modelin heat transfer in stagnation flow regio (NASA-TP-2758)  YEMMI, K. R. Piloted simulation study of the effection of the engine inoperative (NASA-TP-2833)  YI, THOMAS Y. The 1986 Goddard Space File Workshop (NASA-TP-28486)  YIP, LONG P. Wind-tunnel free-flight investigate model of the F-1068 airplane with v (NASA-TP-2700)  YOS, JERROLD M. A review of reaction rates and transport properties for an 11-spic chemical and thermal nonequilibrium K  [NASA-RP-1232]  YOUNG, D. F. Anguler radiation models for Earth Volume 1: Shortwave radiation (NASA-RP-1184)  YOUNG, DAVID F. Calibration of the spin-scan ozor dynamics Explorer 1 satelitle (NASA-TP-2723)  YOUNG, LERONTON E.	obtained for various. A summary of test vay Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface on of circular cylinder p 37 N87-27161 sets of an automated of a light twin-engine p 3 N87-10843 ght Center Battery p 35 N88-11021 on of a 0.15-scale ortex flaps p 4 N87-21855 thermodynamic and acies air model for calculations to 30000 p 38 N90-27064 eatmosphere system. p 56 N88-27677 we imager aboard the
Evaluation of two transport aircraft test vehicle friction measurements runway surface types and conditions results from joint FAA/NASA Runw [NASA-TP-2917]  YEE, HELEN  Supercomputing in Aerospace (NASA-CP-2454)  YEM, FREDERICK C.  Application of turbulence modelin heat transfer in stagnation flow region [NASA-TP-2758]  YENNI, K. R.  Piloted simulation study of the effort in system on flight characteristics airplane with one engine inoperative [NASA-TP-2633]  YI, THOMAS Y.  The 1986 Goddard Space Fill Workshop [NASA-CP-2486]  YIP, LONG P.  Wind-tunnel free-flight investigat model of the F-106B sirplane with v [NASA-TP-2700]  YOS, JERROLD M.  A review of reaction rates and transport properties for an 11-spichemical and thermal nonequilibrium K [NASA-RP-184]  YOUNG, D. F.  Anguler radiation models for Earth Yolume 1: Shortwave radiation [NASA-RP-1184]  YOUNG, DAVID F.  Calibration of the spin-scan ozon dynamics Explorer 1 satellife [NASA-TP-2723]	obtained for various. A summary of test vay Friction Program p 16 N90-15902  p 5 N87-25998 g to predict surface on of circular cylinder p 37 N87-27161 sets of an automated of a light twin-engine p 3 N87-10843 ght Center Battery p 35 N88-11021 on of a 0.15-scale ortex flaps p 4 N87-21855 thermodynamic and acies air model for calculations to 30000 p 38 N90-27064 eatmosphere system. p 56 N88-27677 we imager aboard the

YOUNG, PHILIP R. Proceedings of the LDEF Mat Workshop	terials Data Analysis
[NASA-CP-10046] YU, Y. H.	p 28 N90-26075
Automated Reduction of Data Holograms	from Images and
[NASA-CP-2477]	p 6 N87-29432
Z	
ZAKRAJSEK, JAMES J. Comparison study of gear dynam	ic computer programs
at NASA Lewis Research Center	- 44 - 1100 04040
[NASA-TP-2901] ZANG, THOMAS A.	p 41 N89-21243
Numerical simulation of char	
resolution requirements and stru vortex	cture of the hairpin
(NASA-TP-2667)	p 4 N87-19351
Interactions of Tollmien-Schlicht	
vortices. Comparison of direct nun	nerical simulation and
a weakly nonlinear theory (NASA-TP-2919)	p 10 N89-25118
ZAPATA, L. E.	p 10 1100 25110
Analysis of Nd3+:glass, solar-pu	mped, high-powr laser
systems	- 40 1/00 47055
[NASA-TP-2905] ZARETSKY, ERWIN V.	p 40 N89-17855
Liquid lubrication in space	
(NASA-RP-1240)	p 42 N90-28063
ZUBER, MARIA T.	
Planetary geosciences, 1988 [NASA-SP-498]	p 48 N89-26274
ZUCKERWAR, ALLAN J.	p 10 /100 202. 1
Contamination of liquid oxygen by	y pressurized gaseous
nitrogen (NASA-TP-2894)	p 38 N89-19499
ZURAWSKI, ROBERT L.	p 30 1103-13133
Analysis of quasi-hybrid solid ro	
for advanced earth-to-orbit vehicles	
(NASA-TP-2751) ZWALLY, H. JAY	p 27 N87-25425
Arctic Sea ice, 1973-1976: Satel	lite passive-microwave
observations	
[NASA-SP-489] Polar microwave brightness	p 58 N87-24870 temperatures from
Polar microwave brightness Nimbus-7 SMMR: Time series of d	
from 1978 to 1987	<b>,</b> ,,
(NASA-RP-1223)	p 48 N89-26275
Satellite radar altimetry over ice, and corrections of Seasat data over	
[NASA-RP-1233-VOL-1]	p 54 N90-20562
Satellite radar altimetry over ice.	
for Greenland elevation data from	Seasat
[NASA-RP-1233-VOL-2] Satellite radar altimetry over ice."	p 54 N90-20563
for Antarctica elevation data from	
[NASA-RP-1233-VOL-4]	p 54 N90-20564
Surface topography of the Gree satellite radar altimetry	enland ice Sheet from
[NASA-SP-503]	p 54 N90-22850

# REPORT NUMBER INDEX

NASA Scientific and Technical Publications 1987-1990

#### **Typical Report Number Index Listing**



Listings in this index are arranged alphanumerically by report number. The page number indicates the page on which the citation is located. The accession number denotes the number by which the citation is identified.

NASA-CP-10001	•	N88-15924
NASA-CP-10003-SESS-1	p 18	N88-16697
NASA-CP-10003-SESS-2	p 18	N88-15785
NASA-CP-10003-SESS-3	p 18	N88-15790
NASA-CP-10003-SESS-4	p 18	N88-15794
NASA-CP-10003-SESS-5	p 18	N88-15800
NASA-CP-10003-SESS-6	p 18	N88-15807
NASA-CP-10004	p 12	N88-14970
NASA-CP-10006		N88-17616
NASA-CP-10007		N88-27148
NASA-CP-10008	p 9	N89-10849
NASA-CP-10009	p 37	N88-20599
NASA-CP-10010	p 44	N88-21498
NASA-CP-10011	p 61	N88-21646
NASA-CP-10012-PT-1	p 46	N89-29773
NASA-CP-10012-PT-2	p 46	N89-29789
NASA-CP-10012-PT-3	p 46	N89-29799
NASA-CP-10013	p 63	N89-11407
NASA-CP-10014	p 51	N89-14503
NASA-CP-10015		N89-13310
	p 27	N90-21795
NASA-CP-10017	p 32	N89-17682
NASA-CP-10018		N89-14842
NASA-CP-10019	p 31	N89-13642
NASA-CP-10020		N89-13898
NASA-CP-10021	•	N89-18373
NASA-CP-10022	p 59	N89-17997
NASA-CP-10024		N89-24626
NASA-CP-10026-VOL-1		N89-24022
NASA-CP-10026-VOL-2		N89-24023
NASA-CP-10027	•	N89-26334
NASA-CP-10029	p 50	N89-22982 N90-22918
NASA-CP-10032 NASA-CP-10033		N90-22916 N90-17085
		N90-17083 N90-13939
NASA-CP-10034 NASA-CP-10036	*	N90-13939 N90-13384
NASA-CP-10036	p 16	N90-14220
NASA-CP-10047	p 29	N90-27792
NASA-CP-10045		N90-26075
NASA-CP-2002	p 22	N78-76855
NASA-CP-2040	p 62	N78-74659
NASA-CP-2327-PT-1	,	N87-11717
NASA-CP-2327-PT-2	p 13	N87-11750
NASA-CP-2339	p 43	N87-11180
NASA-CP-2397	p 1	N88-14926
NASA-CP-2399	p 62	N87-10720
NASA-CP-2402	p 55	N87-13043
NASA-CP-2405	p 43	N88-11140
NASA-CP-2407	p 75	N88-20235
NASA-CP-2413	p 8	N88-23737
NASA-CP-2423-REV	p 43	N87-16321
NASA-CP-2426-VOL-1	p 59	N88-24145
NASA-CP-2426-VOL-3	p 59	N88-19883
NASA-CP-2426-VOL-4	p 59	N88-24148
NASA-CP-2427	p 31	N88-23872

NASA-CP-2429	р 36	N87-22103
NASA-CP-2431	p 39	N87-10263
NASA-CP-2432	p 7	N88-17586
NASA-CP-2433	p 17	N87-20267
NASA-CP-2434	p 34	N87-11072
NASA-CP-2435	p 12	N87-10054
NASA-CP-2437-VOL-2	ρ 27	N89-12626
NASA-CP-2438	p 22	N87-20302
NASA-CP-2439	p 79	N87-19328
NASA-CP-2441	p 77	N87-17598
NASA-CP-2442	p 79	N87-20871
NASA-CP-2443	p 41	N87-22199
NASA-CP-2444	p 45	N89-12876
NASA-CP-2446	p 25	N88-10829
NASA-CP-2447-PT-1	p 24	N87-16014
NASA-CP-2447-PT-2	p 25	N87-24495
NASA-CP-2448	p 51	N87-15528
NASA-CP-2449	p 79	N87-21785
NASA-CP-2450	p 51	N87-18248
NASA-CP-2451	p 1	N87-18520
NASA-CP-2452	p 1	N87-22604
NASA-CP-2453	p 1	N87-27596
NASA-CP-2454	p 5 p 12	N87-25998 N87-22634
NASA-CP-2455	p 40	N87-20522
NASA-CP-2456	p 43	N87-18855
	p 41	N87-18821
NASA-CP-2458 NASA-CP-2459-VOL-1	p 62	N87-19931
NASA-CP-2459-VOL-2	p 62	N87-19932
NASA-CP-2460	p 52	N87-20665
NASA-CP-2462	p 5	N87-24410
NASA-CP-2463	p 62	N87-23156
NASA-CP-2464	p 72	N87-24247
NASA-CP-2465	p 32	N87-21141
NASA-CP-2466	p 73	N87-24266
NASA-CP-2467-PT-1		N87-22702
NASA-CP-2467-PT-2	p 23	N87-22729
NASA-CP-2468		N87-22341
NASA-CP-2469	- 70	N87-23313
NASA-CP-2470		N87-29858
NASA-CP-2471	p 26	N87-22766
NASA-CP-2472	p 42	N87-27204
NASA-CP-2473	p 25	N88-10084
NASA-CP-2474		N87-25267
NASA-CP-2475		N87-26413
NASA-CP-2476	p 24	N88-12520
NASA-CP-2477	p6	N87-29432
NASA-CP-2478		N87-26531
NASA-CP-2479	p 60	N88-13852
NASA-CP-2480	p 60	N88-12251
NASA-CP-2481	р 43 р 79	N87-27231
NASA-CP-2483	p 50	N88-11609 N87-29914
NASA-CP-2484		N88-17168
NASA-CP-2485		N88-11021
NASA-CP-2487-PT-1		N90-12503
NASA-CP-2487-PT-2	٠	N90-12519
NASA-CP-2487-PT-3		N90-12539
NASA-CP-2488-VOL-1		N88-13609
NASA-CP-2488-VOL-2	p 44	N88-18948
NASA-CP-2489	p 74	N89-15810
NASA-CP-2490		N88-10870
NASA-CP-2491	p 61	N88-17206
NASA-CP-2492-Pt-1		N88-16360
NASA-CP-2492-PT-2		N88-24188
NASA-CP-2493	. p 45	N89-17298
NASA-CP-2494		N89-14998
NASA-CP-2495-VOL-1		N88-16625
NASA-CP-2495-VOL-2 NASA-CP-2495-VOL-3		N88-16632 N88-16650
NASA-CP-2495-VOL-3		N88-15354
NASA-CP-2497		N88-13774
NASA-CP-2498	•	N88-25105
NASA-CP-2499		N88-14623
NASA-CP-2500		N88-17691
NASA-CP-2502		N88-23715
NASA-CP-2503		N88-23895
NASA-CP-2504		N88-23370
NASA-CP-2505		N88-20652
NASA-CP-2506	p 44	N88-21468
NASA-CP-3002		N88-25390
NASA-CP-3003-VOL-1		N88-23226
NASA-CP-3003-VOL-1	D 44	N88-22382

NASA-CP-3003-VOL-2 p 44 N88-22382

NASA-CP-3003-VOL-3	p 44	N88-22408
NASA-CP-3004	p 74	N89-13330
NASA-CP-3005 NASA-CP-3006	p 78	N88-26279 N89-11153
NASA-CP-3006	р 37 р 63	N88-29351
NASA-CP-3008	p 22	N89-10902
NASA-CP-3009	p 64	N88-30330
NASA-CP-3011 NASA-CP-3012-VOL-1	p 23 p 27	N89-15934 N90-28611
NASA-CP-3013	p 63	N89-15549
NASA-CP-3014	p 72	N89-14189
NASA-CP-3015 NASA-CP-3016	p 25 p 22	N89-12582 N89-11760
NASA-CP-3016 NASA-CP-3017	p 72	N89-14188
NASA-CP-3019	p 61	N89-19817
NASA-CP-3020-VOL-1-PT-1	p 9	N89-20925 N89-20942
NASA-CP-3020-VOL-1-PT-2 NASA-CP-3021	р9 р73	N89-15790
NASA-CP-3022-PT-1	p 9	N89-19234
NASA-CP-3022-PT-2	p 9	N89-19247
NASA-CP-3023 NASA-CP-3025	р 57 р 63	N89-20588 N89-22332
NASA-CP-3026	p 41	N89-22891
NASA-CP-3027	p 9	N89-23415
NASA-CP-3028 NASA-CP-3029	p 2 p 45	N89-19230 N89-22940
NASA-CP-3029	p 50	N89-24704
NASA-CP-3031-PT-1	p 15	N89-25146
NASA-CP-3031-PT-2	p 15	N89-25173
NASA-CP-3031-PT-3 NASA-CP-3032	р 15 р 46	N89-25201 N89-23892
NASA-CP-3033	p 64	N89-26578
NASA-CP-3034-PT-1	p 46	N89-24638
NASA-CP-3034-PT-2 NASA-CP-3035-PT-1	p 46 p 27	N89-24654 N89-23528
NASA-CP-3035-PT-2	p 28	N89-23547
NASA-CP-3037	p 27	N90-10140
NASA-CP-3039 NASA-CP-3040	. р75 . р24	N90-10805 N90-19249
NASA-CP-3041	p 26	N90-21062
NASA-CP-3042	p 53	N90-11405
NASA-CP-3043 NASA-CP-3044	р 38 р 53	N89-26184 N89-25540
NASA-CP-3045	. р <del>6</del> 2	N90-20651
NASA-CP-3046	. p 77	N90-19940
NASA-CP-3047	p 38	N90-10385
NASA-CP-3048 NASA-CP-3050	. р73 . р23	N90-18329 N90-13413
NASA-CP-3052	p 22	N90-17647
NASA-CP-3053		N90-16204
NASA-CP-3056	ρ50 ρ63	N90-20454 N90-14789
NASA-CP-3058		N90-18957
NSA-CP-3059	. p 62	N90-25503
NASA-CP-3061	р 73 р 47	N90-27562 N90-22079
NASA-CP-3063	. p 2	N90-20921
NASA-CP-3067	p 67	N90-24853
NASA-CP-3068	. р <del>64</del> . р 47	N90-22294 N90-24637
NASA-CP-3070		N90-25030
NASA-CP-3071		N90-23294
NASA-CP-3072 NASA-CP-3073		N90-27140
NASA-CP-3074		N90-27275 N90-24350
NASA-CP-3075	. р 48	N90-22824
NASA-CP-3076		N90-24586
NASA-CP-3077		N90-26744 N90-28224
NASA-CP-3081-VOL-1		N90-25980
NASA-RP-1082(04)	n 74	N89-17060
NASA-RP-1108/2		N88-14226
NASA-RP-1124	p 28	N88-10117
NASA-RP-1130		N88-18884 N87-10876
NASA-RP-1159		N87-10876 N87-29533
NASA-RP-1168	. p 14	N87-29499
NASA-RP-1170		N87-17665
NASA-RP-1171 NASA-RP-1172		N87-11916 N87-11358
NASA-RP-1173	p 51	N87-17417
NASA-RP-1175	. p 51	N87-20663

NASA-RP-1176	0 73	N87-14219	NASA-SP-494	n 78	N89-28474	NASA-TP-2610	0.41	N87-18095
NASA-RP-1177		N87-29612	NASA-SP-495		N89-12565	NASA-TP-2611		N87-18666
NASA-RP-1178-REV	р 73	N87-25906	NASA-SP-496		N89-12513	NASA-TP-2612		N87-10184
NASA-RP-1179		N89-17579	NASA-SP-497		N89-11657	NASA-TP-2613		N87-18783
NASA-RP-1180		N87-25984	NASA-SP-498		N89-26274	NASA-TP-2614	р7	N88-19412
NASA-RP-1181		N87-26309	NASA-SP-501		N90-12589	NASA-TP-2615		N88-19407
NASA-RP-1182 NASA-RP-1183		N87-22573	NASA-SP-502		N90-18344	NASA-TP-2616		N87-10864
NASA-RP-1184-VOL-2		N87-20701 N89-20587	NASA-SP-503		N90-22850	NASA-TP-2618		N88-21153
NASA-RP-1184		N88-27677	NASA-SP-504 NASA-SP-6101(02)		N90-25160	NASA-TP-2619 NASA-TP-2621		N88-18567 N87-10764
NASA-RP-1185		N87-26489	NASA-SP-6101		N90-13277 N89-12479	NASA-TP-2623		N87-10039
NASA-RP-1186		N88-10451	NASA-SP-7011(293)		N87-18976	NASA-TP-2624		N87-12541
NASA-RP-1187	p 14	N88-19467	NASA-SP-7011(302)		N87-30041	NASA-TP-2625		N87-13022
NASA-RP-1188		N87-28955	NASA-SP-7011(306)		N88-18180	NASA-TP-2626	p 41	N87-10391
NASA-RP-1189		N87-29544	NASA-SP-7011(315)	. ρ 60	N88-30281	NASA-TP-2627		N87-13789
NASA-RP-1190-VOL-1		N89-14194	NASA-SP-7011(327)		N89-29951	NASA-TP-2628		N87-11702
NASA-RP-1190-VOL-2		N89-14197	NASA-SP-7011(340)		N90-28963	NASA-TP-2629		N87-12718
NASA-RP-1190-VOL-3 NASA-RP-1190-VOL-4		N89-14201 N89-14196	NASA-SP-7037(217)		N87-27613	NASA-TP-2630		N87-14120
NASA-RP-1190-VOL-5		N89-14195	NASA-SP-7037(222) NASA-SP-7037(229)		N88-19416	NASA-TP-2631 NASA-TP-2632		N87-13664 N87-13264
NASA-RP-1190-VOL-6		N89-14198	NASA-SP-7037(242)	p 2	N88-27163 N89-29304	NASA-TP-2633		N87-10843
NASA-RP-1190-VOL-7		N89-14199	NASA-SP-7037(255)		N90-27648	NASA-TP-2635		N87-17971
NASA-RP-1194	ρ 55	N87-29996	NASA-SP-7038(04)		N87-70425	NASA-TP-2637		N87-12086
NASA-RP-1195		N88-13015	NASA-SP-7039(31)-Sect-1		N87-25023	NASA-TP-2638	p 37	N88-14299
NASA-RP-1196-PT-1-ED-2		N88-15738	NASA-SP-7039(31)-SECT-2		N87-26689	NASA-TP-2639		N87-12680
NASA-RP-1196-PT-2-ED-2		N88-16615	NASA-SP-7039(32)-SECT-1		N88-15732	NASA-TP-2641		N87-18782
NASA-RP-1197 NASA-RP-1198		N88-20772 N88-19037	NASA-SP-7039(32)-SECT-2		N88-18511	NASA-TP-2642		N87-15184
NASA-RP-1199		N88-17096	NASA-SP-7039(35)-SECT-1 NASA-SP-7039(35)-SECT-2		N89-25775	NASA-TP-2643 NASA-TP-2644		N87-22281 N87-16815
NASA-RP-1200		N88-25094	NASA-SP-7039(37)-SECT-1		N89-29264 N90-25698	NASA-TP-2645		N87-14998
NASA-RP-1201		N88-20714	NASA-SP-7039(37)-SECT-2		N90-26700	NASA-TP-2646		N87-18576
NASA-RP-1202		N88-29652	NASA-SP-7041(54)		N87-27315	NASA-TP-2648		N87-13438
NASA-RP-1203		N88-28843	NASA-SP-7041(57)		N88-23314	NASA-TP-2649	p 13	N87-17690
NASA-RP-1204		N89-10420	NASA-SP-7041(62)	. p 50	N89-29825	NASA-TP-2650		N87-18399
NASA-RP-1205		N88-30545	NASA-SP-7041(63)		N90-12091	NASA-TP-2652		N87-16849
NASA-RP-1206 NASA-RP-1207		N89-14634 N89-15123	NASA-SP-7046(17)		N87-29576	NASA-TP-2653		N87-15174
NASA-RP-1208		N88-29233	NASA-SP-7046(18)		N88-27214	NASA-TP-2654		N87-14054 N87-18034
NASA-RP-1209		N88-29234	NASA-SP-7046(20) NASA-SP-7046(22)		N89-26037	NASA-TP-2655 NASA-TP-2656		N87-18034 N87-20233
NASA-RP-1210		N89-14648	NASA-SP-7053-SUPPL-3		N90-26056 N87-27557	NASA-TP-2657		N87-20233
NASA-RP-1211	p 79	N89-30151	NASA-SP-7056(04)		N87-26073	NASA-TP-2658		N87-18537
NASA-RP-1212	p 42	N90-19593	NASA-SP-7056(05)		N88-13382	NASA-TP-2659		N87-17487
NASA-RP-1213		N89-16709	NASA-SP-7056(07)		N89-18522	NASA-TP-2660-PT-1		N87-23597
NASA-RP-1214		N89-17374	NASA-SP-7056(10)		N90-25171	NASA-TP-2660-PT-2		N87-25301
NASA-RP-1215		N89-22152	NASA-SP-7063(01)		N87-30218	NASA-TP-2661		N87-20567
NASA-RP-1216 NASA-RP-1217		N90-18342	NASA-SP-7063(02)		N88-22830	NASA-TP-2663		N87-18611
NASA-RP-1218		N90-10807 N89-25673	NASA-SP-7063(03)		N90-10782	NASA-TP-2664 NASA-TP-2665		N87-17991 N87-17990
NASA-RP-1219		N90-10412	NASA-SP-7064-SUPPL-3 NASA-SP-7064-VOL-3		N90-22438 N89-13301	NASA-TP-2666		N87-17717
NASA-RP-1220		N89-23448	NASA-SP-7065		N89-15779	NASA-TP-2667		N87-19351
NASA-RP-1221		N89-26304	NASA-SP-7069		N88-24553	NASA-TP-2668		N87-18629
NASA-RP-1222	p 40	N90-21351	NASA-SP-7078		N90-12385	NASA-TP-2669	p 16	N87-19393
NASA-RP-1223		N89-26275	NASA-SP-7079	. p 71	N90-27548	NASA-TP-2670		N87-28471
NASA-RP-1224-VOL-1		N90-13893	NASA-SP-7084		N90-26710	NASA-TP-2671		N87-20423
NASA-RP-1224-VOL-2 NASA-RP-1225		N89-28969	NASA-SP-7500(21)		N87-20833	NASA-TP-2672		N87-23202
NASA-RP-1226		N89-28983 N89-26209	NASA-SP-7500(22)		N88-21867	NASA-TP-2674 NASA-TP-2675		N87-20407 N87-22923
NASA-RP-1227		N89-27302	NASA-SP-7500(23) NASA-SP-7500(24)		N89-26766	NASA-TP-2676	p 35	N87-20238
NASA-RP-1228		N90-18740	14A3A-3F-7300(24)	роз	N90-24174	NASA-TP-2677		N87-18644
NASA-RP-1229		N89-27612	NASA-TP-1063	p 28	N88-70029	NASA-TP-2678		N87-20990
NASA-RP-1230		N90-14741	NASA-TP-1848		N87-23921	NASA-TP-2679	p 66	N87-20798
NASA-RP-1231		N90-17233	NASA-TP-1849	р 36	N87-24639	NASA-TP-2680		N87-20295
NASA RP. 1232 VOL. 1		N90-27064	NASA-TP-1850	. p 36	N87-23936		p 21	N88-17686
NASA-RP-1233-VOL-1 NASA-RP-1233-VOL-2		N90-20562 N90-20563	NASA-TP-2222	. p 19	N87-10871	NASA-TP-2682		N87-20514
NASA-RP-1233-VOL-2		N90-20563 N90-20564	NASA-TP-2223 NASA-TP-2224		N87-18570	NASA-TP-2683 NASA-TP-2684		N87-22626 N87-15959
NASA-RP-1234		N90-17227	NASA-TP-2224 NASA-TP-2336		N87-10103 N87-10042	NASA-TP-2685		N87-17000
NASA-RP-1235		N90-21037	NASA-TP-2350		N87-10870	NASA-TP-2688		N87-22441
NASA-RP-1237		N90-23837	NASA-TP-2352		N87-10838	NASA-TP-2689		N87-24161
NASA-RP-1238		N90-27607	NASA-TP-2364	. р3	N87-10839	NASA-TP-2690		N87-20380
NASA-RP-1240 NASA-RP-1241		N90-28063	NASA-TP-2375-PT-2		N87-10841	NASA-TP-2691		N87-23614
NASA-RP-1242		N90-23780 N90-28929	NASA-TP-2384		N87-29778	NASA-TP-2692		N87-23662
NASA-RP-1242		N90-28929 N90-28470	NASA-TP-2392 NASA-TP-2395		N87-17693	NASA-TP-2693 NASA-TP-2694		N87-20474 N87-16902
		200	NASA-TP-2395		N87-20966 N87-17668	NASA-TP-2695		N88-14629
NASA-SP-223(05)	p 42	N81-71594	NASA-TP-2418		N87-17669	NASA-TP-2696		N87-18588
NASA-SP-224(05)		N81-71592	NASA-TP-2462		N90-20942	NASA-TP-2697		N88-23988
NASA-SP-301		N77-85474	NASA-TP-2482	p 19	N88-14987	NASA-TP-2698		N87-22235
NASA-SP-4012-VOL-1		N88-25428	NASA-TP-2517		N88-23735	NASA-TP-2699		N87-20448
NASA-SP-4012-VOL-2 NASA-SP-4012-VOL-3		N88-25429 N88-25430	NASA-TP-2523		N87-15183	NASA-TP-2700		N87-21855
NASA-SP-4012-VOL-3		N88-14062	NASA-TP-2530		N87-14918 N88-20257	NASA-TP-2702 NASA-TP-2704	p 21	N87-22694 N87-21873
NASA-SP-4024		N90-25928	NASA-TP-2546 NASA-TP-2556		N88-20257 N88-14112	NASA-TP-2705		N87-21873 N87-20555
NASA-SP-4025		N89-26803	NASA-TP-2567		N87-29469	NASA-TP-2706		N87-23586
NASA-SP-4214	p 81	N89-25946	NASA-TP-2583		N87-11963	NASA-TP-2707		N87-24672
NASA-SP-4305		N87-24390	NASA-TP-2586	p 66	N87-17479	NASA-TP-2708	p 65	N87-22447
NASA-SP-4406		N89-26805	NASA-TP-2588	. p6	N88-10765	NASA-TP-2709		N87-23244
NASA-SP-484		N87-19322	NASA-TP-2593		N87-13731	NASA-TP-2710		N87-20568
NASA-SP-486	04/	N87-18139	NASA-TP-2594		N88-28895	NASA-TP-2711		N87-20566
NASA.SP-487	n 72	NRR.19375						
NASA-SP-487 NASA-SP-488		N88-19375 N87-30235	NASA-TP-2595-REV		N89-12114 N87-19035	NASA-TP-2712 NASA-TP-2713		N87-24433 N87-27643
NASA-SP-487 NASA-SP-488 NASA-SP-489	p 75	N88-19375 N87-30235 N87-24870	NASA-TP-2596	p 36	N87-18035	NASA-TP-2713	р6	N87-27643
NASA-SP-488	ρ 75 ρ 58	N87-30235		р 36 р 17	N87-18035 N87-17699		p6	
NASA-SP-488 NASA-SP-489 NASA-SP-490 NASA-SP-491	p 75 p 58 p 52 p 49	N87-30235 N87-24870	NASA-TP-2596 NASA-TP-2597	p 36 p 17 p 23	N87-18035	NASA-TP-2713 NASA-TP-2714	p 6 p 79 p 30	N87-27643 N87-20947
NASA-SP-468 NASA-SP-469 NASA-SP-490 NASA-SP-491 NASA-SP-492	p 75 p 58 p 52 p 49 p 75	N87-30235 N87-24870 N88-18084	NASA-TP-2596 NASA-TP-2597 NASA-TP-2598 NASA-TP-2601 NASA-TP-2603	p 36 p 17 p 23 p 3 p 43	N87-18035 N87-17699 N87-12581	NASA-TP-2713 NASA-TP-2714 NASA-TP-2715	p 6 p 79 p 30 p 14	N87-27643 N87-20947 N87-21076
NASA-SP-488 NASA-SP-489 NASA-SP-490 NASA-SP-491	p 75 p 58 p 52 p 49 p 75	N87-30235 N87-24870 N88-18084 N89-10401	NASA-TP-2596 NASA-TP-2597 NASA-TP-2598 NASA-TP-2601	p 36 p 17 p 23 p 3 p 43	N87-18035 N87-17699 N87-12581 N87-14284	NASA-TP-2713 NASA-TP-2714 NASA-TP-2715 NASA-TP-2716	p 6 p 79 p 30 p 14 p 5	N87-27643 N87-20947 N87-21076 N87-29497

#### REPORT NUMBER INDEX

NASA-TP-2719	p 35	N87-21239	NASA-TP-2821	p 44	N88-25013	NASA-TP-2933	p 10	N89-27634
NASA-TP-2720		N87-20381	NASA-TP-2822	p 20	N89-15929	NASA-TP-2934		N89-26976
NASA-TP-2721		N87-24432	NASA-TP-2823		N88-26684	NASA-TP-2935		N89-27214
NASA-TP-2722		N87-28367	NASA-TP-2824		N88-28343	NASA-TP-2936		N89-27039
NASA-TP-2723		N87-26491	NASA-TP-2825		N88-26907 N88-25480	NASA-TP-2937		N90-18081 N90-10618
NASA-TP-2724		N87-20727	NASA-TP-2826		N88-26344	NASA-TP-2939		N90-10829
NASA-TP-2725 NASA-TP-2726		N87-25423 N87-25424	NASA-TP-2828		N89-10024	NASA-TP-2940		N90-10074
NASA-TP-2727		N87-26874	NASA-TP-2829		N89-12316	NASA-TP-2941	p 46	N89-29811
NASA-TP-2728		N87-26031	NASA-TP-2830		N88-30402	NASA-TP-2942		N90-10814
NASA-TP-2729		N87-26883	NASA-TP-2832		N89-24264	NASA-TP-2943		N90-27121
NASA-TP-2730		N87-25435	NASA-TP-2833		N88-28075	NASA-TP-2944 NASA-TP-2945		N90-11915 N90-10830
NASA-TP-2731		N87-27622	NASA-TP-2834		N88-29752 N89-16437	NASA-TP-2946		N90-15882
NASA-TP-2732 NASA-TP-2733		N87-22870 N87-23592	NASA-TP-2837		N89-11726	NASA-TP-2947		N90-10680
NASA-TP-2735		N87-27994	NASA-TP-2838		N89-13762	NASA-TP-2948	p 79	N90-12456
NASA-TP-2736		N87-26032	NASA-TP-2839		N89-18039	NASA-TP-2949		N90-12282
NASA-TP-2737	. p4	N87-21871	NASA-TP-2840		N88-30099	NASA-TP-2950 NASA-TP-2951		N90-10179 N90-26823
NASA-TP-2738		N87-28025	NASA-TP-2841		N88-28286 N89-14053	NASA-TP-2952		N90-12042
NASA-TP-2739 NASA-TP-2740		N87-26041 N87-25331	NASA-TP-2844		N89-12569	NASA-TP-2953		N90-17042
NASA-TP-2741		N87-24977	NASA-TP-2845		N89-16183	NASA-TP-2954	p 38	N90-14493
NASA-TP-2742		N87-27626	NASA-TP-2846		N89-10844	NASA-TP-2955		N90-10248
NASA-TP-2743		N87-24590	NASA-TP-2847		N88-28177	NASA-TP-2956 NASA-TP-2957		N90-14185 N90-12348
NASA-TP-2744		N87-25463	NASA-TP-2848 NASA-TP-2850		N89-10020 N89-16170	NASA-TP-2960		N90-12348
NASA-TP-2745 NASA-TP-2746		N87-24585 N87-24481	NASA-TP-2851		N89-12580	NASA-TP-2961		N90-14187
NASA-TP-2747		N87-26922	NASA-TP-2853		N89-12237	NASA-TP-2962	p 20	N90-11757
NASA-TP-2748		N88-11450	NASA-TP-2855		N89-12822	NASA-TP-2963		N90-19718
NASA-TP-2749	p 21	N87-28570	NASA-TP-2856		N89-14213	NASA-TP 2965		N90-17639 N90-17627
NASA-TP-2751		N87-25425	NASA-TP-2857 NASA-TP-2858		N89-24327 N89-12543	NASA-TP-2966 NASA-TP-2967		N90-17627 N90-15211
NASA-TP-2752		N87-25532 N88-10771	NASA-TP-2859		N89-15900	NASA-TP-2968		N90-14890
NASA-TP-2755		N87-27024	NASA-TP-2862		N89-15979	NASA-TP-2969	p 11	N90-16710
NASA-TP-2756		N87-28162	NASA-TP-2863		N89-10996	NASA-TP-2970		N90-19302
NASA-TP-2757	. p 32	N87-27067	NASA-TP-2865		N89-16139	NASA-TP-2971		N90-15100 N90-16968
NASA-TP-2758		N87-27161	NASA-TP-2866NASA-TP-2867		N89-16415 N89-16115	NASA-TP-2972 NASA-TP-2973		N90-19193
NASA-TP-2759		N87-27474	NASA-TP-2868		N89-19579	NASA-TP-2974		N90-18882
NASA-TP-2760-REV NASA-TP-2761		N90-11454 N88-14572	NASA-TP-2869		N89-14210	NASA-TP-2975		N90-18385
NASA-TP-2762		N88-12454	NASA-TP-2870	р 13	N89-15901	NASA-TP-2976		N90-14256
NASA-TP-2763	. р6	N87-29462	NASA-TP-2872		N89-13814	NASA-TP-2977		N90-19595
NASA-TP-2764		N88-17380	NASA-TP-2873		N89-16196 N89-15930	NASA-TP-2978 NASA-TP-2979		N90-18378 N90-18357
NASA-TP-2765		N88-12538	NASA-TP-2874 NASA-TP-2875		N89-17767	NASA-TP-2980		N90-21004
NASA-TP-2766		N88-17440 N88-14115	NASA-TP-2877		N89-15888	NASA-TP-2981		N90-16007
NASA-TP-2768		N88-21740	NASA-TP-2878	. p 79	N89-16714	NASA-TP-2982		N90-19239
NASA-TP-2769		N88-12455	NASA-TP-2879		N90-11245	NASA-TP-2984		N90-28754
NASA-TP-2770	p 62	N88-20833	NASA-TP-2880		N89-15380	NASA-TP-2985 NASA-TP-2987		N90-27722 N90-25031
NASA-TP-2771		N88-17615	NASA-TP-2881		N89-13994 N89-26091	NASA-TP-2988		N90-23670
NASA-TP-2772 NASA-TP-2773		N88-10009 N88-12480	NASA-TP-2884		N89-16192	NASA-TP-2989		N90-20946
NASA-TP-2774		N88-12543	NASA-TP-2885		N89-19309	NASA-TP-2990		N90-20046
NASA-TP-2776		N88-24623	NASA-TP-2886		N89-16820	NASA-TP-2991		N90-19200
NASA-TP-2777		N88-10977	NASA-TP-2887		N89-17562 N89-17568	NASA-TP-2992 NASA-TP-2994		N90-24585 N90-21210
NASA-TP-2778		N88-10978	NASA-TP-2890 NASA-TP-2891		N89-15337	NASA-TP-2996		N90-19242
NASA-TP-2779 NASA-TP-2780		N88-15263 N88-13002	NASA-TP-2892		N89-17422	NASA-TP-2998		N90-21524
NASA-TP-2780		N88-21456	NASA-TP-2893	p 24	N89-18504	NASA-TP-2999		N90-22965
NASA-TP-2782		N88-17441	NASA-TP-2894		N89-19499	NASA-TP-3000		N90-22531
NASA-TP-2783	p 17	N88-12487	NASA-TP-2895		N89-19232	NASA-TP-3001 NASA-TP-3002		N90-25134 N90-28503
NASA-TP-2784		N88-22710	NASA-TP-2896 NASA-TP-2897		N89-17892 N89-19580	NASA-TP-3005		N90-23403
NASA-TP-2785	p 6/	N88-16510 N90-28806	NASA-TP-2898		N89-16845	NASA-TP-3007		N90-26077
NASA-TP-2787		N88-14212	NASA-TP-2899	. p 35	N89-21169	NASA-TP-3008		N90-27649
NASA-TP-2788	p 35	N88-15146	NASA-TP-2900		N89-25409	NASA-TP-3009		N90-24239
NASA-TP-2789	p 41	N88-17045	NASA-TP-2901		N89-21243 N89-17650	NASA-TP-3011 NASA-TP-3012		N90-27788 N90-25206
NASA-TP-2790		N88-18583	NASA-TP-2902 NASA-TP-2903		N89-23181	NASA-TP-3012		N90-21219
NASA-TP-2791 NASA-TP-2792		N88-15846 N88-16830	NASA-TP-2904		N89-21171	NASA-TP-3016	p 26	N90-27738
NASA-TP-2793		N88-15820	NASA-TP-2905	. p 40	N89-17855	NASA-TP-3017		N90-28066
NASA-TP-2795	p 41	N88-15224	NASA-TP-2906		N89-19385	NASA-TP-3018 NASA-TP-3019		N90-27066 N90-26036
NASA-TP-2796		N88-20264	NASA-TP-2907 NASA-TP-2908		N89-23468 N89 23469	NASA-TP-3019		N90-29290
NASA-TP-2797		N88-16662 N88-18443	NASA-TP-2908		N89-24507	NASA-TP-3023		N90-25673
NASA-TP-2798 NASA-TP-2799		N88-18443 N88-19420	NASA-TP-2910		N89-21103	NASA-TP-3024	p 47	N90-28859
NASA-TP-2800		N88-20280	NASA-TP-2911	. p 41	N89-24607	NASA-TP-3027		N90-29166
NASA-TP-2801		N88-17095	NASA-TP-2912		N89-28545	NASA-TP-3028 NASA-TP-3029		N90-25366
NASA-TP-2802		N88-18881	NASA-TP-2913 NASA-TP-2914		N89-22568 N89-27116	NASA-TP-3029		N90-25198 N90-25255
NASA TP 2804		N88-21144 N88-22325	NASA-TP-2914		N89-24815	NASA-TP-3031		N90-26028
NASA-TP-2804 NASA-TP-2805		N88-18552	NASA-TP-2916		N90-28099	NASA-TP-3036	p 11	N90-25938
NASA-TP-2806		N88-17614	NASA-TP-2917	. p 16	N90-15902	NASA-TP-3037		N90-28965
NASA-TP-2807	p 32	N88-17869	NASA-TP-2918		N89-25117	NASA-TP-3039 NASA-TP-3042		N90-27965 N90-27876
NASA-TP-2808		N88-22031	NASA-TP-2919 NASA-TP-2920		N89-25118 N89-25103	14A3A*1F*3U44	p 28	1400-21010
NASA-TP-2809	p8	N88-21117 N88-21157	NASA-TP-2921		N89-28034			
NASA-TP-2810 NASA-TP-2811		N88-21157 N89-14052	NASA-TP-2923	p 15	N89-26844			
NASA-TP-2812		N88-18751	NASA-TP-2924	p 29	N89-27796			
NASA-TP-2813	р8	N88-21118	NASA-TP-2925		N90-15112			
NASA-TP-2814		N88-23757	NASA-TP-2926 NASA-TP-2928		N90-13444 N89-25332			
NASA-TP-2815	p 19	N88-19475 N88-18933	NASA-TP-2928		N89-26811			
NASA-TP-2816 NASA-TP-2817	U 41	1400-10902						
		N88-22653	NASA-TP-2930	p o/	N89-30022			
	p 65	N88-22653 N88-23760	NASA-TP-2931	p 46	N89-26255			
NASA-TP-2818 NASA-TP-2820	p 65 p 8			p 46				

1. Report No.	Government Accession No.	3. Recipient's Catalog N	No.
NASA SP-7063(05)			ļ
Title and Subtitle		5. Report Date	
NASA Scientific and Technical Publicat	ions: A Catalog	February 1991	
of Special Publications, Reference Pub		6. Performing Organiza	tion Code
Conference Publications, and Technica	l Papers, 1987-1990	NTT	
7 Author(a)		8. Performing Organiza	tion Poport No.
7. Author(s)		6. Fenoming Organiza 	lion <del>ne</del> port No.
<u></u>		10. Work Unit No.	
Performing Organization Name and Address			
Office of Management		11. Contract or Grant N	
Scientific and Technical Information Div		The Contract of Grant N	<b>o</b> .
National Aeronautics and Space Admir	nistration		
Washington, DC 20546		13. Type of Report and	Period Covered
12. Sponsoring Agency Name and Address		Special Publicat	tion
National Aeronautics and Space Adm	inistration	14. Sponsoring Agency	Codo
Washington, DC 20546		14. Sponsoring Agency	Code
15. Supplementary Notes		<u> </u>	
,,			
16. Abstract			
, , , , , , , , , , , , , , , , , , , ,			
	NASA Special Publications, NASA Referen		
	apers that were entered into the NASA S		
	s 1987 through 1990. The entries are gro	uped by subject cate	egory. Indexes
of subject terms, personal authors, a	and NASA report numbers are provided.		
17. Key Words (Suggested by Authors(s))	18. Distribution Statement		
17. Key Words (Suggested by Authors(s)) Catalogs (Publications)	Unclassified - Unl	imited	
		imited	
	Unclassified - Unl	imited	
	Unclassified - Unl	imited	
	Unclassified - Unl	imited	
Catalogs (Publications)	Unclassified - Unl Subject Category	imited 82	
	Unclassified - Unl	imited	22. Price *